













Mode	35																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11be EHT20_CH11_Small RU 39+7_2462MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.46</td><td>53.41</td><td>74.00</td><td>-20.59</td><td>44.30</td><td>32.28</td><td>7.46</td><td>36.57</td><td>5.94</td><td>140 55 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2490.46	53.41	74.00	-20.59	44.30	32.28	7.46	36.57	5.94	140 55 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>106.79</td><td>-----</td><td>-----</td><td>97.76</td><td>32.23</td><td>7.43</td><td>36.57</td><td>5.94</td><td>140 55 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	106.79	-----	-----	97.76	32.23	7.43	36.57	5.94	140 55 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2490.46	53.41	74.00	-20.59	44.30	32.28	7.46	36.57	5.94	140 55 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	106.79	-----	-----	97.76	32.23	7.43	36.57	5.94	140 55 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.16</td><td>39.33</td><td>54.00</td><td>-14.67</td><td>30.24</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>140 55 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.16	39.33	54.00	-14.67	30.24	32.27	7.45	36.57	5.94	140 55 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>98.07</td><td>-----</td><td>-----</td><td>89.05</td><td>32.23</td><td>7.42</td><td>36.57</td><td>5.94</td><td>140 55 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	98.07	-----	-----	89.05	32.23	7.42	36.57	5.94	140 55 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.16	39.33	54.00	-14.67	30.24	32.27	7.45	36.57	5.94	140 55 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2462.00	98.07	-----	-----	89.05	32.23	7.42	36.57	5.94	140 55 AVERAGE																																																																																									



Mode	35																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_802.11be EHT20_CH11_Small RU 39+7_2462MHz																																																																																																	
ANT	CDD																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.88</td><td>62.06</td><td>74.00</td><td>-11.94</td><td>52.97</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>138 347 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.88	62.06	74.00	-11.94	52.97	32.27	7.45	36.57	5.94	138 347 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>113.23</td><td>-----</td><td>-----</td><td>104.21</td><td>32.23</td><td>7.42</td><td>36.57</td><td>5.94</td><td>138 347 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	113.23	-----	-----	104.21	32.23	7.42	36.57	5.94
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.88	62.06	74.00	-11.94	52.97	32.27	7.45	36.57	5.94	138 347 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	113.23	-----	-----	104.21	32.23	7.42	36.57	5.94	138 347 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>40.67</td><td>54.00</td><td>-13.33</td><td>31.58</td><td>32.27</td><td>7.45</td><td>36.57</td><td>5.94</td><td>138 347 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	40.67	54.00	-13.33	31.58	32.27	7.45	36.57	5.94	138 347 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.48</td><td>-----</td><td>-----</td><td>95.45</td><td>32.23</td><td>7.43</td><td>36.57</td><td>5.94</td><td>138 347 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.48	-----	-----	95.45	32.23	7.43	36.57	5.94
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.62	40.67	54.00	-13.33	31.58	32.27	7.45	36.57	5.94	138 347 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2462.00	104.48	-----	-----	95.45	32.23	7.43	36.57	5.94	138 347 AVERAGE																																																																																								



Mode	27																																																																																																																																																																																																																								
	LF																																																																																																																																																																																																																								
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																																																																																																																								
ANT	2																																																																																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																																																																																		
QP																																																																																																																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>48.92</td><td>26.89</td><td>40.00</td><td>-13.11</td><td>43.50</td><td>14.76</td><td>0.73</td><td>32.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>124.82</td><td>31.69</td><td>43.50</td><td>-11.81</td><td>44.71</td><td>17.50</td><td>1.55</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>374.84</td><td>34.79</td><td>46.00</td><td>-11.21</td><td>43.38</td><td>20.81</td><td>2.73</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>625.10</td><td>32.36</td><td>46.00</td><td>-13.64</td><td>35.21</td><td>25.90</td><td>3.52</td><td>32.27</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>791.45</td><td>30.12</td><td>46.00</td><td>-15.88</td><td>29.95</td><td>28.12</td><td>3.97</td><td>31.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>875.11</td><td>36.30</td><td>46.00</td><td>-9.70</td><td>34.43</td><td>29.17</td><td>4.19</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	48.92	26.89	40.00	-13.11	43.50	14.76	0.73	32.10	---	---	Peak	2	124.82	31.69	43.50	-11.81	44.71	17.50	1.55	32.07	---	---	Peak	3	374.84	34.79	46.00	-11.21	43.38	20.81	2.73	32.13	---	---	Peak	4	625.10	32.36	46.00	-13.64	35.21	25.90	3.52	32.27	---	---	Peak	5	791.45	30.12	46.00	-15.88	29.95	28.12	3.97	31.92	---	---	Peak	6	875.11	36.30	46.00	-9.70	34.43	29.17	4.19	31.49	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>124.82</td><td>34.31</td><td>43.50</td><td>-9.19</td><td>47.33</td><td>17.50</td><td>1.55</td><td>32.07</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>249.95</td><td>22.36</td><td>46.00</td><td>-23.64</td><td>33.63</td><td>18.61</td><td>2.21</td><td>32.09</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>374.84</td><td>40.47</td><td>46.00</td><td>-5.53</td><td>49.06</td><td>20.81</td><td>2.73</td><td>32.13</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>563.74</td><td>24.75</td><td>46.00</td><td>-21.25</td><td>27.48</td><td>26.19</td><td>3.34</td><td>32.26</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>875.11</td><td>37.05</td><td>46.00</td><td>-8.95</td><td>35.18</td><td>29.17</td><td>4.19</td><td>31.49</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>940.83</td><td>29.82</td><td>46.00</td><td>-16.18</td><td>26.42</td><td>30.07</td><td>4.34</td><td>31.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	124.82	34.31	43.50	-9.19	47.33	17.50	1.55	32.07	---	---	Peak	2	249.95	22.36	46.00	-23.64	33.63	18.61	2.21	32.09	---	---	Peak	3	374.84	40.47	46.00	-5.53	49.06	20.81	2.73	32.13	---	---	Peak	4	563.74	24.75	46.00	-21.25	27.48	26.19	3.34	32.26	---	---	Peak	5	875.11	37.05	46.00	-8.95	35.18	29.17	4.19	31.49	---	---	Peak	6	940.83	29.82	46.00	-16.18	26.42	30.07	4.34	31.01	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																															
1	48.92	26.89	40.00	-13.11	43.50	14.76	0.73	32.10	---	---	Peak																																																																																																																																																																																																														
2	124.82	31.69	43.50	-11.81	44.71	17.50	1.55	32.07	---	---	Peak																																																																																																																																																																																																														
3	374.84	34.79	46.00	-11.21	43.38	20.81	2.73	32.13	---	---	Peak																																																																																																																																																																																																														
4	625.10	32.36	46.00	-13.64	35.21	25.90	3.52	32.27	---	---	Peak																																																																																																																																																																																																														
5	791.45	30.12	46.00	-15.88	29.95	28.12	3.97	31.92	---	---	Peak																																																																																																																																																																																																														
6	875.11	36.30	46.00	-9.70	34.43	29.17	4.19	31.49	---	---	Peak																																																																																																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor		Remark																																																																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																															
1	124.82	34.31	43.50	-9.19	47.33	17.50	1.55	32.07	---	---	Peak																																																																																																																																																																																																														
2	249.95	22.36	46.00	-23.64	33.63	18.61	2.21	32.09	---	---	Peak																																																																																																																																																																																																														
3	374.84	40.47	46.00	-5.53	49.06	20.81	2.73	32.13	---	---	Peak																																																																																																																																																																																																														
4	563.74	24.75	46.00	-21.25	27.48	26.19	3.34	32.26	---	---	Peak																																																																																																																																																																																																														
5	875.11	37.05	46.00	-8.95	35.18	29.17	4.19	31.49	---	---	Peak																																																																																																																																																																																																														
6	940.83	29.82	46.00	-16.18	26.42	30.07	4.34	31.01	---	---	Peak																																																																																																																																																																																																														




Mode	27	
	18-25G	
	2400-2483.5_802.11g_CH11_2462MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg	<p>The plot shows the signal level in dBuV/m versus frequency in MHz for horizontal polarization. The y-axis ranges from 0 to 130 dBuV/m with major ticks every 16.3 dB. The x-axis ranges from 18000 to 25000 MHz with major ticks every 400 MHz. A blue line represents the measured signal, which is relatively flat around 40 dBuV/m. Three red horizontal lines indicate FCC Part 15C limits: the top line is at approximately 75 dBuV/m, the middle line is at approximately 65 dBuV/m, and the bottom line is at approximately 48.8 dBuV/m. The bottom line is labeled 'FCC PART 15C (AVG) -50dB'.</p>	<p>The plot shows the signal level in dBuV/m versus frequency in MHz for vertical polarization. The y-axis ranges from 0 to 130 dBuV/m with major ticks every 16.3 dB. The x-axis ranges from 18000 to 25000 MHz with major ticks every 400 MHz. A blue line represents the measured signal, which is relatively flat around 40 dBuV/m. Three red horizontal lines indicate FCC Part 15C limits: the top line is at approximately 75 dBuV/m, the middle line is at approximately 65 dBuV/m, and the bottom line is at approximately 48.8 dBuV/m. The bottom line is labeled 'FCC PART 15C (AVG) -50dB'.</p>


Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1/2	802.11b	99.00	-	-	10Hz
1/2	802.11g	92.92	1.428	0.701	0.75KHz
1+2	802.11be EHT20	91.25	1.058	0.945	1KHz
1+2	802.11be EHT20 RU106	92.45	1.285	0.778	0.82KHz
1+2	802.11be EHT20 RU52+26	100.00	-	-	10Hz


802.11b



802.11g




802.11be EHT20





802.11be EHT20 RU106



802.11be EHT20 RU52+26

