802.11be(EHT320)_LCH_6745MHz_SU_ / _Ant0_NTNV




802.11be(EHT320)_LCH_6745MHz_SU_ / _Ant1_NTNV



802.11be(EHT320)_LCH_6745MHz_SU_ / _MIMO_NTNV




802.11be(EHT320)_LCH_6745MHz_P-40M-RU2X996+996+484_ / _Ant0_NTNV



802.11be(EHT320)_LCH_6745MHz_P-40M-RU2X996+996+484_ / _Ant1_NTNV




802.11be(EHT320)_LCH_6745MHz_P-40M-RU2X996+996+484_ / _MIMO_NTNV



802.11be(EHT320)_HCH_6905MHz_SU_ / _Ant0_NTNV




802.11be(EHT320)_HCH_6905MHz_SU_ / _Ant1_NTNV



802.11be(EHT320)_HCH_6905MHz_SU_ / _MIMO_NTNV




802.11be(EHT320)_HCH_6905MHz_P-40M-RU2X996+996+484_ / _Ant0_NTNV



802.11be(EHT320)_HCH_6905MHz_P-40M-RU2X996+996+484_ / _Ant1_NTNV




802.11be(EHT320)_HCH_6905MHz_P-40M-RU2X996+996+484_ / _MIMO_NTNV



## 4.2.11 PSD

802.11be(EHT40)_HCH_6525MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_HCH_6525MHz_SU_ / _Ant1_NTNV



802.11be(EHT40)_HCH_6525MHz_SU_ / _MIMO_NTNV




802.11be(EHT80)_HCH_6545MHz_SU_ / _Ant0_NTNV



802.11be(EHT80)_HCH_6545MHz_SU_ / _Ant1_NTNV




802.11be(EHT80)_HCH_6545MHz_SU_ / _MIMO_NTNV



802.11be(EHT80)_HCH_6545MHz_242+484_ / _Ant0_NTNV




802.11be(EHT80)_HCH_6545MHz_242+484_ / _Ant1_NTNV



802.11be(EHT80)_HCH_6545MHz_242+484_ / _MIMO_NTNV




802.11be(EHT160)_HCH_6505MHz_SU_ / _Ant0_NTNV



802.11be(EHT160)_HCH_6505MHz_SU_ / _Ant1_NTNV




802.11be(EHT160)_HCH_6505MHz_SU_ / _MIMO_NTNV



802.11be(EHT160)_HCH_6505MHz_P-40M-RU484+996_ / _Ant0_NTNV




802.11be(EHT160)_HCH_6505MHz_P-40M-RU484+996_ / _Ant1_NTNV



802.11be(EHT160)_HCH_6505MHz_P-40M-RU484+996_ / _MIMO_NTNV




802.11be(EHT320)_MCH_6585MHz_SU_ / _Ant0_NTNV



802.11be(EHT320)_MCH_6585MHz_SU_ / _Ant1_NTNV




802.11be(EHT320)_MCH_6585MHz_SU_ / _MIMO_NTNV



802.11be(EHT320)_MCH_6585MHz_P-40M-RU2X996+996+484_ / _Ant0_NTNV




802.11be(EHT320)_MCH_6585MHz_P-40M-RU2X996+996+484_ / _Ant1_NTNV



802.11be(EHT320)_MCH_6585MHz_P-40M-RU2X996+996+484_ / _MIMO_NTNV



## 4.2.12 E.I.R.PSD

802.11be(EHT40)_HCH_6525MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_HCH_6525MHz_SU_ / _Ant1_NTNV



802.11be(EHT40)_HCH_6525MHz_SU_ / _MIMO_NTNV




802.11be(EHT80)_HCH_6545MHz_SU_ / _Ant0_NTNV



802.11be(EHT80)_HCH_6545MHz_SU_ / _Ant1_NTNV




802.11be(EHT80)_HCH_6545MHz_SU_ / _MIMO_NTNV



802.11be(EHT80)_HCH_6545MHz_242+484_ / _Ant0_NTNV




802.11be(EHT80)_HCH_6545MHz_242+484_ / _Ant1_NTNV



802.11be(EHT80)_HCH_6545MHz_242+484_ / _MIMO_NTNV




802.11be(EHT160)_HCH_6505MHz_SU_ / _Ant0_NTNV



802.11be(EHT160)_HCH_6505MHz_SU_ / _Ant1_NTNV




802.11be(EHT160)_HCH_6505MHz_SU_ / _MIMO_NTNV



802.11be(EHT160)_HCH_6505MHz_P-40M-RU484+996_ / _Ant0_NTNV




802.11be(EHT160)_HCH_6505MHz_P-40M-RU484+996_ / _Ant1_NTNV



802.11be(EHT160)_HCH_6505MHz_P-40M-RU484+996_ / _MIMO_NTNV




802.11be(EHT320)_MCH_6585MHz_SU_ / _Ant0_NTNV



802.11be(EHT320)_MCH_6585MHz_SU_ / _Ant1_NTNV




802.11be(EHT320)_MCH_6585MHz_SU_ / _MIMO_NTNV



802.11be(EHT320)_MCH_6585MHz_P-40M-RU2X996+996+484_ / _Ant0_NTNV




802.11be(EHT320)_MCH_6585MHz_P-40M-RU2X996+996+484_ / _Ant1_NTNV



802.11be(EHT320)_MCH_6585MHz_P-40M-RU2X996+996+484_ / _MIMO_NTNV



## 4.2.13 PSD

802.11be(EHT320)_MCH_6425MHz_SU_ / _Ant0_NTNV




802.11be(EHT320)_MCH_6425MHz_SU_ / _Ant1_NTNV



802.11be(EHT320)_MCH_6425MHz_SU_ / _MIMO_NTNV




802.11be(EHT320)_MCH_6425MHz_P-40M-RU2X996+996+484_ / _Ant0_NTNV



802.11be(EHT320)_MCH_6425MHz_P-40M-RU2X996+996+484_ / _Ant1_NTNV




802.11be(EHT320)_MCH_6425MHz_P-40M-RU2X996+996+484_ / _MIMO_NTNV



## 4.2.14 E.I.R.PSD

802.11be(EHT320)_MCH_6425MHz_SU_ / _Ant0_NTNV




802.11be(EHT320)_MCH_6425MHz_SU_ / _Ant1_NTNV



802.11be(EHT320)_MCH_6425MHz_SU_ / _MIMO_NTNV




802.11be(EHT320)_MCH_6425MHz_P-40M-RU2X996+996+484_ / _Ant0_NTNV



802.11be(EHT320)_MCH_6425MHz_P-40M-RU2X996+996+484_ / _Ant1_NTNV




802.11be(EHT320)_MCH_6425MHz_P-40M-RU2X996+996+484_ / _MIMO_NTNV



# 5. Emission Mask

## 5.1 Test Result

### 5.1.1 EMask

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | Test Result | Limit | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| NTNV | 802.11be (EHT20) | MIMO | 5955 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6175 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6415 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT40) | MIMO | 5965 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6165 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6405 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT80) | MIMO | 5985 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6145 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6385 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT160) | MIMO | 6025 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6185 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6345 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT320) | MIMO | 6105 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6265 | SU | / | 0 | Refer To Test Graph | | Pass |

### 5.1.2 EMask

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | Test Result | Limit | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| NTNV | 802.11be (EHT20) | MIMO | 6435 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6475 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6515 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT40) | MIMO | 6445 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6485 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT80) | MIMO | 6465 | SU | / | 0 | Refer To Test Graph | | Pass |

### 5.1.3 EMask

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | Test Result | Limit | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| NTNV | 802.11be (EHT20) | MIMO | 6535 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6695 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6855 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be | MIMO | 6565 | SU | / | 0 | Refer To Test Graph | | Pass |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | (EHT40) | | 6685 | SU | / | 0 | Refer To Test Graph | Pass |
| | | | 6845 | SU | / | 0 | Refer To Test Graph | Pass |
| | 802.11be (EHT80) | MIMO | 6625 | SU | / | 0 | Refer To Test Graph | Pass |
| | | | 6705 | SU | / | 0 | Refer To Test Graph | Pass |
| | | | 6785 | SU | / | 0 | Refer To Test Graph | Pass |
| | 802.11be (EHT160) | MIMO | 6665 | SU | / | 0 | Refer To Test Graph | Pass |

## 5.1.4 EMask

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | Test Result | Limit | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| NTNV | 802.11be (EHT20) | MIMO | 6895 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6995 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 7115 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT40) | MIMO | 6925 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 7005 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 7085 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT80) | MIMO | 6945 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 7025 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT160) | MIMO | 6985 | SU | / | 0 | Refer To Test Graph | | Pass |

## 5.1.5 EMask

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | Test Result | Limit | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| NTNV | 802.11be (EHT20) | MIMO | 6875 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT40) | MIMO | 6885 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT80) | MIMO | 6865 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT160) | MIMO | 6825 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT320) | MIMO | 6745 | SU | / | 0 | Refer To Test Graph | | Pass |
| | | | 6905 | SU | / | 0 | Refer To Test Graph | | Pass |

## 5.1.6 EMask

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | Test Result | Limit | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| NTNV | 802.11be (EHT40) | MIMO | 6525 | SU | / | 0 | Refer To Test Graph | | Pass |
| | 802.11be (EHT80) | MIMO | 6545 | SU | / | 0 | Refer To Test Graph | | Pass |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | 802.11be (EHT160) | MIMO | 6505 | SU | / | 0 | Refer To Test Graph | Pass |
| | 802.11be (EHT320) | MIMO | 6585 | SU | / | 0 | Refer To Test Graph | Pass |

## 5.1.7 EMask

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | Test Result | Limit | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| NTNV | 802.11be (EHT320) | MIMO | 6425 | SU | / | 0 | Refer To Test Graph | | Pass |

## 5.2 Test Graph

### 5.2.1 EMask

802.11be(EHT20)_LCH_5955MHz_SU_ / _Ant0_NTNV




802.11be(EHT20)_MCH_6175MHz_SU_ / _Ant0_NTNV



802.11be(EHT20)_HCH_6415MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_LCH_5965MHz_SU_ / _Ant0_NTNV



802.11be(EHT40)_MCH_6165MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_HCH_6405MHz_SU_ / _Ant0_NTNV



802.11be(EHT80)_LCH_5985MHz_SU_ / _Ant0_NTNV




802.11be(EHT80)_MCH_6145MHz_SU_ / _Ant0_NTNV



802.11be(EHT80)_HCH_6385MHz_SU_ / _Ant0_NTNV




802.11be(EHT160)_LCH_6025MHz_SU_ / _Ant0_NTNV



802.11be(EHT160)_MCH_6185MHz_SU_ / _Ant0_NTNV




802.11be(EHT160)_HCH_6345MHz_SU_ / _Ant0_NTNV



802.11be(EHT320)_LCH_6105MHz_SU_ / _Ant0_NTNV




802.11be(EHT320)_HCH_6265MHz_SU_ / _Ant0_NTNV



## 5.2.2 EMask

802.11be(EHT20)_LCH_6435MHz_SU_ / _Ant0_NTNV




802.11be(EHT20)_MCH_6475MHz_SU_ / _Ant0_NTNV



802.11be(EHT20)_HCH_6515MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_LCH_6445MHz_SU_ / _Ant0_NTNV



802.11be(EHT40)_MCH_6485MHz_SU_ / _Ant0_NTNV




802.11be(EHT80)_LCH_6465MHz_SU_ / _Ant0_NTNV



## 5.2.3 EMask

802.11be(EHT20)_LCH_6535MHz_SU_ / _Ant0_NTNV




802.11be(EHT20)_MCH_6695MHz_SU_ / _Ant0_NTNV



802.11be(EHT20)_HCH_6855MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_LCH_6565MHz_SU_ / _Ant0_NTNV



802.11be(EHT40)_MCH_6685MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_HCH_6845MHz_SU_ / _Ant0_NTNV



802.11be(EHT80)_LCH_6625MHz_SU_ / _Ant0_NTNV




802.11be(EHT80)_MCH_6705MHz_SU_ / _Ant0_NTNV



802.11be(EHT80)_HCH_6785MHz_SU_ / _Ant0_NTNV




802.11be(EHT160)_MCH_6665MHz_SU_ / _Ant0_NTNV



## 5.2.4 EMask

802.11be(EHT20)_LCH_6895MHz_SU_ / _Ant0_NTNV




802.11be(EHT20)_MCH_6995MHz_SU_ / _Ant0_NTNV



802.11be(EHT20)_HCH_7115MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_LCH_6925MHz_SU_ / _Ant0_NTNV



802.11be(EHT40)_MCH_7005MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_HCH_7085MHz_SU_ / _Ant0_NTNV



802.11be(EHT80)_LCH_6945MHz_SU_ / _Ant0_NTNV




802.11be(EHT80)_HCH_7025MHz_SU_ / _Ant0_NTNV



802.11be(EHT160)_MCH_6985MHz_SU_ / _Ant0_NTNV



## 5.2.5 EMask

802.11be(EHT20)_HCH_6875MHz_SU_ / _Ant0_NTNV




802.11be(EHT40)_HCH_6885MHz_SU_ / _Ant0_NTNV



802.11be(EHT80)_HCH_6865MHz_SU_ / _Ant0_NTNV




802.11be(EHT160)_HCH_6825MHz_SU_ / _Ant0_NTNV



802.11be(EHT320)_LCH_6745MHz_SU_ / _Ant0_NTNV




802.11be(EHT320)_HCH_6905MHz_SU_ / _Ant0_NTNV



## 5.2.6 EMask

| 802.11be(EHT40)_HCH_6525MHz_SU_ / _Ant0_NTNV |
| --- |
|  |
| 802.11be(EHT80)_HCH_6545MHz_SU_ / _Ant0_NTNV |
|  |

802.11be(EHT160)_HCH_6505MHz_SU_ / _Ant0_NTNV




802.11be(EHT320)_MCH_6585MHz_SU_ / _Ant0_NTNV



## 5.2.7 EMask

802.11be(EHT320)_MCH_6425MHz_SU_ / _Ant0_NTNV



# WIFI 6
# 1. Duty Cycle

## 1.1 Test Result

### 1.1.1 Ant0

| Ant0 | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | T_on (ms) | Period (ms) | Duty Cycle (%) | Duty Cycle Correction Factor (dB) | Max. DC Variation (%) |
| NTNV | 802.11a | MIMO | 5955 | / | / | 2.096 | 2.112 | 99.24 | 0.03 | 0.03 |

# 2. Bandwidth

## 2.1 Test Result

### 2.1.1 OBW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 99% Occupied Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 5955 | / | / | 0 | 16.843 | <=320 | Pass |
| | | | 6175 | / | / | 0 | 16.923 | <=320 | Pass |
| | | | 6415 | / | / | 0 | 16.843 | <=320 | Pass |

### 2.1.2 26dB BW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 26dB Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 5955 | / | / | 0 | 22.546 | / | Pass |
| | | | 6175 | / | / | 0 | 22.553 | / | Pass |
| | | | 6415 | / | / | 0 | 22.614 | / | Pass |

### 2.1.3 OBW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 99% Occupied Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 6435 | / | / | 0 | 16.936 | <=320 | Pass |
| | | | 6475 | / | / | 0 | 16.912 | <=320 | Pass |
| | | | 6515 | / | / | 0 | 16.921 | <=320 | Pass |

### 2.1.4 26dB BW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 26dB Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 6435 | / | / | 0 | 22.578 | / | Pass |
| | | | 6475 | / | / | 0 | 22.677 | / | Pass |
| | | | 6515 | / | / | 0 | 22.642 | / | Pass |

### 2.1.5 OBW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 99% Occupied Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| NTNV | 802.11a | MIMO | 6535 | / | / | 0 | 16.905 | <=320 | Pass |
| | | | 6695 | / | / | 0 | 16.895 | <=320 | Pass |
| | | | 6855 | / | / | 0 | 16.833 | <=320 | Pass |

## 2.1.6 26dB BW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 26dB Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 6535 | / | / | 0 | 22.555 | / | Pass |
| | | | 6695 | / | / | 0 | 22.482 | / | Pass |
| | | | 6855 | / | / | 0 | 22.770 | / | Pass |

## 2.1.7 OBW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 99% Occupied Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 6895 | / | / | 0 | 16.922 | <=320 | Pass |
| | | | 6995 | / | / | 0 | 16.873 | <=320 | Pass |
| | | | 7115 | / | / | 0 | 16.941 | <=320 | Pass |

## 2.1.8 26dB BW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 26dB Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 6895 | / | / | 0 | 22.711 | / | Pass |
| | | | 6995 | / | / | 0 | 22.761 | / | Pass |
| | | | 7115 | / | / | 0 | 22.616 | / | Pass |

## 2.1.9 OBW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 99% Occupied Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 6875 | / | / | 0 | 16.886 | <=320 | Pass |

## 2.1.10 26dB BW

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | ANT | 26dB Bandwidth (MHz) | | Verdict |
|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | Result | Limit | |
| NTNV | 802.11a | MIMO | 6875 | / | / | 0 | 22.620 | / | Pass |

## 2.2 Test Graph

### 2.2.1 OBW

802.11a_LCH_5955MHz_Ant0_NTNV




802.11a_MCH_6175MHz_Ant0_NTNV



802.11a_HCH_6415MHz_Ant0_NTNV



## 2.2.2 26dB BW

802.11a_LCH_5955MHz_Ant0_NTNV




802.11a_MCH_6175MHz_Ant0_NTNV



802.11a_HCH_6415MHz_Ant0_NTNV



## 2.2.3 OBW

| 802.11a_LCH_6435MHz_Ant0_NTNV |
| --- |
|  |
| 802.11a_MCH_6475MHz_Ant0_NTNV |
|  |

802.11a_HCH_6515MHz_Ant0_NTNV



## 2.2.4 26dB BW

802.11a_LCH_6435MHz_Ant0_NTNV




802.11a_MCH_6475MHz_Ant0_NTNV



802.11a_HCH_6515MHz_Ant0_NTNV



## 2.2.5 OBW

802.11a_LCH_6535MHz_Ant0_NTNV




802.11a_MCH_6695MHz_Ant0_NTNV



802.11a_HCH_6855MHz_Ant0_NTNV



## 2.2.6 26dB BW

802.11a_LCH_6535MHz_Ant0_NTNV




802.11a_MCH_6695MHz_Ant0_NTNV



802.11a_HCH_6855MHz_Ant0_NTNV



## 2.2.7 OBW

| 802.11a_LCH_6895MHz_Ant0_NTNV |
| --- |
|  |
| 802.11a_MCH_6995MHz_Ant0_NTNV |
|  |

802.11a_HCH_7115MHz_Ant0_NTNV



## 2.2.8 26dB BW

802.11a_LCH_6895MHz_Ant0_NTNV




802.11a_MCH_6995MHz_Ant0_NTNV



802.11a_HCH_7115MHz_Ant0_NTNV



## 2.2.9 OBW

802.11a_HCH_6875MHz_Ant0_NTNV



## 2.2.10 26dB BW

802.11a_HCH_6875MHz_Ant0_NTNV



# 3. Maximum Conducted Output Power

## 3.1 Test Result

### 3.1.1 Power

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum Average Conducted Output Power (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 5955 | / | / | 2.02 | 1.68 | 4.86 | / | Pass |
| | | | 6175 | / | / | 2.25 | 1.78 | 5.03 | / | Pass |
| | | | 6415 | / | / | 0.80 | 0.45 | 3.64 | / | Pass |
| | 802.11ax (HEW20) | MIMO | 5955 | SU | / | 1.57 | 1.18 | 4.39 | / | Pass |
| | | | 6175 | SU | / | 1.85 | 1.50 | 4.69 | / | Pass |
| | | | 6415 | SU | / | 1.83 | 1.49 | 4.67 | / | Pass |
| | 802.11ax (HEW40) | MIMO | 5965 | SU | / | 4.02 | 3.64 | 6.84 | / | Pass |
| | | | 6165 | SU | / | 4.04 | 3.73 | 6.90 | / | Pass |
| | | | 6405 | SU | / | 3.79 | 3.43 | 6.62 | / | Pass |
| | 802.11ax (HEW80) | MIMO | 5985 | SU | / | 6.20 | 5.94 | 9.08 | / | Pass |
| | | | 6145 | SU | / | 7.13 | 6.67 | 9.91 | / | Pass |
| | | | 6385 | SU | / | 7.08 | 6.70 | 9.90 | / | Pass |
| | 802.11ax (HEW160) | MIMO | 6025 | SU | / | 10.27 | 9.85 | 13.07 | / | Pass |
| | | | 6185 | SU | / | 10.25 | 9.93 | 13.10 | / | Pass |
| | | | 6345 | SU | / | 9.78 | 9.34 | 12.57 | / | Pass |

### 3.1.2 EIRP

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | E.I.R.P (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 5955 | / | / | 3.62 | 3.28 | 6.46 | <=24 | Pass |
| | | | 6175 | / | / | 3.85 | 3.38 | 6.63 | <=24 | Pass |
| | | | 6415 | / | / | 2.40 | 2.05 | 5.24 | <=24 | Pass |
| | 802.11ax (HEW20) | MIMO | 5955 | SU | / | 3.17 | 2.78 | 5.99 | <=24 | Pass |
| | | | 6175 | SU | / | 3.45 | 3.10 | 6.29 | <=24 | Pass |
| | | | 6415 | SU | / | 3.43 | 3.09 | 6.27 | <=24 | Pass |
| | 802.11ax (HEW40) | MIMO | 5965 | SU | / | 5.62 | 5.24 | 8.44 | <=24 | Pass |
| | | | 6165 | SU | / | 5.64 | 5.33 | 8.50 | <=24 | Pass |
| | | | 6405 | SU | / | 5.39 | 5.03 | 8.22 | <=24 | Pass |
| | 802.11ax (HEW80) | MIMO | 5985 | SU | / | 7.80 | 7.54 | 10.68 | <=24 | Pass |
| | | | 6145 | SU | / | 8.73 | 8.27 | 11.51 | <=24 | Pass |
| | | | 6385 | SU | / | 8.68 | 8.30 | 11.50 | <=24 | Pass |
| | 802.11ax | MIMO | 6025 | SU | / | 11.87 | 11.45 | 14.67 | <=24 | Pass |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | (HEW160) | | 6185 | SU | / | 11.85 | 11.53 | 14.70 | <=24 | Pass |
| | | | 6345 | SU | / | 11.38 | 10.94 | 14.17 | <=24 | Pass |

### 3.1.3 Power

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum Average Conducted Output Power (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6435 | / | / | 0.56 | 0.23 | 3.41 | / | Pass |
| | | | 6475 | / | / | 1.70 | 1.31 | 4.52 | / | Pass |
| | | | 6515 | / | / | 2.02 | 1.71 | 4.88 | / | Pass |
| | 802.11ax (HEW20) | MIMO | 6435 | SU | / | 0.49 | 0.15 | 3.33 | / | Pass |
| | | | 6475 | SU | / | 0.69 | 0.41 | 3.56 | / | Pass |
| | | | 6515 | SU | / | 1.93 | 1.55 | 4.75 | / | Pass |
| | 802.11ax (HEW40) | MIMO | 6445 | SU | / | 3.86 | 3.57 | 6.73 | / | Pass |
| | | | 6485 | SU | / | 4.05 | 3.77 | 6.92 | / | Pass |
| | 802.11ax (HEW80) | MIMO | 6465 | SU | / | 6.80 | 6.35 | 9.59 | / | Pass |

### 3.1.4 EIRP

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | E.I.R.P (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6435 | / | / | 2.16 | 1.83 | 5.01 | <=24 | Pass |
| | | | 6475 | / | / | 3.30 | 2.91 | 6.12 | <=24 | Pass |
| | | | 6515 | / | / | 3.62 | 3.31 | 6.48 | <=24 | Pass |
| | 802.11ax (HEW20) | MIMO | 6435 | SU | / | 2.09 | 1.75 | 4.93 | <=24 | Pass |
| | | | 6475 | SU | / | 2.29 | 2.01 | 5.16 | <=24 | Pass |
| | | | 6515 | SU | / | 3.53 | 3.15 | 6.35 | <=24 | Pass |
| | 802.11ax (HEW40) | MIMO | 6445 | SU | / | 5.46 | 5.17 | 8.33 | <=24 | Pass |
| | | | 6485 | SU | / | 5.65 | 5.37 | 8.52 | <=24 | Pass |
| | 802.11ax (HEW80) | MIMO | 6465 | SU | / | 8.40 | 7.95 | 11.19 | <=24 | Pass |

### 3.1.5 Power

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum Average Conducted Output Power (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6535 | / | / | 1.79 | 1.51 | 4.66 | / | Pass |
| | | | 6695 | / | / | 1.79 | 1.39 | 4.60 | / | Pass |
| | | | 6855 | / | / | 1.92 | 1.56 | 4.75 | / | Pass |
| | 802.11ax (HEW20) | MIMO | 6535 | SU | / | 1.97 | 1.67 | 4.83 | / | Pass |
| | | | 6695 | SU | / | 2.12 | 1.82 | 4.98 | / | Pass |
| | | | 6855 | SU | / | 1.68 | 1.38 | 4.54 | / | Pass |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 802.11ax (HEW40) | MIMO | 6565 | SU | / | 3.31 | 3.04 | 6.19 | / | Pass |
| | | | 6685 | SU | / | 4.28 | 4.04 | 7.17 | / | Pass |
| | | | 6845 | SU | / | 3.84 | 3.52 | 6.69 | / | Pass |
| | 802.11ax (HEW80) | MIMO | 6625 | SU | / | 7.28 | 6.89 | 10.10 | / | Pass |
| | | | 6705 | SU | / | 6.84 | 6.49 | 9.68 | / | Pass |
| | | | 6785 | SU | / | 6.38 | 5.97 | 9.19 | / | Pass |
| | 802.11ax (HEW160) | MIMO | 6665 | SU | / | 10.18 | 9.82 | 13.01 | / | Pass |

## 3.1.6 EIRP

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | E.I.R.P (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6535 | / | / | 3.39 | 3.11 | 6.26 | <=24 | Pass |
| | | | 6695 | / | / | 3.39 | 2.99 | 6.20 | <=24 | Pass |
| | | | 6855 | / | / | 3.52 | 3.16 | 6.35 | <=24 | Pass |
| | 802.11ax (HEW20) | MIMO | 6535 | SU | / | 3.57 | 3.27 | 6.43 | <=24 | Pass |
| | | | 6695 | SU | / | 3.72 | 3.42 | 6.58 | <=24 | Pass |
| | | | 6855 | SU | / | 3.28 | 2.98 | 6.14 | <=24 | Pass |
| | 802.11ax (HEW40) | MIMO | 6565 | SU | / | 4.91 | 4.64 | 7.79 | <=24 | Pass |
| | | | 6685 | SU | / | 5.88 | 5.64 | 8.77 | <=24 | Pass |
| | | | 6845 | SU | / | 5.44 | 5.12 | 8.29 | <=24 | Pass |
| | 802.11ax (HEW80) | MIMO | 6625 | SU | / | 8.88 | 8.49 | 11.70 | <=24 | Pass |
| | | | 6705 | SU | / | 8.44 | 8.09 | 11.28 | <=24 | Pass |
| | | | 6785 | SU | / | 7.98 | 7.57 | 10.79 | <=24 | Pass |
| | 802.11ax (HEW160) | MIMO | 6665 | SU | / | 11.78 | 11.42 | 14.61 | <=24 | Pass |

## 3.1.7 Power

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum Average Conducted Output Power (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6895 | / | / | 1.46 | 1.15 | 4.32 | / | Pass |
| | | | 6995 | / | / | 1.03 | 0.66 | 3.86 | / | Pass |
| | | | 7115 | / | / | 1.25 | 0.91 | 4.09 | / | Pass |
| | 802.11ax (HEW20) | MIMO | 6895 | SU | / | 1.69 | 1.29 | 4.50 | / | Pass |
| | | | 6995 | SU | / | 1.36 | 1.02 | 4.20 | / | Pass |
| | | | 7115 | SU | / | -3.95 | -3.60 | -6.79 | / | Pass |
| | 802.11ax (HEW40) | MIMO | 6925 | SU | / | 3.39 | 3.04 | 6.23 | / | Pass |
| | | | 7005 | SU | / | 3.85 | 3.49 | 6.68 | / | Pass |
| | | | 7085 | SU | / | 3.58 | 3.20 | 6.40 | / | Pass |
| | 802.11ax (HEW80) | MIMO | 6945 | SU | / | 6.33 | 6.01 | 9.18 | / | Pass |
| | | | 7025 | SU | / | 6.96 | 6.63 | 9.81 | / | Pass |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 802.11ax (HEW160) | MIMO | 6985 | SU | / | 9.91 | 9.56 | 12.75 | / | Pass |

## 3.1.8 EIRP

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | E.I.R.P (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6895 | / | / | 3.06 | 2.75 | 5.92 | <=24 | Pass |
| | | | 6995 | / | / | 2.63 | 2.26 | 5.46 | <=24 | Pass |
| | | | 7115 | / | / | 2.85 | 2.51 | 5.69 | <=24 | Pass |
| | 802.11ax (HEW20) | MIMO | 6895 | SU | / | 3.29 | 2.89 | 6.10 | <=24 | Pass |
| | | | 6995 | SU | / | 2.96 | 2.62 | 5.80 | <=24 | Pass |
| | | | 7115 | SU | / | -2.35 | -2.00 | -5.19 | <=24 | Pass |
| | 802.11ax (HEW40) | MIMO | 6925 | SU | / | 4.99 | 4.64 | 7.83 | <=24 | Pass |
| | | | 7005 | SU | / | 5.45 | 5.09 | 8.28 | <=24 | Pass |
| | | | 7085 | SU | / | 5.18 | 4.80 | 8.00 | <=24 | Pass |
| | 802.11ax (HEW80) | MIMO | 6945 | SU | / | 7.93 | 7.61 | 10.78 | <=24 | Pass |
| | | | 7025 | SU | / | 8.56 | 8.23 | 11.41 | <=24 | Pass |
| | 802.11ax (HEW160) | MIMO | 6985 | SU | / | 11.51 | 11.16 | 14.35 | <=24 | Pass |

## 3.1.9 Power

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum Average Conducted Output Power (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6875 | / | / | 1.59 | 1.27 | 4.44 | / | Pass |
| | 802.11ax (HEW20) | MIMO | 6875 | SU | / | 1.71 | 1.30 | 4.52 | / | Pass |
| | 802.11ax (HEW40) | MIMO | 6885 | SU | / | 4.34 | 3.56 | 6.96 | / | Pass |
| | 802.11ax (HEW80) | MIMO | 6865 | SU | / | 6.88 | 6.49 | 9.70 | / | Pass |
| | 802.11ax (HEW160) | MIMO | 6825 | SU | / | 10.41 | 10.05 | 13.24 | / | Pass |

## 3.1.10 EIRP

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | E.I.R.P (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6875 | / | / | 3.19 | 2.87 | 6.04 | <=24 | Pass |
| | 802.11ax (HEW20) | MIMO | 6875 | SU | / | 3.31 | 2.90 | 6.12 | <=24 | Pass |
| | 802.11ax (HEW40) | MIMO | 6885 | SU | / | 5.94 | 5.16 | 8.56 | <=24 | Pass |
| | 802.11ax | MIMO | 6865 | SU | / | 8.48 | 8.09 | 11.30 | <=24 | Pass |

| | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | (HEW80) | | | | | | | | | |
| | 802.11ax (HEW160) | MIMO | 6825 | SU | / | 12.01 | 11.65 | 14.84 | <=24 | Pass |

## 3.1.11 Power

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum Average Conducted Output Power (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11ax (HEW40) | MIMO | 6525 | SU | / | 4.55 | 4.14 | 7.36 | / | Pass |
| | 802.11ax (HEW80) | MIMO | 6545 | SU | / | 6.94 | 6.53 | 9.75 | / | Pass |
| | 802.11ax (HEW160) | MIMO | 6505 | SU | / | 10.00 | 9.60 | 12.81 | / | Pass |

## 3.1.12 EIRP

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | E.I.R.P (dBm) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11ax (HEW40) | MIMO | 6525 | SU | / | 6.15 | 5.74 | 8.96 | <=24 | Pass |
| | 802.11ax (HEW80) | MIMO | 6545 | SU | / | 8.54 | 8.13 | 11.35 | <=24 | Pass |
| | 802.11ax (HEW160) | MIMO | 6505 | SU | / | 11.60 | 11.20 | 14.41 | <=24 | Pass |

# 4. Maximum Power Spectral Density

## 4.1 Test Result

### 4.1.1 PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 5955 | / | / | -9.04 | -9.09 | -6.12 | / | Pass |
| | | | 6175 | / | / | -8.81 | -8.96 | -5.96 | / | Pass |
| | | | 6415 | / | / | -10.25 | -10.30 | -7.41 | / | Pass |

### 4.1.2 E.I.R.PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum E.I.R.PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 5955 | / | / | -7.44 | -7.49 | -1.51 | <=-1 | Pass |
| | | | 6175 | / | / | -7.21 | -7.36 | -1.35 | <=-1 | Pass |
| | | | 6415 | / | / | -8.65 | -8.70 | -2.80 | <=-1 | Pass |

### 4.1.3 PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6435 | / | / | -10.50 | -10.52 | -7.50 | / | Pass |
| | | | 6475 | / | / | -9.34 | -9.20 | -6.42 | / | Pass |
| | | | 6515 | / | / | -8.90 | -9.02 | -6.22 | / | Pass |

### 4.1.4 E.I.R.PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum E.I.R.PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6435 | / | / | -8.90 | -8.92 | -2.89 | <=-1 | Pass |
| | | | 6475 | / | / | -7.74 | -7.60 | -1.81 | <=-1 | Pass |
| | | | 6515 | / | / | -7.30 | -7.42 | -1.61 | <=-1 | Pass |

### 4.1.5 PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6535 | / | / | -9.04 | -8.98 | -6.32 | / | Pass |
| | | | 6695 | / | / | -9.31 | -9.31 | -6.34 | / | Pass |
| | | | 6855 | / | / | -8.89 | -8.98 | -6.04 | / | Pass |

## 4.1.6 E.I.R.PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum E.I.R.PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6535 | / | / | -7.44 | -7.38 | -1.71 | <=-1 | Pass |
| | | | 6695 | / | / | -7.71 | -7.71 | -1.73 | <=-1 | Pass |
| | | | 6855 | / | / | -7.29 | -7.38 | -1.43 | <=-1 | Pass |

## 4.1.7 PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6895 | / | / | -9.28 | -9.45 | -6.51 | / | Pass |
| | | | 6995 | / | / | -9.69 | -10.04 | -7.06 | / | Pass |
| | | | 7115 | / | / | -9.94 | -9.84 | -7.01 | / | Pass |

## 4.1.8 E.I.R.PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum E.I.R.PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6895 | / | / | -7.68 | -7.85 | -1.90 | <=-1 | Pass |
| | | | 6995 | / | / | -8.09 | -8.44 | -2.45 | <=-1 | Pass |
| | | | 7115 | / | / | -8.34 | -8.24 | -2.40 | <=-1 | Pass |

## 4.1.9 PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6875 | / | / | -9.05 | -9.17 | -6.31 | / | Pass |

## 4.1.10 E.I.R.PSD

| ENV | Mode | TX Type | Frequency (MHz) | RU | RU Pos | Maximum E.I.R.PSD (dBm/MHz) | | | | Verdict |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | ANT0 | ANT1 | MIMO | Limit | |
| NTNV | 802.11a | MIMO | 6875 | / | / | -7.45 | -7.57 | -1.70 | <=-1 | Pass |

## 4.2 Test Graph

### 4.2.1 PSD

802.11a_LCH_5955MHz_Ant0_NTNV




802.11a_LCH_5955MHz_Ant1_NTNV



802.11a_LCH_5955MHz_MIMO_NTNV




802.11a_MCH_6175MHz_Ant0_NTNV



802.11a_MCH_6175MHz_Ant1_NTNV




802.11a_MCH_6175MHz_MIMO_NTNV



802.11a_HCH_6415MHz_Ant0_NTNV




802.11a_HCH_6415MHz_Ant1_NTNV



802.11a_HCH_6415MHz_MIMO_NTNV



## 4.2.2 E.I.R.PSD

802.11a_LCH_5955MHz_Ant0_NTNV




802.11a_LCH_5955MHz_Ant1_NTNV



802.11a_LCH_5955MHz_MIMO_NTNV




802.11a_MCH_6175MHz_Ant0_NTNV



802.11a_MCH_6175MHz_Ant1_NTNV




802.11a_MCH_6175MHz_MIMO_NTNV



802.11a_HCH_6415MHz_Ant0_NTNV




802.11a_HCH_6415MHz_Ant1_NTNV



802.11a_HCH_6415MHz_MIMO_NTNV



## 4.2.3 PSD

802.11a_LCH_6435MHz_Ant0_NTNV




802.11a_LCH_6435MHz_Ant1_NTNV



802.11a_LCH_6435MHz_MIMO_NTNV




802.11a_MCH_6475MHz_Ant0_NTNV



802.11a_MCH_6475MHz_Ant1_NTNV




802.11a_MCH_6475MHz_MIMO_NTNV



802.11a_HCH_6515MHz_Ant0_NTNV




802.11a_HCH_6515MHz_Ant1_NTNV



802.11a_HCH_6515MHz_MIMO_NTNV



## 4.2.4 E.I.R.PSD

| 802.11a_LCH_6435MHz_Ant0_NTNV |
| --- |
|  |
| 802.11a_LCH_6435MHz_Ant1_NTNV |
|  |

802.11a_LCH_6435MHz_MIMO_NTNV




802.11a_MCH_6475MHz_Ant0_NTNV



802.11a_MCH_6475MHz_Ant1_NTNV




802.11a_MCH_6475MHz_MIMO_NTNV



802.11a_HCH_6515MHz_Ant0_NTNV




802.11a_HCH_6515MHz_Ant1_NTNV



802.11a_HCH_6515MHz_MIMO_NTNV



## 4.2.5 PSD

| 802.11a_LCH_6535MHz_Ant0_NTNV |
| --- |
|  |
| 802.11a_LCH_6535MHz_Ant1_NTNV |
|  |

802.11a_LCH_6535MHz_MIMO_NTNV




802.11a_MCH_6695MHz_Ant0_NTNV



802.11a_MCH_6695MHz_Ant1_NTNV




802.11a_MCH_6695MHz_MIMO_NTNV



802.11a_HCH_6855MHz_Ant0_NTNV




802.11a_HCH_6855MHz_Ant1_NTNV



802.11a_HCH_6855MHz_MIMO_NTNV



## 4.2.6 E.I.R.PSD

802.11a_LCH_6535MHz_Ant0_NTNV




802.11a_LCH_6535MHz_Ant1_NTNV



802.11a_LCH_6535MHz_MIMO_NTNV




802.11a_MCH_6695MHz_Ant0_NTNV



802.11a_MCH_6695MHz_Ant1_NTNV




802.11a_MCH_6695MHz_MIMO_NTNV



802.11a_HCH_6855MHz_Ant0_NTNV




802.11a_HCH_6855MHz_Ant1_NTNV



802.11a_HCH_6855MHz_MIMO_NTNV



## 4.2.7 PSD

802.11a_LCH_6895MHz_Ant0_NTNV




802.11a_LCH_6895MHz_Ant1_NTNV