











































Band edge measurements



Test Result



TestMode	Antenna	ChName	Freq(MHz)	RefLevel[dBm/ 100KHz]	Result[dBm/100 KHz]	Limit[dBm/100 KHz]	Verdict
BLE_1M	Ant1	Low	2402	10.81	-38.46	≤-9.19	PASS
	Ant2	Low	2402	10.80	-38.39	≤-9.2	PASS
	Ant1	High	2480	10.80	-41.69	≤-9.2	PASS
	Ant2	High	2480	10.66	-42.4	≤-9.34	PASS
BLE_2M	Ant1	Low	2402	10.86	-21.07	≤-9.14	PASS
	Ant2	Low	2402	10.76	-21.18	≤-9.24	PASS
	Ant1	High	2480	10.71	-42.11	≤-9.29	PASS
	Ant2	High	2480	10.63	-42.91	≤-9.37	PASS
BLE_125K	Ant1	Low	2402	10.44	-39.03	≤-9.56	PASS
	Ant2	Low	2402	10.27	-39.17	≤-9.73	PASS
	Ant1	High	2480	10.30	-42.25	≤-9.7	PASS
	Ant2	High	2480	10.15	-44.38	≤-9.85	PASS
BLE_500K	Ant1	Low	2402	11.21	-38.68	≤-8.79	PASS
	Ant2	Low	2402	11.13	-39.09	≤-8.87	PASS
	Ant1	High	2480	11.06	-42.52	≤-8.94	PASS
	Ant2	High	2480	10.97	-43.18	≤-9.03	PASS







Test Graphs




























Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm/100KHz]	Result [dBm/100KHz]	Limit [dBm/100KHz]	Verdict
BLE_1M	Ant1	2402	30~1000	10.81	-48.9	≤-9.19	PASS
			1000~26500	10.81	-38.68	≤-9.19	PASS
	Ant2	2402	30~1000	10.80	-49.6	≤-9.2	PASS
			1000~26500	10.80	-41.5	≤-9.2	PASS
	Ant1	2440	30~1000	10.63	-49.79	≤-9.37	PASS
			1000~26500	10.63	-42.21	≤-9.37	PASS
	Ant2	2440	30~1000	10.65	-49.27	≤-9.35	PASS
			1000~26500	10.65	-41.68	≤-9.35	PASS
	Ant1	2480	30~1000	10.80	-49.78	≤-9.2	PASS
			1000~26500	10.80	-42.96	≤-9.2	PASS
	Ant2	2480	30~1000	10.66	-49.08	≤-9.34	PASS
			1000~26500	10.66	-42.42	≤-9.34	PASS
BLE_2M	Ant1	2402	30~1000	10.86	-48.99	≤-9.14	PASS
			1000~26500	10.86	-41.8	≤-9.14	PASS
	Ant2	2402	30~1000	10.76	-48.63	≤-9.24	PASS
			1000~26500	10.76	-41.7	≤-9.24	PASS
	Ant1	2440	30~1000	10.73	-48.96	≤-9.27	PASS
			1000~26500	10.73	-42.9	≤-9.27	PASS
	Ant2	2440	30~1000	10.60	-48.77	≤-9.4	PASS
			1000~26500	10.60	-42.14	≤-9.4	PASS
	Ant1	2480	30~1000	10.71	-49.47	≤-9.29	PASS
			1000~26500	10.71	-42.08	≤-9.29	PASS
	Ant2	2480	30~1000	10.63	-48.72	≤-9.37	PASS
			1000~26500	10.63	-42.19	≤-9.37	PASS
BLE_125K	Ant1	2402	30~1000	10.44	-49.3	≤-9.56	PASS
			1000~26500	10.44	-42.37	≤-9.56	PASS
	Ant2	2402	30~1000	10.27	-49.52	≤-9.73	PASS
			1000~26500	10.27	-41.61	≤-9.73	PASS
	Ant1	2440	30~1000	10.27	-49.17	≤-9.73	PASS
			1000~26500	10.27	-42.58	≤-9.73	PASS
	Ant2	2440	30~1000	10.10	-49.28	≤-9.9	PASS
			1000~26500	10.10	-42.05	≤-9.9	PASS
	Ant1	2480	30~1000	10.30	-49.37	≤-9.7	PASS
			1000~26500	10.30	-42.69	≤-9.7	PASS







	Ant2	2480	30~1000	10.15	-48.72	≤ -9.85	PASS
			1000~26500	10.15	-41.86	≤ -9.85	PASS
BLE_500K	Ant1	2402	30~1000	11.21	-49.22	≤ -8.79	PASS
			1000~26500	11.21	-42.45	≤ -8.79	PASS
	Ant2	2402	30~1000	11.13	-48.78	≤ -8.87	PASS
			1000~26500	11.13	-41.57	≤ -8.87	PASS
	Ant1	2440	30~1000	11.06	-49.07	≤ -8.94	PASS
			1000~26500	11.06	-42.69	≤ -8.94	PASS
	Ant2	2440	30~1000	10.94	-49.65	≤ -9.06	PASS
			1000~26500	10.94	-42.56	≤ -9.06	PASS
	Ant1	2480	30~1000	11.06	-49.51	≤ -8.94	PASS
			1000~26500	11.06	-42.49	≤ -8.94	PASS
	Ant2	2480	30~1000	10.97	-49.2	≤ -9.03	PASS
			1000~26500	10.97	-42.56	≤ -9.03	PASS







Test Graphs





























































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-L 2025 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.162	48.50	-16.84	65.34	28.50	9.55	10.45	QP
2	0.162	32.50	-22.84	55.34	12.50	9.55	10.45	Average
3 *	0.174	51.21	-13.56	64.77	31.20	9.55	10.46	QP
4	0.174	36.91	-17.86	54.77	16.90	9.55	10.46	Average
5	0.198	42.51	-21.20	63.71	22.50	9.55	10.46	QP
6	0.198	26.51	-27.20	53.71	6.50	9.55	10.46	Average
7	0.223	46.35	-16.35	62.70	26.30	9.59	10.46	QP
8	0.223	33.55	-19.15	52.70	13.50	9.59	10.46	Average
9	14.063	35.33	-24.67	60.00	15.20	9.86	10.27	QP
10	14.063	29.63	-20.37	50.00	9.50	9.86	10.27	Average
11	18.524	32.96	-27.04	60.00	12.80	9.87	10.29	QP
12	18.524	26.66	-23.34	50.00	6.50	9.87	10.29	Average



Test Engineer :	Amos	Temperature :	24.2~25.6°C
		Relative Humidity :	37~39%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-100334-N 2025 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.163	49.90	-15.40	65.30	29.90	9.55	10.45	QP
2	0.163	32.50	-22.80	55.30	12.50	9.55	10.45	Average
3 *	0.171	51.50	-13.40	64.90	31.51	9.54	10.45	QP
4	0.171	36.70	-18.20	54.90	16.71	9.54	10.45	Average
5	0.223	43.69	-19.01	62.70	23.60	9.63	10.46	QP
6	0.223	27.89	-24.81	52.70	7.80	9.63	10.46	Average
7	0.243	38.62	-23.38	62.00	18.50	9.65	10.47	QP
8	0.243	29.32	-22.68	52.00	9.20	9.65	10.47	Average
9	2.409	35.20	-20.80	56.00	15.21	9.76	10.23	QP
10	2.409	28.50	-17.50	46.00	8.51	9.76	10.23	Average
11	17.661	43.66	-16.34	60.00	23.61	9.76	10.29	QP
12	17.661	30.66	-19.34	50.00	10.61	9.76	10.29	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Amos	Relative Humidity :	37~39%
		Temperature :	24.2~25.6 °C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	A1	Bluetooth-LE_GSFK	0	2402	1Mbps	-	-
Mode 2	2400-2483.5	A1	Bluetooth-LE_GSFK	19	2440	1Mbps	-	-
Mode 3	2400-2483.5	A1	Bluetooth-LE_GSFK	39	2480	1Mbps	-	-
Mode 4	2400-2483.5	A1	Bluetooth-LE_GSFK	0	2402	2Mbps	-	-
Mode 5	2400-2483.5	A1	Bluetooth-LE_GSFK	19	2440	2Mbps	-	-
Mode 6	2400-2483.5	A1	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-
Mode 7	2400-2483.5	A2	Bluetooth-LE_GSFK	39	2480	2Mbps	-	-





Note:

- For BLE 1Mbps & 125Kbps & 500Kbps & 2Mbps mode, the RSE testing has assessed only BLE 1M&2Mbps mode by referring to the higher conducted power.
- According to the maximum conducted power, Ant 1 was chose to perform full test, Ant 2 was verified the worst case of Ant 1.





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth-LE_GSFK	0	2388.13	40.40	54.00	-13.60	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	0	4804.00	50.62	54.00	-3.38	H	AVERAGE	Pass	Harmonic
2	Bluetooth-LE_GSFK	19	-	-	-	-	-	-	-	Band Edge
	Bluetooth-LE_GSFK	19	7320.00	49.89	54.00	-4.11	V	AVERAGE	Pass	Harmonic
3	Bluetooth-LE_GSFK	39	2483.50	49.84	54.00	-4.16	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	4960.00	48.37	54.00	-5.63	H	AVERAGE	Pass	Harmonic
4	Bluetooth-LE_GSFK	0	2381.89	42.12	54.00	-11.88	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	0	4804.00	50.88	54.00	-3.12	H	AVERAGE	Pass	Harmonic
5	Bluetooth-LE_GSFK	19	-	-	-	-	-	-	-	Band Edge
	Bluetooth-LE_GSFK	19	7320.00	49.25	54.00	-4.75	V	AVERAGE	Pass	Harmonic
6	Bluetooth-LE_GSFK	39	2484.88	50.74	54.00	-3.11	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	4960.00	49.13	54.00	-4.87	H	AVERAGE	Pass	Harmonic
7	Bluetooth-LE_GSFK	39	2484.70	50.91	54.00	-3.09	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GSFK	39	4960.00	47.17	54.00	-6.83	H	AVERAGE	Pass	Harmonic



Mode	1																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																									
ANT	A1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.76</td><td>56.43</td><td>74.00</td><td>-17.57</td><td>48.04</td><td>31.85</td><td>7.15</td><td>36.61</td><td>6.00</td><td>105 176 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.76	56.43	74.00	-17.57	48.04	31.85	7.15	36.61	6.00	105 176 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>107.79</td><td>-----</td><td>-----</td><td>99.18</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>105 176 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.79	-----	-----	99.18	32.01	7.18	36.58	6.00	105 176 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2381.76	56.43	74.00	-17.57	48.04	31.85	7.15	36.61	6.00	105 176 PEAK																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	107.79	-----	-----	99.18	32.01	7.18	36.58	6.00	105 176 PEAK																																																																																
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.13</td><td>40.40</td><td>54.00</td><td>-13.60</td><td>31.93</td><td>31.91</td><td>7.16</td><td>36.60</td><td>6.00</td><td>105 176 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.13	40.40	54.00	-13.60	31.93	31.91	7.16	36.60	6.00	105 176 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>106.82</td><td>-----</td><td>-----</td><td>98.21</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>105 176 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	106.82	-----	-----	98.21	32.01	7.18	36.58	6.00	105 176 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2388.13	40.40	54.00	-13.60	31.93	31.91	7.16	36.60	6.00	105 176 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2402.00	106.82	-----	-----	98.21	32.01	7.18	36.58	6.00	105 176 AVERAGE																																																																																





Mode	1																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																																																
ANT	A1																																																																																																
Pol.	Vertical					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.89</td><td>53.49</td><td>74.00</td><td>-20.51</td><td>45.09</td><td>31.06</td><td>7.15</td><td>36.61</td><td>6.00</td><td>295 283 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.89	53.49	74.00	-20.51	45.09	31.06	7.15	36.61	6.00	295 283 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.88</td><td>-----</td><td>-----</td><td>95.27</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>295 283 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.88	-----	-----	95.27	32.01	7.18	36.58	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2381.89	53.49	74.00	-20.51	45.09	31.06	7.15	36.61	6.00	295 283 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	103.88	-----	-----	95.27	32.01	7.18	36.58	6.00	295 283 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.02</td><td>39.60</td><td>54.00</td><td>-14.40</td><td>31.20</td><td>31.06</td><td>7.15</td><td>36.61</td><td>6.00</td><td>295 283 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.02	39.60	54.00	-14.40	31.20	31.06	7.15	36.61	6.00	295 283 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>103.02</td><td>-----</td><td>-----</td><td>94.41</td><td>32.01</td><td>7.18</td><td>36.58</td><td>6.00</td><td>295 283 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	103.02	-----	-----	94.41	32.01	7.18	36.58	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2382.02	39.60	54.00	-14.40	31.20	31.06	7.15	36.61	6.00	295 283 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	103.02	-----	-----	94.41	32.01	7.18	36.58	6.00	295 283 AVERAGE																																																																																							







Mode	1																																																																			
	Harmonic																																																																			
	2400-2483.5_Bluetooth-LE_GSKF_CH0_2402MHz																																																																			
ANT	A1																																																																			
Pol.	Horizontal																																																																			
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>72.99</td><td>33.80</td><td>10.27</td><td>64.20</td><td>0.00</td><td>100</td><td>349 PEAK</td></tr><tr><td>2</td><td>4804.00</td><td>50.62</td><td>54.00</td><td>-3.38</td><td>70.75</td><td>33.80</td><td>10.27</td><td>64.20</td><td>0.00</td><td>100</td><td>349 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	52.86	74.00	-21.14	72.99	33.80	10.27	64.20	0.00	100	349 PEAK	2	4804.00	50.62	54.00	-3.38	70.75	33.80	10.27	64.20	0.00	100	349 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4804.00	52.86	74.00	-21.14	72.99	33.80	10.27	64.20	0.00	100	349 PEAK																																																									
2	4804.00	50.62	54.00	-3.38	70.75	33.80	10.27	64.20	0.00	100	349 AVERAGE																																																									
Vertical	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>46.41</td><td>74.00</td><td>-27.59</td><td>66.54</td><td>33.80</td><td>10.27</td><td>64.20</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr><tr><td>2</td><td>4804.00</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>63.02</td><td>33.80</td><td>10.27</td><td>64.20</td><td>0.00</td><td>300</td><td>356 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	46.41	74.00	-27.59	66.54	33.80	10.27	64.20	0.00	300	356 PEAK	2	4804.00	42.89	54.00	-11.11	63.02	33.80	10.27	64.20	0.00	300	356 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4804.00	46.41	74.00	-27.59	66.54	33.80	10.27	64.20	0.00	300	356 PEAK																																																									
2	4804.00	42.89	54.00	-11.11	63.02	33.80	10.27	64.20	0.00	300	356 PEAK																																																									







Mode	2																																																																																																																																																										
	Harmonic																																																																																																																																																										
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																																																																										
ANT	A1																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>54.93</td><td>74.00</td><td>-19.07</td><td>75.00</td><td>33.86</td><td>10.35</td><td>64.28</td><td>0.00</td><td>112</td><td>345 PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>49.84</td><td>54.00</td><td>-4.16</td><td>69.91</td><td>33.86</td><td>10.35</td><td>64.28</td><td>0.00</td><td>112</td><td>345 AVERAGE</td></tr><tr><td>3</td><td>7320.00</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>67.12</td><td>35.56</td><td>12.79</td><td>66.11</td><td>0.00</td><td>100</td><td>199 PEAK</td></tr><tr><td>4</td><td>7320.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>61.83</td><td>35.56</td><td>12.79</td><td>66.11</td><td>0.00</td><td>100</td><td>199 AVERAGE</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	54.93	74.00	-19.07	75.00	33.86	10.35	64.28	0.00	112	345 PEAK	2	4880.00	49.84	54.00	-4.16	69.91	33.86	10.35	64.28	0.00	112	345 AVERAGE	3	7320.00	49.36	74.00	-24.64	67.12	35.56	12.79	66.11	0.00	100	199 PEAK	4	7320.00	44.07	54.00	-9.93	61.83	35.56	12.79	66.11	0.00	100	199 AVERAGE	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>67.77</td><td>33.86</td><td>10.35</td><td>64.28</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2</td><td>4880.00</td><td>42.38</td><td>54.00</td><td>-11.62</td><td>62.45</td><td>33.86</td><td>10.35</td><td>64.28</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr><tr><td>3</td><td>7320.00</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>71.78</td><td>35.56</td><td>12.79</td><td>66.11</td><td>0.00</td><td>100</td><td>175 PEAK</td></tr><tr><td>4</td><td>7320.00</td><td>49.89</td><td>54.00</td><td>-4.11</td><td>67.65</td><td>35.56</td><td>12.79</td><td>66.11</td><td>0.00</td><td>100</td><td>175 AVERAGE</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4880.00	47.70	74.00	-26.30	67.77	33.86	10.35	64.28	0.00	300	360 PEAK	2	4880.00	42.38	54.00	-11.62	62.45	33.86	10.35	64.28	0.00	300	360 AVERAGE	3	7320.00	54.02	74.00	-19.98	71.78	35.56	12.79	66.11	0.00	100	175 PEAK	4	7320.00	49.89	54.00	-4.11	67.65	35.56	12.79	66.11	0.00	100
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	4880.00	54.93	74.00	-19.07	75.00	33.86	10.35	64.28	0.00	112	345 PEAK																																																																																																																																																
2	4880.00	49.84	54.00	-4.16	69.91	33.86	10.35	64.28	0.00	112	345 AVERAGE																																																																																																																																																
3	7320.00	49.36	74.00	-24.64	67.12	35.56	12.79	66.11	0.00	100	199 PEAK																																																																																																																																																
4	7320.00	44.07	54.00	-9.93	61.83	35.56	12.79	66.11	0.00	100	199 AVERAGE																																																																																																																																																
	Freq	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1	4880.00	47.70	74.00	-26.30	67.77	33.86	10.35	64.28	0.00	300	360 PEAK																																																																																																																																																
2	4880.00	42.38	54.00	-11.62	62.45	33.86	10.35	64.28	0.00	300	360 AVERAGE																																																																																																																																																
3	7320.00	54.02	74.00	-19.98	71.78	35.56	12.79	66.11	0.00	100	175 PEAK																																																																																																																																																
4	7320.00	49.89	54.00	-4.11	67.65	35.56	12.79	66.11	0.00	100	175 AVERAGE																																																																																																																																																



Mode	3																																																						
	Band Edge																																																						
	2400-2483.5 Bluetooth-LE_GSKF_CH39_2480MHz																																																						
ANT	A1																																																						
Pol.	Horizontal																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.62</td><td>60.73</td><td>74.00</td><td>-13.27</td><td>51.70</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>300 11 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.62	60.73	74.00	-13.27	51.70	32.27	7.33	36.57	6.00	300 11 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.62	60.73	74.00	-13.27	51.70	32.27	7.33	36.57	6.00	300 11 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.24</td><td>-----</td><td>-----</td><td>98.23</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>300 11 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.24	-----	-----	98.23	32.26	7.32	36.57	6.00	300 11 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	107.24	-----	-----	98.23	32.26	7.32	36.57	6.00	300 11 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>49.84</td><td>54.00</td><td>-4.16</td><td>40.81</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>300 11 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	49.84	54.00	-4.16	40.81	32.27	7.33	36.57	6.00	300 11 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	49.84	54.00	-4.16	40.81	32.27	7.33	36.57	6.00	300 11 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.29</td><td>-----</td><td>-----</td><td>97.28</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>300 11 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.29	-----	-----	97.28	32.26	7.32	36.57	6.00	300 11 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	106.29	-----	-----	97.28	32.26	7.32	36.57	6.00	300 11 AVERAGE																																													



Mode	3																																																						
	Band Edge																																																						
	2400-2483.5 Bluetooth-LE_GSKF_CH39_2480MHz																																																						
ANT	A1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>58.00</td><td>74.00</td><td>-16.00</td><td>48.97</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>341 99 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	58.00	74.00	-16.00	48.97	32.27	7.33	36.57	6.00	341 99 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.56	58.00	74.00	-16.00	48.97	32.27	7.33	36.57	6.00	341 99 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.83</td><td>-----</td><td>-----</td><td>94.82</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>341 99 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.83	-----	-----	94.82	32.26	7.32	36.57	6.00	341 99 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	103.83	-----	-----	94.82	32.26	7.32	36.57	6.00	341 99 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>47.16</td><td>54.00</td><td>-6.84</td><td>38.13</td><td>32.27</td><td>7.33</td><td>36.57</td><td>6.00</td><td>341 99 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	47.16	54.00	-6.84	38.13	32.27	7.33	36.57	6.00	341 99 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	47.16	54.00	-6.84	38.13	32.27	7.33	36.57	6.00	341 99 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.96</td><td>-----</td><td>-----</td><td>93.95</td><td>32.26</td><td>7.32</td><td>36.57</td><td>6.00</td><td>341 99 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.96	-----	-----	93.95	32.26	7.32	36.57	6.00	341 99 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	102.96	-----	-----	93.95	32.26	7.32	36.57	6.00	341 99 AVERAGE																																													