


Appendix-C Field Strength of Spurious Radiation-LTE

For LTE:

Project Information			
Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.20	112.35	-95.23	17.12	-	-	Horizontal	NA
2	4618.00	39.01	-102.14	-63.13	-13.00	50.13	Horizontal	PASS
3	6808.00	37.52	-96.84	-59.32	-13.00	46.32	Horizontal	PASS
4	11981.50	35.53	-89.35	-53.82	-13.00	40.82	Horizontal	PASS

Project Information

Mode:	LTE	Band:	2
Bandwidth:	20MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.07	119.15	-95.23	23.92	-	-	Vertical	NA
2	3742.00	46.75	-105.95	-59.20	-13.00	46.20	Vertical	PASS
3	5613.50	44.81	-100.15	-55.34	-13.00	42.34	Vertical	PASS
4	7484.00	46.82	-95.98	-49.16	-13.00	36.16	Vertical	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph



10561.4539MHz,131


Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	113.42	-95.47	17.95	-	-	Horizontal	NA
2	4382.00	38.89	-103.09	-64.20	-13.00	51.20	Horizontal	PASS
3	5949.00	38.85	-99.06	-60.21	-13.00	47.21	Horizontal	PASS
4	15065.00	33.32	-85.04	-51.72	-13.00	38.72	Horizontal	PASS

Project Information

Mode:	LTE	Band:	4
Bandwidth:	20MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	120.93	-95.47	25.46	-	-	Vertical	NA
2	2134.20	51.22	-94.93	-43.71	-13.00	30.71	Vertical	PASS
3	3447.00	46.17	-106.82	-60.65	-13.00	47.65	Vertical	PASS
4	6894.50	46.08	-96.58	-50.50	-13.00	37.50	Vertical	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2425.87	50.68	-111.54	-60.86	-13.00	47.86	Horizontal	PASS
2	4262.67	39.34	-103.62	-64.28	-13.00	51.28	Horizontal	PASS
3	5955.73	39.37	-99.17	-59.80	-13.00	46.80	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	5
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2410.13	52.58	-111.65	-59.07	-13.00	46.07	Vertical	PASS
2	4138.13	44.32	-104.19	-59.87	-13.00	46.87	Vertical	PASS
3	5949.33	41.57	-99.12	-57.55	-13.00	44.55	Vertical	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	105.06	-93.46	11.60	-	-	Horizontal	NA
2	5052.00	46.27	-101.37	-55.10	-25.00	30.10	Horizontal	PASS
3	7578.00	52.23	-95.70	-43.47	-25.00	18.47	Horizontal	PASS
4	15066.00	33.72	-85.02	-51.30	-25.00	26.30	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	7
Bandwidth:	20MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	116.09	-93.46	22.63	-	-	Vertical	NA
2	5052.00	54.53	-101.37	-46.84	-25.00	21.84	Vertical	PASS
3	7578.50	63.92	-95.70	-31.78	-25.00	6.78	Vertical	PASS
4	10104.50	43.37	-91.39	-48.02	-25.00	23.02	Vertical	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1414.17	43.91	-113.88	-69.97	-13.00	56.97	Horizontal	PASS
2	2669.73	42.62	-110.05	-67.43	-13.00	54.43	Horizontal	PASS
3	5949.23	39.52	-99.12	-59.60	-13.00	46.60	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	12
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1413.23	44.81	-113.88	-69.07	-13.00	56.07	Vertical	PASS
2	2335.60	42.91	-111.88	-68.97	-13.00	55.97	Vertical	PASS
3	4738.70	39.56	-102.25	-62.69	-13.00	49.69	Vertical	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1727.07	43.26	-113.64	-70.38	-13.00	57.38	Horizontal	PASS
2	3282.70	40.72	-107.58	-66.86	-13.00	53.86	Horizontal	PASS
3	5681.60	39.28	-99.46	-60.18	-13.00	47.18	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	17
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1739.90	43.24	-113.59	-70.35	-13.00	57.35	Vertical	PASS
2	2575.47	41.91	-110.53	-68.62	-13.00	55.62	Vertical	PASS
3	5947.83	40.44	-99.12	-58.68	-13.00	45.68	Vertical	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1581.47	44.14	-113.65	-69.51	-40.00	29.51	Horizontal	PASS
2	3088.80	41.06	-108.29	-67.23	-13.00	54.23	Horizontal	PASS
3	5955.53	39.81	-99.17	-59.36	-13.00	46.36	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	13
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1560.93	43.55	-113.61	-70.06	-40.00	30.06	Vertical	PASS
2	3905.93	44.89	-105.42	-60.53	-13.00	47.53	Vertical	PASS
3	5948.77	39.54	-99.12	-59.58	-13.00	46.58	Vertical	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1579.60	43.24	-113.65	-70.41	-40.00	30.41	Horizontal	PASS
2	2907.03	40.99	-108.62	-67.63	-13.00	54.63	Horizontal	PASS
3	5955.77	40.96	-99.17	-58.21	-13.00	45.21	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	14
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1585.90	42.99	-113.66	-70.67	-40.00	30.67	Vertical	PASS
2	3065.47	41.15	-108.36	-67.21	-13.00	54.21	Vertical	PASS
3	3966.37	44.35	-105.18	-60.83	-13.00	47.83	Vertical	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	112.77	-95.22	17.55	-	-	Horizontal	NA
2	3747.00	54.24	-105.94	-51.70	-13.00	38.70	Horizontal	PASS
3	5620.50	48.38	-100.11	-51.73	-13.00	38.73	Horizontal	PASS
4	7494.00	39.82	-95.96	-56.14	-13.00	43.14	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	25
Bandwidth:	20MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.60	119.72	-95.22	24.50	-	-	Vertical	NA
2	3747.00	62.64	-105.94	-43.30	-13.00	30.30	Vertical	PASS
3	5620.50	57.04	-100.11	-43.07	-13.00	30.07	Vertical	PASS
4	7494.50	47.54	-95.96	-48.42	-13.00	35.42	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1798.13	43.18	-113.48	-70.30	-13.00	57.30	Horizontal	PASS
2	4624.80	38.68	-102.32	-63.64	-13.00	50.64	Horizontal	PASS
3	5956.53	38.42	-99.18	-60.76	-13.00	47.76	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(814-824MHz)
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1541.87	43.05	-113.63	-70.58	-13.00	57.58	Vertical	PASS
2	3469.87	40.46	-106.99	-66.53	-13.00	53.53	Vertical	PASS
3	5947.47	40.22	-99.12	-58.90	-13.00	45.90	Vertical	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1333.07	43.91	-113.86	-69.95	-13.00	56.95	Horizontal	PASS
2	3069.87	41.86	-108.35	-66.49	-13.00	53.49	Horizontal	PASS
3	6313.60	38.08	-98.15	-60.07	-13.00	47.07	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	26(824-849MHz)
Bandwidth:	15MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1337.33	43.96	-113.86	-69.90	-13.00	56.90	Vertical	PASS
2	3427.73	40.36	-107.04	-66.68	-13.00	53.68	Vertical	PASS
3	6836.53	37.58	-96.66	-59.08	-13.00	46.08	Vertical	PASS

Project Information			
Mode:	LTE	Band:	30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	104.59	-94.37	10.22	-	-	Horizontal	NA
2	4611.00	46.82	-102.15	-55.33	-30.00	25.33	Horizontal	PASS
3	6916.50	44.30	-96.51	-52.21	-30.00	22.21	Horizontal	PASS
4	9222.50	37.31	-91.82	-54.51	-30.00	24.51	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.70	115.43	-94.37	21.06	-	-	Vertical	NA
2	4611.00	52.41	-102.15	-49.74	-30.00	19.74	Vertical	PASS
3	6917.00	49.40	-96.51	-47.11	-30.00	17.11	Vertical	PASS
4	9222.00	48.29	-91.82	-43.53	-30.00	13.53	Vertical	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	112.76	-95.43	17.33	-	-	Horizontal	NA
2	3472.00	55.22	-106.79	-51.57	-13.00	38.57	Horizontal	PASS
3	5208.00	53.23	-101.07	-47.84	-13.00	34.84	Horizontal	PASS
4	6944.50	43.64	-96.40	-52.76	-13.00	39.76	Horizontal	PASS

Project Information

Mode:	LTE	Band:	66
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.00	120.54	-95.43	25.11	-	-	Vertical	NA
2	2152.60	50.90	-94.89	-43.99	-13.00	30.99	Vertical	PASS
3	3472.00	62.93	-106.79	-43.86	-13.00	30.86	Vertical	PASS
4	5208.00	61.47	-101.07	-39.60	-13.00	26.60	Vertical	PASS
5	6944.50	50.41	-96.40	-45.99	-13.00	32.99	Vertical	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.23	45.57	-113.86	-68.29	-13.00	55.29	Horizontal	PASS
2	3030.23	42.07	-108.54	-66.47	-13.00	53.47	Horizontal	PASS
3	5956.23	39.79	-99.17	-59.38	-13.00	46.38	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	71
Bandwidth:	10MHz	Channel:	Middle
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1343.00	48.27	-113.86	-65.59	-13.00	52.59	Vertical	PASS
2	2420.30	42.41	-111.58	-69.17	-13.00	56.17	Vertical	PASS
3	4029.60	42.95	-104.79	-61.84	-13.00	48.84	Vertical	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.00	105.87	-93.02	12.85	-	-	Horizontal	NA
2	5172.00	47.69	-101.03	-53.34	-25.00	28.34	Horizontal	PASS
3	7758.00	56.90	-95.05	-38.15	-25.00	13.15	Horizontal	PASS
4	17941.00	31.30	-81.78	-50.48	-25.00	25.48	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	117.37	-93.02	24.35	-	-	Vertical	NA
2	5172.00	55.90	-101.03	-45.13	-25.00	20.13	Vertical	PASS
3	7758.50	63.54	-95.05	-31.51	-25.00	7.01	Vertical	PASS
4	10344.50	43.38	-91.15	-47.77	-25.00	22.77	Vertical	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	102.88	-93.05	9.83	-	-	Horizontal	NA
2	5168.00	46.07	-101.02	-54.95	-25.00	29.95	Horizontal	PASS
3	7752.00	51.01	-95.03	-44.02	-25.00	19.02	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	116.43	-93.05	23.38	-	-	Vertical	NA
2	5168.00	54.95	-101.02	-46.07	-25.00	21.07	Vertical	PASS
3	7752.00	63.21	-95.03	-31.82	-25.00	6.82	Vertical	PASS
4	10336.50	42.80	-91.20	-48.40	-25.00	23.40	Vertical	PASS

Project Information			
Mode:	LTE	Band:	42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	104.24	-89.68	14.56	-	-	Horizontal	NA
2	6321.25	31.28	-81.34	-50.06	-13.00	37.06	Horizontal	PASS
3	15079.67	33.18	-84.91	-51.73	-13.00	38.73	Horizontal	PASS
4	17971.25	31.93	-81.87	-49.94	-13.00	36.94	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	42(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3490.95	107.63	-89.68	17.95	-	-	Vertical	NA
2	6328.13	30.93	-81.32	-50.39	-13.00	37.39	Vertical	PASS
3	13700.77	33.27	-85.18	-51.91	-13.00	38.91	Vertical	PASS
4	17883.85	31.53	-81.54	-50.01	-13.00	37.01	Vertical	PASS

Project Information

Mode:	LTE	Band:	48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	106.75	-89.29	17.46	-	-	Horizontal	NA
2	6183.75	31.36	-81.77	-50.41	-40.00	10.41	Horizontal	PASS
3	7232.19	40.46	-95.19	-54.73	-40.00	14.73	Horizontal	PASS
4	17804.88	32.50	-82.35	-49.85	-40.00	9.85	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	48
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3616.08	109.88	-89.29	20.59	-	-	Vertical	NA
2	6344.08	30.74	-81.25	-50.51	-40.00	10.51	Vertical	PASS
3	7231.81	40.57	-95.19	-54.62	-40.00	14.62	Vertical	PASS
4	17827.11	32.17	-82.13	-49.96	-40.00	9.96	Vertical	PASS

~The End~