


Appendix-C Field Strength of Spurious Radiation-NR

For NR:

Project Information			
Mode:	Redcap	Band:	n2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.60	116.49	-95.23	21.26	-	-	Horizontal	NA
2	2999.00	41.71	-91.10	-49.39	-13.00	36.39	Horizontal	PASS
3	3741.00	45.93	-105.95	-60.02	-13.00	47.02	Horizontal	PASS
4	15068.50	33.98	-84.97	-50.99	-13.00	37.99	Horizontal	PASS
5	17966.00	32.60	-81.96	-49.36	-13.00	36.36	Horizontal	PASS

Project Information

Mode:	Redcap	Band:	n2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1870.67	121.17	-95.23	25.94	-	-	Vertical	NA
2	3741.50	49.06	-105.95	-56.89	-13.00	43.89	Vertical	PASS
3	5612.00	45.70	-100.15	-54.45	-13.00	41.45	Vertical	PASS
4	17867.50	32.73	-81.90	-49.17	-13.00	36.17	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.40	45.03	-113.67	-68.64	-13.00	55.64	Horizontal	PASS
2	2636.00	46.82	-110.16	-63.34	-13.00	50.34	Horizontal	PASS
3	8854.93	36.26	-92.73	-56.47	-13.00	43.47	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n5
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.40	44.92	-113.67	-68.75	-13.00	55.75	Vertical	PASS
2	6996.53	37.73	-96.29	-58.56	-13.00	45.56	Vertical	PASS
3	8909.60	36.48	-92.37	-55.89	-13.00	42.89	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.70	101.51	-93.46	8.05	-	-	Horizontal	NA
2	2958.30	45.10	-90.91	-45.81	-25.00	20.81	Horizontal	PASS
3	17875.00	31.94	-81.81	-49.87	-25.00	24.87	Horizontal	PASS
4	17875.00	31.94	-81.81	-49.87	-25.00	24.87	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2525.90	118.06	-93.46	24.60	-	-	Vertical	NA
2	2953.90	44.98	-90.89	-45.91	-25.00	20.91	Vertical	PASS
3	5051.50	48.11	-101.37	-53.26	-25.00	28.26	Vertical	PASS
4	7577.00	39.03	-95.72	-56.69	-25.00	31.69	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1401.33	45.52	-113.91	-68.39	-13.00	55.39	Horizontal	PASS
2	2414.70	51.51	-111.62	-60.11	-13.00	47.11	Horizontal	PASS
3	7986.70	37.83	-95.04	-57.21	-13.00	44.21	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n12
Bandwidth:	15MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1401.33	50.55	-113.91	-63.36	-13.00	50.36	Vertical	PASS
2	5635.63	38.97	-99.51	-60.54	-13.00	47.54	Vertical	PASS
3	7877.50	37.62	-95.30	-57.68	-13.00	44.68	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1177.80	48.05	-113.97	-65.92	-13.00	52.92	Horizontal	PASS
2	1561.63	43.70	-113.61	-69.91	-40.00	29.91	Horizontal	PASS
3	2415.17	51.22	-111.61	-60.39	-13.00	47.39	Horizontal	PASS

Project Information

Mode:	Redcap	Band:	n13
Bandwidth:	5MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1560.00	45.74	-113.61	-67.87	-40.00	27.87	Vertical	PASS
2	2418.90	43.17	-111.58	-68.41	-13.00	55.41	Vertical	PASS
3	7174.93	37.42	-95.98	-58.56	-13.00	45.56	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1169.40	46.87	-113.98	-67.11	-13.00	54.11	Horizontal	PASS
2	1577.03	44.52	-113.64	-69.12	-40.00	29.12	Horizontal	PASS
3	7447.23	37.39	-96.11	-58.72	-13.00	45.72	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n14
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1577.03	43.46	-113.64	-70.18	-40.00	30.18	Vertical	PASS
2	1632.33	43.60	-113.67	-70.07	-13.00	57.07	Vertical	PASS
3	7277.13	36.57	-95.18	-58.61	-13.00	45.61	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.20	115.63	-95.22	20.41	-	-	Horizontal	NA
2	2984.90	39.88	-91.03	-51.15	-13.00	38.15	Horizontal	PASS
3	3746.50	44.20	-105.94	-61.74	-13.00	48.74	Horizontal	PASS
4	17877.00	31.96	-81.79	-49.83	-13.00	36.83	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n25
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1873.20	120.12	-95.22	24.90	-	-	Vertical	NA
2	2911.80	39.74	-91.26	-51.52	-13.00	38.52	Vertical	PASS
3	3746.50	49.06	-105.94	-56.88	-13.00	43.88	Vertical	PASS
4	5619.50	42.08	-100.11	-58.03	-13.00	45.03	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n26(814-824MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.07	46.28	-113.67	-67.39	-13.00	54.39	Horizontal	PASS
2	6655.73	38.39	-97.49	-59.10	-13.00	46.10	Horizontal	PASS
3	8884.80	36.85	-92.43	-55.58	-13.00	42.58	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n26(814-824MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.07	44.34	-113.67	-69.33	-13.00	56.33	Vertical	PASS
2	4794.13	39.32	-102.22	-62.90	-13.00	49.90	Vertical	PASS
3	8915.20	36.94	-92.42	-55.48	-13.00	42.48	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n26(824-849MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1654.40	45.40	-113.67	-68.27	-13.00	55.27	Horizontal	PASS
2	5637.87	39.18	-99.50	-60.32	-13.00	47.32	Horizontal	PASS
3	8910.93	37.51	-92.38	-54.87	-13.00	41.87	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n26(824-849MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1868.27	44.01	-113.25	-69.24	-13.00	56.24	Vertical	PASS
2	7006.67	38.53	-96.27	-57.74	-13.00	44.74	Vertical	PASS
3	8917.87	36.70	-92.45	-55.75	-13.00	42.75	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.60	107.67	-94.37	13.30	-	-	Horizontal	NA
2	2984.80	39.55	-91.03	-51.48	-40.00	11.48	Horizontal	PASS
3	15064.00	33.21	-85.06	-51.85	-40.00	11.85	Horizontal	PASS
4	17864.00	31.51	-81.95	-50.44	-40.00	10.44	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n30
Bandwidth:	10MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2305.50	115.25	-94.37	20.88	-	-	Vertical	NA
2	4611.00	41.50	-102.15	-60.65	-40.00	20.65	Vertical	PASS
3	9222.00	37.40	-91.82	-54.42	-40.00	14.42	Vertical	PASS
4	17980.00	31.86	-82.06	-50.20	-40.00	10.20	Vertical	PASS

Project Information

Mode:	Redcap	Band:	n66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.80	114.78	-95.43	19.35	-	-	Horizontal	NA
2	2136.73	46.54	-94.92	-48.38	-	-	Horizontal	NA
3	2976.33	41.19	-90.99	-49.80	-13.00	36.80	Horizontal	PASS
4	3471.50	43.24	-106.79	-63.55	-13.00	50.55	Horizontal	PASS
5	17880.00	32.46	-81.74	-49.28	-13.00	36.28	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1735.73	121.08	-95.43	25.65	-	-	Vertical	NA
2	2151.47	50.66	-94.90	-44.24	-	-	Vertical	NA
3	3471.50	50.17	-106.79	-56.62	-13.00	43.62	Vertical	PASS
4	6943.00	41.30	-96.40	-55.10	-13.00	42.10	Vertical	PASS
5	17357.50	35.42	-83.64	-48.22	-13.00	35.22	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1342.30	47.09	-113.86	-66.77	-13.00	53.77	Horizontal	PASS
2	5475.10	39.73	-100.35	-60.62	-13.00	47.62	Horizontal	PASS
3	7615.23	37.90	-95.64	-57.74	-13.00	44.74	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n71
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1183.17	45.92	-113.96	-68.04	-13.00	55.04	Vertical	PASS
2	2947.63	41.84	-108.62	-66.78	-13.00	53.78	Vertical	PASS
3	7253.10	37.59	-95.29	-57.70	-13.00	44.70	Vertical	PASS

Project Information

Mode:	Redcap	Band:	n38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.30	105.10	-93.02	12.08	-	-	Horizontal	NA
2	2935.70	39.18	-91.02	-51.84	-25.00	26.84	Horizontal	PASS
3	15075.50	32.94	-84.84	-51.90	-25.00	26.90	Horizontal	PASS
4	17908.00	31.74	-81.54	-49.80	-25.00	24.80	Horizontal	PASS

Project Information

Mode:	Redcap	Band:	n38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.30	116.78	-93.02	23.76	-	-	Vertical	NA
2	5173.00	45.27	-101.04	-55.77	-25.00	30.77	Vertical	PASS
3	7759.00	38.42	-95.06	-56.64	-25.00	31.64	Vertical	PASS
4	12931.00	36.92	-88.20	-51.28	-25.00	26.28	Vertical	PASS

Project Information

Mode:	Redcap	Band:	n41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.30	106.44	-93.05	13.39	-	-	Horizontal	NA
2	2984.60	39.61	-91.03	-51.42	-25.00	26.42	Horizontal	PASS
3	15082.00	32.97	-84.71	-51.74	-25.00	26.74	Horizontal	PASS
4	17923.50	31.85	-81.65	-49.80	-25.00	24.80	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n41(2496-2690MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.30	116.75	-93.05	23.70	-	-	Vertical	NA
2	5168.50	45.11	-101.02	-55.91	-25.00	30.91	Vertical	PASS
3	7753.00	39.55	-95.03	-55.48	-25.00	30.48	Vertical	PASS
4	17923.00	31.15	-81.65	-50.50	-25.00	25.50	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n77(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3491.23	103.15	-89.68	13.47	-	-	Horizontal	NA
2	6487.35	39.21	-80.89	-41.68	-13.00	28.68	Horizontal	PASS
3	15060.60	37.34	-85.29	-47.95	-13.00	34.95	Horizontal	PASS
4	17881.93	37.48	-81.57	-44.09	-13.00	31.09	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n77(3450-3550MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3491.50	107.84	-89.67	18.17	-	-	Vertical	NA
2	6316.85	40.65	-81.36	-40.71	-13.00	27.71	Vertical	PASS
3	15110.05	36.56	-84.61	-48.05	-13.00	35.05	Vertical	PASS
4	17923.72	37.64	-81.55	-43.91	-13.00	30.91	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n77(3700-3980MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3831.40	101.64	-88.60	13.04	-	-	Horizontal	NA
2	6201.90	40.45	-81.77	-41.32	-13.00	28.32	Horizontal	PASS
3	7663.03	41.61	-95.11	-53.50	-13.00	40.50	Horizontal	PASS
4	17904.17	37.63	-81.41	-43.78	-13.00	30.78	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n77(3700-3980MHz)
Bandwidth:	20MHz	Channel:	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:			


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	3831.40	106.92	-88.60	18.32	-	-	Vertical	NA
2	6269.55	40.54	-81.60	-41.06	-13.00	28.06	Vertical	PASS
3	12888.25	38.38	-88.29	-49.91	-13.00	36.91	Vertical	PASS
4	17948.25	37.51	-81.71	-44.20	-13.00	31.20	Vertical	PASS

Project Information			
Mode:	Redcap	Band:	n85
Bandwidth	15MHz	Channel	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:	-		


Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1400.00	47.80	-113.91	-66.11	-13.00	53.11	Horizontal	PASS
2	2328.00	43.88	-111.88	-68.00	-13.00	55.00	Horizontal	PASS
3	6134.13	38.79	-98.71	-59.92	-13.00	46.92	Horizontal	PASS

Project Information			
Mode:	Redcap	Band:	n85
Bandwidth	15MHz	Channel	Mid
IMEI:	866605070024630	Engineer:	Tian shuo
Remark:	-		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1400.00	54.00	-113.91	-59.91	-13.00	46.91	Vertical	PASS
2	2847.20	42.39	-109.01	-66.62	-13.00	53.62	Vertical	PASS
3	7867.47	37.51	-95.29	-57.78	-13.00	44.78	Vertical	PASS

~The End~