

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1712.5	Edge_1RB_Left	23.34	/	/	24.14	/	/	<=30	Pass
		Edge_1RB_Right	23.43	/	/	24.23	/	/	<=30	Pass
		Outer_Full	23.58	/	/	24.38	/	/	<=30	Pass
		Inner_Full	23.85	/	/	24.65	/	/	<=30	Pass
		Inner_1RB_Left	23.96	/	/	24.76	/	/	<=30	Pass
		Inner_1RB_Right	23.97	/	/	24.77	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.48	/	/	24.28	/	/	<=30	Pass
		Edge_1RB_Right	23.54	/	/	24.34	/	/	<=30	Pass
		Outer_Full	23.47	/	/	24.27	/	/	<=30	Pass
		Inner_Full	23.96	/	/	24.76	/	/	<=30	Pass
		Inner_1RB_Left	24.03	/	/	24.83	/	/	<=30	Pass
		Inner_1RB_Right	24.00	/	/	24.80	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	23.54	/	/	24.34	/	/	<=30	Pass
		Edge_1RB_Right	23.54	/	/	24.34	/	/	<=30	Pass
		Outer_Full	23.57	/	/	24.37	/	/	<=30	Pass
		Inner_Full	23.94	/	/	24.74	/	/	<=30	Pass
		Inner_1RB_Left	23.97	/	/	24.77	/	/	<=30	Pass
		Inner_1RB_Right	24.03	/	/	24.83	/	/	<=30	Pass
DFT-s-OFDM QPSK	1712.5	Edge_1RB_Left	22.91	/	/	23.71	/	/	<=30	Pass
		Edge_1RB_Right	23.04	/	/	23.84	/	/	<=30	Pass
		Outer_Full	23.02	/	/	23.82	/	/	<=30	Pass
		Inner_Full	23.89	/	/	24.69	/	/	<=30	Pass
		Inner_1RB_Left	24.08	/	/	24.88	/	/	<=30	Pass
		Inner_1RB_Right	23.97	/	/	24.77	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.00	/	/	23.80	/	/	<=30	Pass
		Edge_1RB_Right	23.01	/	/	23.81	/	/	<=30	Pass
		Outer_Full	22.97	/	/	23.77	/	/	<=30	Pass
		Inner_Full	23.95	/	/	24.75	/	/	<=30	Pass
		Inner_1RB_Left	23.97	/	/	24.77	/	/	<=30	Pass
		Inner_1RB_Right	24.06	/	/	24.86	/	/	<=30	Pass
	1777.5	Edge_1RB_Left	22.99	/	/	23.79	/	/	<=30	Pass
		Edge_1RB_Right	23.00	/	/	23.80	/	/	<=30	Pass
		Outer_Full	23.04	/	/	23.84	/	/	<=30	Pass
		Inner_Full	24.02	/	/	24.82	/	/	<=30	Pass
		Inner_1RB_Left	24.03	/	/	24.83	/	/	<=30	Pass
		Inner_1RB_Right	23.99	/	/	24.79	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1712.5	Edge_1RB_Left	21.94	/	/	22.74	/	/	<=30	Pass
		Edge_1RB_Right	21.96	/	/	22.76	/	/	<=30	Pass
		Outer_Full	22.01	/	/	22.81	/	/	<=30	Pass
		Inner_Full	22.95	/	/	23.75	/	/	<=30	Pass
		Inner_1RB_Left	22.90	/	/	23.70	/	/	<=30	Pass
		Inner_1RB_Right	22.93	/	/	23.73	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.03	/	/	22.83	/	/	<=30	Pass
		Edge_1RB_Right	21.97	/	/	22.77	/	/	<=30	Pass
		Outer_Full	22.02	/	/	22.82	/	/	<=30	Pass
		Inner_Full	23.04	/	/	23.84	/	/	<=30	Pass
		Inner_1RB_Left	22.99	/	/	23.79	/	/	<=30	Pass
		Inner_1RB_Right	22.99	/	/	23.79	/	/	<=30	Pass

	1777.5	Edge 1RB Left	21.96	/	/	22.76	/	/	<=30	Pass
		Edge 1RB Right	21.95	/	/	22.75	/	/	<=30	Pass
		Outer Full	21.98	/	/	22.78	/	/	<=30	Pass
		Inner Full	23.05	/	/	23.85	/	/	<=30	Pass
		Inner 1RB Left	22.94	/	/	23.74	/	/	<=30	Pass
		Inner 1RB Right	22.92	/	/	23.72	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1712.5	Edge 1RB Left	21.57	/	/	22.37	/	/	<=30	Pass
		Edge 1RB Right	21.62	/	/	22.42	/	/	<=30	Pass
		Outer Full	21.47	/	/	22.27	/	/	<=30	Pass
		Inner Full	21.53	/	/	22.33	/	/	<=30	Pass
		Inner 1RB Left	21.60	/	/	22.40	/	/	<=30	Pass
		Inner 1RB Right	21.64	/	/	22.44	/	/	<=30	Pass
	1745	Edge 1RB Left	21.63	/	/	22.43	/	/	<=30	Pass
		Edge 1RB Right	21.69	/	/	22.49	/	/	<=30	Pass
		Outer Full	21.47	/	/	22.27	/	/	<=30	Pass
		Inner Full	21.55	/	/	22.35	/	/	<=30	Pass
		Inner 1RB Left	21.68	/	/	22.48	/	/	<=30	Pass
		Inner 1RB Right	21.68	/	/	22.48	/	/	<=30	Pass
	1777.5	Edge 1RB Left	21.62	/	/	22.42	/	/	<=30	Pass
		Edge 1RB Right	21.75	/	/	22.55	/	/	<=30	Pass
		Outer Full	21.46	/	/	22.26	/	/	<=30	Pass
		Inner Full	21.57	/	/	22.37	/	/	<=30	Pass
		Inner 1RB Left	21.70	/	/	22.50	/	/	<=30	Pass
		Inner 1RB Right	21.67	/	/	22.47	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1712.5	Edge 1RB Left	18.84	/	/	19.64	/	/	<=30	Pass
		Edge 1RB Right	18.88	/	/	19.68	/	/	<=30	Pass
		Outer Full	19.35	/	/	20.15	/	/	<=30	Pass
		Inner Full	19.42	/	/	20.22	/	/	<=30	Pass
		Inner 1RB Left	18.88	/	/	19.68	/	/	<=30	Pass
		Inner 1RB Right	18.89	/	/	19.69	/	/	<=30	Pass
	1745	Edge 1RB Left	18.89	/	/	19.69	/	/	<=30	Pass
		Edge 1RB Right	18.93	/	/	19.73	/	/	<=30	Pass
		Outer Full	19.44	/	/	20.24	/	/	<=30	Pass
		Inner Full	19.49	/	/	20.29	/	/	<=30	Pass
		Inner 1RB Left	18.91	/	/	19.71	/	/	<=30	Pass
		Inner 1RB Right	18.95	/	/	19.75	/	/	<=30	Pass
	1777.5	Edge 1RB Left	18.95	/	/	19.75	/	/	<=30	Pass
		Edge 1RB Right	18.96	/	/	19.76	/	/	<=30	Pass
		Outer Full	19.51	/	/	20.31	/	/	<=30	Pass
		Inner Full	19.61	/	/	20.41	/	/	<=30	Pass
		Inner 1RB Left	19.06	/	/	19.86	/	/	<=30	Pass
		Inner 1RB Right	19.03	/	/	19.83	/	/	<=30	Pass
CP-OFDM QPSK	1712.5	Edge 1RB Left	20.89	/	/	21.69	/	/	<=30	Pass
		Edge 1RB Right	20.93	/	/	21.73	/	/	<=30	Pass
		Outer Full	20.94	/	/	21.74	/	/	<=30	Pass
		Inner Full	22.34	/	/	23.14	/	/	<=30	Pass
		Inner 1RB Left	22.38	/	/	23.18	/	/	<=30	Pass
		Inner 1RB Right	22.42	/	/	23.22	/	/	<=30	Pass
	1745	Edge 1RB Left	20.89	/	/	21.69	/	/	<=30	Pass
		Edge 1RB Right	20.88	/	/	21.68	/	/	<=30	Pass
		Outer Full	21.02	/	/	21.82	/	/	<=30	Pass
		Inner Full	22.40	/	/	23.20	/	/	<=30	Pass
		Inner 1RB Left	22.28	/	/	23.08	/	/	<=30	Pass
		Inner 1RB Right	22.46	/	/	23.26	/	/	<=30	Pass
	1777.5	Edge 1RB Left	21.01	/	/	21.81	/	/	<=30	Pass
		Edge 1RB Right	21.03	/	/	21.83	/	/	<=30	Pass
		Outer Full	21.10	/	/	21.90	/	/	<=30	Pass
		Inner Full	22.54	/	/	23.34	/	/	<=30	Pass

		Inner 1RB Left	22.49	/	/	23.29	/	/	<=30	Pass	
		Inner 1RB Right	22.49	/	/	23.29	/	/	<=30	Pass	
CP-OFDM 16 QAM	1712.5	Edge 1RB Left	20.82	/	/	21.62	/	/	<=30	Pass	
		Edge 1RB Right	20.85	/	/	21.65	/	/	<=30	Pass	
		Outer Full	20.94	/	/	21.74	/	/	<=30	Pass	
		Inner Full	21.85	/	/	22.65	/	/	<=30	Pass	
		Inner 1RB Left	21.87	/	/	22.67	/	/	<=30	Pass	
		Inner 1RB Right	21.88	/	/	22.68	/	/	<=30	Pass	
		Edge 1RB Left	20.95	/	/	21.75	/	/	<=30	Pass	
		Edge 1RB Right	20.89	/	/	21.69	/	/	<=30	Pass	
	1745	Outer Full	21.01	/	/	21.81	/	/	<=30	Pass	
		Inner Full	21.89	/	/	22.69	/	/	<=30	Pass	
		Inner 1RB Left	21.99	/	/	22.79	/	/	<=30	Pass	
		Inner 1RB Right	22.00	/	/	22.80	/	/	<=30	Pass	
		Edge 1RB Left	21.06	/	/	21.86	/	/	<=30	Pass	
		Edge 1RB Right	21.07	/	/	21.87	/	/	<=30	Pass	
	1777.5	Outer Full	21.12	/	/	21.92	/	/	<=30	Pass	
		Inner Full	21.94	/	/	22.74	/	/	<=30	Pass	
		Inner 1RB Left	21.96	/	/	22.76	/	/	<=30	Pass	
		Inner 1RB Right	21.99	/	/	22.79	/	/	<=30	Pass	
Edge 1RB Left		20.37	/	/	21.17	/	/	<=30	Pass		
Edge 1RB Right		20.49	/	/	21.29	/	/	<=30	Pass		
CP-OFDM 64 QAM	1712.5	Outer Full	20.43	/	/	21.23	/	/	<=30	Pass	
		Inner Full	20.52	/	/	21.32	/	/	<=30	Pass	
		Inner 1RB Left	20.48	/	/	21.28	/	/	<=30	Pass	
		Inner 1RB Right	20.49	/	/	21.29	/	/	<=30	Pass	
		Edge 1RB Left	20.54	/	/	21.34	/	/	<=30	Pass	
		Edge 1RB Right	20.55	/	/	21.35	/	/	<=30	Pass	
	1745	Outer Full	20.45	/	/	21.25	/	/	<=30	Pass	
		Inner Full	20.53	/	/	21.33	/	/	<=30	Pass	
		Inner 1RB Left	20.51	/	/	21.31	/	/	<=30	Pass	
		Inner 1RB Right	20.52	/	/	21.32	/	/	<=30	Pass	
		Edge 1RB Left	20.62	/	/	21.42	/	/	<=30	Pass	
		Edge 1RB Right	20.66	/	/	21.46	/	/	<=30	Pass	
	1777.5	Outer Full	20.53	/	/	21.33	/	/	<=30	Pass	
		Inner Full	20.65	/	/	21.45	/	/	<=30	Pass	
		Inner 1RB Left	20.66	/	/	21.46	/	/	<=30	Pass	
		Inner 1RB Right	20.71	/	/	21.51	/	/	<=30	Pass	
		Edge 1RB Left	16.89	/	/	17.69	/	/	<=30	Pass	
		Edge 1RB Right	17.01	/	/	17.81	/	/	<=30	Pass	
CP-OFDM 256 QAM	1712.5	Outer Full	17.42	/	/	18.22	/	/	<=30	Pass	
		Inner Full	17.40	/	/	18.20	/	/	<=30	Pass	
		Inner 1RB Left	17.02	/	/	17.82	/	/	<=30	Pass	
		Inner 1RB Right	17.01	/	/	17.81	/	/	<=30	Pass	
		Edge 1RB Left	17.00	/	/	17.80	/	/	<=30	Pass	
		Edge 1RB Right	16.96	/	/	17.76	/	/	<=30	Pass	
	1745	Outer Full	17.45	/	/	18.25	/	/	<=30	Pass	
		Inner Full	17.49	/	/	18.29	/	/	<=30	Pass	
		Inner 1RB Left	16.99	/	/	17.79	/	/	<=30	Pass	
		Inner 1RB Right	17.03	/	/	17.83	/	/	<=30	Pass	
		Edge 1RB Left	17.11	/	/	17.91	/	/	<=30	Pass	
		Edge 1RB Right	17.08	/	/	17.88	/	/	<=30	Pass	
	1777.5	Outer Full	17.59	/	/	18.39	/	/	<=30	Pass	
		Inner Full	17.64	/	/	18.44	/	/	<=30	Pass	
		Inner 1RB Left	17.05	/	/	17.85	/	/	<=30	Pass	
		Inner 1RB Right	17.10	/	/	17.90	/	/	<=30	Pass	
		Note1: Antenna Gain: Ant1: 0.80dBi;									
		Note2: EIRP=Conducted Power+Antenna Gain									

1.1.2 15_S_10M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 10MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1715	Edge_1RB_Left	23.50	/	/	24.30	/	/	<=30	Pass
		Edge_1RB_Right	23.49	/	/	24.29	/	/	<=30	Pass
		Outer_Full	23.63	/	/	24.43	/	/	<=30	Pass
		Inner_Full	24.00	/	/	24.80	/	/	<=30	Pass
		Inner_1RB_Left	24.00	/	/	24.80	/	/	<=30	Pass
		Inner_1RB_Right	24.00	/	/	24.80	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.40	/	/	24.20	/	/	<=30	Pass
		Edge_1RB_Right	23.46	/	/	24.26	/	/	<=30	Pass
		Outer_Full	23.48	/	/	24.28	/	/	<=30	Pass
		Inner_Full	23.99	/	/	24.79	/	/	<=30	Pass
		Inner_1RB_Left	23.95	/	/	24.75	/	/	<=30	Pass
		Inner_1RB_Right	23.95	/	/	24.75	/	/	<=30	Pass
	1775	Edge_1RB_Left	23.53	/	/	24.33	/	/	<=30	Pass
		Edge_1RB_Right	23.53	/	/	24.33	/	/	<=30	Pass
		Outer_Full	23.55	/	/	24.35	/	/	<=30	Pass
		Inner_Full	24.12	/	/	24.92	/	/	<=30	Pass
		Inner_1RB_Left	24.04	/	/	24.84	/	/	<=30	Pass
		Inner_1RB_Right	23.98	/	/	24.78	/	/	<=30	Pass
DFT-s-OFDM QPSK	1715	Edge_1RB_Left	22.86	/	/	23.66	/	/	<=30	Pass
		Edge_1RB_Right	23.06	/	/	23.86	/	/	<=30	Pass
		Outer_Full	23.02	/	/	23.82	/	/	<=30	Pass
		Inner_Full	24.08	/	/	24.88	/	/	<=30	Pass
		Inner_1RB_Left	23.89	/	/	24.69	/	/	<=30	Pass
		Inner_1RB_Right	24.09	/	/	24.89	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.87	/	/	23.67	/	/	<=30	Pass
		Edge_1RB_Right	22.99	/	/	23.79	/	/	<=30	Pass
		Outer_Full	22.94	/	/	23.74	/	/	<=30	Pass
		Inner_Full	23.98	/	/	24.78	/	/	<=30	Pass
		Inner_1RB_Left	23.98	/	/	24.78	/	/	<=30	Pass
		Inner_1RB_Right	23.96	/	/	24.76	/	/	<=30	Pass
	1775	Edge_1RB_Left	22.97	/	/	23.77	/	/	<=30	Pass
		Edge_1RB_Right	23.00	/	/	23.80	/	/	<=30	Pass
		Outer_Full	23.10	/	/	23.90	/	/	<=30	Pass
		Inner_Full	24.12	/	/	24.92	/	/	<=30	Pass
		Inner_1RB_Left	24.07	/	/	24.87	/	/	<=30	Pass
		Inner_1RB_Right	23.97	/	/	24.77	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1715	Edge_1RB_Left	21.96	/	/	22.76	/	/	<=30	Pass
		Edge_1RB_Right	22.01	/	/	22.81	/	/	<=30	Pass
		Outer_Full	21.96	/	/	22.76	/	/	<=30	Pass
		Inner_Full	23.00	/	/	23.80	/	/	<=30	Pass
		Inner_1RB_Left	22.89	/	/	23.69	/	/	<=30	Pass
		Inner_1RB_Right	22.90	/	/	23.70	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.87	/	/	22.67	/	/	<=30	Pass
		Edge_1RB_Right	21.98	/	/	22.78	/	/	<=30	Pass
		Outer_Full	21.91	/	/	22.71	/	/	<=30	Pass
		Inner_Full	23.04	/	/	23.84	/	/	<=30	Pass
	1775	Inner_1RB_Left	22.85	/	/	23.65	/	/	<=30	Pass
		Inner_1RB_Right	22.93	/	/	23.73	/	/	<=30	Pass
		Edge_1RB_Left	21.94	/	/	22.74	/	/	<=30	Pass
		Edge_1RB_Right	21.99	/	/	22.79	/	/	<=30	Pass

		Outer_Full	21.96	/	/	22.76	/	/	<=30	Pass
		Inner_Full	22.99	/	/	23.79	/	/	<=30	Pass
		Inner_1RB_Left	22.92	/	/	23.72	/	/	<=30	Pass
		Inner_1RB_Right	22.93	/	/	23.73	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1715	Edge_1RB_Left	21.42	/	/	22.22	/	/	<=30	Pass
		Edge_1RB_Right	21.55	/	/	22.35	/	/	<=30	Pass
		Outer_Full	21.46	/	/	22.26	/	/	<=30	Pass
		Inner_Full	21.37	/	/	22.17	/	/	<=30	Pass
		Inner_1RB_Left	21.61	/	/	22.41	/	/	<=30	Pass
		Inner_1RB_Right	21.65	/	/	22.45	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.63	/	/	22.43	/	/	<=30	Pass
		Edge_1RB_Right	21.63	/	/	22.43	/	/	<=30	Pass
		Outer_Full	21.54	/	/	22.34	/	/	<=30	Pass
		Inner_Full	21.46	/	/	22.26	/	/	<=30	Pass
		Inner_1RB_Left	21.65	/	/	22.45	/	/	<=30	Pass
		Inner_1RB_Right	21.67	/	/	22.47	/	/	<=30	Pass
	1775	Edge_1RB_Left	21.52	/	/	22.32	/	/	<=30	Pass
		Edge_1RB_Right	21.52	/	/	22.32	/	/	<=30	Pass
		Outer_Full	21.48	/	/	22.28	/	/	<=30	Pass
		Inner_Full	21.42	/	/	22.22	/	/	<=30	Pass
		Inner_1RB_Left	21.55	/	/	22.35	/	/	<=30	Pass
		Inner_1RB_Right	21.58	/	/	22.38	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1715	Edge_1RB_Left	18.76	/	/	19.56	/	/	<=30	Pass
		Edge_1RB_Right	18.89	/	/	19.69	/	/	<=30	Pass
		Outer_Full	19.35	/	/	20.15	/	/	<=30	Pass
		Inner_Full	19.42	/	/	20.22	/	/	<=30	Pass
		Inner_1RB_Left	18.77	/	/	19.57	/	/	<=30	Pass
		Inner_1RB_Right	18.91	/	/	19.71	/	/	<=30	Pass
	1745	Edge_1RB_Left	18.85	/	/	19.65	/	/	<=30	Pass
		Edge_1RB_Right	18.88	/	/	19.68	/	/	<=30	Pass
		Outer_Full	19.38	/	/	20.18	/	/	<=30	Pass
		Inner_Full	19.44	/	/	20.24	/	/	<=30	Pass
		Inner_1RB_Left	18.87	/	/	19.67	/	/	<=30	Pass
		Inner_1RB_Right	19.00	/	/	19.80	/	/	<=30	Pass
	1775	Edge_1RB_Left	18.88	/	/	19.68	/	/	<=30	Pass
		Edge_1RB_Right	18.89	/	/	19.69	/	/	<=30	Pass
		Outer_Full	19.52	/	/	20.32	/	/	<=30	Pass
		Inner_Full	19.45	/	/	20.25	/	/	<=30	Pass
		Inner_1RB_Left	19.02	/	/	19.82	/	/	<=30	Pass
		Inner_1RB_Right	19.03	/	/	19.83	/	/	<=30	Pass
CP-OFDM QPSK	1715	Edge_1RB_Left	20.87	/	/	21.67	/	/	<=30	Pass
		Edge_1RB_Right	20.93	/	/	21.73	/	/	<=30	Pass
		Outer_Full	20.95	/	/	21.75	/	/	<=30	Pass
		Inner_Full	22.47	/	/	23.27	/	/	<=30	Pass
		Inner_1RB_Left	22.47	/	/	23.27	/	/	<=30	Pass
		Inner_1RB_Right	22.44	/	/	23.24	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.80	/	/	21.60	/	/	<=30	Pass
		Edge_1RB_Right	21.03	/	/	21.83	/	/	<=30	Pass
		Outer_Full	20.99	/	/	21.79	/	/	<=30	Pass
		Inner_Full	22.50	/	/	23.30	/	/	<=30	Pass
		Inner_1RB_Left	22.36	/	/	23.16	/	/	<=30	Pass
		Inner_1RB_Right	22.46	/	/	23.26	/	/	<=30	Pass
	1775	Edge_1RB_Left	20.92	/	/	21.72	/	/	<=30	Pass
		Edge_1RB_Right	20.99	/	/	21.79	/	/	<=30	Pass
		Outer_Full	21.08	/	/	21.88	/	/	<=30	Pass
		Inner_Full	22.46	/	/	23.26	/	/	<=30	Pass
		Inner_1RB_Left	22.42	/	/	23.22	/	/	<=30	Pass
		Inner_1RB_Right	22.43	/	/	23.23	/	/	<=30	Pass

CP-OFDM 16 QAM	1715	Edge 1RB Left	20.77	/	/	21.57	/	/	<=30	Pass
		Edge 1RB Right	20.95	/	/	21.75	/	/	<=30	Pass
		Outer Full	20.88	/	/	21.68	/	/	<=30	Pass
		Inner Full	21.95	/	/	22.75	/	/	<=30	Pass
		Inner 1RB Left	21.65	/	/	22.45	/	/	<=30	Pass
		Inner 1RB Right	21.98	/	/	22.78	/	/	<=30	Pass
	1745	Edge 1RB Left	20.89	/	/	21.69	/	/	<=30	Pass
		Edge 1RB Right	21.00	/	/	21.80	/	/	<=30	Pass
		Outer Full	20.90	/	/	21.70	/	/	<=30	Pass
		Inner Full	21.98	/	/	22.78	/	/	<=30	Pass
		Inner 1RB Left	21.96	/	/	22.76	/	/	<=30	Pass
		Inner 1RB Right	22.06	/	/	22.86	/	/	<=30	Pass
	1775	Edge 1RB Left	20.82	/	/	21.62	/	/	<=30	Pass
		Edge 1RB Right	20.91	/	/	21.71	/	/	<=30	Pass
		Outer Full	21.03	/	/	21.83	/	/	<=30	Pass
		Inner Full	21.99	/	/	22.79	/	/	<=30	Pass
		Inner 1RB Left	21.85	/	/	22.65	/	/	<=30	Pass
		Inner 1RB Right	21.99	/	/	22.79	/	/	<=30	Pass
CP-OFDM 64 QAM	1715	Edge 1RB Left	20.37	/	/	21.17	/	/	<=30	Pass
		Edge 1RB Right	20.60	/	/	21.40	/	/	<=30	Pass
		Outer Full	20.47	/	/	21.27	/	/	<=30	Pass
		Inner Full	20.43	/	/	21.23	/	/	<=30	Pass
		Inner 1RB Left	20.37	/	/	21.17	/	/	<=30	Pass
		Inner 1RB Right	20.51	/	/	21.31	/	/	<=30	Pass
	1745	Edge 1RB Left	20.47	/	/	21.27	/	/	<=30	Pass
		Edge 1RB Right	20.54	/	/	21.34	/	/	<=30	Pass
		Outer Full	20.48	/	/	21.28	/	/	<=30	Pass
		Inner Full	20.45	/	/	21.25	/	/	<=30	Pass
		Inner 1RB Left	20.50	/	/	21.30	/	/	<=30	Pass
		Inner 1RB Right	20.58	/	/	21.38	/	/	<=30	Pass
	1775	Edge 1RB Left	20.47	/	/	21.27	/	/	<=30	Pass
		Edge 1RB Right	20.52	/	/	21.32	/	/	<=30	Pass
		Outer Full	20.53	/	/	21.33	/	/	<=30	Pass
		Inner Full	20.48	/	/	21.28	/	/	<=30	Pass
		Inner 1RB Left	20.48	/	/	21.28	/	/	<=30	Pass
		Inner 1RB Right	20.55	/	/	21.35	/	/	<=30	Pass
CP-OFDM 256 QAM	1715	Edge 1RB Left	16.91	/	/	17.71	/	/	<=30	Pass
		Edge 1RB Right	16.96	/	/	17.76	/	/	<=30	Pass
		Outer Full	17.32	/	/	18.12	/	/	<=30	Pass
		Inner Full	17.41	/	/	18.21	/	/	<=30	Pass
		Inner 1RB Left	16.90	/	/	17.70	/	/	<=30	Pass
		Inner 1RB Right	17.08	/	/	17.88	/	/	<=30	Pass
	1745	Edge 1RB Left	16.95	/	/	17.75	/	/	<=30	Pass
		Edge 1RB Right	17.11	/	/	17.91	/	/	<=30	Pass
		Outer Full	17.42	/	/	18.22	/	/	<=30	Pass
		Inner Full	17.48	/	/	18.28	/	/	<=30	Pass
		Inner 1RB Left	16.96	/	/	17.76	/	/	<=30	Pass
		Inner 1RB Right	17.05	/	/	17.85	/	/	<=30	Pass
	1775	Edge 1RB Left	16.90	/	/	17.70	/	/	<=30	Pass
		Edge 1RB Right	16.99	/	/	17.79	/	/	<=30	Pass
		Outer Full	17.39	/	/	18.19	/	/	<=30	Pass
		Inner Full	17.45	/	/	18.25	/	/	<=30	Pass
		Inner 1RB Left	17.07	/	/	17.87	/	/	<=30	Pass
		Inner 1RB Right	17.06	/	/	17.86	/	/	<=30	Pass

Note1: Antenna Gain: Ant1: 0.80dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.3 15_S_15M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1717.5	Edge 1RB Left	23.47	/	/	24.27	/	/	<=30	Pass
		Edge 1RB Right	23.60	/	/	24.40	/	/	<=30	Pass
		Outer Full	23.67	/	/	24.47	/	/	<=30	Pass
		Inner Full	24.03	/	/	24.83	/	/	<=30	Pass
		Inner 1RB Left	24.13	/	/	24.93	/	/	<=30	Pass
		Inner 1RB Right	24.15	/	/	24.95	/	/	<=30	Pass
	1745	Edge 1RB Left	23.41	/	/	24.21	/	/	<=30	Pass
		Edge 1RB Right	23.49	/	/	24.29	/	/	<=30	Pass
		Outer Full	23.57	/	/	24.37	/	/	<=30	Pass
		Inner Full	23.95	/	/	24.75	/	/	<=30	Pass
		Inner 1RB Left	23.92	/	/	24.72	/	/	<=30	Pass
		Inner 1RB Right	24.07	/	/	24.87	/	/	<=30	Pass
	1772.5	Edge 1RB Left	23.55	/	/	24.35	/	/	<=30	Pass
		Edge 1RB Right	23.71	/	/	24.51	/	/	<=30	Pass
		Outer Full	23.85	/	/	24.65	/	/	<=30	Pass
		Inner Full	24.26	/	/	25.06	/	/	<=30	Pass
		Inner 1RB Left	24.29	/	/	25.09	/	/	<=30	Pass
		Inner 1RB Right	24.20	/	/	25.00	/	/	<=30	Pass
DFT-s-OFDM QPSK	1717.5	Edge 1RB Left	22.96	/	/	23.76	/	/	<=30	Pass
		Edge 1RB Right	23.05	/	/	23.85	/	/	<=30	Pass
		Outer Full	23.20	/	/	24.00	/	/	<=30	Pass
		Inner Full	24.06	/	/	24.86	/	/	<=30	Pass
		Inner 1RB Left	24.06	/	/	24.86	/	/	<=30	Pass
		Inner 1RB Right	24.10	/	/	24.90	/	/	<=30	Pass
	1745	Edge 1RB Left	22.92	/	/	23.72	/	/	<=30	Pass
		Edge 1RB Right	23.05	/	/	23.85	/	/	<=30	Pass
		Outer Full	23.04	/	/	23.84	/	/	<=30	Pass
		Inner Full	24.01	/	/	24.81	/	/	<=30	Pass
		Inner 1RB Left	23.91	/	/	24.71	/	/	<=30	Pass
		Inner 1RB Right	24.11	/	/	24.91	/	/	<=30	Pass
	1772.5	Edge 1RB Left	23.12	/	/	23.92	/	/	<=30	Pass
		Edge 1RB Right	23.25	/	/	24.05	/	/	<=30	Pass
		Outer Full	23.26	/	/	24.06	/	/	<=30	Pass
		Inner Full	24.11	/	/	24.91	/	/	<=30	Pass
		Inner 1RB Left	24.22	/	/	25.02	/	/	<=30	Pass
		Inner 1RB Right	24.25	/	/	25.05	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1717.5	Edge 1RB Left	21.97	/	/	22.77	/	/	<=30	Pass
		Edge 1RB Right	22.13	/	/	22.93	/	/	<=30	Pass
		Outer Full	22.09	/	/	22.89	/	/	<=30	Pass
		Inner Full	22.93	/	/	23.73	/	/	<=30	Pass
		Inner 1RB Left	22.97	/	/	23.77	/	/	<=30	Pass
		Inner 1RB Right	23.02	/	/	23.82	/	/	<=30	Pass
	1745	Edge 1RB Left	21.92	/	/	22.72	/	/	<=30	Pass
		Edge 1RB Right	22.04	/	/	22.84	/	/	<=30	Pass
		Outer Full	21.98	/	/	22.78	/	/	<=30	Pass
		Inner Full	22.96	/	/	23.76	/	/	<=30	Pass
		Inner 1RB Left	22.92	/	/	23.72	/	/	<=30	Pass
		Inner 1RB Right	23.02	/	/	23.82	/	/	<=30	Pass
	1772.5	Edge 1RB Left	22.13	/	/	22.93	/	/	<=30	Pass
		Edge 1RB Right	22.16	/	/	22.96	/	/	<=30	Pass
		Outer Full	22.21	/	/	23.01	/	/	<=30	Pass
		Inner Full	23.12	/	/	23.92	/	/	<=30	Pass
		Inner 1RB Left	23.08	/	/	23.88	/	/	<=30	Pass

		Inner 1RB Right	23.19	/	/	23.99	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1717.5	Edge 1RB Left	21.65	/	/	22.45	/	/	<=30	Pass
		Edge 1RB Right	21.70	/	/	22.50	/	/	<=30	Pass
		Outer Full	21.62	/	/	22.42	/	/	<=30	Pass
		Inner Full	21.63	/	/	22.43	/	/	<=30	Pass
		Inner 1RB Left	21.69	/	/	22.49	/	/	<=30	Pass
		Inner 1RB Right	21.85	/	/	22.65	/	/	<=30	Pass
	1745	Edge 1RB Left	21.59	/	/	22.39	/	/	<=30	Pass
		Edge 1RB Right	21.69	/	/	22.49	/	/	<=30	Pass
		Outer Full	21.49	/	/	22.29	/	/	<=30	Pass
		Inner Full	21.47	/	/	22.27	/	/	<=30	Pass
		Inner 1RB Left	21.64	/	/	22.44	/	/	<=30	Pass
		Inner 1RB Right	21.77	/	/	22.57	/	/	<=30	Pass
	1772.5	Edge 1RB Left	21.80	/	/	22.60	/	/	<=30	Pass
		Edge 1RB Right	21.88	/	/	22.68	/	/	<=30	Pass
		Outer Full	21.70	/	/	22.50	/	/	<=30	Pass
		Inner Full	21.65	/	/	22.45	/	/	<=30	Pass
		Inner 1RB Left	21.78	/	/	22.58	/	/	<=30	Pass
		Inner 1RB Right	21.78	/	/	22.58	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1717.5	Edge 1RB Left	18.91	/	/	19.71	/	/	<=30	Pass
		Edge 1RB Right	19.09	/	/	19.89	/	/	<=30	Pass
		Outer Full	19.50	/	/	20.30	/	/	<=30	Pass
		Inner Full	19.43	/	/	20.23	/	/	<=30	Pass
		Inner 1RB Left	18.97	/	/	19.77	/	/	<=30	Pass
		Inner 1RB Right	19.13	/	/	19.93	/	/	<=30	Pass
	1745	Edge 1RB Left	18.89	/	/	19.69	/	/	<=30	Pass
		Edge 1RB Right	18.99	/	/	19.79	/	/	<=30	Pass
		Outer Full	19.44	/	/	20.24	/	/	<=30	Pass
		Inner Full	19.35	/	/	20.15	/	/	<=30	Pass
		Inner 1RB Left	18.82	/	/	19.62	/	/	<=30	Pass
		Inner 1RB Right	19.04	/	/	19.84	/	/	<=30	Pass
	1772.5	Edge 1RB Left	19.06	/	/	19.86	/	/	<=30	Pass
		Edge 1RB Right	19.20	/	/	20.00	/	/	<=30	Pass
		Outer Full	19.58	/	/	20.38	/	/	<=30	Pass
		Inner Full	19.53	/	/	20.33	/	/	<=30	Pass
		Inner 1RB Left	19.09	/	/	19.89	/	/	<=30	Pass
		Inner 1RB Right	19.15	/	/	19.95	/	/	<=30	Pass
CP-OFDM QPSK	1717.5	Edge 1RB Left	20.98	/	/	21.78	/	/	<=30	Pass
		Edge 1RB Right	21.13	/	/	21.93	/	/	<=30	Pass
		Outer Full	21.09	/	/	21.89	/	/	<=30	Pass
		Inner Full	22.53	/	/	23.33	/	/	<=30	Pass
		Inner 1RB Left	22.52	/	/	23.32	/	/	<=30	Pass
		Inner 1RB Right	22.70	/	/	23.50	/	/	<=30	Pass
	1745	Edge 1RB Left	20.92	/	/	21.72	/	/	<=30	Pass
		Edge 1RB Right	21.02	/	/	21.82	/	/	<=30	Pass
		Outer Full	20.91	/	/	21.71	/	/	<=30	Pass
		Inner Full	22.40	/	/	23.20	/	/	<=30	Pass
		Inner 1RB Left	22.38	/	/	23.18	/	/	<=30	Pass
		Inner 1RB Right	22.59	/	/	23.39	/	/	<=30	Pass
	1772.5	Edge 1RB Left	21.16	/	/	21.96	/	/	<=30	Pass
		Edge 1RB Right	21.11	/	/	21.91	/	/	<=30	Pass
		Outer Full	21.19	/	/	21.99	/	/	<=30	Pass
		Inner Full	22.60	/	/	23.40	/	/	<=30	Pass
		Inner 1RB Left	22.74	/	/	23.54	/	/	<=30	Pass
		Inner 1RB Right	22.71	/	/	23.51	/	/	<=30	Pass
CP-OFDM 16 QAM	1717.5	Edge 1RB Left	20.94	/	/	21.74	/	/	<=30	Pass
		Edge 1RB Right	21.09	/	/	21.89	/	/	<=30	Pass
		Outer Full	21.07	/	/	21.87	/	/	<=30	Pass

		Inner_Full	22.13	/	/	22.93	/	/	<=30	Pass
		Inner_1RB_Left	21.98	/	/	22.78	/	/	<=30	Pass
		Inner_1RB_Right	22.15	/	/	22.95	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.88	/	/	21.68	/	/	<=30	Pass
		Edge_1RB_Right	20.96	/	/	21.76	/	/	<=30	Pass
		Outer_Full	21.00	/	/	21.80	/	/	<=30	Pass
		Inner_Full	22.10	/	/	22.90	/	/	<=30	Pass
		Inner_1RB_Left	22.04	/	/	22.84	/	/	<=30	Pass
		Inner_1RB_Right	22.05	/	/	22.85	/	/	<=30	Pass
		Edge_1RB_Left	21.05	/	/	21.85	/	/	<=30	Pass
	1772.5	Edge_1RB_Right	21.21	/	/	22.01	/	/	<=30	Pass
		Outer_Full	21.15	/	/	21.95	/	/	<=30	Pass
		Inner_Full	22.18	/	/	22.98	/	/	<=30	Pass
		Inner_1RB_Left	22.09	/	/	22.89	/	/	<=30	Pass
Inner_1RB_Right		22.21	/	/	23.01	/	/	<=30	Pass	
CP-OFDM 64 QAM	1717.5	Edge_1RB_Left	20.59	/	/	21.39	/	/	<=30	Pass
		Edge_1RB_Right	20.76	/	/	21.56	/	/	<=30	Pass
		Outer_Full	20.54	/	/	21.34	/	/	<=30	Pass
		Inner_Full	20.47	/	/	21.27	/	/	<=30	Pass
		Inner_1RB_Left	20.60	/	/	21.40	/	/	<=30	Pass
		Inner_1RB_Right	20.68	/	/	21.48	/	/	<=30	Pass
		Edge_1RB_Left	20.53	/	/	21.33	/	/	<=30	Pass
	1745	Edge_1RB_Right	20.62	/	/	21.42	/	/	<=30	Pass
		Outer_Full	20.43	/	/	21.23	/	/	<=30	Pass
		Inner_Full	20.54	/	/	21.34	/	/	<=30	Pass
		Inner_1RB_Left	20.59	/	/	21.39	/	/	<=30	Pass
		Inner_1RB_Right	20.67	/	/	21.47	/	/	<=30	Pass
	1772.5	Edge_1RB_Left	20.70	/	/	21.50	/	/	<=30	Pass
		Edge_1RB_Right	20.77	/	/	21.57	/	/	<=30	Pass
		Outer_Full	20.61	/	/	21.41	/	/	<=30	Pass
		Inner_Full	20.68	/	/	21.48	/	/	<=30	Pass
		Inner_1RB_Left	20.70	/	/	21.50	/	/	<=30	Pass
	CP-OFDM 256 QAM	1717.5	Inner_1RB_Right	20.81	/	/	21.61	/	/	<=30
Edge_1RB_Left			17.53	/	/	18.33	/	/	<=30	Pass
Edge_1RB_Right			17.71	/	/	18.51	/	/	<=30	Pass
Outer_Full			17.63	/	/	18.43	/	/	<=30	Pass
Inner_Full			17.53	/	/	18.33	/	/	<=30	Pass
Inner_1RB_Left			17.67	/	/	18.47	/	/	<=30	Pass
1745		Inner_1RB_Right	17.76	/	/	18.56	/	/	<=30	Pass
		Edge_1RB_Left	17.05	/	/	17.85	/	/	<=30	Pass
		Edge_1RB_Right	17.12	/	/	17.92	/	/	<=30	Pass
		Outer_Full	17.52	/	/	18.32	/	/	<=30	Pass
		Inner_Full	17.52	/	/	18.32	/	/	<=30	Pass
		Inner_1RB_Left	17.19	/	/	17.99	/	/	<=30	Pass
1772.5		Inner_1RB_Right	17.27	/	/	18.07	/	/	<=30	Pass
		Edge_1RB_Left	17.13	/	/	17.93	/	/	<=30	Pass
		Edge_1RB_Right	17.27	/	/	18.07	/	/	<=30	Pass
		Outer_Full	17.57	/	/	18.37	/	/	<=30	Pass
		Inner_Full	17.51	/	/	18.31	/	/	<=30	Pass
		Inner_1RB_Left	17.10	/	/	17.90	/	/	<=30	Pass
Inner_1RB_Right	17.22	/	/	18.02	/	/	<=30	Pass		
Note1: Antenna Gain: Ant1: 0.80dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 15_S_20M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1720	Edge_1RB_Left	23.54	/	/	24.34	/	/	<=30	Pass
		Edge_1RB_Right	23.79	/	/	24.59	/	/	<=30	Pass
		Outer_Full	23.75	/	/	24.55	/	/	<=30	Pass
		Inner_Full	24.20	/	/	25.00	/	/	<=30	Pass
		Inner_1RB_Left	24.12	/	/	24.92	/	/	<=30	Pass
	1745	Inner_1RB_Right	24.25	/	/	25.05	/	/	<=30	Pass
		Edge_1RB_Left	23.52	/	/	24.32	/	/	<=30	Pass
		Edge_1RB_Right	23.61	/	/	24.41	/	/	<=30	Pass
		Outer_Full	23.63	/	/	24.43	/	/	<=30	Pass
		Inner_Full	24.07	/	/	24.87	/	/	<=30	Pass
	1770	Inner_1RB_Left	24.07	/	/	24.87	/	/	<=30	Pass
		Inner_1RB_Right	24.06	/	/	24.86	/	/	<=30	Pass
		Edge_1RB_Left	23.72	/	/	24.52	/	/	<=30	Pass
		Edge_1RB_Right	23.83	/	/	24.63	/	/	<=30	Pass
		Outer_Full	23.88	/	/	24.68	/	/	<=30	Pass
DFT-s-OFDM QPSK	1720	Inner_Full	24.28	/	/	25.08	/	/	<=30	Pass
		Inner_1RB_Left	24.24	/	/	25.04	/	/	<=30	Pass
		Inner_1RB_Right	24.23	/	/	25.03	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.11	/	/	23.91	/	/	<=30	Pass
		Edge_1RB_Right	23.30	/	/	24.10	/	/	<=30	Pass
		Outer_Full	23.16	/	/	23.96	/	/	<=30	Pass
	1770	Inner_Full	24.21	/	/	25.01	/	/	<=30	Pass
		Inner_1RB_Left	24.11	/	/	24.91	/	/	<=30	Pass
		Inner_1RB_Right	24.32	/	/	25.12	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.92	/	/	23.72	/	/	<=30	Pass
		Edge_1RB_Right	23.04	/	/	23.84	/	/	<=30	Pass
		Outer_Full	23.08	/	/	23.88	/	/	<=30	Pass
	1770	Inner_Full	24.07	/	/	24.87	/	/	<=30	Pass
		Inner_1RB_Left	23.96	/	/	24.76	/	/	<=30	Pass
		Inner_1RB_Right	24.07	/	/	24.87	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1720	Edge_1RB_Left	23.12	/	/	23.92	/	/	<=30	Pass
		Edge_1RB_Right	23.32	/	/	24.12	/	/	<=30	Pass
		Outer_Full	23.25	/	/	24.05	/	/	<=30	Pass
		Inner_Full	24.19	/	/	24.99	/	/	<=30	Pass
	1745	Inner_1RB_Left	24.27	/	/	25.07	/	/	<=30	Pass
		Inner_1RB_Right	24.33	/	/	25.13	/	/	<=30	Pass
	1770	Edge_1RB_Left	22.11	/	/	22.91	/	/	<=30	Pass
		Edge_1RB_Right	22.31	/	/	23.11	/	/	<=30	Pass
		Outer_Full	22.22	/	/	23.02	/	/	<=30	Pass
		Inner_Full	23.23	/	/	24.03	/	/	<=30	Pass
	1745	Inner_1RB_Left	23.09	/	/	23.89	/	/	<=30	Pass
		Inner_1RB_Right	23.25	/	/	24.05	/	/	<=30	Pass
	1770	Edge_1RB_Left	21.98	/	/	22.78	/	/	<=30	Pass
		Edge_1RB_Right	22.11	/	/	22.91	/	/	<=30	Pass
		Outer_Full	22.02	/	/	22.82	/	/	<=30	Pass
		Inner_Full	23.00	/	/	23.80	/	/	<=30	Pass
	1770	Inner_1RB_Left	23.05	/	/	23.85	/	/	<=30	Pass
		Inner_1RB_Right	23.07	/	/	23.87	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1720	Edge_1RB_Left	22.17	/	/	22.97	/	/	<=30	Pass
		Edge_1RB_Right	22.25	/	/	23.05	/	/	<=30	Pass
		Outer_Full	22.23	/	/	23.03	/	/	<=30	Pass
		Inner_Full	23.20	/	/	24.00	/	/	<=30	Pass
		Inner_1RB_Left	23.10	/	/	23.90	/	/	<=30	Pass
		Inner_1RB_Right	23.20	/	/	24.00	/	/	<=30	Pass
	1720	Edge_1RB_Left	21.76	/	/	22.56	/	/	<=30	Pass

		Edge_1RB_Right	21.94	/	/	22.74	/	/	<=30	Pass	
		Outer_Full	21.74	/	/	22.54	/	/	<=30	Pass	
		Inner_Full	21.79	/	/	22.59	/	/	<=30	Pass	
		Inner_1RB_Left	21.76	/	/	22.56	/	/	<=30	Pass	
		Inner_1RB_Right	22.00	/	/	22.80	/	/	<=30	Pass	
		1745	Edge_1RB_Left	21.64	/	/	22.44	/	/	<=30	Pass
			Edge_1RB_Right	21.78	/	/	22.58	/	/	<=30	Pass
			Outer_Full	21.59	/	/	22.39	/	/	<=30	Pass
			Inner_Full	21.58	/	/	22.38	/	/	<=30	Pass
			Inner_1RB_Left	21.73	/	/	22.53	/	/	<=30	Pass
		1770	Inner_1RB_Right	21.80	/	/	22.60	/	/	<=30	Pass
			Edge_1RB_Left	21.82	/	/	22.62	/	/	<=30	Pass
			Edge_1RB_Right	21.82	/	/	22.62	/	/	<=30	Pass
			Outer_Full	21.75	/	/	22.55	/	/	<=30	Pass
			Inner_Full	21.80	/	/	22.60	/	/	<=30	Pass
	DFT-s-OFDM 256 QAM	1720	Inner_1RB_Left	21.80	/	/	22.60	/	/	<=30	Pass
			Inner_1RB_Right	21.81	/	/	22.61	/	/	<=30	Pass
			Edge_1RB_Left	19.04	/	/	19.84	/	/	<=30	Pass
Edge_1RB_Right			19.25	/	/	20.05	/	/	<=30	Pass	
Outer_Full			19.69	/	/	20.49	/	/	<=30	Pass	
Inner_Full			19.73	/	/	20.53	/	/	<=30	Pass	
1745		Inner_1RB_Left	19.09	/	/	19.89	/	/	<=30	Pass	
		Inner_1RB_Right	19.28	/	/	20.08	/	/	<=30	Pass	
		Edge_1RB_Left	18.89	/	/	19.69	/	/	<=30	Pass	
		Edge_1RB_Right	19.04	/	/	19.84	/	/	<=30	Pass	
		Outer_Full	19.56	/	/	20.36	/	/	<=30	Pass	
		Inner_Full	19.65	/	/	20.45	/	/	<=30	Pass	
1770		Inner_1RB_Left	19.01	/	/	19.81	/	/	<=30	Pass	
		Inner_1RB_Right	19.08	/	/	19.88	/	/	<=30	Pass	
		Edge_1RB_Left	19.15	/	/	19.95	/	/	<=30	Pass	
		Edge_1RB_Right	19.07	/	/	19.87	/	/	<=30	Pass	
		Outer_Full	19.76	/	/	20.56	/	/	<=30	Pass	
		Inner_Full	19.66	/	/	20.46	/	/	<=30	Pass	
CP-OFDM QPSK	1720	Inner_1RB_Left	19.14	/	/	19.94	/	/	<=30	Pass	
		Inner_1RB_Right	19.12	/	/	19.92	/	/	<=30	Pass	
		Edge_1RB_Left	21.14	/	/	21.94	/	/	<=30	Pass	
		Edge_1RB_Right	21.11	/	/	21.91	/	/	<=30	Pass	
		Outer_Full	21.23	/	/	22.03	/	/	<=30	Pass	
		Inner_Full	22.72	/	/	23.52	/	/	<=30	Pass	
	1745	Inner_1RB_Left	22.45	/	/	23.25	/	/	<=30	Pass	
		Inner_1RB_Right	22.53	/	/	23.33	/	/	<=30	Pass	
		Edge_1RB_Left	21.03	/	/	21.83	/	/	<=30	Pass	
		Edge_1RB_Right	21.11	/	/	21.91	/	/	<=30	Pass	
		Outer_Full	21.14	/	/	21.94	/	/	<=30	Pass	
		Inner_Full	22.59	/	/	23.39	/	/	<=30	Pass	
	1770	Inner_1RB_Left	22.54	/	/	23.34	/	/	<=30	Pass	
		Inner_1RB_Right	22.57	/	/	23.37	/	/	<=30	Pass	
		Edge_1RB_Left	21.06	/	/	21.86	/	/	<=30	Pass	
		Edge_1RB_Right	21.21	/	/	22.01	/	/	<=30	Pass	
		Outer_Full	21.24	/	/	22.04	/	/	<=30	Pass	
		Inner_Full	22.69	/	/	23.49	/	/	<=30	Pass	
CP-OFDM 16 QAM	1720	Inner_1RB_Left	22.59	/	/	23.39	/	/	<=30	Pass	
		Inner_1RB_Right	22.66	/	/	23.46	/	/	<=30	Pass	
		Edge_1RB_Left	21.20	/	/	22.00	/	/	<=30	Pass	
		Edge_1RB_Right	21.26	/	/	22.06	/	/	<=30	Pass	
		Outer_Full	21.25	/	/	22.05	/	/	<=30	Pass	
		Inner_Full	22.11	/	/	22.91	/	/	<=30	Pass	
		Inner_1RB_Left	22.15	/	/	22.95	/	/	<=30	Pass	

		Inner_1RB_Right	22.26	/	/	23.06	/	/	<=30	Pass	
		1745	Edge_1RB_Left	20.95	/	/	21.75	/	/	<=30	Pass
			Edge_1RB_Right	21.05	/	/	21.85	/	/	<=30	Pass
			Outer_Full	21.02	/	/	21.82	/	/	<=30	Pass
			Inner_Full	22.07	/	/	22.87	/	/	<=30	Pass
			Inner_1RB_Left	22.08	/	/	22.88	/	/	<=30	Pass
			Inner_1RB_Right	22.11	/	/	22.91	/	/	<=30	Pass
		1770	Edge_1RB_Left	21.13	/	/	21.93	/	/	<=30	Pass
			Edge_1RB_Right	21.25	/	/	22.05	/	/	<=30	Pass
			Outer_Full	21.07	/	/	21.87	/	/	<=30	Pass
			Inner_Full	22.14	/	/	22.94	/	/	<=30	Pass
			Inner_1RB_Left	22.19	/	/	22.99	/	/	<=30	Pass
			Inner_1RB_Right	22.28	/	/	23.08	/	/	<=30	Pass
		CP-OFDM 64 QAM	1720	Edge_1RB_Left	20.70	/	/	21.50	/	/	<=30
Edge_1RB_Right	20.79			/	/	21.59	/	/	<=30	Pass	
Outer_Full	20.69			/	/	21.49	/	/	<=30	Pass	
Inner_Full	20.70			/	/	21.50	/	/	<=30	Pass	
Inner_1RB_Left	20.70			/	/	21.50	/	/	<=30	Pass	
Inner_1RB_Right	20.71			/	/	21.51	/	/	<=30	Pass	
1745	Edge_1RB_Left		20.50	/	/	21.30	/	/	<=30	Pass	
	Edge_1RB_Right		20.68	/	/	21.48	/	/	<=30	Pass	
	Outer_Full		20.55	/	/	21.35	/	/	<=30	Pass	
	Inner_Full		20.57	/	/	21.37	/	/	<=30	Pass	
	Inner_1RB_Left		20.60	/	/	21.40	/	/	<=30	Pass	
	Inner_1RB_Right		20.71	/	/	21.51	/	/	<=30	Pass	
1770	Edge_1RB_Left		20.59	/	/	21.39	/	/	<=30	Pass	
	Edge_1RB_Right		20.77	/	/	21.57	/	/	<=30	Pass	
	Outer_Full		20.66	/	/	21.46	/	/	<=30	Pass	
	Inner_Full		20.63	/	/	21.43	/	/	<=30	Pass	
	Inner_1RB_Left		20.76	/	/	21.56	/	/	<=30	Pass	
	Inner_1RB_Right		20.80	/	/	21.60	/	/	<=30	Pass	
CP-OFDM 256 QAM	1720		Edge_1RB_Left	17.11	/	/	17.91	/	/	<=30	Pass
			Edge_1RB_Right	17.29	/	/	18.09	/	/	<=30	Pass
			Outer_Full	17.65	/	/	18.45	/	/	<=30	Pass
			Inner_Full	17.70	/	/	18.50	/	/	<=30	Pass
			Inner_1RB_Left	17.19	/	/	17.99	/	/	<=30	Pass
			Inner_1RB_Right	17.21	/	/	18.01	/	/	<=30	Pass
	1745	Edge_1RB_Left	17.14	/	/	17.94	/	/	<=30	Pass	
		Edge_1RB_Right	17.28	/	/	18.08	/	/	<=30	Pass	
		Outer_Full	17.66	/	/	18.46	/	/	<=30	Pass	
		Inner_Full	17.57	/	/	18.37	/	/	<=30	Pass	
		Inner_1RB_Left	17.03	/	/	17.83	/	/	<=30	Pass	
		Inner_1RB_Right	17.21	/	/	18.01	/	/	<=30	Pass	
	1770	Edge_1RB_Left	17.08	/	/	17.88	/	/	<=30	Pass	
		Edge_1RB_Right	17.21	/	/	18.01	/	/	<=30	Pass	
		Outer_Full	17.57	/	/	18.37	/	/	<=30	Pass	
		Inner_Full	17.67	/	/	18.47	/	/	<=30	Pass	
		Inner_1RB_Left	17.18	/	/	17.98	/	/	<=30	Pass	
		Inner_1RB_Right	17.17	/	/	17.97	/	/	<=30	Pass	
Note1: Antenna Gain: Ant1: 0.80dBi; Note2: EIRP=Conducted Power+Antenna Gain											

1.1.5 15_S_30M_NTNV_EIRP

5G NR n66 SCS=15kHz SISO 30MHz NTN					
Modulation	Frequency	RB	Conducted Power(dBm)	EIRP(dBm)	Verdict

	(MHz)	Allocation	Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1725	Edge_1RB_Left	23.31	/	/	24.11	/	/	<=30	Pass
		Edge_1RB_Right	23.47	/	/	24.27	/	/	<=30	Pass
		Outer_Full	23.63	/	/	24.43	/	/	<=30	Pass
		Inner_Full	24.09	/	/	24.89	/	/	<=30	Pass
		Inner_1RB_Left	23.93	/	/	24.73	/	/	<=30	Pass
		Inner_1RB_Right	24.03	/	/	24.83	/	/	<=30	Pass
	1745	Edge_1RB_Left	23.38	/	/	24.18	/	/	<=30	Pass
		Edge_1RB_Right	23.38	/	/	24.18	/	/	<=30	Pass
		Outer_Full	23.62	/	/	24.42	/	/	<=30	Pass
		Inner_Full	24.06	/	/	24.86	/	/	<=30	Pass
		Inner_1RB_Left	23.96	/	/	24.76	/	/	<=30	Pass
		Inner_1RB_Right	24.07	/	/	24.87	/	/	<=30	Pass
	1765	Edge_1RB_Left	23.45	/	/	24.25	/	/	<=30	Pass
		Edge_1RB_Right	23.52	/	/	24.32	/	/	<=30	Pass
		Outer_Full	23.81	/	/	24.61	/	/	<=30	Pass
		Inner_Full	24.06	/	/	24.86	/	/	<=30	Pass
		Inner_1RB_Left	24.11	/	/	24.91	/	/	<=30	Pass
DFT-s-OFDM QPSK	1725	Edge_1RB_Left	22.89	/	/	23.69	/	/	<=30	Pass
		Edge_1RB_Right	23.06	/	/	23.86	/	/	<=30	Pass
		Outer_Full	23.18	/	/	23.98	/	/	<=30	Pass
		Inner_Full	24.09	/	/	24.89	/	/	<=30	Pass
		Inner_1RB_Left	24.01	/	/	24.81	/	/	<=30	Pass
		Inner_1RB_Right	24.13	/	/	24.93	/	/	<=30	Pass
	1745	Edge_1RB_Left	22.88	/	/	23.68	/	/	<=30	Pass
		Edge_1RB_Right	23.13	/	/	23.93	/	/	<=30	Pass
		Outer_Full	23.17	/	/	23.97	/	/	<=30	Pass
		Inner_Full	24.03	/	/	24.83	/	/	<=30	Pass
		Inner_1RB_Left	23.97	/	/	24.77	/	/	<=30	Pass
		Inner_1RB_Right	24.09	/	/	24.89	/	/	<=30	Pass
	1765	Edge_1RB_Left	22.96	/	/	23.76	/	/	<=30	Pass
		Edge_1RB_Right	23.06	/	/	23.86	/	/	<=30	Pass
		Outer_Full	23.12	/	/	23.92	/	/	<=30	Pass
		Inner_Full	24.17	/	/	24.97	/	/	<=30	Pass
		Inner_1RB_Left	24.22	/	/	25.02	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	1725	Edge_1RB_Left	21.88	/	/	22.68	/	/	<=30	Pass
		Edge_1RB_Right	22.19	/	/	22.99	/	/	<=30	Pass
		Outer_Full	22.08	/	/	22.88	/	/	<=30	Pass
		Inner_Full	23.05	/	/	23.85	/	/	<=30	Pass
		Inner_1RB_Left	22.91	/	/	23.71	/	/	<=30	Pass
		Inner_1RB_Right	23.08	/	/	23.88	/	/	<=30	Pass
	1745	Edge_1RB_Left	21.78	/	/	22.58	/	/	<=30	Pass
		Edge_1RB_Right	21.94	/	/	22.74	/	/	<=30	Pass
		Outer_Full	21.97	/	/	22.77	/	/	<=30	Pass
		Inner_Full	22.99	/	/	23.79	/	/	<=30	Pass
		Inner_1RB_Left	22.86	/	/	23.66	/	/	<=30	Pass
		Inner_1RB_Right	22.92	/	/	23.72	/	/	<=30	Pass
	1765	Edge_1RB_Left	22.00	/	/	22.80	/	/	<=30	Pass
		Edge_1RB_Right	22.02	/	/	22.82	/	/	<=30	Pass
		Outer_Full	22.21	/	/	23.01	/	/	<=30	Pass
		Inner_Full	23.15	/	/	23.95	/	/	<=30	Pass
		Inner_1RB_Left	23.06	/	/	23.86	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	1725	Edge_1RB_Left	21.44	/	/	22.24	/	/	<=30	Pass
		Edge_1RB_Right	21.74	/	/	22.54	/	/	<=30	Pass
		Outer_Full	21.60	/	/	22.40	/	/	<=30	Pass

		Inner Full	21.61	/	/	22.41	/	/	<=30	Pass
		Inner 1RB Left	21.56	/	/	22.36	/	/	<=30	Pass
		Inner 1RB Right	21.74	/	/	22.54	/	/	<=30	Pass
	1745	Edge 1RB Left	21.45	/	/	22.25	/	/	<=30	Pass
		Edge 1RB Right	21.61	/	/	22.41	/	/	<=30	Pass
		Outer Full	21.52	/	/	22.32	/	/	<=30	Pass
		Inner Full	21.51	/	/	22.31	/	/	<=30	Pass
		Inner 1RB Left	21.55	/	/	22.35	/	/	<=30	Pass
		Inner 1RB Right	21.67	/	/	22.47	/	/	<=30	Pass
	1765	Edge 1RB Left	21.56	/	/	22.36	/	/	<=30	Pass
		Edge 1RB Right	21.74	/	/	22.54	/	/	<=30	Pass
		Outer Full	21.68	/	/	22.48	/	/	<=30	Pass
		Inner Full	21.64	/	/	22.44	/	/	<=30	Pass
		Inner 1RB Left	21.68	/	/	22.48	/	/	<=30	Pass
		Inner 1RB Right	21.78	/	/	22.58	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	1725	Edge 1RB Left	19.05	/	/	19.85	/	/	<=30	Pass
		Edge 1RB Right	19.20	/	/	20.00	/	/	<=30	Pass
		Outer Full	19.67	/	/	20.47	/	/	<=30	Pass
		Inner Full	19.69	/	/	20.49	/	/	<=30	Pass
		Inner 1RB Left	19.06	/	/	19.86	/	/	<=30	Pass
		Inner 1RB Right	19.21	/	/	20.01	/	/	<=30	Pass
	1745	Edge 1RB Left	18.91	/	/	19.71	/	/	<=30	Pass
		Edge 1RB Right	19.02	/	/	19.82	/	/	<=30	Pass
		Outer Full	19.65	/	/	20.45	/	/	<=30	Pass
		Inner Full	19.52	/	/	20.32	/	/	<=30	Pass
		Inner 1RB Left	19.03	/	/	19.83	/	/	<=30	Pass
		Inner 1RB Right	19.06	/	/	19.86	/	/	<=30	Pass
	1765	Edge 1RB Left	19.04	/	/	19.84	/	/	<=30	Pass
		Edge 1RB Right	19.19	/	/	19.99	/	/	<=30	Pass
		Outer Full	19.62	/	/	20.42	/	/	<=30	Pass
		Inner Full	19.55	/	/	20.35	/	/	<=30	Pass
		Inner 1RB Left	19.03	/	/	19.83	/	/	<=30	Pass
		Inner 1RB Right	19.14	/	/	19.94	/	/	<=30	Pass
CP-OFDM QPSK	1725	Edge 1RB Left	20.85	/	/	21.65	/	/	<=30	Pass
		Edge 1RB Right	21.15	/	/	21.95	/	/	<=30	Pass
		Outer Full	21.11	/	/	21.91	/	/	<=30	Pass
		Inner Full	22.58	/	/	23.38	/	/	<=30	Pass
		Inner 1RB Left	22.46	/	/	23.26	/	/	<=30	Pass
		Inner 1RB Right	22.57	/	/	23.37	/	/	<=30	Pass
	1745	Edge 1RB Left	20.96	/	/	21.76	/	/	<=30	Pass
		Edge 1RB Right	21.05	/	/	21.85	/	/	<=30	Pass
		Outer Full	21.13	/	/	21.93	/	/	<=30	Pass
		Inner Full	22.52	/	/	23.32	/	/	<=30	Pass
		Inner 1RB Left	22.44	/	/	23.24	/	/	<=30	Pass
		Inner 1RB Right	22.60	/	/	23.40	/	/	<=30	Pass
	1765	Edge 1RB Left	21.01	/	/	21.81	/	/	<=30	Pass
		Edge 1RB Right	21.01	/	/	21.81	/	/	<=30	Pass
		Outer Full	21.07	/	/	21.87	/	/	<=30	Pass
		Inner Full	22.44	/	/	23.24	/	/	<=30	Pass
		Inner 1RB Left	22.52	/	/	23.32	/	/	<=30	Pass
		Inner 1RB Right	22.51	/	/	23.31	/	/	<=30	Pass
CP-OFDM 16 QAM	1725	Edge 1RB Left	20.85	/	/	21.65	/	/	<=30	Pass
		Edge 1RB Right	20.98	/	/	21.78	/	/	<=30	Pass
		Outer Full	21.08	/	/	21.88	/	/	<=30	Pass
		Inner Full	21.98	/	/	22.78	/	/	<=30	Pass
		Inner 1RB Left	21.90	/	/	22.70	/	/	<=30	Pass
		Inner 1RB Right	22.02	/	/	22.82	/	/	<=30	Pass
	1745	Edge 1RB Left	20.75	/	/	21.55	/	/	<=30	Pass

		Edge_1RB_Right	20.99	/	/	21.79	/	/	<=30	Pass
		Outer_Full	20.97	/	/	21.77	/	/	<=30	Pass
		Inner_Full	21.93	/	/	22.73	/	/	<=30	Pass
		Inner_1RB_Left	21.90	/	/	22.70	/	/	<=30	Pass
		Inner_1RB_Right	22.05	/	/	22.85	/	/	<=30	Pass
	1765	Edge_1RB_Left	20.89	/	/	21.69	/	/	<=30	Pass
		Edge_1RB_Right	21.02	/	/	21.82	/	/	<=30	Pass
		Outer_Full	21.01	/	/	21.81	/	/	<=30	Pass
		Inner_Full	21.91	/	/	22.71	/	/	<=30	Pass
		Inner_1RB_Left	21.96	/	/	22.76	/	/	<=30	Pass
	Inner_1RB_Right	22.05	/	/	22.85	/	/	<=30	Pass	
CP-OFDM 64 QAM	1725	Edge_1RB_Left	20.37	/	/	21.17	/	/	<=30	Pass
		Edge_1RB_Right	20.51	/	/	21.31	/	/	<=30	Pass
		Outer_Full	20.56	/	/	21.36	/	/	<=30	Pass
		Inner_Full	20.63	/	/	21.43	/	/	<=30	Pass
		Inner_1RB_Left	20.50	/	/	21.30	/	/	<=30	Pass
		Inner_1RB_Right	20.63	/	/	21.43	/	/	<=30	Pass
	1745	Edge_1RB_Left	20.36	/	/	21.16	/	/	<=30	Pass
		Edge_1RB_Right	20.63	/	/	21.43	/	/	<=30	Pass
		Outer_Full	20.60	/	/	21.40	/	/	<=30	Pass
		Inner_Full	20.63	/	/	21.43	/	/	<=30	Pass
		Inner_1RB_Left	20.50	/	/	21.30	/	/	<=30	Pass
		Inner_1RB_Right	20.57	/	/	21.37	/	/	<=30	Pass
	1765	Edge_1RB_Left	20.44	/	/	21.24	/	/	<=30	Pass
		Edge_1RB_Right	20.61	/	/	21.41	/	/	<=30	Pass
		Outer_Full	20.55	/	/	21.35	/	/	<=30	Pass
		Inner_Full	20.50	/	/	21.30	/	/	<=30	Pass
		Inner_1RB_Left	20.55	/	/	21.35	/	/	<=30	Pass
		Inner_1RB_Right	20.67	/	/	21.47	/	/	<=30	Pass
CP-OFDM 256 QAM	1725	Edge_1RB_Left	17.04	/	/	17.84	/	/	<=30	Pass
		Edge_1RB_Right	17.20	/	/	18.00	/	/	<=30	Pass
		Outer_Full	17.65	/	/	18.45	/	/	<=30	Pass
		Inner_Full	17.55	/	/	18.35	/	/	<=30	Pass
		Inner_1RB_Left	17.14	/	/	17.94	/	/	<=30	Pass
		Inner_1RB_Right	17.31	/	/	18.11	/	/	<=30	Pass
	1745	Edge_1RB_Left	17.13	/	/	17.93	/	/	<=30	Pass
		Edge_1RB_Right	17.20	/	/	18.00	/	/	<=30	Pass
		Outer_Full	17.48	/	/	18.28	/	/	<=30	Pass
		Inner_Full	17.61	/	/	18.41	/	/	<=30	Pass
		Inner_1RB_Left	17.14	/	/	17.94	/	/	<=30	Pass
		Inner_1RB_Right	17.14	/	/	17.94	/	/	<=30	Pass
	1765	Edge_1RB_Left	17.12	/	/	17.92	/	/	<=30	Pass
		Edge_1RB_Right	17.16	/	/	17.96	/	/	<=30	Pass
		Outer_Full	17.52	/	/	18.32	/	/	<=30	Pass
Inner_Full		17.58	/	/	18.38	/	/	<=30	Pass	
Inner_1RB_Left		17.14	/	/	17.94	/	/	<=30	Pass	
	Inner_1RB_Right	17.21	/	/	18.01	/	/	<=30	Pass	
Note1: Antenna Gain: Ant1: 0.80dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_30M

5G NR n66 SCS=15kHz SISO 30MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1745	Outer_Full	20	LV	-3.10	-0.0018	>=-2.5 & <=-2.5	Pass
				HV	-2.10	-0.0012	>=-2.5 & <=-2.5	Pass
			-30	NV	-5.80	-0.0033	>=-2.5 & <=-2.5	Pass
			-20	NV	-5.00	-0.0029	>=-2.5 & <=-2.5	Pass
			-10	NV	-3.50	-0.0020	>=-2.5 & <=-2.5	Pass
			0	NV	-4.00	-0.0023	>=-2.5 & <=-2.5	Pass
			10	NV	-3.50	-0.0020	>=-2.5 & <=-2.5	Pass
			20	NV	-5.20	-0.0030	>=-2.5 & <=-2.5	Pass
			30	NV	-3.80	-0.0022	>=-2.5 & <=-2.5	Pass
			40	NV	-0.50	-0.0003	>=-2.5 & <=-2.5	Pass
50	NV	3.10	0.0018	>=-2.5 & <=-2.5	Pass			

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15 S 5M NTN

5G NR n66 SCS=15kHz SISO 5MHz NTNv						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	4.52	5.19	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	4.51	5.16	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	4.53	5.27	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	4.53	5.15	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	4.51	5.25	/	Pass
CP-OFDM QPSK	1745	Outer_Full	4.54	5.29	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	4.53	5.31	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	4.52	5.27	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	4.53	5.29	/	Pass

3.1.2 15 S 10M NTNV

5G NR n66 SCS=15kHz SISO 10MHz NTV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer Full	8.98	9.81	/	Pass
DFT-s-OFDM QPSK	1745	Outer Full	9.00	9.81	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer Full	9.02	9.88	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer Full	9.01	9.82	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer Full	8.99	9.76	/	Pass
CP-OFDM QPSK	1745	Outer Full	9.32	10.21	/	Pass
CP-OFDM 16 QAM	1745	Outer Full	9.33	10.22	/	Pass
CP-OFDM 64 QAM	1745	Outer Full	9.32	10.32	/	Pass
CP-OFDM 256 QAM	1745	Outer Full	9.36	10.29	/	Pass

3.1.3 15_S_15M_NTNV

5G NR n66 SCS=15kHz SISO 15MHz NTNv

Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	13.48	14.49	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	13.49	14.48	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	13.55	14.62	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	13.47	14.58	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	13.51	14.54	/	Pass
CP-OFDM QPSK	1745	Outer_Full	14.15	15.26	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	14.18	15.24	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	14.19	15.18	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	14.20	15.36	/	Pass

3.1.4 15_S_20M_NTNV


5G NR n66 SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	17.99	19.47	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	18.01	19.46	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	17.96	19.39	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	17.97	19.29	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	17.97	19.27	/	Pass
CP-OFDM QPSK	1745	Outer_Full	19.01	20.26	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	19.06	20.36	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	19.03	20.33	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	19.06	20.36	/	Pass

3.1.5 15_S_30M_NTNV


5G NR n66 SCS=15kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1745	Outer_Full	28.97	31.09	/	Pass
DFT-s-OFDM QPSK	1745	Outer_Full	28.94	31.14	/	Pass
DFT-s-OFDM 16 QAM	1745	Outer_Full	28.89	31.12	/	Pass
DFT-s-OFDM 64 QAM	1745	Outer_Full	28.85	31.15	/	Pass
DFT-s-OFDM 256 QAM	1745	Outer_Full	28.81	31.16	/	Pass
CP-OFDM QPSK	1745	Outer_Full	28.87	31.09	/	Pass
CP-OFDM 16 QAM	1745	Outer_Full	28.87	31.14	/	Pass
CP-OFDM 64 QAM	1745	Outer_Full	28.92	31.34	/	Pass
CP-OFDM 256 QAM	1745	Outer_Full	28.82	31.12	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16 QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64 QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM 1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM 1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




3.2.2 15_S_10M_NTNV


n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM_16 QAM_1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM_64 QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




3.2.3 15_S_15M_NTNV


n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_16_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_64_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_16QAM_1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_64QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




3.2.4 15_S_20M_NTNV


n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_16 QAM_1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_64 QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_20MHz_CP-OFDM_256 QAM_1745MHz_Outer_Full_Ant1




3.2.5 15_S_30M_NTNV


n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_16_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_64_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_256_QAM_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_16_QAM_1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_64_QAM_1745MHz_Outer_Full_Ant1



n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_256_QAM_1745MHz_Outer_Full_Ant1



4. Peak-Average Ratio


4.1 Test Result

4.1.1 15_S_30M_NTNV


5G NR n66 SCS=15kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1745	Outer Full	3.86	/	/	<=13	Pass
DFT-s-OFDM QPSK	1745	Outer Full	5.48	/	/	<=13	Pass
CP-OFDM QPSK	1745	Outer Full	7.24	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_30M_NTNV



n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1745MHz_Outer_Full_Ant1



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n66 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1777.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1777.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1712.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1777.5	Outer_Full	Refer To Test Graph				Pass

5.1.2 15_S_15M_NTNV

5G NR n66 SCS=15kHz SISO 15MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1717.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1772.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1717.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1772.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1717.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1745	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1772.5	Outer_Full	Refer To Test Graph				Pass


5.1.3 15_S_30M_NTNV

5G NR n66 SCS=15kHz SISO 30MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	


DFT-s-OFDM PI/2 BPSK	1725	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1745	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	1765	Outer_Full	Refer To Test Graph	Pass
DFT-s-OFDM QPSK	1725	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1745	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	1765	Outer_Full	Refer To Test Graph	Pass
CP-OFDM QPSK	1725	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1745	Edge_1RB_Left	Refer To Test Graph	Pass
		Edge_1RB_Right	Refer To Test Graph	Pass
	1765	Outer_Full	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1005.000	-45.93	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7994.000	-43.41	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1712.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.140	-28.19	-13	Pass
1709	1710	0.05161	CHP	2	1709.990	-24.57	-13	Pass
1710	1715	0.05161	CHP	/	/	/	/	/

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.850	-43.96	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1691.500	-37.67	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	1793.500	-42.29	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.012	-26.39	-13	Pass
1781	1785	1	CHP	2	1781.500	-41.19	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.850	-44.07	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1677.500	-44.85	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7994.000	-43.48	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_PI/2_BPSK_1777.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.05161	CHP	/	/	/	/	/
1780	1781	0.05161	CHP	1	1780.010	-21.30	-13	Pass
1781	1785	1	CHP	2	1781.810	-26.52	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-41.31	-13	Pass
1709	1710	0.003	/	2	1709.992	-23.70	-13	Pass
1710	1715	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	545.200	-44.14	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1712.5MHz_Edge_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1480.000	-46.02	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7984.000	-43.28	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1712.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-27.96	-13	Pass
1709	1710	0.05161	CHP	2	1709.990	-22.77	-13	Pass
1710	1715	0.05161	CHP	/	/	/	/	/

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	631.400	-44.14	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1691.500	-41.22	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7990.500	-43.12	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-22.98	-13	Pass
1781	1785	1	CHP	2	1781.500	-41.29	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.900	-43.71	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1003.500	-46.02	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17999.500	-43.43	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1777.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.05161	CHP	/	/	/	/	/
1780	1781	0.05161	CHP	1	1780.010	-24.97	-13	Pass
1781	1785	1	CHP	2	1781.500	-25.82	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-42.92	-13	Pass
1709	1710	0.003	/	2	1709.992	-25.23	-13	Pass
1710	1715	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.150	-43.91	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1712.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1452.000	-45.96	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7996.500	-43.44	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1712.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-26.82	-13	Pass
1709	1710	0.05161	CHP	2	1709.990	-23.45	-13	Pass
1710	1715	0.05161	CHP	/	/	/	/	/

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	552.000	-44.07	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1508.000	-45.99	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7987.000	-43.52	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.009	-29.71	-13	Pass
1781	1785	1	CHP	2	1781.500	-42.80	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.950	-43.92	-13	Pass

n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1777.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1476.500	-45.95	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7994.000	-43.43	-13	Pass


n66_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1777.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.05161	CHP	/	/	/	/	/
1780	1781	0.05161	CHP	1	1780.010	-25.53	-13	Pass
1781	1785	1	CHP	2	1781.500	-24.74	-13	Pass


5.2.2 15_S_15M_NTNV

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK 1717.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-41.10	-13	Pass
1709	1710	0.003	/	2	1709.992	-28.94	-13	Pass
1710	1725	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK 1717.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	632.750	-44.24	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1717.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1494.000	-46.06	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7977.500	-43.50	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1717.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-34.70	-13	Pass
1709	1710	0.14477	CHP	2	1709.980	-26.50	-13	Pass
1710	1725	0.14477	CHP	/	/	/	/	/


n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1772.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.006	-30.08	-13	Pass
1781	1785	1	CHP	2	1781.500	-41.15	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1772.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.450	-43.83	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1772.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1504.000	-46.04	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7995.000	-43.28	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1772.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.14477	CHP	/	/	/	/	/
1780	1781	0.14477	CHP	1	1780.020	-35.85	-13	Pass
1781	1785	1	CHP	2	1781.500	-30.78	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1717.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-41.30	-13	Pass
1709	1710	0.003	/	2	1709.992	-29.54	-13	Pass
1710	1725	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1717.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.500	-43.98	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1717.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1006.000	-45.92	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	17977.500	-43.49	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1717.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-31.77	-13	Pass
1709	1710	0.14477	CHP	2	1709.980	-27.58	-13	Pass
1710	1725	0.14477	CHP	/	/	/	/	/


n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1772.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.006	-32.32	-13	Pass
1781	1785	1	CHP	2	1781.500	-41.48	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1772.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.100	-44.00	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1772.5MHz_Edge_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1677.000	-44.66	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7997.000	-43.47	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1772.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.14477	CHP	/	/	/	/	/
1780	1781	0.14477	CHP	1	1780.680	-37.73	-13	Pass
1781	1785	1	CHP	2	1781.580	-30.47	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1717.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-42.55	-13	Pass
1709	1710	0.003	/	2	1709.992	-31.00	-13	Pass
1710	1725	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1717.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.950	-44.09	-13	Pass


n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1717.5MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1717.5MHz_Outer_Full_Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.006	-33.15	-13	Pass
1781	1785	1	CHP	2	1781.500	-42.79	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	543.700	-44.15	-13	Pass

n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1676.500	-43.05	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7991.000	-43.28	-13	Pass


n66_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1772.5MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.14477	CHP	/	/	/	/	/
1780	1781	0.14477	CHP	1	1780.020	-32.54	-13	Pass
1781	1785	1	CHP	2	1781.500	-29.12	-13	Pass


5.2.3 15_S_30M_NTNV

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_1725MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-38.12	-13	Pass
1709	1710	0.003	/	2	1709.991	-41.01	-13	Pass
1710	1740	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_1725MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.950	-43.97	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_1725MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1002.500	-45.75	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7988.500	-43.46	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_1725MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-33.92	-13	Pass
1709	1710	0.31141	CHP	2	1709.970	-29.73	-13	Pass
1710	1740	0.31141	CHP	/	/	/	/	/

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	548.500	-44.17	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1679.500	-40.71	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7971.500	-43.43	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_1765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.008	-42.81	-13	Pass
1781	1785	1	CHP	2	1781.500	-39.66	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_1765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	642.800	-44.12	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_1765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1437.500	-45.94	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7993.500	-43.38	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_1765MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1780	0.31141	CHP	/	/	/	/	/
1780	1781	0.31141	CHP	1	1780.030	-29.82	-13	Pass
1781	1785	1	CHP	2	1781.500	-28.40	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1725MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.498	-38.46	-13	Pass
1709	1710	0.003	/	2	1709.992	-42.93	-13	Pass
1710	1740	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1725MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.250	-43.76	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1725MHz_Edge_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1704.000	-45.74	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7983.000	-43.13	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1725MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.360	-34.30	-13	Pass
1709	1710	0.31141	CHP	2	1709.970	-30.14	-13	Pass
1710	1740	0.31141	CHP	/	/	/	/	/


n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1



n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.009	-45.84	-13	Pass
1781	1785	1	CHP	2	1781.500	-39.76	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.400	-44.02	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1765MHz_Edge_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1677.000	-44.36	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7983.000	-43.48	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_1765MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1780	0.31141	CHP	/	/	/	/	/
1780	1781	0.31141	CHP	1	1780.030	-33.59	-13	Pass
1781	1785	1	CHP	2	1781.500	-30.40	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1725MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.498	-39.98	-13	Pass
1709	1710	0.003	/	2	1709.991	-42.71	-13	Pass
1710	1740	0.003	/	/	/	/	/	/

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1725MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.850	-43.98	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1725MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1704.000	-45.11	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7992.000	-43.37	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1725MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-31.84	-13	Pass
1709	1710	0.31141	CHP	2	1709.970	-28.08	-13	Pass
1710	1740	0.31141	CHP	/	/	/	/	/

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	629.750	-44.10	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1745MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1027.500	-45.85	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7989.500	-43.33	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.003	-46.04	-13	Pass
1781	1785	1	CHP	2	1781.500	-40.49	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1765MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.650	-44.01	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1765MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1709	1	/	1	1469.500	-46.06	-13	Pass
1709	1785	1	/	/	/	/	/	/
1785	17800	1	/	2	7985.500	-43.55	-13	Pass

n66_15kHz_SISO_NTNV_30MHz_CP-OFDM_QPSK_1765MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1780	0.31141	CHP	/	/	/	/	/
1780	1781	0.31141	CHP	1	1780.030	-32.49	-13	Pass
1781	1785	1	CHP	2	1781.500	-31.29	-13	Pass