

1.1. Test Band = _2A-4A TM1**1.1.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3711.75	-43.65	29.52	-59.39	-13.00	46.39	Horizontal
2	5500.5	-40.73	32.70	-56.28	-13.00	43.28	Horizontal
3	7464	-40.72	36.61	-53.21	-13.00	40.21	Horizontal
4	9287.25	-40.64	37.28	-53.96	-13.00	40.96	Horizontal
5	11073.375	-42.12	40.47	-51.34	-13.00	38.34	Horizontal
6	12885.375	-40.71	39.13	-50.94	-13.00	37.94	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3715.5	-43.65	29.56	-58.14	-13.00	45.14	Vertical
2	5627.625	-40.51	32.84	-54.85	-13.00	41.85	Vertical
3	7362	-40.59	36.70	-53.76	-13.00	40.76	Vertical
4	9337.5	-40.64	37.13	-53.95	-13.00	40.95	Vertical
5	11033.625	-41.17	40.43	-50.72	-13.00	37.72	Vertical
6	13029	-40.55	39.59	-51.17	-13.00	38.17	Vertical

1.2. Test Band = _2A-4A TM1**1.2.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3729.375	-43.63	29.69	-59.01	-13.00	46.01	Horizontal
2	5638.5	-40.48	32.82	-54.89	-13.00	41.89	Horizontal
3	7505.25	-40.80	36.88	-52.98	-13.00	39.98	Horizontal
4	9408	-40.72	37.63	-52.75	-13.00	39.75	Horizontal
5	11181.375	-42.48	40.50	-51.82	-13.00	38.82	Horizontal
6	13241.625	-40.42	39.54	-50.37	-13.00	37.37	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3756	-43.60	29.86	-56.96	-13.00	43.96	Vertical
2	5634.75	-40.49	32.83	-55.15	-13.00	42.15	Vertical
3	7554	-40.68	36.72	-52.31	-13.00	39.31	Vertical
4	9333.75	-40.63	37.13	-53.68	-13.00	40.68	Vertical
5	11277	-41.56	40.42	-51.34	-13.00	38.34	Vertical
6	13190.625	-40.12	39.53	-50.48	-13.00	37.48	Vertical

1.3. Test Band = _2A-4A TM1**1.3.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3795.75	-43.55	29.63	-59.44	-13.00	46.44	Horizontal
2	5694.75	-40.32	32.80	-55.05	-13.00	42.05	Horizontal
3	7614.375	-40.52	36.87	-52.99	-13.00	39.99	Horizontal
4	9486.375	-40.95	37.58	-52.39	-13.00	39.39	Horizontal
5	11450.625	-40.56	40.55	-49.98	-13.00	36.98	Horizontal
6	13239.375	-40.40	39.54	-50.64	-13.00	37.64	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3795.75	-43.55	29.63	-56.31	-13.00	43.31	Vertical
2	5720.25	-40.31	32.56	-54.97	-13.00	41.97	Vertical
3	7596	-40.58	36.88	-52.69	-13.00	39.69	Vertical
4	9460.875	-40.88	37.73	-51.87	-13.00	38.87	Vertical
5	11338.875	-40.88	40.48	-49.98	-13.00	36.98	Vertical
6	13206.375	-40.12	39.51	-50.87	-13.00	37.87	Vertical

1.4. Test Band = _2A-5A TM1**1.4.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3744.75	-43.61	29.85	-58.95	-13.00	45.95	Horizontal
2	5309.625	-41.22	32.34	-56.21	-13.00	43.21	Horizontal
3	7597.875	-40.58	36.89	-52.94	-13.00	39.94	Horizontal
4	9631.5	-40.56	38.29	-52.41	-13.00	39.41	Horizontal
5	12462	-40.15	39.38	-50.20	-13.00	37.20	Horizontal
6	15709.875	-36.80	38.76	-50.33	-13.00	37.33	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-60.76	-13.00	47.76	Vertical
2	4220.625	-42.97	29.88	-59.00	-13.00	46.00	Vertical
3	5863.875	-40.17	32.67	-54.27	-13.00	41.27	Vertical
4	8092.125	-40.59	36.38	-53.90	-13.00	40.90	Vertical
5	11601	-40.96	40.60	-49.94	-13.00	36.94	Vertical
6	15045.75	-35.84	40.82	-45.96	-13.00	32.96	Vertical

1.5. Test Band = _2A-5A TM1**1.5.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3330.375	-44.22	28.64	-61.35	-13.00	48.35	Horizontal
2	3869.25	-43.49	29.44	-59.88	-13.00	46.88	Horizontal
3	6614.25	-40.28	34.91	-53.27	-13.00	40.27	Horizontal
4	8522.25	-40.25	36.84	-53.57	-13.00	40.57	Horizontal
5	11001	-40.38	40.40	-50.97	-13.00	37.97	Horizontal
6	12989.625	-40.55	39.46	-50.64	-13.00	37.64	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741.75	-43.62	29.82	-57.65	-13.00	44.65	Vertical
2	4654.125	-42.35	30.53	-57.97	-13.00	44.97	Vertical
3	6165	-40.44	33.66	-53.94	-13.00	40.94	Vertical
4	7502.25	-40.80	36.89	-53.05	-13.00	40.05	Vertical
5	9570.75	-40.75	37.92	-52.10	-13.00	39.10	Vertical
6	11391.375	-40.31	40.58	-50.07	-13.00	37.07	Vertical

1.6. Test Band = _2A-5A TM1**1.6.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3743.625	-43.61	29.84	-59.47	-13.00	46.47	Horizontal
2	5007	-41.48	30.96	-58.56	-13.00	45.56	Horizontal
3	6847.125	-40.43	35.89	-53.82	-13.00	40.82	Horizontal
4	9510.75	-40.95	37.56	-51.89	-13.00	38.89	Horizontal
5	13108.125	-40.55	39.78	-49.85	-13.00	36.85	Horizontal
6	16242.375	-36.45	38.32	-49.63	-13.00	36.63	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	-43.56	29.71	-58.64	-13.00	45.64	Vertical
2	5320.875	-41.21	32.38	-55.40	-13.00	42.40	Vertical
3	7331.25	-40.60	36.76	-53.28	-13.00	40.28	Vertical
4	9637.125	-40.54	38.32	-51.43	-13.00	38.43	Vertical
5	13210.5	-40.16	39.51	-50.04	-13.00	37.04	Vertical
6	16967.25	-39.18	40.84	-48.62	-13.00	35.62	Vertical

1.7. Test Band = _2A-7A TM1**1.7.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3734.25	-43.63	29.74	-60.45	-25.00	35.45	Horizontal
2	4663.5	-42.33	30.61	-58.84	-25.00	33.84	Horizontal
3	6653.25	-40.49	35.17	-55.27	-25.00	30.27	Horizontal
4	9564	-40.77	37.88	-52.90	-25.00	27.90	Horizontal
5	13833.75	-40.11	40.27	-51.18	-25.00	26.18	Horizontal
6	16953.75	-39.11	40.77	-51.88	-25.00	26.88	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	-43.67	29.42	-59.42	-25.00	34.42	Vertical
2	5195.25	-41.34	32.19	-56.88	-25.00	31.88	Vertical
3	7145.25	-40.46	36.11	-54.86	-25.00	29.86	Vertical
4	9632.25	-40.56	38.29	-53.28	-25.00	28.28	Vertical
5	12514.5	-40.22	39.20	-52.00	-25.00	27.00	Vertical
6	15748.5	-36.60	38.61	-52.09	-25.00	27.09	Vertical

1.8. Test Band = _2A-7A TM1**1.8.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3736.5	-43.62	29.77	-60.36	-25.00	35.36	Horizontal
2	5190	-41.36	32.18	-57.43	-25.00	32.43	Horizontal
3	7044	-40.66	35.83	-54.39	-25.00	29.39	Horizontal
4	8576.25	-40.15	36.85	-55.09	-25.00	30.09	Horizontal
5	10804.5	-40.32	39.33	-52.43	-25.00	27.43	Horizontal
6	13689.75	-40.37	40.49	-51.24	-25.00	26.24	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-61.16	-25.00	36.16	Vertical
2	3742.5	-43.61	29.83	-58.04	-25.00	33.04	Vertical
3	5336.25	-41.20	32.45	-56.72	-25.00	31.72	Vertical
4	7602.75	-40.56	36.89	-54.06	-25.00	29.06	Vertical
5	9531	-40.88	37.69	-53.63	-25.00	28.63	Vertical
6	13044	-40.56	39.63	-51.57	-25.00	26.57	Vertical

1.9. Test Band = _2A-7A TM1**1.9.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3739.5	-43.62	29.80	-60.37	-25.00	35.37	Horizontal
2	4377.75	-42.52	29.99	-60.04	-25.00	35.04	Horizontal
3	5180.25	-41.39	32.16	-57.39	-25.00	32.39	Horizontal
4	6033.75	-40.51	33.10	-56.21	-25.00	31.21	Horizontal
5	7188	-40.27	36.25	-54.59	-25.00	29.59	Horizontal
6	8589	-40.12	36.82	-54.90	-25.00	29.90	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-59.22	-25.00	34.22	Vertical
2	3782.25	-43.56	29.71	-58.15	-25.00	33.15	Vertical
3	5172.75	-41.41	32.15	-56.99	-25.00	31.99	Vertical
4	7128	-40.54	36.14	-54.56	-25.00	29.56	Vertical
5	9618.75	-40.60	38.21	-53.57	-25.00	28.57	Vertical
6	12114.75	-40.20	39.81	-51.05	-25.00	26.05	Vertical

1.10. Test Band = _4A-5A TM1**1.10.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	-44.10	28.86	-57.49	-13.00	44.49	Horizontal
2	4384.5	-42.48	29.96	-60.44	-13.00	47.44	Horizontal
3	5636.25	-40.49	32.83	-56.35	-13.00	43.35	Horizontal
4	7583.25	-40.61	36.83	-54.00	-13.00	41.00	Horizontal
5	9709.5	-40.35	38.52	-53.71	-13.00	40.71	Horizontal
6	12135	-40.39	39.84	-51.11	-13.00	38.11	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	-44.10	28.86	-48.25	-13.00	35.25	Vertical
2	4347.75	-42.68	30.08	-61.33	-13.00	48.33	Vertical
3	5619	-40.54	32.86	-56.53	-13.00	43.53	Vertical
4	7061.25	-40.67	35.97	-54.78	-13.00	41.78	Vertical
5	9602.25	-40.64	38.11	-53.38	-13.00	40.38	Vertical
6	12101.25	-40.08	39.80	-51.85	-13.00	38.85	Vertical

1.11. Test Band = _4A-5A TM1**1.11.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	-44.13	28.81	-59.16	-13.00	46.16	Horizontal
2	4517.25	-42.57	29.83	-60.27	-13.00	47.27	Horizontal
3	6027.75	-40.50	33.07	-56.53	-13.00	43.53	Horizontal
4	8226.75	-40.31	36.71	-55.64	-13.00	42.64	Horizontal
5	10969.5	-40.45	40.25	-51.98	-13.00	38.98	Horizontal
6	13654.5	-40.40	40.45	-51.91	-13.00	38.91	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	-44.13	28.81	-50.71	-13.00	37.71	Vertical
2	4653	-42.35	30.52	-59.64	-13.00	46.64	Vertical
3	6519	-40.45	34.68	-55.51	-13.00	42.51	Vertical
4	8611.5	-40.13	36.78	-55.19	-13.00	42.19	Vertical
5	11374.5	-40.50	40.55	-51.05	-13.00	38.05	Vertical
6	14373.75	-40.60	41.90	-51.27	-13.00	38.27	Vertical

1.12. Test Band = _4A-5A TM1**1.12.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.5	-44.16	29.03	-59.03	-13.00	46.03	Horizontal
2	4661.25	-42.34	30.59	-59.37	-13.00	46.37	Horizontal
3	6658.5	-40.51	35.13	-55.70	-13.00	42.70	Horizontal
4	9741.75	-40.33	38.58	-54.24	-13.00	41.24	Horizontal
5	13644	-40.41	40.44	-51.58	-13.00	38.58	Horizontal
6	17103.75	-40.31	41.82	-52.74	-13.00	39.74	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.5	-44.16	29.03	-51.23	-13.00	38.23	Vertical
2	4669.5	-42.33	30.66	-59.48	-13.00	46.48	Vertical
3	6506.25	-40.49	34.63	-55.76	-13.00	42.76	Vertical
4	8471.25	-40.30	36.74	-55.61	-13.00	42.61	Vertical
5	10971.75	-40.44	40.26	-52.43	-13.00	39.43	Vertical
6	13655.25	-40.40	40.46	-51.84	-13.00	38.84	Vertical

1.13. Test Band = _4A-7A TM1**1.13.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	-44.10	28.86	-58.42	-25.00	33.42	Horizontal
2	4662	-42.34	30.60	-59.60	-25.00	34.60	Horizontal
3	6328.5	-40.55	33.47	-55.91	-25.00	30.91	Horizontal
4	8695.5	-40.33	36.88	-54.99	-25.00	29.99	Horizontal
5	10978.5	-40.42	40.29	-51.95	-25.00	26.95	Horizontal
6	13812	-40.05	40.16	-51.88	-25.00	26.88	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	-44.10	28.86	-50.62	-25.00	25.62	Vertical
2	4220.25	-42.97	29.88	-60.85	-25.00	35.85	Vertical
3	5908.5	-40.13	33.12	-56.47	-25.00	31.47	Vertical
4	8034.75	-40.36	36.42	-55.76	-25.00	30.76	Vertical
5	11526	-40.92	40.53	-52.13	-25.00	27.13	Vertical
6	13840.5	-40.13	40.30	-51.95	-25.00	26.95	Vertical

1.14. Test Band = _4A-7A TM1**1.14.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	-44.13	28.81	-59.30	-25.00	34.30	Horizontal
2	4384.5	-42.48	29.96	-59.86	-25.00	34.86	Horizontal
3	5706	-40.31	32.73	-56.41	-25.00	31.41	Horizontal
4	7576.5	-40.63	36.81	-54.57	-25.00	29.57	Horizontal
5	10074.75	-40.23	38.47	-54.82	-25.00	29.82	Horizontal
6	12487.5	-40.15	39.33	-52.35	-25.00	27.35	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3447	-44.13	28.81	-52.78	-25.00	27.78	Vertical
2	4385.25	-42.48	29.96	-60.78	-25.00	35.78	Vertical
3	5894.25	-40.11	33.03	-56.67	-25.00	31.67	Vertical
4	7590.75	-40.59	36.86	-54.48	-25.00	29.48	Vertical
5	9624.75	-40.58	38.25	-53.62	-25.00	28.62	Vertical
6	11699.25	-40.27	40.20	-52.65	-25.00	27.65	Vertical

1.15. Test Band = _4A-7A TM1**1.15.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3471.75	-44.16	29.02	-60.58	-25.00	35.58	Horizontal
2	4369.5	-42.56	30.02	-60.70	-25.00	35.70	Horizontal
3	5833.5	-40.23	32.57	-56.62	-25.00	31.62	Horizontal
4	8463	-40.31	36.73	-55.75	-25.00	30.75	Horizontal
5	10950.75	-40.50	40.15	-52.87	-25.00	27.87	Horizontal
6	13685.25	-40.37	40.49	-51.92	-25.00	26.92	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.5	-44.16	29.03	-52.69	-25.00	27.69	Vertical
2	4506	-42.59	29.88	-61.43	-25.00	36.43	Vertical
3	6172.5	-40.42	33.69	-56.49	-25.00	31.49	Vertical
4	7597.5	-40.58	36.89	-54.76	-25.00	29.76	Vertical
5	9738.75	-40.34	38.58	-54.48	-25.00	29.48	Vertical
6	13024.5	-40.54	39.57	-52.62	-25.00	27.62	Vertical

1.16. Test Band = _5A-7A TM1**1.16.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3610.5	-44.22	29.26	-61.53	-25.00	36.53	Horizontal
2	4813.5	-42.02	31.05	-59.70	-25.00	34.70	Horizontal
3	6177	-40.40	33.71	-55.81	-25.00	30.81	Horizontal
4	8031.75	-40.35	36.45	-55.57	-25.00	30.57	Horizontal
5	10063.5	-40.20	38.46	-54.94	-25.00	29.94	Horizontal
6	12803.25	-40.77	39.29	-53.00	-25.00	28.00	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3298.5	-44.28	28.69	-58.13	-25.00	33.13	Vertical
2	4059	-43.27	29.73	-61.96	-25.00	36.96	Vertical
3	5628	-40.51	32.84	-56.56	-25.00	31.56	Vertical
4	6849	-40.45	35.90	-55.14	-25.00	30.14	Vertical
5	8741.25	-40.38	36.57	-56.34	-25.00	31.34	Vertical
6	10671.75	-40.44	39.14	-53.87	-25.00	28.87	Vertical

1.17. Test Band = _5A-7A TM1**1.17.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3400.5	-44.07	28.90	-63.55	-25.00	38.55	Horizontal
2	4041.75	-43.33	29.77	-62.28	-25.00	37.28	Horizontal
3	5181	-41.39	32.16	-57.48	-25.00	32.48	Horizontal
4	6525	-40.44	34.70	-55.30	-25.00	30.30	Horizontal
5	7867.5	-40.43	36.67	-55.09	-25.00	30.09	Horizontal
6	9996	-40.06	38.42	-55.41	-25.00	30.41	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3327.75	-44.23	28.64	-58.30	-25.00	33.30	Vertical
2	4391.25	-42.45	29.94	-60.88	-25.00	35.88	Vertical
3	6021	-40.49	33.03	-56.82	-25.00	31.82	Vertical
4	7725	-40.30	36.60	-55.31	-25.00	30.31	Vertical
5	9675	-40.43	38.45	-54.11	-25.00	29.11	Vertical
6	12075	-40.12	39.83	-50.99	-25.00	25.99	Vertical

1.18. Test Band = _5A-7A TM1**1.18.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3358.5	-44.16	28.65	-62.00	-25.00	37.00	Horizontal
2	4510.5	-42.58	29.86	-60.85	-25.00	35.85	Horizontal
3	6505.5	-40.49	34.62	-54.66	-25.00	29.66	Horizontal
4	8236.5	-40.37	36.75	-56.20	-25.00	31.20	Horizontal
5	11401.5	-40.23	40.60	-50.53	-25.00	25.53	Horizontal
6	13644.75	-40.41	40.44	-51.56	-25.00	26.56	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3358.5	-44.16	28.65	-56.71	-25.00	31.71	Vertical
2	4205.25	-42.98	29.82	-60.11	-25.00	35.11	Vertical
3	5877	-40.15	32.82	-56.53	-25.00	31.53	Vertical
4	7395	-40.57	36.44	-55.20	-25.00	30.20	Vertical
5	9468	-40.90	37.69	-53.04	-25.00	28.04	Vertical
6	12096	-40.08	39.80	-51.02	-25.00	26.02	Vertical

1.19. Test Band = _2A-66A TM1**1.19.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3461.625	-44.15	28.92	-60.52	-13.00	47.52	Horizontal
2	4375.875	-42.53	30.00	-58.79	-13.00	45.79	Horizontal
3	5351.25	-41.18	32.49	-55.87	-13.00	42.87	Horizontal
4	6648.75	-40.46	35.19	-54.14	-13.00	41.14	Horizontal
5	8559	-40.18	36.88	-53.45	-13.00	40.45	Horizontal
6	11534.625	-40.92	40.53	-50.33	-13.00	37.33	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	-43.67	29.42	-58.79	-13.00	45.79	Vertical
2	5033.25	-41.53	31.17	-58.40	-13.00	45.40	Vertical
3	6532.875	-40.41	34.73	-54.13	-13.00	41.13	Vertical
4	9531.75	-40.88	37.69	-52.08	-13.00	39.08	Vertical
5	12512.625	-40.21	39.21	-50.25	-13.00	37.25	Vertical
6	14397.75	-40.53	41.90	-48.34	-13.00	35.34	Vertical

1.20. Test Band = _2A-66A TM1**1.20.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	-43.62	29.82	-58.32	-13.00	45.32	Horizontal
2	4663.125	-42.33	30.61	-57.24	-13.00	44.24	Horizontal
3	6475.875	-40.46	34.36	-53.82	-13.00	40.82	Horizontal
4	8577.375	-40.14	36.85	-53.18	-13.00	40.18	Horizontal
5	10943.625	-40.52	40.12	-50.55	-13.00	37.55	Horizontal
6	13458.75	-40.50	39.72	-50.97	-13.00	37.97	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.125	-43.62	29.82	-56.38	-13.00	43.38	Vertical
2	5167.5	-41.43	32.14	-57.32	-13.00	44.32	Vertical
3	6866.625	-40.60	35.83	-53.61	-13.00	40.61	Vertical
4	9638.25	-40.54	38.33	-51.88	-13.00	38.88	Vertical
5	12377.25	-40.31	39.50	-50.69	-13.00	37.69	Vertical
6	14446.125	-40.69	41.76	-49.26	-13.00	36.26	Vertical

1.21. Test Band = _2A-66A TM1**1.21.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747.75	-43.61	29.88	-59.27	-13.00	46.27	Horizontal
2	4792.5	-42.05	30.97	-58.71	-13.00	45.71	Horizontal
3	6549.75	-40.36	34.80	-54.19	-13.00	41.19	Horizontal
4	8551.125	-40.19	36.90	-53.41	-13.00	40.41	Horizontal
5	11022	-40.89	40.42	-50.77	-13.00	37.77	Horizontal
6	13677	-40.38	40.48	-50.24	-13.00	37.24	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	-43.56	29.71	-56.86	-13.00	43.86	Vertical
2	5203.875	-41.33	32.18	-55.97	-13.00	42.97	Vertical
3	7184.25	-40.28	36.24	-52.68	-13.00	39.68	Vertical
4	9680.25	-40.42	38.46	-52.43	-13.00	39.43	Vertical
5	12448.5	-40.16	39.40	-50.49	-13.00	37.49	Vertical
6	15782.25	-36.42	38.47	-49.68	-13.00	36.68	Vertical

1.22. Test Band = _5A-66A TM1**1.22.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747	-43.61	29.87	-60.46	-13.00	47.46	Horizontal
2	5184.75	-41.38	32.17	-57.71	-13.00	44.71	Horizontal
3	7593.75	-40.59	36.88	-53.94	-13.00	40.94	Horizontal
4	10974	-40.43	40.27	-51.84	-13.00	38.84	Horizontal
5	14310	-40.79	41.90	-51.44	-13.00	38.44	Horizontal
6	16964.25	-39.16	40.82	-52.08	-13.00	39.08	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3298.5	-44.28	28.69	-57.76	-13.00	44.76	Vertical
2	4233	-42.97	29.93	-60.74	-13.00	47.74	Vertical
3	5623.5	-40.52	32.85	-56.64	-13.00	43.64	Vertical
4	7991.25	-40.23	36.70	-54.79	-13.00	41.79	Vertical
5	10959	-40.47	40.20	-52.14	-13.00	39.14	Vertical
6	14135.25	-40.55	41.54	-51.50	-13.00	38.50	Vertical

1.23. Test Band = _5A-66A TM1**1.23.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3474	-44.17	29.04	-62.81	-13.00	49.81	Horizontal
2	5100	-41.64	31.80	-58.67	-13.00	45.67	Horizontal
3	6514.5	-40.47	34.66	-55.59	-13.00	42.59	Horizontal
4	8553.75	-40.19	36.89	-55.45	-13.00	42.45	Horizontal
5	11001	-40.38	40.40	-52.00	-13.00	39.00	Horizontal
6	14126.25	-40.54	41.53	-51.63	-13.00	38.63	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3328.5	-44.23	28.64	-58.04	-13.00	45.04	Vertical
2	4666.5	-42.33	30.63	-59.41	-13.00	46.41	Vertical
3	7074	-40.67	36.04	-55.03	-13.00	42.03	Vertical
4	10539.75	-40.84	39.12	-54.98	-13.00	41.98	Vertical
5	14451	-40.71	41.75	-51.01	-13.00	38.01	Vertical
6	17194.5	-40.70	42.18	-52.51	-13.00	39.51	Vertical

1.24. Test Band = _5A-66A TM1**1.24.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3358.5	-44.16	28.65	-62.13	-13.00	49.13	Horizontal
2	4635	-42.37	30.41	-60.95	-13.00	47.95	Horizontal
3	5712.75	-40.31	32.65	-56.68	-13.00	43.68	Horizontal
4	7518.75	-40.77	36.83	-55.11	-13.00	42.11	Horizontal
5	9767.25	-40.32	38.67	-54.91	-13.00	41.91	Horizontal
6	12513.75	-40.22	39.20	-52.05	-13.00	39.05	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3358.5	-44.16	28.65	-57.53	-13.00	44.53	Vertical
2	4197.75	-42.98	29.79	-59.38	-13.00	46.38	Vertical
3	5856.75	-40.19	32.58	-56.57	-13.00	43.57	Vertical
4	7683	-40.26	36.60	-55.13	-13.00	42.13	Vertical
5	10955.25	-40.49	40.18	-52.50	-13.00	39.50	Vertical
6	14199	-40.61	41.60	-51.78	-13.00	38.78	Vertical

1.25. Test Band = _2C TM1**1.25.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3610.875	-44.22	29.27	-60.00	-13.00	47.00	Horizontal
2	4969.875	-41.62	30.78	-59.14	-13.00	46.14	Horizontal
3	7357.875	-40.59	36.74	-54.02	-13.00	41.02	Horizontal
4	9760.5	-40.32	38.64	-52.91	-13.00	39.91	Horizontal
5	12391.875	-40.21	39.50	-50.86	-13.00	37.86	Horizontal
6	16967.25	-39.18	40.84	-49.70	-13.00	36.70	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-57.18	-13.00	44.18	Vertical
2	4387.125	-42.47	29.95	-59.37	-13.00	46.37	Vertical
3	6508.5	-40.48	34.63	-54.18	-13.00	41.18	Vertical
4	9555.375	-40.80	37.83	-51.88	-13.00	38.88	Vertical
5	11525.25	-40.92	40.53	-50.25	-13.00	37.25	Vertical
6	14439.375	-40.67	41.78	-49.61	-13.00	36.61	Vertical

1.26. Test Band = _2C TM1**1.26.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3616.875	-44.19	29.30	-59.52	-13.00	46.52	Horizontal
2	4365.375	-42.59	30.04	-59.88	-13.00	46.88	Horizontal
3	6339	-40.52	33.53	-54.16	-13.00	41.16	Horizontal
4	8536.125	-40.22	36.87	-53.21	-13.00	40.21	Horizontal
5	10995.375	-40.37	40.38	-50.66	-13.00	37.66	Horizontal
6	13556.25	-40.33	40.05	-50.16	-13.00	37.16	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3731.25	-43.63	29.71	-56.45	-13.00	43.45	Vertical
2	5499	-40.73	32.70	-55.61	-13.00	42.61	Vertical
3	7114.125	-40.61	36.17	-53.35	-13.00	40.35	Vertical
4	9115.5	-40.45	37.33	-52.03	-13.00	39.03	Vertical
5	11040	-41.32	40.44	-50.84	-13.00	37.84	Vertical
6	13119	-40.49	39.74	-50.49	-13.00	37.49	Vertical

1.27. Test Band = _2C TM1**1.27.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3603.375	-44.27	29.22	-59.72	-13.00	46.72	Horizontal
2	4824	-42.02	31.00	-58.42	-13.00	45.42	Horizontal
3	6545.25	-40.37	34.78	-53.67	-13.00	40.67	Horizontal
4	8566.5	-40.16	36.87	-53.17	-13.00	40.17	Horizontal
5	10993.125	-40.38	40.37	-50.51	-13.00	37.51	Horizontal
6	14124.75	-40.53	41.52	-49.85	-13.00	36.85	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3751.125	-43.60	29.89	-56.08	-13.00	43.08	Vertical
2	4808.625	-42.03	31.07	-58.41	-13.00	45.41	Vertical
3	6158.625	-40.46	33.63	-54.82	-13.00	41.82	Vertical
4	8490	-40.30	36.78	-53.98	-13.00	40.98	Vertical
5	11326.125	-41.02	40.45	-50.32	-13.00	37.32	Vertical
6	14308.125	-40.80	41.90	-49.11	-13.00	36.11	Vertical

1.28. Test Band = _7C TM1**1.28.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3734.25	-43.63	29.74	-60.36	-25.00	35.36	Horizontal
2	5011.5	-41.49	30.99	-54.86	-25.00	29.86	Horizontal
3	7517.25	-40.77	36.83	-47.06	-25.00	22.06	Horizontal
4	9627	-40.57	38.26	-53.08	-25.00	28.08	Horizontal
5	12629.25	-40.58	38.63	-52.36	-25.00	27.36	Horizontal
6	17187	-40.66	42.15	-51.56	-25.00	26.56	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3738	-43.62	29.78	-60.26	-25.00	35.26	Vertical
2	5011.5	-41.49	30.99	-53.77	-25.00	28.77	Vertical
3	7517.25	-40.77	36.83	-45.85	-25.00	20.85	Vertical
4	10301.25	-40.26	39.40	-53.97	-25.00	28.97	Vertical
5	14124.75	-40.53	41.52	-51.27	-25.00	26.27	Vertical
6	17875.5	-45.05	45.95	-51.81	-25.00	26.81	Vertical

1.29. Test Band = _7C TM1**1.29.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735.5	-43.62	29.76	-59.71	-25.00	34.71	Horizontal
2	5334.5	-41.20	32.44	-56.86	-25.00	31.86	Horizontal
3	7562	-40.66	36.75	-51.89	-25.00	26.89	Horizontal
4	10374.5	-40.69	39.47	-53.10	-25.00	28.10	Horizontal
5	13824.5	-40.09	40.22	-50.68	-25.00	25.68	Horizontal
6	17996.5	-46.04	47.84	-51.51	-25.00	26.51	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3748	-43.61	29.88	-59.88	-25.00	34.88	Vertical
2	5041.5	-41.54	31.23	-56.17	-25.00	31.17	Vertical
3	7562	-40.66	36.75	-52.73	-25.00	27.73	Vertical
4	9531	-40.88	37.69	-52.23	-25.00	27.23	Vertical
5	12105	-40.12	39.81	-50.52	-25.00	25.52	Vertical
6	15595	-36.98	38.82	-50.86	-25.00	25.86	Vertical

1.30. Test Band = _7C TM1**1.30.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3893.5	-43.47	29.49	-60.46	-25.00	35.46	Horizontal
2	5138.5	-41.52	32.03	-57.63	-25.00	32.63	Horizontal
3	6625	-40.34	35.00	-54.44	-25.00	29.44	Horizontal
4	8551	-40.19	36.90	-54.14	-25.00	29.14	Horizontal
5	10736	-40.29	39.24	-51.41	-25.00	26.41	Horizontal
6	13626.5	-40.43	40.43	-50.43	-25.00	25.43	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3631.5	-44.09	29.39	-60.90	-25.00	35.90	Vertical
2	5056	-41.57	31.36	-59.32	-25.00	34.32	Vertical
3	7071	-40.67	36.03	-54.06	-25.00	29.06	Vertical
4	9111	-40.42	37.32	-54.29	-25.00	29.29	Vertical
5	12091	-40.09	39.81	-49.86	-25.00	24.86	Vertical
6	16965.5	-39.17	40.83	-51.11	-25.00	26.11	Vertical

1.31. Test Band = _42C (3450-3550) TM1**1.31.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6811	-11.46	35.74	-15.10	-13.00	2.10	Horizontal
2	8133	-40.19	36.33	-54.32	-13.00	41.32	Horizontal
3	9532.75	-40.25	37.70	-52.57	-13.00	39.57	Horizontal
4	11394.0417	-40.55	40.59	-50.17	-13.00	37.17	Horizontal
5	14046.875	-40.24	41.18	-50.44	-13.00	37.44	Horizontal
6	17564.5833	-42.17	44.76	-50.61	-13.00	37.61	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7581.1667	-40.14	36.82	-53.39	-13.00	40.39	Vertical
2	9133.0833	-40.73	37.37	-54.33	-13.00	41.33	Vertical
3	10217.0417	-40.20	39.07	-41.62	-13.00	28.62	Vertical
4	12121.4167	-40.49	39.82	-51.08	-13.00	38.08	Vertical
5	14452.0417	-40.44	41.74	-50.12	-13.00	37.12	Vertical
6	17555.875	-42.17	44.72	-50.51	-13.00	37.51	Vertical

1.32. Test Band = _42C (3450-3550) TM1**1.32.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6971.5	-11.70	35.47	-21.67	-13.00	8.67	Horizontal
2	8584.9167	-40.22	36.83	-54.53	-13.00	41.53	Horizontal
3	10456.2917	-40.57	39.33	-36.27	-13.00	23.27	Horizontal
4	12008.2083	-40.36	39.89	-51.17	-13.00	38.17	Horizontal
5	14007.9167	-40.05	40.95	-50.17	-13.00	37.17	Horizontal
6	17554.5	-42.18	44.72	-50.48	-13.00	37.48	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7612.7917	-40.10	36.87	-53.50	-13.00	40.50	Vertical
2	9607	-40.05	38.14	-52.70	-13.00	39.70	Vertical
3	10456.75	-40.57	39.33	-36.85	-13.00	23.85	Vertical
4	12396.4167	-40.21	39.50	-50.94	-13.00	37.94	Vertical
5	14026.7083	-40.14	41.06	-50.49	-13.00	37.49	Vertical
6	17547.625	-42.18	44.69	-50.54	-13.00	37.54	Vertical

1.33. Test Band = _42C (3450-3550) TM1**1.33.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7602.25	-40.02	36.90	-53.78	-13.00	40.78	Horizontal
2	9107.4167	-40.64	37.31	-53.76	-13.00	40.76	Horizontal
3	10705.625	-40.17	39.21	-51.65	-13.00	38.65	Horizontal
4	12793.7917	-40.38	39.26	-50.98	-13.00	37.98	Horizontal
5	14386.0417	-40.64	41.90	-49.93	-13.00	36.93	Horizontal
6	17206.625	-40.81	42.25	-50.96	-13.00	37.96	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7132	-40.28	36.14	-51.33	-13.00	38.33	Vertical
2	8529.9167	-40.38	36.86	-54.65	-13.00	41.65	Vertical
3	9637.25	-40.04	38.32	-52.54	-13.00	39.54	Vertical
4	11358.2917	-40.74	40.52	-50.68	-13.00	37.68	Vertical
5	13221.4167	-40.22	39.52	-51.08	-13.00	38.08	Vertical
6	16163.4583	-36.44	38.40	-50.64	-13.00	37.64	Vertical

1.34. Test Band = _66C TM1**1.34.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-56.40	-13.00	43.40	Horizontal
2	5106.27	-41.62	31.84	-59.69	-13.00	46.69	Horizontal
3	6808.36	-40.09	35.73	-55.16	-13.00	42.16	Horizontal
4	8510.45	-40.27	36.82	-55.66	-13.00	42.66	Horizontal
5	10212.54	-40.74	39.05	-56.35	-13.00	43.35	Horizontal
6	11914.63	-40.59	39.65	-53.36	-13.00	40.36	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-48.77	-13.00	35.77	Vertical
2	5106.27	-41.62	31.84	-59.51	-13.00	46.51	Vertical
3	6808.36	-40.09	35.73	-55.93	-13.00	42.93	Vertical
4	8510.45	-40.27	36.82	-56.27	-13.00	43.27	Vertical
5	10212.54	-40.74	39.05	-55.73	-13.00	42.73	Vertical
6	11914.63	-40.59	39.65	-53.18	-13.00	40.18	Vertical

1.35. Test Band = _66C TM1**1.35.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	-44.18	29.12	-57.77	-13.00	44.77	Horizontal
2	5208.57	-41.32	32.15	-58.23	-13.00	45.23	Horizontal
3	6944.76	-40.79	35.61	-56.44	-13.00	43.44	Horizontal
4	8680.95	-40.30	36.83	-56.61	-13.00	43.61	Horizontal
5	10417.14	-40.84	39.45	-54.73	-13.00	41.73	Horizontal
6	12153.33	-40.56	39.85	-52.22	-13.00	39.22	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3481.5	-44.18	29.12	-51.44	-13.00	38.44	Vertical
2	5208.57	-41.32	32.15	-58.29	-13.00	45.29	Vertical
3	6944.76	-40.79	35.61	-56.28	-13.00	43.28	Vertical
4	8680.95	-40.30	36.83	-56.96	-13.00	43.96	Vertical
5	10417.14	-40.84	39.45	-55.02	-13.00	42.02	Vertical
6	12153.33	-40.56	39.85	-52.74	-13.00	39.74	Vertical

1.36. Test Band = _66C TM1**1.36.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-60.13	-13.00	47.13	Horizontal
2	5223.87	-41.31	32.05	-58.64	-13.00	45.64	Horizontal
3	6965.16	-40.74	35.51	-56.28	-13.00	43.28	Horizontal
4	8706.45	-40.35	36.85	-57.31	-13.00	44.31	Horizontal
5	10447.74	-40.84	39.36	-55.27	-13.00	42.27	Horizontal
6	12189.03	-40.89	39.89	-53.64	-13.00	40.64	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-53.12	-13.00	40.12	Vertical
2	5223.87	-41.31	32.05	-57.92	-13.00	44.92	Vertical
3	6965.16	-40.74	35.51	-56.00	-13.00	43.00	Vertical
4	8706.45	-40.35	36.85	-56.66	-13.00	43.66	Vertical
5	10447.74	-40.84	39.36	-55.55	-13.00	42.55	Vertical
6	12189.03	-40.89	39.89	-53.29	-13.00	40.29	Vertical

1.37. Test Band = _5B TM1**1.37.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-57.87	-13.00	44.87	Horizontal
2	2434.6667	-45.65	27.41	-57.90	-13.00	44.90	Horizontal
3	3175.1111	-44.43	28.55	-55.19	-13.00	42.19	Horizontal
4	4031.5556	-43.25	29.73	-54.79	-13.00	41.79	Horizontal
5	4972.4444	-41.70	30.79	-52.66	-13.00	39.66	Horizontal
6	5826.6667	-39.92	32.59	-48.46	-13.00	35.46	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-55.55	-13.00	42.55	Vertical
2	2530.2222	-45.43	27.82	-57.83	-13.00	44.83	Vertical
3	3298.36	-44.65	28.69	-50.35	-13.00	37.35	Vertical
4	4224.8889	-42.98	29.90	-53.99	-13.00	40.99	Vertical
5	5075.5556	-41.68	31.56	-51.11	-13.00	38.11	Vertical
6	5892.8889	-40.14	33.01	-48.42	-13.00	35.42	Vertical

1.38. Test Band = _5B TM1**1.38.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.36	-46.81	25.25	-57.56	-13.00	44.56	Horizontal
2	2528	-45.44	27.81	-56.65	-13.00	43.65	Horizontal
3	3333.3333	-44.57	28.63	-55.77	-13.00	42.77	Horizontal
4	4068.4444	-43.20	29.65	-54.86	-13.00	41.86	Horizontal
5	5004.4444	-41.56	30.94	-52.68	-13.00	39.68	Horizontal
6	5778.6667	-39.95	32.49	-49.43	-13.00	36.43	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.36	-46.81	25.25	-56.10	-13.00	43.10	Vertical
2	2484.4444	-45.56	27.64	-58.12	-13.00	45.12	Vertical
3	3308.76	-44.63	28.68	-51.56	-13.00	38.56	Vertical
4	4236	-42.88	29.94	-54.22	-13.00	41.22	Vertical
5	4982.2222	-41.65	30.83	-53.18	-13.00	40.18	Vertical
6	5818.2222	-39.89	32.63	-48.31	-13.00	35.31	Vertical

1.39. Test Band = _5B TM1**1.39.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.5556	-46.81	25.20	-58.14	-13.00	45.14	Horizontal
2	2688	-45.09	28.25	-56.83	-13.00	43.83	Horizontal
3	3598.6667	-44.49	29.20	-54.43	-13.00	41.43	Horizontal
4	4370.2222	-42.36	30.02	-53.04	-13.00	40.04	Horizontal
5	5370.2222	-41.07	32.38	-49.90	-13.00	36.90	Horizontal
6	6207.5556	-39.61	33.75	-47.80	-13.00	34.80	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1660	-46.81	25.20	-58.25	-13.00	45.25	Vertical
2	2656.4444	-45.13	28.13	-56.77	-13.00	43.77	Vertical
3	3319.1111	-44.60	28.66	-52.35	-13.00	39.35	Vertical
4	4668.8889	-42.33	30.65	-50.35	-13.00	37.35	Vertical
5	5214.2222	-41.34	32.11	-48.74	-13.00	35.74	Vertical
6	6122.83	-39.39	33.65	-50.64	-13.00	37.64	Vertical

1.40. Test Band = _66B TM1**1.40.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	-44.10	28.86	-57.61	-13.00	44.61	Horizontal
2	5131.77	-41.54	31.99	-59.91	-13.00	46.91	Horizontal
3	6842.36	-40.39	35.87	-55.84	-13.00	42.84	Horizontal
4	8552.95	-40.19	36.89	-55.11	-13.00	42.11	Horizontal
5	10263.54	-40.45	39.26	-55.54	-13.00	42.54	Horizontal
6	11974.13	-40.37	39.82	-52.83	-13.00	39.83	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421.5	-44.10	28.86	-49.62	-13.00	36.62	Vertical
2	5131.77	-41.54	31.99	-58.91	-13.00	45.91	Vertical
3	6842.36	-40.39	35.87	-55.32	-13.00	42.32	Vertical
4	8552.95	-40.19	36.89	-55.73	-13.00	42.73	Vertical
5	10263.54	-40.45	39.26	-55.40	-13.00	42.40	Vertical
6	11974.13	-40.37	39.82	-52.75	-13.00	39.75	Vertical

1.41. Test Band = _66B TM1**1.41.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-60.12	-13.00	47.12	Horizontal
2	5237.07	-41.29	31.98	-58.94	-13.00	45.94	Horizontal
3	6982.76	-40.70	35.40	-56.34	-13.00	43.34	Horizontal
4	8728.45	-40.37	36.67	-57.09	-13.00	44.09	Horizontal
5	10474.14	-40.84	39.28	-54.68	-13.00	41.68	Horizontal
6	12219.83	-40.95	39.82	-52.45	-13.00	39.45	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-52.92	-13.00	39.92	Vertical
2	5237.07	-41.29	31.98	-59.17	-13.00	46.17	Vertical
3	6982.76	-40.70	35.40	-55.82	-13.00	42.82	Vertical
4	8728.45	-40.37	36.67	-56.77	-13.00	43.77	Vertical
5	10474.14	-40.84	39.28	-54.94	-13.00	41.94	Vertical
6	12219.83	-40.95	39.82	-53.41	-13.00	40.41	Vertical

1.42. Test Band = _66B TM1**1.42.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3521.25	-44.22	29.22	-61.43	-13.00	48.43	Horizontal
2	5282.07	-41.25	32.16	-59.28	-13.00	46.28	Horizontal
3	7042.76	-40.66	35.82	-55.51	-13.00	42.51	Horizontal
4	8803.45	-40.44	36.22	-57.88	-13.00	44.88	Horizontal
5	10564.14	-40.85	39.07	-54.52	-13.00	41.52	Horizontal
6	12324.83	-40.66	39.50	-53.05	-13.00	40.05	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3521.25	-44.22	29.22	-56.78	-13.00	43.78	Vertical
2	5331.75	-41.20	32.43	-57.42	-13.00	44.42	Vertical
3	7042.76	-40.66	35.82	-54.96	-13.00	41.96	Vertical
4	8803.45	-40.44	36.22	-57.98	-13.00	44.98	Vertical
5	10564.14	-40.85	39.07	-54.90	-13.00	41.90	Vertical
6	12324.83	-40.66	39.50	-52.97	-13.00	39.97	Vertical

---End of Attachment---