

1.1. Test Band = _n2 TM1**1.1.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3573	-44.27	29.15	-60.61	-13.00	47.61	Horizontal
2	5704.875	-40.31	32.74	-54.35	-13.00	41.35	Horizontal
3	7506.375	-40.79	36.87	-53.55	-13.00	40.55	Horizontal
4	9113.625	-40.44	37.33	-52.67	-13.00	39.67	Horizontal
5	10961.625	-40.47	40.21	-50.59	-13.00	37.59	Horizontal
6	13210.875	-40.16	39.51	-50.42	-13.00	37.42	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3700.875	-43.67	29.41	-58.68	-13.00	45.68	Vertical
2	5605.875	-40.57	32.89	-54.99	-13.00	41.99	Vertical
3	7516.875	-40.77	36.83	-53.29	-13.00	40.29	Vertical
4	9141.375	-40.59	37.38	-52.89	-13.00	39.89	Vertical
5	11361.75	-40.63	40.52	-49.49	-13.00	36.49	Vertical
6	13118.25	-40.50	39.75	-50.40	-13.00	37.40	Vertical

1.2. Test Band = _n2 TM1**1.2.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	-43.62	29.81	-58.73	-13.00	45.73	Horizontal
2	5702.25	-40.31	32.77	-54.54	-13.00	41.54	Horizontal
3	7590.375	-40.59	36.86	-52.78	-13.00	39.78	Horizontal
4	9407.25	-40.72	37.63	-52.43	-13.00	39.43	Horizontal
5	11344.5	-40.82	40.49	-49.31	-13.00	36.31	Horizontal
6	13204.875	-40.11	39.50	-50.46	-13.00	37.46	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741.375	-43.62	29.81	-56.85	-13.00	43.85	Vertical
2	5631.75	-40.50	32.84	-54.74	-13.00	41.74	Vertical
3	7581.75	-40.61	36.83	-53.08	-13.00	40.08	Vertical
4	9554.25	-40.81	37.83	-51.77	-13.00	38.77	Vertical
5	11409.375	-40.28	40.59	-49.12	-13.00	36.12	Vertical
6	13058.25	-40.56	39.67	-50.26	-13.00	37.26	Vertical

1.3. Test Band = _n2 TM1**1.3.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3747.75	-43.61	29.88	-59.22	-13.00	46.22	Horizontal
2	5698.125	-40.32	32.80	-54.69	-13.00	41.69	Horizontal
3	7591.875	-40.59	36.87	-52.89	-13.00	39.89	Horizontal
4	9622.5	-40.58	38.24	-52.04	-13.00	39.04	Horizontal
5	11373.375	-40.51	40.55	-49.27	-13.00	36.27	Horizontal
6	13059	-40.57	39.68	-50.51	-13.00	37.51	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3735.375	-43.62	29.75	-58.69	-13.00	45.69	Vertical
2	5704.875	-40.31	32.74	-55.01	-13.00	42.01	Vertical
3	7570.5	-40.64	36.78	-53.03	-13.00	40.03	Vertical
4	9643.5	-40.52	38.36	-52.25	-13.00	39.25	Vertical
5	11414.25	-40.32	40.59	-49.42	-13.00	36.42	Vertical
6	13197	-40.09	39.51	-50.09	-13.00	37.09	Vertical

1.4. Test Band = _n5 TM1**1.4.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-59.32	-13.00	46.32	Horizontal
2	2558.2222	-45.34	27.93	-57.37	-13.00	44.37	Horizontal
3	3292.8889	-44.62	28.67	-56.02	-13.00	43.02	Horizontal
4	4228.8889	-42.94	29.92	-54.13	-13.00	41.13	Horizontal
5	4969.3333	-41.72	30.78	-52.81	-13.00	39.81	Horizontal
6	5858.6667	-40.02	32.60	-48.84	-13.00	35.84	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-59.26	-13.00	46.26	Vertical
2	2543.1111	-45.39	27.87	-58.26	-13.00	45.26	Vertical
3	3298.2222	-44.64	28.69	-52.55	-13.00	39.55	Vertical
4	4225.7778	-42.97	29.90	-53.81	-13.00	40.81	Vertical
5	5084.8889	-41.69	31.65	-51.32	-13.00	38.32	Vertical
6	5816.4444	-39.88	32.63	-48.77	-13.00	35.77	Vertical

1.5. Test Band = _n5 TM1**1.5.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.6667	-46.81	25.25	-49.34	-13.00	36.34	Horizontal
2	2481.3333	-45.57	27.63	-42.81	-13.00	29.81	Horizontal
3	3340.8889	-44.55	28.62	-56.34	-13.00	43.34	Horizontal
4	4153.7778	-43.19	29.52	-54.97	-13.00	41.97	Horizontal
5	4955.5556	-41.80	30.72	-52.81	-13.00	39.81	Horizontal
6	5815.5556	-39.88	32.64	-48.69	-13.00	35.69	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.2222	-46.81	25.26	-54.55	-13.00	41.55	Vertical
2	2481.3333	-45.57	27.63	-55.88	-13.00	42.88	Vertical
3	3308.4444	-44.63	28.68	-54.69	-13.00	41.69	Vertical
4	4118.2222	-43.18	29.44	-55.03	-13.00	42.03	Vertical
5	4983.5556	-41.64	30.83	-51.71	-13.00	38.71	Vertical
6	5828.8889	-39.93	32.58	-48.65	-13.00	35.65	Vertical

1.6. Test Band = _n5 TM1**1.6.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.5556	-46.81	25.20	-51.31	-13.00	38.31	Horizontal
2	2488.8889	-45.55	27.66	-42.61	-13.00	29.61	Horizontal
3	3307.1111	-44.63	28.69	-56.12	-13.00	43.12	Horizontal
4	4221.7778	-43.00	29.89	-53.87	-13.00	40.87	Horizontal
5	5014.6667	-41.57	31.02	-52.27	-13.00	39.27	Horizontal
6	5891.1111	-40.13	32.99	-48.82	-13.00	35.82	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.1111	-46.81	25.21	-55.53	-13.00	42.53	Vertical
2	2488.8889	-45.55	27.66	-53.06	-13.00	40.06	Vertical
3	3318.2222	-44.61	28.66	-55.26	-13.00	42.26	Vertical
4	4226.2222	-42.96	29.90	-52.22	-13.00	39.22	Vertical
5	5140.4444	-41.57	32.04	-51.30	-13.00	38.30	Vertical
6	5958.6667	-39.96	33.15	-49.07	-13.00	36.07	Vertical

1.7. Test Band = _n7 TM1**1.7.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5041	-41.54	31.23	-58.59	-25.00	33.59	Horizontal
2	7613	-40.52	36.87	-53.31	-25.00	28.31	Horizontal
3	10316	-40.34	39.42	-52.15	-25.00	27.15	Horizontal
4	13100	-40.59	39.80	-51.06	-25.00	26.06	Horizontal
5	15216.5	-36.26	40.03	-48.05	-25.00	23.05	Horizontal
6	17721.5	-43.95	45.03	-50.92	-25.00	25.92	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5040.5	-41.54	31.22	-57.27	-25.00	32.27	Vertical
2	7634.5	-40.44	36.83	-53.34	-25.00	28.34	Vertical
3	10138	-40.49	38.69	-54.07	-25.00	29.07	Vertical
4	12878.5	-40.72	39.14	-51.02	-25.00	26.02	Vertical
5	15080.5	-35.82	40.68	-47.86	-25.00	22.86	Vertical
6	17564.5	-43.39	44.76	-51.08	-25.00	26.08	Vertical

1.8. Test Band = _n7 TM1**1.8.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5092.5	-41.63	31.73	-58.23	-25.00	33.23	Horizontal
2	7592	-40.59	36.87	-52.99	-25.00	27.99	Horizontal
3	10246	-40.55	39.18	-54.02	-25.00	29.02	Horizontal
4	13033	-40.55	39.60	-51.15	-25.00	26.15	Horizontal
5	15378	-36.55	39.65	-49.89	-25.00	24.89	Horizontal
6	17667.5	-43.67	44.90	-50.49	-25.00	25.49	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5060.5	-41.57	31.41	-57.33	-25.00	32.33	Vertical
2	7608.5	-40.54	36.88	-53.63	-25.00	28.63	Vertical
3	10150.5	-40.55	38.75	-53.86	-25.00	28.86	Vertical
4	12456.5	-40.15	39.39	-50.91	-25.00	25.91	Vertical
5	15040.5	-35.85	40.84	-46.10	-25.00	21.10	Vertical
6	17546.5	-43.51	44.69	-50.85	-25.00	25.85	Vertical

1.9. Test Band = _n7 TM1**1.9.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5080.5	-41.61	31.61	-57.84	-25.00	32.84	Horizontal
2	7906	-40.35	36.79	-53.62	-25.00	28.62	Horizontal
3	10317	-40.35	39.42	-52.57	-25.00	27.57	Horizontal
4	13025	-40.55	39.58	-50.62	-25.00	25.62	Horizontal
5	15228	-36.25	40.06	-48.55	-25.00	23.55	Horizontal
6	17869.5	-44.98	45.92	-50.77	-25.00	25.77	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5080.5	-41.61	31.61	-57.02	-25.00	32.02	Vertical
2	7629.5	-40.46	36.84	-53.26	-25.00	28.26	Vertical
3	10308	-40.30	39.41	-52.56	-25.00	27.56	Vertical
4	12886	-40.71	39.13	-51.46	-25.00	26.46	Vertical
5	15005.5	-35.88	40.98	-46.69	-25.00	21.69	Vertical
6	17683	-43.78	44.90	-51.02	-25.00	26.02	Vertical

1.10. Test Band = _n66 TM1**1.10.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3441	-44.12	28.82	-58.13	-13.00	45.13	Horizontal
2	5181.75	-41.39	32.16	-56.94	-13.00	43.94	Horizontal
3	6857.25	-40.52	35.87	-54.94	-13.00	41.94	Horizontal
4	8585.25	-40.13	36.83	-54.37	-13.00	41.37	Horizontal
5	10311.75	-40.32	39.41	-53.38	-13.00	40.38	Horizontal
6	12114	-40.20	39.81	-50.93	-13.00	37.93	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3441	-44.12	28.82	-50.21	-13.00	37.21	Vertical
2	5189.25	-41.36	32.18	-56.90	-13.00	43.90	Vertical
3	6853.5	-40.49	35.89	-54.92	-13.00	41.92	Vertical
4	8579.25	-40.14	36.84	-54.32	-13.00	41.32	Vertical
5	10305	-40.28	39.41	-53.41	-13.00	40.41	Vertical
6	12084	-40.10	39.82	-50.89	-13.00	37.89	Vertical

1.11. Test Band = _n66 TM1**1.11.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3471	-44.16	29.01	-56.87	-13.00	43.87	Horizontal
2	5193	-41.35	32.19	-57.20	-13.00	44.20	Horizontal
3	7114.5	-40.60	36.17	-54.08	-13.00	41.08	Horizontal
4	8556.75	-40.18	36.89	-54.68	-13.00	41.68	Horizontal
5	10706.25	-40.28	39.21	-51.98	-13.00	38.98	Horizontal
6	12098.25	-40.07	39.80	-50.98	-13.00	37.98	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3471	-44.16	29.01	-50.25	-13.00	37.25	Vertical
2	5199	-41.33	32.20	-57.22	-13.00	44.22	Vertical
3	6942.75	-40.79	35.61	-55.21	-13.00	42.21	Vertical
4	8622.75	-40.15	36.75	-54.79	-13.00	41.79	Vertical
5	10296	-40.27	39.38	-53.24	-13.00	40.24	Vertical
6	12081	-40.11	39.82	-51.13	-13.00	38.13	Vertical

1.12. Test Band = _n66 TM1**1.12.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3501	-44.20	29.30	-61.43	-13.00	48.43	Horizontal
2	5189.25	-41.36	32.18	-57.08	-13.00	44.08	Horizontal
3	6996.75	-40.67	35.32	-54.79	-13.00	41.79	Horizontal
4	8727	-40.36	36.68	-56.49	-13.00	43.49	Horizontal
5	10545	-40.84	39.11	-53.34	-13.00	40.34	Horizontal
6	12279	-40.86	39.58	-51.81	-13.00	38.81	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3501	-44.20	29.30	-55.73	-13.00	42.73	Vertical
2	5184	-41.38	32.17	-57.33	-13.00	44.33	Vertical
3	7179	-40.31	36.22	-54.68	-13.00	41.68	Vertical
4	8688	-40.31	36.85	-55.67	-13.00	42.67	Vertical
5	10440	-40.84	39.38	-53.58	-13.00	40.58	Vertical
6	12395.25	-40.19	39.50	-51.45	-13.00	38.45	Vertical

1.13. Test Band = _n78 TM1**1.13.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-22.79	-13.00	9.79	Horizontal
2	9603.3333	-40.05	38.12	-52.36	-13.00	39.36	Horizontal
3	10436.5833	-40.45	39.39	-53.01	-13.00	40.01	Horizontal
4	12047.1667	-40.43	39.85	-50.92	-13.00	37.92	Horizontal
5	14016.625	-40.09	41.00	-50.45	-13.00	37.45	Horizontal
6	17397.75	-42.85	44.17	-50.77	-13.00	37.77	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-22.98	-13.00	9.98	Vertical
2	7598.5833	-40.01	36.89	-53.16	-13.00	40.16	Vertical
3	9555.2083	-40.18	37.83	-52.03	-13.00	39.03	Vertical
4	10405.875	-40.27	39.48	-53.16	-13.00	40.16	Vertical
5	14014.3333	-40.08	40.99	-50.67	-13.00	37.67	Vertical
6	17471.0833	-42.42	44.41	-51.31	-13.00	38.31	Vertical

---End of Attachment---