

1.1. Test Band = _2A_n78A TM1**1.1.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6874	-11.46	35.80	-22.25	-13.00	9.25	Horizontal
2	7594.4583	-40.04	36.88	-53.96	-13.00	40.96	Horizontal
3	9538.7083	-40.23	37.73	-53.52	-13.00	40.52	Horizontal
4	11378.4583	-40.63	40.56	-51.28	-13.00	38.28	Horizontal
5	14386.9583	-40.63	41.90	-50.58	-13.00	37.58	Horizontal
6	17539.8333	-42.19	44.66	-50.88	-13.00	37.88	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.45	-13.00	10.45	Vertical
2	7561	-40.29	36.74	-54.29	-13.00	41.29	Vertical
3	9597.8333	-40.06	38.09	-52.85	-13.00	39.85	Vertical
4	10962.2917	-40.84	40.21	-52.23	-13.00	39.23	Vertical
5	13098.5833	-40.26	39.80	-51.80	-13.00	38.80	Vertical
6	17547.1667	-42.18	44.69	-50.97	-13.00	37.97	Vertical

1.2. Test Band = _5A_n78A TM1**1.2.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.08	-13.00	10.08	Horizontal
2	7611.4167	-40.09	36.88	-54.17	-13.00	41.17	Horizontal
3	9608.8333	-40.05	38.15	-53.15	-13.00	40.15	Horizontal
4	11378.4583	-40.63	40.56	-51.65	-13.00	38.65	Horizontal
5	13667.8333	-40.47	40.47	-51.08	-13.00	38.08	Horizontal
6	17566.4167	-42.16	44.77	-51.14	-13.00	38.14	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.48	-13.00	10.48	Vertical
2	7957.9167	-40.53	36.70	-55.28	-13.00	42.28	Vertical
3	9525.875	-40.26	37.66	-53.27	-13.00	40.27	Vertical
4	12103.5417	-40.52	39.80	-51.96	-13.00	38.96	Vertical
5	14309.5	-40.78	41.90	-50.65	-13.00	37.65	Vertical
6	17543.0417	-42.19	44.67	-51.32	-13.00	38.32	Vertical

1.3. Test Band = _7A_n78A TM1**1.3.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.75	-13.00	10.75	Horizontal
2	7896.0417	-40.28	36.78	-55.30	-13.00	42.30	Horizontal
3	10473.27	-40.67	39.28	-55.17	-13.00	42.17	Horizontal
4	12801.125	-40.36	39.30	-51.96	-13.00	38.96	Horizontal
5	13964.36	-40.12	40.79	-52.60	-13.00	39.60	Horizontal
6	17455.45	-42.52	44.37	-53.04	-13.00	40.04	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.76	-13.00	10.76	Vertical
2	7621.9583	-40.16	36.86	-54.07	-13.00	41.07	Vertical
3	9556.125	-40.18	37.84	-52.77	-13.00	39.77	Vertical
4	10473.27	-40.67	39.28	-56.27	-13.00	43.27	Vertical
5	13964.36	-40.12	40.79	-52.00	-13.00	39.00	Vertical
6	17455.45	-42.52	44.37	-53.28	-13.00	40.28	Vertical

1.4. Test Band = _26A_n78A TM1**1.4.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.39	-13.00	10.39	Horizontal
2	8107.7917	-40.18	36.38	-54.98	-13.00	41.98	Horizontal
3	10473.27	-40.67	39.28	-56.04	-13.00	43.04	Horizontal
4	12113.625	-40.50	39.81	-51.34	-13.00	38.34	Horizontal
5	13964.36	-40.12	40.79	-52.43	-13.00	39.43	Horizontal
6	17455.45	-42.52	44.37	-53.00	-13.00	40.00	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.37	-13.00	10.37	Vertical
2	7978.0833	-40.62	36.70	-54.92	-13.00	41.92	Vertical
3	10473.27	-40.67	39.28	-55.27	-13.00	42.27	Vertical
4	12120.5	-40.49	39.82	-52.01	-13.00	39.01	Vertical
5	13964.36	-40.12	40.79	-51.87	-13.00	38.87	Vertical
6	17455.45	-42.52	44.37	-52.44	-13.00	39.44	Vertical

1.5. Test Band = _66A_n78A TM1**1.5.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.68	-13.00	10.68	Horizontal
2	8081.6667	-40.28	36.36	-55.15	-13.00	42.15	Horizontal
3	10473.27	-40.67	39.28	-55.16	-13.00	42.16	Horizontal
4	11989.875	-40.35	39.87	-51.62	-13.00	38.62	Horizontal
5	13964.36	-40.12	40.79	-51.74	-13.00	38.74	Horizontal
6	17455.45	-42.52	44.37	-51.99	-13.00	38.99	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6982.18	-11.73	35.41	-23.72	-13.00	10.72	Vertical
2	7607.2917	-40.05	36.89	-53.67	-13.00	40.67	Vertical
3	9139.9583	-40.76	37.38	-54.49	-13.00	41.49	Vertical
4	10473.27	-40.67	39.28	-55.21	-13.00	42.21	Vertical
5	13964.36	-40.12	40.79	-52.38	-13.00	39.38	Vertical
6	17455.45	-42.52	44.37	-52.61	-13.00	39.61	Vertical

1.6. Test Band = _2A_n66A TM1**1.6.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-52.74	-13.00	39.74	Horizontal
2	5136.27	-41.53	32.02	-59.82	-13.00	46.82	Horizontal
3	6848.36	-40.45	35.90	-55.94	-13.00	42.94	Horizontal
4	8560.45	-40.18	36.88	-55.90	-13.00	42.90	Horizontal
5	10272.54	-40.40	39.29	-55.56	-13.00	42.56	Horizontal
6	11984.63	-40.34	39.86	-52.98	-13.00	39.98	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-51.69	-13.00	38.69	Vertical
2	5136.27	-41.53	32.02	-60.09	-13.00	47.09	Vertical
3	6848.36	-40.45	35.90	-56.60	-13.00	43.60	Vertical
4	8560.45	-40.18	36.88	-55.82	-13.00	42.82	Vertical
5	10272.54	-40.40	39.29	-56.36	-13.00	43.36	Vertical
6	11984.63	-40.34	39.86	-52.86	-13.00	39.86	Vertical

1.7. Test Band = _2A_n66A TM1**1.7.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3461.25	-44.15	28.91	-59.16	-13.00	46.16	Horizontal
2	5181.27	-41.39	32.16	-57.99	-13.00	44.99	Horizontal
3	6908.36	-40.87	35.68	-56.87	-13.00	43.87	Horizontal
4	8635.45	-40.19	36.73	-57.19	-13.00	44.19	Horizontal
5	10362.54	-40.62	39.46	-55.00	-13.00	42.00	Horizontal
6	12089.63	-40.09	39.81	-52.11	-13.00	39.11	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3461.25	-44.15	28.91	-53.62	-13.00	40.62	Vertical
2	5181.27	-41.39	32.16	-58.27	-13.00	45.27	Vertical
3	6908.36	-40.87	35.68	-56.79	-13.00	43.79	Vertical
4	8635.45	-40.19	36.73	-57.11	-13.00	44.11	Vertical
5	10362.54	-40.62	39.46	-55.49	-13.00	42.49	Vertical
6	12089.63	-40.09	39.81	-52.69	-13.00	39.69	Vertical

1.8. Test Band = _2A_n66A TM1**1.8.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3484.18	-44.18	29.15	-63.38	-13.00	50.38	Horizontal
2	5226.27	-41.30	32.04	-58.57	-13.00	45.57	Horizontal
3	6968.36	-40.73	35.49	-55.66	-13.00	42.66	Horizontal
4	8710.45	-40.35	36.82	-57.65	-13.00	44.65	Horizontal
5	10452.54	-40.84	39.34	-56.07	-13.00	43.07	Horizontal
6	12194.63	-40.93	39.90	-53.56	-13.00	40.56	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-54.19	-13.00	41.19	Vertical
2	5226.27	-41.30	32.04	-58.56	-13.00	45.56	Vertical
3	6968.36	-40.73	35.49	-56.21	-13.00	43.21	Vertical
4	8710.45	-40.35	36.82	-57.53	-13.00	44.53	Vertical
5	10452.54	-40.84	39.34	-55.47	-13.00	42.47	Vertical
6	12194.63	-40.93	39.90	-53.51	-13.00	40.51	Vertical

1.9. Test Band = _5A_n66A TM1**1.9.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-58.36	-13.00	45.36	Horizontal
2	4508.25	-42.58	29.87	-61.76	-13.00	48.76	Horizontal
3	5893.5	-40.11	33.02	-55.88	-13.00	42.88	Horizontal
4	7623	-40.48	36.85	-54.32	-13.00	41.32	Horizontal
5	10296	-40.27	39.38	-54.20	-13.00	41.20	Horizontal
6	13068	-40.57	39.70	-51.68	-13.00	38.68	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-53.20	-13.00	40.20	Vertical
2	4634.25	-42.37	30.41	-61.08	-13.00	48.08	Vertical
3	5910.75	-40.14	33.12	-56.51	-13.00	43.51	Vertical
4	7599	-40.57	36.90	-54.55	-13.00	41.55	Vertical
5	9711.75	-40.35	38.52	-53.94	-13.00	40.94	Vertical
6	12091.5	-40.09	39.81	-51.74	-13.00	38.74	Vertical

1.10. Test Band = _5A_n66A TM1**1.10.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3461.25	-44.15	28.91	-59.47	-13.00	46.47	Horizontal
2	4653.75	-42.35	30.53	-59.74	-13.00	46.74	Horizontal
3	6515.25	-40.46	34.66	-55.63	-13.00	42.63	Horizontal
4	8544	-40.21	36.89	-55.01	-13.00	42.01	Horizontal
5	11426.25	-40.40	40.57	-51.68	-13.00	38.68	Horizontal
6	14377.5	-40.59	41.90	-50.20	-13.00	37.20	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3461.25	-44.15	28.91	-53.03	-13.00	40.03	Vertical
2	4667.25	-42.33	30.64	-59.84	-13.00	46.84	Vertical
3	6378	-40.37	33.82	-56.34	-13.00	43.34	Vertical
4	8571.75	-40.15	36.86	-55.03	-13.00	42.03	Vertical
5	10944.75	-40.51	40.12	-52.41	-13.00	39.41	Vertical
6	13642.5	-40.41	40.44	-50.89	-13.00	37.89	Vertical

1.11. Test Band = _5A_n66A TM1**1.11.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-60.62	-13.00	47.62	Horizontal
2	5226.27	-41.30	32.04	-59.15	-13.00	46.15	Horizontal
3	6968.36	-40.73	35.49	-56.12	-13.00	43.12	Horizontal
4	8710.45	-40.35	36.82	-57.55	-13.00	44.55	Horizontal
5	10452.54	-40.84	39.34	-55.08	-13.00	42.08	Horizontal
6	12194.63	-40.93	39.90	-54.17	-13.00	41.17	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-53.58	-13.00	40.58	Vertical
2	5226.27	-41.30	32.04	-58.39	-13.00	45.39	Vertical
3	6968.36	-40.73	35.49	-56.36	-13.00	43.36	Vertical
4	8710.45	-40.35	36.82	-56.41	-13.00	43.41	Vertical
5	10452.54	-40.84	39.34	-55.49	-13.00	42.49	Vertical
6	12194.63	-40.93	39.90	-53.60	-13.00	40.60	Vertical

1.12. Test Band = _7A_n66A TM1**1.12.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-58.51	-13.00	45.51	Horizontal
2	4834.5	-42.01	30.96	-59.83	-13.00	46.83	Horizontal
3	6828	-40.26	35.81	-55.12	-13.00	42.12	Horizontal
4	9039.75	-40.75	36.84	-56.04	-13.00	43.04	Horizontal
5	11641.5	-40.68	40.43	-51.82	-13.00	38.82	Horizontal
6	14307.75	-40.80	41.90	-50.82	-13.00	37.82	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3431.25	-44.11	28.84	-51.43	-13.00	38.43	Vertical
2	4666.5	-42.33	30.63	-59.77	-13.00	46.77	Vertical
3	7605.75	-40.55	36.89	-54.67	-13.00	41.67	Vertical
4	10465.5	-40.84	39.30	-54.21	-13.00	41.21	Vertical
5	13023	-40.54	39.57	-52.03	-13.00	39.03	Vertical
6	16700.25	-38.10	39.70	-51.38	-13.00	38.38	Vertical

1.13. Test Band = _7A_n66A TM1**1.13.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3461.25	-44.15	28.91	-58.54	-13.00	45.54	Horizontal
2	4239.75	-42.96	29.96	-60.94	-13.00	47.94	Horizontal
3	5901.75	-40.11	33.10	-56.32	-13.00	43.32	Horizontal
4	7904.25	-40.35	36.79	-55.32	-13.00	42.32	Horizontal
5	10294.5	-40.28	39.38	-54.38	-13.00	41.38	Horizontal
6	12492	-40.15	39.32	-52.01	-13.00	39.01	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3461.25	-44.15	28.91	-52.47	-13.00	39.47	Vertical
2	4832.25	-42.01	30.97	-59.56	-13.00	46.56	Vertical
3	7194	-40.24	36.28	-54.40	-13.00	41.40	Vertical
4	9434.25	-40.80	37.74	-54.57	-13.00	41.57	Vertical
5	11990.25	-40.32	39.87	-52.05	-13.00	39.05	Vertical
6	14387.25	-40.56	41.90	-50.63	-13.00	37.63	Vertical

1.14. Test Band = _7A_n66A TM1**1.14.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-60.45	-13.00	47.45	Horizontal
2	3994.5	-43.47	29.61	-59.99	-13.00	46.99	Horizontal
3	6036.75	-40.51	33.12	-56.24	-13.00	43.24	Horizontal
4	7991.25	-40.23	36.70	-54.46	-13.00	41.46	Horizontal
5	10965.75	-40.46	40.23	-51.60	-13.00	38.60	Horizontal
6	14137.5	-40.55	41.54	-50.63	-13.00	37.63	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3491.25	-44.19	29.21	-53.70	-13.00	40.70	Vertical
2	4395.75	-42.42	29.92	-60.59	-13.00	47.59	Vertical
3	5734.5	-40.31	32.39	-56.44	-13.00	43.44	Vertical
4	7731	-40.32	36.62	-54.90	-13.00	41.90	Vertical
5	10102.5	-40.30	38.51	-55.37	-13.00	42.37	Vertical
6	13068.75	-40.57	39.71	-51.67	-13.00	38.67	Vertical

1.15. Test Band = _7A_n5A TM1**1.15.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-58.94	-13.00	45.94	Horizontal
2	2535.5556	-45.42	27.84	-57.29	-13.00	44.29	Horizontal
3	3185.3333	-44.37	28.45	-55.78	-13.00	42.78	Horizontal
4	4229.7778	-42.93	29.92	-54.37	-13.00	41.37	Horizontal
5	5640	-40.41	32.82	-48.42	-13.00	35.42	Horizontal
6	7220.4444	-37.30	36.42	-44.20	-13.00	31.20	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-55.42	-13.00	42.42	Vertical
2	2168	-46.10	26.84	-59.51	-13.00	46.51	Vertical
3	3298.2222	-44.64	28.69	-54.18	-13.00	41.18	Vertical
4	4372	-42.36	30.01	-53.27	-13.00	40.27	Vertical
5	5189.3333	-41.40	32.18	-50.08	-13.00	37.08	Vertical
6	6838.6667	-37.94	35.85	-44.74	-13.00	31.74	Vertical

1.16. Test Band = _7A_n5A TM1**1.16.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.6667	-46.81	25.25	-59.08	-13.00	46.08	Horizontal
2	2196.4444	-46.08	27.07	-59.58	-13.00	46.58	Horizontal
3	3162.2222	-44.51	28.68	-56.45	-13.00	43.45	Horizontal
4	4216	-43.06	29.86	-53.54	-13.00	40.54	Horizontal
5	5781.7778	-39.93	32.52	-49.01	-13.00	36.01	Horizontal
6	7341.3333	-37.13	36.78	-43.64	-13.00	30.64	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.2222	-46.81	25.26	-59.26	-13.00	46.26	Vertical
2	2065.3333	-46.19	26.46	-57.84	-13.00	44.84	Vertical
3	2456.4444	-45.61	27.53	-46.96	-13.00	33.96	Vertical
4	3308	-44.63	28.68	-55.06	-13.00	42.06	Vertical
5	4362.6667	-42.35	30.05	-50.98	-13.00	37.98	Vertical
6	5171.5556	-41.46	32.14	-50.08	-13.00	37.08	Vertical

1.17. Test Band = _7A_n5A TM1**1.17.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.1111	-46.81	25.21	-59.83	-13.00	46.83	Horizontal
2	2304.4444	-45.76	27.39	-58.18	-13.00	45.18	Horizontal
3	3259.1111	-44.50	28.54	-55.97	-13.00	42.97	Horizontal
4	4397.7778	-42.38	29.91	-52.99	-13.00	39.99	Horizontal
5	5205.7778	-41.35	32.17	-49.46	-13.00	36.46	Horizontal
6	6260	-39.60	33.46	-47.86	-13.00	34.86	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.5556	-46.81	25.20	-59.80	-13.00	46.80	Vertical
2	2562.2222	-45.33	27.95	-57.71	-13.00	44.71	Vertical
3	3517.3333	-44.42	29.23	-54.38	-13.00	41.38	Vertical
4	4669.3333	-42.33	30.65	-52.63	-13.00	39.63	Vertical
5	5838.6667	-39.96	32.55	-47.43	-13.00	34.43	Vertical
6	7739.1111	-36.38	36.66	-43.38	-13.00	30.38	Vertical

1.18. Test Band = _66A_n5A TM1**1.18.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1755.5556	-46.58	25.14	-61.16	-13.00	48.16	Horizontal
2	2346.2222	-45.74	27.31	-58.14	-13.00	45.14	Horizontal
3	3608	-44.43	29.25	-54.13	-13.00	41.13	Horizontal
4	5214.2222	-41.34	32.11	-50.69	-13.00	37.69	Horizontal
5	6391.1111	-39.26	33.93	-46.93	-13.00	33.93	Horizontal
6	7366.6667	-36.97	36.67	-43.70	-13.00	30.70	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.3333	-46.82	25.30	-58.86	-13.00	45.86	Vertical
2	2442.2222	-45.64	27.45	-58.77	-13.00	45.77	Vertical
3	3749.3333	-43.87	29.89	-53.64	-13.00	40.64	Vertical
4	5479.5556	-40.81	32.62	-49.35	-13.00	36.35	Vertical
5	7123.1111	-37.58	36.15	-43.87	-13.00	30.87	Vertical
6	8676	-34.72	36.80	-43.66	-13.00	30.66	Vertical

1.19. Test Band = _66A_n5A TM1**1.19.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1063.5556	-46.85	24.35	-48.39	-13.00	35.39	Horizontal
2	1802.6667	-46.44	25.51	-60.02	-13.00	47.02	Horizontal
3	2556.4444	-45.35	27.93	-56.46	-13.00	43.46	Horizontal
4	3749.7778	-43.87	29.90	-54.31	-13.00	41.31	Horizontal
5	5328.4444	-41.18	32.41	-48.26	-13.00	35.26	Horizontal
6	7145.7778	-37.49	36.11	-43.33	-13.00	30.33	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.2222	-46.81	25.26	-58.19	-13.00	45.19	Vertical
2	2410.6667	-45.70	27.26	-58.19	-13.00	45.19	Vertical
3	3308.4444	-44.63	28.68	-55.28	-13.00	42.28	Vertical
4	4132	-43.18	29.46	-52.57	-13.00	39.57	Vertical
5	5353.3333	-41.12	32.48	-49.51	-13.00	36.51	Vertical
6	6855.5556	-37.99	35.88	-44.69	-13.00	31.69	Vertical

1.20. Test Band = _66A_n5A TM1**1.20.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1466.2222	-46.94	25.40	-61.65	-13.00	48.65	Horizontal
2	2224.8889	-46.00	27.00	-58.98	-13.00	45.98	Horizontal
3	2807.1111	-44.90	28.51	-56.03	-13.00	43.03	Horizontal
4	3877.7778	-43.59	29.46	-54.70	-13.00	41.70	Horizontal
5	5214.2222	-41.34	32.11	-49.58	-13.00	36.58	Horizontal
6	7019.1111	-37.66	35.53	-43.58	-13.00	30.58	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.1111	-46.81	25.21	-59.66	-13.00	46.66	Vertical
2	2286.6667	-45.80	27.27	-57.82	-13.00	44.82	Vertical
3	3318.6667	-44.61	28.66	-54.76	-13.00	41.76	Vertical
4	4381.3333	-42.37	29.97	-52.31	-13.00	39.31	Vertical
5	5505.3333	-40.74	32.68	-49.26	-13.00	36.26	Vertical
6	7101.7778	-37.66	36.20	-43.91	-13.00	30.91	Vertical

1.21. Test Band = _5A_n2A TM1**1.21.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4375.875	-42.53	30.00	-58.84	-13.00	45.84	Horizontal
2	5899.5	-40.10	33.09	-55.28	-13.00	42.28	Horizontal
3	7169.625	-40.35	36.18	-53.56	-13.00	40.56	Horizontal
4	9121.875	-40.48	37.34	-53.31	-13.00	40.31	Horizontal
5	11341.875	-40.85	40.48	-50.57	-13.00	37.57	Horizontal
6	13869.375	-40.21	40.45	-49.42	-13.00	36.42	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3700.875	-43.67	29.41	-58.07	-13.00	45.07	Vertical
2	5109	-41.61	31.85	-57.71	-13.00	44.71	Vertical
3	7082.25	-40.67	36.09	-53.96	-13.00	40.96	Vertical
4	8662.5	-40.25	36.75	-54.44	-13.00	41.44	Vertical
5	10975.125	-40.43	40.28	-51.26	-13.00	38.26	Vertical
6	13683.375	-40.37	40.48	-49.68	-13.00	36.68	Vertical

1.22. Test Band = _5A_n2A TM1**1.22.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3517.5	-44.22	29.23	-58.15	-13.00	45.15	Horizontal
2	4659.75	-42.34	30.58	-58.56	-13.00	45.56	Horizontal
3	6154.875	-40.47	33.62	-54.70	-13.00	41.70	Horizontal
4	8481.75	-40.30	36.76	-53.78	-13.00	40.78	Horizontal
5	10755	-40.30	39.26	-51.38	-13.00	38.38	Horizontal
6	13209	-40.14	39.51	-50.67	-13.00	37.67	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	-43.62	29.81	-55.83	-13.00	42.83	Vertical
2	5191.5	-41.36	32.18	-56.38	-13.00	43.38	Vertical
3	7072.125	-40.67	36.03	-53.62	-13.00	40.62	Vertical
4	10002	-40.05	38.40	-54.57	-13.00	41.57	Vertical
5	13195.125	-40.10	39.51	-50.77	-13.00	37.77	Vertical
6	16760.625	-38.38	39.82	-49.36	-13.00	36.36	Vertical

1.23. Test Band = _5A_n2A TM1**1.23.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3872.25	-43.49	29.44	-60.52	-13.00	47.52	Horizontal
2	5671.5	-40.39	32.80	-52.27	-13.00	39.27	Horizontal
3	7553.25	-40.68	36.71	-53.33	-13.00	40.33	Horizontal
4	9804	-40.31	38.78	-54.12	-13.00	41.12	Horizontal
5	12463.875	-40.15	39.37	-50.28	-13.00	37.28	Horizontal
6	15011.25	-35.87	40.96	-44.94	-13.00	31.94	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3781.125	-43.56	29.71	-56.13	-13.00	43.13	Vertical
2	5671.875	-40.39	32.80	-52.79	-13.00	39.79	Vertical
3	7196.625	-40.23	36.29	-53.75	-13.00	40.75	Vertical
4	9436.5	-40.81	37.75	-53.27	-13.00	40.27	Vertical
5	12438	-40.16	39.42	-50.69	-13.00	37.69	Vertical
6	16185.375	-36.70	38.40	-50.24	-13.00	37.24	Vertical

1.24. Test Band = _66A_n2A TM1**1.24.1. Test Channel = Low**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3870	-43.49	29.44	-60.43	-13.00	47.43	Horizontal
2	5060.625	-41.57	31.41	-58.75	-13.00	45.75	Horizontal
3	6534.375	-40.41	34.74	-54.20	-13.00	41.20	Horizontal
4	9150.375	-40.64	37.40	-53.53	-13.00	40.53	Horizontal
5	11410.875	-40.29	40.59	-50.30	-13.00	37.30	Horizontal
6	14392.5	-40.54	41.90	-49.08	-13.00	36.08	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3701.25	-43.67	29.41	-58.00	-13.00	45.00	Vertical
2	5214.375	-41.32	32.11	-56.54	-13.00	43.54	Vertical
3	7352.25	-40.59	36.78	-54.14	-13.00	41.14	Vertical
4	9569.25	-40.75	37.92	-52.58	-13.00	39.58	Vertical
5	12441	-40.16	39.42	-50.82	-13.00	37.82	Vertical
6	16280.25	-36.26	38.24	-50.13	-13.00	37.13	Vertical

1.25. Test Band = _66A_n2A TM1**1.25.1. Test Channel = Mid**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3505.125	-44.20	29.28	-52.58	-13.00	39.58	Horizontal
2	4824.375	-42.02	31.00	-58.72	-13.00	45.72	Horizontal
3	6422.625	-40.34	34.05	-54.74	-13.00	41.74	Horizontal
4	7969.875	-40.26	36.70	-53.34	-13.00	40.34	Horizontal
5	10357.125	-40.59	39.46	-53.86	-13.00	40.86	Horizontal
6	13655.625	-40.40	40.46	-50.41	-13.00	37.41	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741	-43.62	29.81	-56.51	-13.00	43.51	Vertical
2	5209.5	-41.32	32.14	-55.59	-13.00	42.59	Vertical
3	7065	-40.67	35.99	-53.68	-13.00	40.68	Vertical
4	9573.75	-40.74	37.94	-52.23	-13.00	39.23	Vertical
5	12914.25	-40.68	39.16	-51.57	-13.00	38.57	Vertical
6	16947	-39.07	40.74	-49.06	-13.00	36.06	Vertical

1.26. Test Band = _66A_n2A TM1**1.26.1. Test Channel = High**

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3730.875	-43.63	29.71	-59.58	-13.00	46.58	Horizontal
2	5184.375	-41.38	32.17	-56.19	-13.00	43.19	Horizontal
3	7068	-40.67	36.01	-53.63	-13.00	40.63	Horizontal
4	9142.125	-40.60	37.38	-53.76	-13.00	40.76	Horizontal
5	12103.5	-40.10	39.80	-50.39	-13.00	37.39	Horizontal
6	16727.25	-38.23	39.75	-49.51	-13.00	36.51	Horizontal

Final Data List							
NO.	Frequency [MHz]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3780.75	-43.57	29.72	-57.61	-13.00	44.61	Vertical
2	5182.875	-41.38	32.17	-56.05	-13.00	43.05	Vertical
3	6545.25	-40.37	34.78	-54.63	-13.00	41.63	Vertical
4	8196.375	-40.19	36.58	-54.80	-13.00	41.80	Vertical
5	10962	-40.47	40.21	-51.45	-13.00	38.45	Vertical
6	13824	-40.08	40.22	-49.79	-13.00	36.79	Vertical

---End of Attachment---