













Mode	2																																																																																							
	Harmonic																																																																																							
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																							
ANT	1																																																																																							
Pol.	Horizontal																																																																																							
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3253.00</td><td>44.65</td><td>84.12</td><td>-39.47</td><td>64.71</td><td>33.10</td><td>9.93</td><td>63.09</td><td>0.00</td><td>-- Peak</td></tr><tr><td>2</td><td>4880.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>61.22</td><td>34.40</td><td>11.55</td><td>64.27</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>3</td><td>6507.00</td><td>50.76</td><td>84.12</td><td>-33.36</td><td>65.77</td><td>35.61</td><td>13.57</td><td>64.19</td><td>0.00</td><td>-- Peak</td></tr><tr><td>4</td><td>7320.00</td><td>43.85</td><td>74.00</td><td>-30.15</td><td>57.23</td><td>35.84</td><td>14.19</td><td>63.41</td><td>0.00</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3253.00	44.65	84.12	-39.47	64.71	33.10	9.93	63.09	0.00	-- Peak	2	4880.00	42.90	74.00	-31.10	61.22	34.40	11.55	64.27	0.00	-- PEAK	3	6507.00	50.76	84.12	-33.36	65.77	35.61	13.57	64.19	0.00	-- Peak	4	7320.00	43.85	74.00	-30.15	57.23	35.84	14.19	63.41	0.00	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	3253.00	44.65	84.12	-39.47	64.71	33.10	9.93	63.09	0.00	-- Peak																																																																														
2	4880.00	42.90	74.00	-31.10	61.22	34.40	11.55	64.27	0.00	-- PEAK																																																																														
3	6507.00	50.76	84.12	-33.36	65.77	35.61	13.57	64.19	0.00	-- Peak																																																																														
4	7320.00	43.85	74.00	-30.15	57.23	35.84	14.19	63.41	0.00	-- PEAK																																																																														
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.11</td><td>74.00</td><td>-32.89</td><td>59.43</td><td>34.40</td><td>11.55</td><td>64.27</td><td>0.00</td><td>-- PEAK</td></tr><tr><td>2</td><td>6507.00</td><td>48.88</td><td>80.34</td><td>-31.46</td><td>63.89</td><td>35.61</td><td>13.57</td><td>64.19</td><td>0.00</td><td>-- Peak</td></tr><tr><td>3</td><td>7320.00</td><td>43.23</td><td>74.00</td><td>-30.77</td><td>56.61</td><td>35.84</td><td>14.19</td><td>63.41</td><td>0.00</td><td>-- PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.11	74.00	-32.89	59.43	34.40	11.55	64.27	0.00	-- PEAK	2	6507.00	48.88	80.34	-31.46	63.89	35.61	13.57	64.19	0.00	-- Peak	3	7320.00	43.23	74.00	-30.77	56.61	35.84	14.19	63.41	0.00	-- PEAK											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	4880.00	41.11	74.00	-32.89	59.43	34.40	11.55	64.27	0.00	-- PEAK																																																																														
2	6507.00	48.88	80.34	-31.46	63.89	35.61	13.57	64.19	0.00	-- Peak																																																																														
3	7320.00	43.23	74.00	-30.77	56.61	35.84	14.19	63.41	0.00	-- PEAK																																																																														







Mode	3																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.82</td><td>60.25</td><td>74.00</td><td>-13.75</td><td>45.50</td><td>32.35</td><td>9.23</td><td>32.83</td><td>6.00</td><td>162</td><td>300</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.82	60.25	74.00	-13.75	45.50	32.35	9.23	32.83	6.00	162	300	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.52</td><td>-----</td><td>-----</td><td>92.83</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>162</td><td>300</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	107.52	-----	-----	92.83	32.32	9.23	32.86	6.00	162	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2487.82	60.25	74.00	-13.75	45.50	32.35	9.23	32.83	6.00	162	300	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	107.52	-----	-----	92.83	32.32	9.23	32.86	6.00	162	300	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>48.62</td><td>54.00</td><td>-5.38</td><td>33.91</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>162</td><td>300</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	48.62	54.00	-5.38	33.91	32.33	9.23	32.85	6.00	162	300	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>106.33</td><td>-----</td><td>-----</td><td>91.64</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>162</td><td>300</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	106.33	-----	-----	91.64	32.32	9.23	32.86	6.00	162	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	48.62	54.00	-5.38	33.91	32.33	9.23	32.85	6.00	162	300	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	106.33	-----	-----	91.64	32.32	9.23	32.86	6.00	162	300	AVERAGE																																																																																							







Mode	3																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.46</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>40.91</td><td>32.34</td><td>9.23</td><td>32.84</td><td>6.00</td><td>320</td><td>355</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.46	55.64	74.00	-18.36	40.91	32.34	9.23	32.84	6.00	320	355	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.75</td><td>-----</td><td>-----</td><td>86.06</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>320</td><td>355</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.75	-----	-----	86.06	32.32	9.23	32.86	6.00	320	355
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2484.46	55.64	74.00	-18.36	40.91	32.34	9.23	32.84	6.00	320	355	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	100.75	-----	-----	86.06	32.32	9.23	32.86	6.00	320	355	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>44.13</td><td>54.00</td><td>-9.87</td><td>29.42</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>320</td><td>355</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.13	54.00	-9.87	29.42	32.33	9.23	32.85	6.00	320	355	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.66</td><td>-----</td><td>-----</td><td>84.97</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>320</td><td>355</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.66	-----	-----	84.97	32.32	9.23	32.86	6.00	320	355
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	44.13	54.00	-9.87	29.42	32.33	9.23	32.85	6.00	320	355	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	99.66	-----	-----	84.97	32.32	9.23	32.86	6.00	320	355	AVERAGE																																																																																							







Mode	3																																																																																									
	Harmonic																																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal																																																																																									
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3307.00</td><td>46.71</td><td>84.13</td><td>-37.42</td><td>66.84</td><td>33.87</td><td>9.96</td><td>63.16</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>62.31</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>6613.00</td><td>50.39</td><td>84.13</td><td>-33.74</td><td>65.17</td><td>35.70</td><td>13.60</td><td>64.08</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>56.52</td><td>35.62</td><td>14.32</td><td>63.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3307.00	46.71	84.13	-37.42	66.84	33.87	9.96	63.16	0.00	--	Peak	2	4960.00	44.08	74.00	-29.92	62.31	34.38	11.72	64.33	0.00	--	PEAK	3	6613.00	50.39	84.13	-33.74	65.17	35.70	13.60	64.08	0.00	--	Peak	4	7440.00	43.14	74.00	-30.86	56.52	35.62	14.32	63.32	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	3307.00	46.71	84.13	-37.42	66.84	33.87	9.96	63.16	0.00	--	Peak																																																																															
2	4960.00	44.08	74.00	-29.92	62.31	34.38	11.72	64.33	0.00	--	PEAK																																																																															
3	6613.00	50.39	84.13	-33.74	65.17	35.70	13.60	64.08	0.00	--	Peak																																																																															
4	7440.00	43.14	74.00	-30.86	56.52	35.62	14.32	63.32	0.00	--	PEAK																																																																															
 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.88</td><td>74.00</td><td>-32.12</td><td>60.11</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>6613.00</td><td>46.30</td><td>80.65</td><td>-34.35</td><td>61.08</td><td>35.70</td><td>13.60</td><td>64.08</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>56.93</td><td>35.62</td><td>14.32</td><td>63.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.88	74.00	-32.12	60.11	34.38	11.72	64.33	0.00	--	PEAK	2	6613.00	46.30	80.65	-34.35	61.08	35.70	13.60	64.08	0.00	--	Peak	3	7440.00	43.55	74.00	-30.45	56.93	35.62	14.32	63.32	0.00	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4960.00	41.88	74.00	-32.12	60.11	34.38	11.72	64.33	0.00	--	PEAK																																																																															
2	6613.00	46.30	80.65	-34.35	61.08	35.70	13.60	64.08	0.00	--	Peak																																																																															
3	7440.00	43.55	74.00	-30.45	56.93	35.62	14.32	63.32	0.00	--	PEAK																																																																															
 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3307.00</td><td>46.71</td><td>84.13</td><td>-37.42</td><td>66.84</td><td>33.87</td><td>9.96</td><td>63.16</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>44.08</td><td>74.00</td><td>-29.92</td><td>62.31</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>6613.00</td><td>50.39</td><td>84.13</td><td>-33.74</td><td>65.17</td><td>35.70</td><td>13.60</td><td>64.08</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>43.14</td><td>74.00</td><td>-30.86</td><td>56.52</td><td>35.62</td><td>14.32</td><td>63.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3307.00	46.71	84.13	-37.42	66.84	33.87	9.96	63.16	0.00	--	Peak	2	4960.00	44.08	74.00	-29.92	62.31	34.38	11.72	64.33	0.00	--	PEAK	3	6613.00	50.39	84.13	-33.74	65.17	35.70	13.60	64.08	0.00	--	Peak	4	7440.00	43.14	74.00	-30.86	56.52	35.62	14.32	63.32	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	3307.00	46.71	84.13	-37.42	66.84	33.87	9.96	63.16	0.00	--	Peak																																																																															
2	4960.00	44.08	74.00	-29.92	62.31	34.38	11.72	64.33	0.00	--	PEAK																																																																															
3	6613.00	50.39	84.13	-33.74	65.17	35.70	13.60	64.08	0.00	--	Peak																																																																															
4	7440.00	43.14	74.00	-30.86	56.52	35.62	14.32	63.32	0.00	--	PEAK																																																																															
 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.88</td><td>74.00</td><td>-32.12</td><td>60.11</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>6613.00</td><td>46.30</td><td>80.65</td><td>-34.35</td><td>61.08</td><td>35.70</td><td>13.60</td><td>64.08</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>56.93</td><td>35.62</td><td>14.32</td><td>63.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.88	74.00	-32.12	60.11	34.38	11.72	64.33	0.00	--	PEAK	2	6613.00	46.30	80.65	-34.35	61.08	35.70	13.60	64.08	0.00	--	Peak	3	7440.00	43.55	74.00	-30.45	56.93	35.62	14.32	63.32	0.00	--	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	4960.00	41.88	74.00	-32.12	60.11	34.38	11.72	64.33	0.00	--	PEAK																																																																															
2	6613.00	46.30	80.65	-34.35	61.08	35.70	13.60	64.08	0.00	--	Peak																																																																															
3	7440.00	43.55	74.00	-30.45	56.93	35.62	14.32	63.32	0.00	--	PEAK																																																																															





Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH0_2402MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.65</td><td>57.19</td><td>74.00</td><td>-16.81</td><td>42.69</td><td>32.48</td><td>9.12</td><td>33.10</td><td>6.00</td><td>300</td><td>284</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.65	57.19	74.00	-16.81	42.69	32.48	9.12	33.10	6.00	300	284	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>107.59</td><td>-----</td><td>-----</td><td>93.03</td><td>32.49</td><td>9.15</td><td>33.08</td><td>6.00</td><td>300</td><td>284</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	107.59	-----	-----	93.03	32.49	9.15	33.08	6.00	300	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2388.65	57.19	74.00	-16.81	42.69	32.48	9.12	33.10	6.00	300	284	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	107.59	-----	-----	93.03	32.49	9.15	33.08	6.00	300	284	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>47.99</td><td>54.00</td><td>-6.01</td><td>33.49</td><td>32.48</td><td>9.12</td><td>33.10</td><td>6.00</td><td>300</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	47.99	54.00	-6.01	33.49	32.48	9.12	33.10	6.00	300	284	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>105.19</td><td>-----</td><td>-----</td><td>90.63</td><td>32.49</td><td>9.15</td><td>33.08</td><td>6.00</td><td>300</td><td>284</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.19	-----	-----	90.63	32.49	9.15	33.08	6.00	300	284
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.82	47.99	54.00	-6.01	33.49	32.48	9.12	33.10	6.00	300	284	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	105.19	-----	-----	90.63	32.49	9.15	33.08	6.00	300	284	AVERAGE																																																																																							





Mode	4																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH0_2402MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2335.74</td><td>54.44</td><td>74.00</td><td>-19.56</td><td>40.31</td><td>32.29</td><td>8.97</td><td>33.13</td><td>6.00</td><td>356</td><td>352</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2335.74	54.44	74.00	-19.56	40.31	32.29	8.97	33.13	6.00	356	352	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.07</td><td>-----</td><td>-----</td><td>87.51</td><td>32.49</td><td>9.15</td><td>33.08</td><td>6.00</td><td>356</td><td>352</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.07	-----	-----	87.51	32.49	9.15	33.08	6.00	356	352
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2335.74	54.44	74.00	-19.56	40.31	32.29	8.97	33.13	6.00	356	352	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	102.07	-----	-----	87.51	32.49	9.15	33.08	6.00	356	352	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.69</td><td>44.94</td><td>54.00</td><td>-9.06</td><td>30.44</td><td>32.48</td><td>9.12</td><td>33.10</td><td>6.00</td><td>356</td><td>352</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.69	44.94	54.00	-9.06	30.44	32.48	9.12	33.10	6.00	356	352	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.65</td><td>-----</td><td>-----</td><td>85.09</td><td>32.49</td><td>9.15</td><td>33.08</td><td>6.00</td><td>356</td><td>352</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.65	-----	-----	85.09	32.49	9.15	33.08	6.00	356	352
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2389.69	44.94	54.00	-9.06	30.44	32.48	9.12	33.10	6.00	356	352	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	99.65	-----	-----	85.09	32.49	9.15	33.08	6.00	356	352	AVERAGE																																																																																							







Mode	4																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth-LE_CH0_2402MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.22</td><td>74.00</td><td>-34.78</td><td>57.87</td><td>34.40</td><td>11.39</td><td>64.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>6405.00</td><td>53.23</td><td>82.52</td><td>-29.29</td><td>68.16</td><td>35.69</td><td>13.55</td><td>64.17</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.22	74.00	-34.78	57.87	34.40	11.39	64.44	0.00	--	--	PEAK	2	6405.00	53.23	82.52	-29.29	68.16	35.69	13.55	64.17	0.00	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>58.23</td><td>34.40</td><td>11.39</td><td>64.44</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>6405.00</td><td>51.94</td><td>79.48</td><td>-27.54</td><td>66.87</td><td>35.69</td><td>13.55</td><td>64.17</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.58	74.00	-34.42	58.23	34.40	11.39	64.44	0.00	--	--	PEAK	2	6405.00	51.94	79.48	-27.54	66.87	35.69	13.55	64.17	0.00	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4804.00	39.22	74.00	-34.78	57.87	34.40	11.39	64.44	0.00	--	--	PEAK																																																																																																																		
2	6405.00	53.23	82.52	-29.29	68.16	35.69	13.55	64.17	0.00	--	--	Peak																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4804.00	39.58	74.00	-34.42	58.23	34.40	11.39	64.44	0.00	--	--	PEAK																																																																																																																		
2	6405.00	51.94	79.48	-27.54	66.87	35.69	13.55	64.17	0.00	--	--	Peak																																																																																																																		







Mode	5																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3253.00</td><td>42.32</td><td>84.73</td><td>-42.41</td><td>62.38</td><td>33.10</td><td>9.93</td><td>63.09</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4888.00</td><td>42.92</td><td>74.00</td><td>-31.08</td><td>61.24</td><td>34.40</td><td>11.55</td><td>64.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>6587.00</td><td>52.99</td><td>84.73</td><td>-31.74</td><td>68.00</td><td>35.61</td><td>13.57</td><td>64.19</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>56.95</td><td>35.84</td><td>14.19</td><td>63.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4888.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>59.54</td><td>34.40</td><td>11.55</td><td>64.27</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>6587.00</td><td>49.56</td><td>81.80</td><td>-32.24</td><td>64.57</td><td>35.61</td><td>13.57</td><td>64.19</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7320.00</td><td>43.24</td><td>74.00</td><td>-30.76</td><td>56.62</td><td>35.84</td><td>14.19</td><td>63.41</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3253.00	42.32	84.73	-42.41	62.38	33.10	9.93	63.09	0.00	--	--	Peak	2	4888.00	42.92	74.00	-31.08	61.24	34.40	11.55	64.27	0.00	--	--	PEAK	3	6587.00	52.99	84.73	-31.74	68.00	35.61	13.57	64.19	0.00	--	--	Peak	4	7320.00	43.57	74.00	-30.43	56.95	35.84	14.19	63.41	0.00	--	--	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4888.00	41.22	74.00	-32.78	59.54	34.40	11.55	64.27	0.00	--	--	PEAK	2	6587.00	49.56	81.80	-32.24	64.57	35.61	13.57	64.19	0.00	--	--	Peak	3	7320.00	43.24	74.00	-30.76	56.62	35.84	14.19	63.41	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	3253.00	42.32	84.73	-42.41	62.38	33.10	9.93	63.09	0.00	--	--	Peak																																																																																																																																																								
2	4888.00	42.92	74.00	-31.08	61.24	34.40	11.55	64.27	0.00	--	--	PEAK																																																																																																																																																								
3	6587.00	52.99	84.73	-31.74	68.00	35.61	13.57	64.19	0.00	--	--	Peak																																																																																																																																																								
4	7320.00	43.57	74.00	-30.43	56.95	35.84	14.19	63.41	0.00	--	--	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4888.00	41.22	74.00	-32.78	59.54	34.40	11.55	64.27	0.00	--	--	PEAK																																																																																																																																																								
2	6587.00	49.56	81.80	-32.24	64.57	35.61	13.57	64.19	0.00	--	--	Peak																																																																																																																																																								
3	7320.00	43.24	74.00	-30.76	56.62	35.84	14.19	63.41	0.00	--	--	PEAK																																																																																																																																																								





Mode	6																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.48</td><td>60.27</td><td>74.00</td><td>-13.73</td><td>45.54</td><td>32.34</td><td>9.23</td><td>32.84</td><td>6.00</td><td>161</td><td>301</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.48	60.27	74.00	-13.73	45.54	32.34	9.23	32.84	6.00	161	301	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>107.45</td><td>-----</td><td>-----</td><td>92.76</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>161</td><td>301</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	107.45	-----	-----	92.76	32.32	9.23	32.86	6.00	161	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2485.48	60.27	74.00	-13.73	45.54	32.34	9.23	32.84	6.00	161	301	PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2480.00	107.45	-----	-----	92.76	32.32	9.23	32.86	6.00	161	301	PEAK																																																																																																							
Avg																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.52</td><td>50.76</td><td>54.00</td><td>-3.24</td><td>36.03</td><td>32.34</td><td>9.23</td><td>32.84</td><td>6.00</td><td>161</td><td>301</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.52	50.76	54.00	-3.24	36.03	32.34	9.23	32.84	6.00	161	301	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>105.15</td><td>-----</td><td>-----</td><td>90.46</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>161</td><td>301</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	105.15	-----	-----	90.46	32.32	9.23	32.86	6.00	161	301
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2484.52	50.76	54.00	-3.24	36.03	32.34	9.23	32.84	6.00	161	301	AVERAGE																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	2480.00	105.15	-----	-----	90.46	32.32	9.23	32.86	6.00	161	301	AVERAGE																																																																																																							



Mode	6																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>56.01</td><td>74.00</td><td>-17.99</td><td>41.28</td><td>32.34</td><td>9.23</td><td>32.84</td><td>6.00</td><td>301</td><td>354</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.86	56.01	74.00	-17.99	41.28	32.34	9.23	32.84	6.00	301	354	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.14</td><td>-----</td><td>-----</td><td>86.45</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>301</td><td>354</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.14	-----	-----	86.45	32.32	9.23	32.86	6.00	301	354	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2483.86	56.01	74.00	-17.99	41.28	32.34	9.23	32.84	6.00	301	354	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2480.00	101.14	-----	-----	86.45	32.32	9.23	32.86	6.00	301	354	PEAK																																																																														
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.58</td><td>46.24</td><td>54.00</td><td>-7.76</td><td>31.51</td><td>32.34</td><td>9.23</td><td>32.84</td><td>6.00</td><td>301</td><td>354</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.58	46.24	54.00	-7.76	31.51	32.34	9.23	32.84	6.00	301	354	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.79</td><td>-----</td><td>-----</td><td>84.10</td><td>32.32</td><td>9.23</td><td>32.86</td><td>6.00</td><td>301</td><td>354</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	98.79	-----	-----	84.10	32.32	9.23	32.86	6.00	301	354	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2484.58	46.24	54.00	-7.76	31.51	32.34	9.23	32.84	6.00	301	354	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2480.00	98.79	-----	-----	84.10	32.32	9.23	32.86	6.00	301	354	AVERAGE																																																																														



Mode	6																																																																																																											
	Harmonic																																																																																																											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Horizontal																																																																																																											
Peak Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3307.00</td><td>45.65</td><td>84.03</td><td>-38.38</td><td>65.78</td><td>33.07</td><td>9.96</td><td>63.16</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>66.29</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>103</td><td>147</td><td>PEAK</td></tr><tr><td>3</td><td>4960.00</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>61.66</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>103</td><td>147</td><td>AVERAGE</td></tr><tr><td>4</td><td>6613.00</td><td>52.08</td><td>84.03</td><td>-31.95</td><td>66.86</td><td>35.70</td><td>13.60</td><td>64.08</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>7440.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>57.69</td><td>35.62</td><td>14.32</td><td>63.32</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3307.00	45.65	84.03	-38.38	65.78	33.07	9.96	63.16	0.00	--	--	Peak	2	4960.00	48.06	74.00	-25.94	66.29	34.38	11.72	64.33	0.00	103	147	PEAK	3	4960.00	43.43	54.00	-10.57	61.66	34.38	11.72	64.33	0.00	103	147	AVERAGE	4	6613.00	52.08	84.03	-31.95	66.86	35.70	13.60	64.08	0.00	--	--	Peak	5	7440.00	44.31	74.00	-29.69	57.69	35.62	14.32	63.32	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	3307.00	45.65	84.03	-38.38	65.78	33.07	9.96	63.16	0.00	--	--	Peak																																																																																																
2	4960.00	48.06	74.00	-25.94	66.29	34.38	11.72	64.33	0.00	103	147	PEAK																																																																																																
3	4960.00	43.43	54.00	-10.57	61.66	34.38	11.72	64.33	0.00	103	147	AVERAGE																																																																																																
4	6613.00	52.08	84.03	-31.95	66.86	35.70	13.60	64.08	0.00	--	--	Peak																																																																																																
5	7440.00	44.31	74.00	-29.69	57.69	35.62	14.32	63.32	0.00	--	--	PEAK																																																																																																
	Vertical																																																																																																											
																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.44</td><td>74.00</td><td>-32.56</td><td>59.67</td><td>34.38</td><td>11.72</td><td>64.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>6613.00</td><td>48.01</td><td>81.89</td><td>-33.88</td><td>62.79</td><td>35.70</td><td>13.60</td><td>64.08</td><td>0.00</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>7440.00</td><td>43.81</td><td>74.00</td><td>-30.19</td><td>57.19</td><td>35.62</td><td>14.32</td><td>63.32</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.44	74.00	-32.56	59.67	34.38	11.72	64.33	0.00	--	--	PEAK	2	6613.00	48.01	81.89	-33.88	62.79	35.70	13.60	64.08	0.00	--	--	Peak	3	7440.00	43.81	74.00	-30.19	57.19	35.62	14.32	63.32	0.00	--	--	PEAK																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																		
1	4960.00	41.44	74.00	-32.56	59.67	34.38	11.72	64.33	0.00	--	--	PEAK																																																																																																
2	6613.00	48.01	81.89	-33.88	62.79	35.70	13.60	64.08	0.00	--	--	Peak																																																																																																
3	7440.00	43.81	74.00	-30.19	57.19	35.62	14.32	63.32	0.00	--	--	PEAK																																																																																																



Mode	6	
	Band Edge	
	2400-2483.5_Bluetooth-LE_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg	The plot shows the average spectrum for the horizontal polarization. The y-axis is labeled 'Level (dBuV/m)' and ranges from 0 to 130 in increments of 16.3. The x-axis is labeled 'Frequency (MHz)' and ranges from 18000 to 25000 in increments of 400. A blue line represents the measured signal, which is relatively flat around 48.8 dBuV/m. Two horizontal red lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m labeled 'FCC PART 15C' and another at approximately 55 dBuV/m labeled 'FCC PART 15C (AVG)'.	The plot shows the average spectrum for the vertical polarization. The y-axis is labeled 'Level (dBuV/m)' and ranges from 0 to 130 in increments of 16.3. The x-axis is labeled 'Frequency (MHz)' and ranges from 18000 to 25000 in increments of 400. A blue line represents the measured signal, which is relatively flat around 48.8 dBuV/m. Two horizontal red lines indicate the FCC Part 15C limits: one at approximately 75 dBuV/m labeled 'FCC PART 15C' and another at approximately 55 dBuV/m labeled 'FCC PART 15C (AVG)'.




Mode	6																																																																																																																																																																																																																														
	Band Edge																																																																																																																																																																																																																														
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																																																																														
ANT	1																																																																																																																																																																																																																														
Pol.	Horizontal					Vertical																																																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																																															
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.24</td><td>20.94</td><td>40.00</td><td>-19.06</td><td>28.16</td><td>25.23</td><td>0.36</td><td>32.81</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2</td><td>88.44</td><td>19.66</td><td>43.50</td><td>-23.84</td><td>36.83</td><td>14.53</td><td>1.00</td><td>32.70</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>3</td><td>351.07</td><td>25.33</td><td>46.00</td><td>-20.67</td><td>35.84</td><td>20.37</td><td>1.97</td><td>32.85</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>4</td><td>568.11</td><td>24.62</td><td>46.00</td><td>-21.38</td><td>28.96</td><td>26.42</td><td>2.50</td><td>33.26</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>5</td><td>739.07</td><td>37.78</td><td>46.00</td><td>-8.22</td><td>40.24</td><td>27.90</td><td>2.86</td><td>33.22</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>6</td><td>795.57</td><td>28.52</td><td>46.00</td><td>-17.48</td><td>29.92</td><td>28.68</td><td>2.95</td><td>33.03</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>7</td><td>963.38</td><td>30.58</td><td>54.00</td><td>-23.42</td><td>27.56</td><td>31.28</td><td>3.26</td><td>31.52</td><td>0.00</td><td>-- -- Peak</td></tr></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.24	20.94	40.00	-19.06	28.16	25.23	0.36	32.81	0.00	-- -- Peak	2	88.44	19.66	43.50	-23.84	36.83	14.53	1.00	32.70	0.00	-- -- Peak	3	351.07	25.33	46.00	-20.67	35.84	20.37	1.97	32.85	0.00	-- -- Peak	4	568.11	24.62	46.00	-21.38	28.96	26.42	2.50	33.26	0.00	-- -- Peak	5	739.07	37.78	46.00	-8.22	40.24	27.90	2.86	33.22	0.00	-- -- Peak	6	795.57	28.52	46.00	-17.48	29.92	28.68	2.95	33.03	0.00	-- -- Peak	7	963.38	30.58	54.00	-23.42	27.56	31.28	3.26	31.52	0.00	-- -- Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>45.04</td><td>35.72</td><td>40.00</td><td>-4.28</td><td>50.88</td><td>17.02</td><td>0.60</td><td>32.78</td><td>0.00</td><td>100 182 Peak</td></tr><tr><td>2</td><td>137.91</td><td>22.95</td><td>43.50</td><td>-20.55</td><td>37.02</td><td>17.47</td><td>1.16</td><td>32.70</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>3</td><td>557.44</td><td>25.04</td><td>46.00</td><td>-20.96</td><td>29.39</td><td>26.43</td><td>2.45</td><td>33.23</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>4</td><td>739.07</td><td>37.64</td><td>46.00</td><td>-8.36</td><td>40.10</td><td>27.90</td><td>2.86</td><td>33.22</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>5</td><td>774.23</td><td>28.20</td><td>46.00</td><td>-17.80</td><td>29.91</td><td>28.50</td><td>2.91</td><td>33.12</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>6</td><td>905.18</td><td>30.07</td><td>46.00</td><td>-15.93</td><td>29.64</td><td>29.57</td><td>3.13</td><td>32.27</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>7</td><td>966.54</td><td>30.94</td><td>54.00</td><td>-23.06</td><td>27.87</td><td>31.30</td><td>3.26</td><td>31.49</td><td>0.00</td><td>-- -- Peak</td></tr></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	45.04	35.72	40.00	-4.28	50.88	17.02	0.60	32.78	0.00	100 182 Peak	2	137.91	22.95	43.50	-20.55	37.02	17.47	1.16	32.70	0.00	-- -- Peak	3	557.44	25.04	46.00	-20.96	29.39	26.43	2.45	33.23	0.00	-- -- Peak	4	739.07	37.64	46.00	-8.36	40.10	27.90	2.86	33.22	0.00	-- -- Peak	5	774.23	28.20	46.00	-17.80	29.91	28.50	2.91	33.12	0.00	-- -- Peak	6	905.18	30.07	46.00	-15.93	29.64	29.57	3.13	32.27	0.00	-- -- Peak	7	966.54	30.94	54.00	-23.06	27.87	31.30	3.26	31.49	0.00
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																						
1	30.24	20.94	40.00	-19.06	28.16	25.23	0.36	32.81	0.00	-- -- Peak																																																																																																																																																																																																																					
2	88.44	19.66	43.50	-23.84	36.83	14.53	1.00	32.70	0.00	-- -- Peak																																																																																																																																																																																																																					
3	351.07	25.33	46.00	-20.67	35.84	20.37	1.97	32.85	0.00	-- -- Peak																																																																																																																																																																																																																					
4	568.11	24.62	46.00	-21.38	28.96	26.42	2.50	33.26	0.00	-- -- Peak																																																																																																																																																																																																																					
5	739.07	37.78	46.00	-8.22	40.24	27.90	2.86	33.22	0.00	-- -- Peak																																																																																																																																																																																																																					
6	795.57	28.52	46.00	-17.48	29.92	28.68	2.95	33.03	0.00	-- -- Peak																																																																																																																																																																																																																					
7	963.38	30.58	54.00	-23.42	27.56	31.28	3.26	31.52	0.00	-- -- Peak																																																																																																																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																																																						
1	45.04	35.72	40.00	-4.28	50.88	17.02	0.60	32.78	0.00	100 182 Peak																																																																																																																																																																																																																					
2	137.91	22.95	43.50	-20.55	37.02	17.47	1.16	32.70	0.00	-- -- Peak																																																																																																																																																																																																																					
3	557.44	25.04	46.00	-20.96	29.39	26.43	2.45	33.23	0.00	-- -- Peak																																																																																																																																																																																																																					
4	739.07	37.64	46.00	-8.36	40.10	27.90	2.86	33.22	0.00	-- -- Peak																																																																																																																																																																																																																					
5	774.23	28.20	46.00	-17.80	29.91	28.50	2.91	33.12	0.00	-- -- Peak																																																																																																																																																																																																																					
6	905.18	30.07	46.00	-15.93	29.64	29.57	3.13	32.27	0.00	-- -- Peak																																																																																																																																																																																																																					
7	966.54	30.94	54.00	-23.06	27.87	31.30	3.26	31.49	0.00	-- -- Peak																																																																																																																																																																																																																					



Appendix C. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
Bluetooth LE 1Mbps	100	-	-	10HZ
Bluetooth LE 2Mbps	34.71	0.218	4.587	4.7KHZ

Bluetooth LE 1Mbps



Bluetooth LE 2Mbps

