












		12																																																					
Mode		Band Edge																																																					
		2400-2483.5_802.11g_CH11_2462MHz																																																					
ANT		1																																																					
Pol.		Horizontal																																																					
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.10</td><td>59.31</td><td>74.00</td><td>-14.69</td><td>44.58</td><td>32.34</td><td>9.23</td><td>32.84</td><td>6.00</td><td>287</td><td>289</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.10	59.31	74.00	-14.69	44.58	32.34	9.23	32.84	6.00	287	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.10	59.31	74.00	-14.69	44.58	32.34	9.23	32.84	6.00	287	289	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.20</td><td>-----</td><td>-----</td><td>95.65</td><td>32.25</td><td>9.21</td><td>32.91</td><td>6.00</td><td>287</td><td>289</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	110.20	-----	-----	95.65	32.25	9.21	32.91	6.00	287	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	110.20	-----	-----	95.65	32.25	9.21	32.91	6.00	287	289	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.34</td><td>54.00</td><td>-3.66</td><td>35.63</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>287</td><td>289</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	50.34	54.00	-3.66	35.63	32.33	9.23	32.85	6.00	287	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	50.34	54.00	-3.66	35.63	32.33	9.23	32.85	6.00	287	289	AVERAGE																																											
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.40</td><td>-----</td><td>-----</td><td>84.85</td><td>32.25</td><td>9.21</td><td>32.91</td><td>6.00</td><td>287</td><td>289</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	99.40	-----	-----	84.85	32.25	9.21	32.91	6.00	287	289
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	99.40	-----	-----	84.85	32.25	9.21	32.91	6.00	287	289	AVERAGE																																											







		12																																																							
Mode		Band Edge																																																							
		2400-2483.5_802.11g_CH11_2462MHz																																																							
ANT		1																																																							
Pol.		Vertical						Fundamental																																																	
Peak																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.36</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>41.49</td><td>32.34</td><td>9.23</td><td>32.84</td><td>6.00</td><td>100</td><td>9 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.36	56.22	74.00	-17.78	41.49	32.34	9.23	32.84	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2483.36	56.22	74.00	-17.78	41.49	32.34	9.23	32.84	6.00	100	9 PEAK																																														
Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>42.89</td><td>54.00</td><td>-11.11</td><td>28.18</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>100</td><td>9 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	42.89	54.00	-11.11	28.18	32.33	9.23	32.85	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2483.50	42.89	54.00	-11.11	28.18	32.33	9.23	32.85	6.00	100	9 AVERAGE																																														
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.93</td><td>-----</td><td>-----</td><td>88.38</td><td>32.25</td><td>9.21</td><td>32.91</td><td>6.00</td><td>100</td><td>9 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	102.93	-----	-----	88.38	32.25	9.21	32.91	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	102.93	-----	-----	88.38	32.25	9.21	32.91	6.00	100	9 PEAK																																														
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>92.55</td><td>-----</td><td>-----</td><td>78.03</td><td>32.23</td><td>9.21</td><td>32.92</td><td>6.00</td><td>100</td><td>9 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	92.55	-----	-----	78.03	32.23	9.21	32.92	6.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	92.55	-----	-----	78.03	32.23	9.21	32.92	6.00	100	9 AVERAGE																																														







Mode	12																																																																																																																	
	Harmonic																																																																																																																	
	2400-2483.5_802.11g_CH11_2462MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Horizontal																																																																																																																	
Peak Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3283.00</td><td>52.92</td><td>78.19</td><td>-25.27</td><td>73.00</td><td>33.10</td><td>9.95</td><td>63.13</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>56.85</td><td>74.00</td><td>-17.15</td><td>75.07</td><td>34.40</td><td>11.65</td><td>64.27</td><td>0.00</td><td>100</td><td>156 PEAK</td></tr><tr><td>3</td><td>4924.00</td><td>47.17</td><td>54.00</td><td>-6.83</td><td>65.39</td><td>34.40</td><td>11.65</td><td>64.27</td><td>0.00</td><td>100</td><td>156 AVERAGE</td></tr><tr><td>4</td><td>6565.00</td><td>52.27</td><td>78.19</td><td>-25.92</td><td>67.12</td><td>35.70</td><td>13.58</td><td>64.13</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>7386.00</td><td>48.09</td><td>74.00</td><td>-25.91</td><td>61.42</td><td>35.76</td><td>14.27</td><td>63.36</td><td>0.00</td><td>100</td><td>156 PEAK</td></tr><tr><td>6</td><td>7386.00</td><td>37.43</td><td>54.00</td><td>-16.57</td><td>50.76</td><td>35.77</td><td>14.27</td><td>63.37</td><td>0.00</td><td>100</td><td>156 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3283.00	52.92	78.19	-25.27	73.00	33.10	9.95	63.13	0.00	--	Peak	2	4924.00	56.85	74.00	-17.15	75.07	34.40	11.65	64.27	0.00	100	156 PEAK	3	4924.00	47.17	54.00	-6.83	65.39	34.40	11.65	64.27	0.00	100	156 AVERAGE	4	6565.00	52.27	78.19	-25.92	67.12	35.70	13.58	64.13	0.00	--	Peak	5	7386.00	48.09	74.00	-25.91	61.42	35.76	14.27	63.36	0.00	100	156 PEAK	6	7386.00	37.43	54.00	-16.57	50.76	35.77	14.27	63.37	0.00	100	156 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	3283.00	52.92	78.19	-25.27	73.00	33.10	9.95	63.13	0.00	--	Peak																																																																																																							
2	4924.00	56.85	74.00	-17.15	75.07	34.40	11.65	64.27	0.00	100	156 PEAK																																																																																																							
3	4924.00	47.17	54.00	-6.83	65.39	34.40	11.65	64.27	0.00	100	156 AVERAGE																																																																																																							
4	6565.00	52.27	78.19	-25.92	67.12	35.70	13.58	64.13	0.00	--	Peak																																																																																																							
5	7386.00	48.09	74.00	-25.91	61.42	35.76	14.27	63.36	0.00	100	156 PEAK																																																																																																							
6	7386.00	37.43	54.00	-16.57	50.76	35.77	14.27	63.37	0.00	100	156 AVERAGE																																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3282.00</td><td>43.11</td><td>74.45</td><td>-31.34</td><td>63.19</td><td>33.10</td><td>9.95</td><td>63.13</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>4924.00</td><td>41.19</td><td>74.00</td><td>-32.81</td><td>59.41</td><td>34.40</td><td>11.65</td><td>64.27</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>6565.00</td><td>48.10</td><td>74.45</td><td>-26.35</td><td>62.95</td><td>35.70</td><td>13.58</td><td>64.13</td><td>0.00</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>7386.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>57.15</td><td>35.76</td><td>14.27</td><td>63.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3282.00	43.11	74.45	-31.34	63.19	33.10	9.95	63.13	0.00	--	Peak	2	4924.00	41.19	74.00	-32.81	59.41	34.40	11.65	64.27	0.00	--	PEAK	3	6565.00	48.10	74.45	-26.35	62.95	35.70	13.58	64.13	0.00	--	Peak	4	7386.00	43.82	74.00	-30.18	57.15	35.76	14.27	63.36	0.00	--	PEAK																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	3282.00	43.11	74.45	-31.34	63.19	33.10	9.95	63.13	0.00	--	Peak																																																																																																							
2	4924.00	41.19	74.00	-32.81	59.41	34.40	11.65	64.27	0.00	--	PEAK																																																																																																							
3	6565.00	48.10	74.45	-26.35	62.95	35.70	13.58	64.13	0.00	--	Peak																																																																																																							
4	7386.00	43.82	74.00	-30.18	57.15	35.76	14.27	63.36	0.00	--	PEAK																																																																																																							





	13																																																																																																				
Mode	Band Edge																																																																																																				
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.31</td><td>64.56</td><td>74.00</td><td>-9.44</td><td>50.08</td><td>32.47</td><td>9.11</td><td>33.10</td><td>6.00</td><td>300</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.31	64.56	74.00	-9.44	50.08	32.47	9.11	33.10	6.00	300	285	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.56</td><td>-----</td><td>-----</td><td>95.02</td><td>32.43</td><td>9.16</td><td>33.05</td><td>6.00</td><td>300</td><td>285</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.56	-----	-----	95.02	32.43	9.16	33.05	6.00	300	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2386.31	64.56	74.00	-9.44	50.08	32.47	9.11	33.10	6.00	300	285	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	109.56	-----	-----	95.02	32.43	9.16	33.05	6.00	300	285	PEAK																																																																																									
Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>49.00</td><td>54.00</td><td>-5.00</td><td>34.50</td><td>32.48</td><td>9.12</td><td>33.10</td><td>6.00</td><td>300</td><td>285</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	49.00	54.00	-5.00	34.50	32.48	9.12	33.10	6.00	300	285	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>100.03</td><td>-----</td><td>-----</td><td>85.49</td><td>32.43</td><td>9.16</td><td>33.05</td><td>6.00</td><td>300</td><td>285</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	100.03	-----	-----	85.49	32.43	9.16	33.05	6.00	300	285
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2389.95	49.00	54.00	-5.00	34.50	32.48	9.12	33.10	6.00	300	285	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2412.00	100.03	-----	-----	85.49	32.43	9.16	33.05	6.00	300	285	AVERAGE																																																																																									




Mode	13																																																																																	
	Band Edge																																																																																	
	2400-2483.5_802.11n_HT20_CH01_2412MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>63.45</td><td>74.00</td><td>-10.55</td><td>48.95</td><td>32.48</td><td>9.12</td><td>33.10</td><td>6.00 310 353 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.82	63.45	74.00	-10.55	48.95	32.48	9.12	33.10	6.00 310 353 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>104.20</td><td>-----</td><td>-----</td><td>89.66</td><td>32.43</td><td>9.16</td><td>33.05</td><td>6.00 310 353 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	104.20	-----	-----	89.66	32.43	9.16	33.05	6.00 310 353 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.82	63.45	74.00	-10.55	48.95	32.48	9.12	33.10	6.00 310 353 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	104.20	-----	-----	89.66	32.43	9.16	33.05	6.00 310 353 PEAK																																																																									
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.95</td><td>46.85</td><td>54.00</td><td>-7.15</td><td>32.35</td><td>32.48</td><td>9.12</td><td>33.10</td><td>6.00 310 353 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	46.85	54.00	-7.15	32.35	32.48	9.12	33.10	6.00 310 353 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>93.62</td><td>-----</td><td>-----</td><td>79.08</td><td>32.43</td><td>9.16</td><td>33.05</td><td>6.00 310 353 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	93.62	-----	-----	79.08	32.43	9.16	33.05	6.00 310 353 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2389.95	46.85	54.00	-7.15	32.35	32.48	9.12	33.10	6.00 310 353 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	2412.00	93.62	-----	-----	79.08	32.43	9.16	33.05	6.00 310 353 AVERAGE																																																																									







Mode	13																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																				
	2400-2483.5_802.11n HT20_CH01_2412MHz																																																																																																																																																																																				
ANT	1																																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																																														
Peak Avg																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3216.00</td><td>50.98</td><td>76.70</td><td>-25.72</td><td>71.08</td><td>33.03</td><td>9.91</td><td>63.04</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4824.00</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>71.58</td><td>34.40</td><td>11.43</td><td>64.40</td><td>0.00</td><td>300</td><td>287 PEAK</td></tr><tr><td>3</td><td>4824.00</td><td>43.55</td><td>54.00</td><td>-10.45</td><td>62.10</td><td>34.40</td><td>11.44</td><td>64.39</td><td>0.00</td><td>300</td><td>287 AVERAGE</td></tr><tr><td>4</td><td>6432.00</td><td>52.85</td><td>76.70</td><td>-23.85</td><td>67.83</td><td>35.64</td><td>13.56</td><td>64.18</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>5</td><td>7234.00</td><td>48.47</td><td>76.70</td><td>-28.23</td><td>61.99</td><td>35.87</td><td>14.09</td><td>63.48</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3216.00	50.98	76.70	-25.72	71.08	33.03	9.91	63.04	0.00	--	-- Peak	2	4824.00	53.01	74.00	-20.99	71.58	34.40	11.43	64.40	0.00	300	287 PEAK	3	4824.00	43.55	54.00	-10.45	62.10	34.40	11.44	64.39	0.00	300	287 AVERAGE	4	6432.00	52.85	76.70	-23.85	67.83	35.64	13.56	64.18	0.00	--	-- Peak	5	7234.00	48.47	76.70	-28.23	61.99	35.87	14.09	63.48	0.00	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3216.00</td><td>42.84</td><td>74.06</td><td>-32.02</td><td>62.94</td><td>33.03</td><td>9.91</td><td>63.04</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>4824.00</td><td>45.04</td><td>74.00</td><td>-28.96</td><td>63.61</td><td>34.40</td><td>11.43</td><td>64.40</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3</td><td>6432.00</td><td>50.72</td><td>74.06</td><td>-24.14</td><td>65.70</td><td>35.64</td><td>13.56</td><td>64.18</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>4</td><td>7233.00</td><td>45.47</td><td>74.06</td><td>-29.39</td><td>58.99</td><td>35.87</td><td>14.09</td><td>63.48</td><td>0.00</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3216.00	42.84	74.06	-32.02	62.94	33.03	9.91	63.04	0.00	--	-- Peak	2	4824.00	45.04	74.00	-28.96	63.61	34.40	11.43	64.40	0.00	--	-- PEAK	3	6432.00	50.72	74.06	-24.14	65.70	35.64	13.56	64.18	0.00	--	-- Peak	4	7233.00	45.47	74.06	-29.39	58.99	35.87	14.09	63.48	0.00	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																											
1	3216.00	50.98	76.70	-25.72	71.08	33.03	9.91	63.04	0.00	--	-- Peak																																																																																																																																																																										
2	4824.00	53.01	74.00	-20.99	71.58	34.40	11.43	64.40	0.00	300	287 PEAK																																																																																																																																																																										
3	4824.00	43.55	54.00	-10.45	62.10	34.40	11.44	64.39	0.00	300	287 AVERAGE																																																																																																																																																																										
4	6432.00	52.85	76.70	-23.85	67.83	35.64	13.56	64.18	0.00	--	-- Peak																																																																																																																																																																										
5	7234.00	48.47	76.70	-28.23	61.99	35.87	14.09	63.48	0.00	--	-- Peak																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																											
1	3216.00	42.84	74.06	-32.02	62.94	33.03	9.91	63.04	0.00	--	-- Peak																																																																																																																																																																										
2	4824.00	45.04	74.00	-28.96	63.61	34.40	11.43	64.40	0.00	--	-- PEAK																																																																																																																																																																										
3	6432.00	50.72	74.06	-24.14	65.70	35.64	13.56	64.18	0.00	--	-- Peak																																																																																																																																																																										
4	7233.00	45.47	74.06	-29.39	58.99	35.87	14.09	63.48	0.00	--	-- Peak																																																																																																																																																																										







		14																																																																																																		
Mode		Harmonic																																																																																																		
		2400-2483.5_802.11n_HT20_CH06_2437MHz																																																																																																		
ANT		1																																																																																																		
Pol.		Horizontal					Vertical																																																																																													
Peak Avg																																																																																																				
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 3249.00</td><td>56.98</td><td>81.79</td><td>-24.81</td><td>77.03</td><td>33.10</td><td>9.93</td><td>63.08</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2 4874.00</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>74.93</td><td>34.40</td><td>11.54</td><td>64.29</td><td>0.00</td><td>276 289 PEAK</td></tr><tr><td>3 4874.00</td><td>48.85</td><td>54.00</td><td>-5.15</td><td>67.20</td><td>34.40</td><td>11.54</td><td>64.29</td><td>0.00</td><td>276 289 AVERAGE</td></tr><tr><td>4 6498.00</td><td>53.64</td><td>81.79</td><td>-28.15</td><td>68.67</td><td>35.60</td><td>13.57</td><td>64.20</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>5 7311.00</td><td>62.09</td><td>74.00</td><td>-11.91</td><td>75.51</td><td>35.82</td><td>14.18</td><td>63.42</td><td>0.00</td><td>109 296 PEAK</td></tr><tr><td>6 7311.00</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>63.84</td><td>35.81</td><td>14.18</td><td>63.42</td><td>0.00</td><td>109 296 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 3249.00	56.98	81.79	-24.81	77.03	33.10	9.93	63.08	0.00	-- -- Peak	2 4874.00	56.58	74.00	-17.42	74.93	34.40	11.54	64.29	0.00	276 289 PEAK	3 4874.00	48.85	54.00	-5.15	67.20	34.40	11.54	64.29	0.00	276 289 AVERAGE	4 6498.00	53.64	81.79	-28.15	68.67	35.60	13.57	64.20	0.00	-- -- Peak	5 7311.00	62.09	74.00	-11.91	75.51	35.82	14.18	63.42	0.00	109 296 PEAK	6 7311.00	50.41	54.00	-3.59	63.84	35.81	14.18	63.42	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1 3249.00	56.98	81.79	-24.81	77.03	33.10	9.93	63.08	0.00	-- -- Peak																																																																																											
2 4874.00	56.58	74.00	-17.42	74.93	34.40	11.54	64.29	0.00	276 289 PEAK																																																																																											
3 4874.00	48.85	54.00	-5.15	67.20	34.40	11.54	64.29	0.00	276 289 AVERAGE																																																																																											
4 6498.00	53.64	81.79	-28.15	68.67	35.60	13.57	64.20	0.00	-- -- Peak																																																																																											
5 7311.00	62.09	74.00	-11.91	75.51	35.82	14.18	63.42	0.00	109 296 PEAK																																																																																											
6 7311.00	50.41	54.00	-3.59	63.84	35.81	14.18	63.42	0.00	109 296 AVERAGE																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 3249.00</td><td>48.55</td><td>78.14</td><td>-29.59</td><td>68.60</td><td>33.10</td><td>9.93</td><td>63.08</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>2 4874.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>63.38</td><td>34.40</td><td>11.54</td><td>64.29</td><td>0.00</td><td>-- -- PEAK</td></tr><tr><td>3 6498.00</td><td>48.87</td><td>78.14</td><td>-29.27</td><td>63.90</td><td>35.60</td><td>13.57</td><td>64.20</td><td>0.00</td><td>-- -- Peak</td></tr><tr><td>4 7311.00</td><td>57.97</td><td>74.00</td><td>-16.03</td><td>71.39</td><td>35.82</td><td>14.18</td><td>63.42</td><td>0.00</td><td>300 285 PEAK</td></tr><tr><td>5 7311.00</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>59.55</td><td>35.82</td><td>14.18</td><td>63.42</td><td>0.00</td><td>300 285 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 3249.00	48.55	78.14	-29.59	68.60	33.10	9.93	63.08	0.00	-- -- Peak	2 4874.00	45.03	74.00	-28.97	63.38	34.40	11.54	64.29	0.00	-- -- PEAK	3 6498.00	48.87	78.14	-29.27	63.90	35.60	13.57	64.20	0.00	-- -- Peak	4 7311.00	57.97	74.00	-16.03	71.39	35.82	14.18	63.42	0.00	300 285 PEAK	5 7311.00	46.13	54.00	-7.87	59.55	35.82	14.18	63.42	0.00	300 285 AVERAGE									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																											
1 3249.00	48.55	78.14	-29.59	68.60	33.10	9.93	63.08	0.00	-- -- Peak																																																																																											
2 4874.00	45.03	74.00	-28.97	63.38	34.40	11.54	64.29	0.00	-- -- PEAK																																																																																											
3 6498.00	48.87	78.14	-29.27	63.90	35.60	13.57	64.20	0.00	-- -- Peak																																																																																											
4 7311.00	57.97	74.00	-16.03	71.39	35.82	14.18	63.42	0.00	300 285 PEAK																																																																																											
5 7311.00	46.13	54.00	-7.87	59.55	35.82	14.18	63.42	0.00	300 285 AVERAGE																																																																																											





Mode	15																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>59.84</td><td>74.00</td><td>-14.16</td><td>45.11</td><td>32.34</td><td>9.23</td><td>32.84</td><td>6.00</td><td>289</td><td>288</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2484.28	59.84	74.00	-14.16	45.11	32.34	9.23	32.84	6.00	289	288	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>110.08</td><td>-----</td><td>-----</td><td>95.53</td><td>32.25</td><td>9.21</td><td>32.91</td><td>6.00</td><td>289</td><td>288</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	110.08	-----	-----	95.53	32.25	9.21	32.91	6.00	289	288
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2484.28	59.84	74.00	-14.16	45.11	32.34	9.23	32.84	6.00	289	288	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2462.00	110.08	-----	-----	95.53	32.25	9.21	32.91	6.00	289	288	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>50.35</td><td>54.00</td><td>-3.65</td><td>35.64</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>289</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	50.35	54.00	-3.65	35.64	32.33	9.23	32.85	6.00	289	288	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>99.28</td><td>-----</td><td>-----</td><td>84.73</td><td>32.25</td><td>9.21</td><td>32.91</td><td>6.00</td><td>289</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	99.28	-----	-----	84.73	32.25	9.21	32.91	6.00	289	288
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2483.50	50.35	54.00	-3.65	35.64	32.33	9.23	32.85	6.00	289	288	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	2462.00	99.28	-----	-----	84.73	32.25	9.21	32.91	6.00	289	288	AVERAGE																																																																																							



		15																																																						
Mode		Band Edge																																																						
		2400-2483.5_802.11n HT20_CH11_2462MHz																																																						
ANT		1																																																						
Pol.		Vertical						Fundamental																																																
Peak																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>60.61</td><td>74.00</td><td>-13.39</td><td>45.90</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>100</td><td>9 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	60.61	74.00	-13.39	45.90	32.33	9.23	32.85	6.00	100	9 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2483.50	60.61	74.00	-13.39	45.90	32.33	9.23	32.85	6.00	100	9 PEAK																																													
Avg																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>30.64</td><td>32.33</td><td>9.23</td><td>32.85</td><td>6.00</td><td>100</td><td>9 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2483.50	45.35	54.00	-8.65	30.64	32.33	9.23	32.85	6.00	100	9 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2483.50	45.35	54.00	-8.65	30.64	32.33	9.23	32.85	6.00	100	9 AVERAGE																																													
																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>103.31</td><td>-----</td><td>-----</td><td>88.76</td><td>32.25</td><td>9.21</td><td>32.91</td><td>6.00</td><td>100</td><td>9 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	103.31	-----	-----	88.76	32.25	9.21	32.91	6.00	100	9 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	103.31	-----	-----	88.76	32.25	9.21	32.91	6.00	100	9 PEAK																																													
																																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>92.06</td><td>-----</td><td>-----</td><td>77.51</td><td>32.25</td><td>9.21</td><td>32.91</td><td>6.00</td><td>100</td><td>9 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2462.00	92.06	-----	-----	77.51	32.25	9.21	32.91	6.00	100	9 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	2462.00	92.06	-----	-----	77.51	32.25	9.21	32.91	6.00	100	9 AVERAGE																																													




Mode	15																																																																																																																																																																																										
	Harmonic																																																																																																																																																																																										
	2400-2483.5_802.11n HT20_CH11_2462MHz																																																																																																																																																																																										
ANT	1																																																																																																																																																																																										
Pol.	Horizontal										Vertical																																																																																																																																																																																
Peak Avg																																																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 3282.00</td><td>51.29</td><td>80.82</td><td>-29.53</td><td>71.37</td><td>33.10</td><td>9.95</td><td>63.13</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2 4924.00</td><td>58.84</td><td>74.00</td><td>-15.16</td><td>77.06</td><td>34.40</td><td>11.65</td><td>64.27</td><td>0.00</td><td>100</td><td>155 PEAK</td></tr><tr><td>3 4924.00</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>64.66</td><td>34.40</td><td>11.65</td><td>64.27</td><td>0.00</td><td>100</td><td>155 AVERAGE</td></tr><tr><td>4 6565.00</td><td>53.05</td><td>80.82</td><td>-27.77</td><td>67.90</td><td>35.70</td><td>13.58</td><td>64.13</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>5 7386.00</td><td>54.78</td><td>74.00</td><td>-19.22</td><td>68.11</td><td>35.76</td><td>14.27</td><td>63.36</td><td>0.00</td><td>100</td><td>297 PEAK</td></tr><tr><td>6 7386.00</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>56.95</td><td>35.76</td><td>14.27</td><td>63.37</td><td>0.00</td><td>100</td><td>297 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 3282.00	51.29	80.82	-29.53	71.37	33.10	9.95	63.13	0.00	--	-- Peak	2 4924.00	58.84	74.00	-15.16	77.06	34.40	11.65	64.27	0.00	100	155 PEAK	3 4924.00	46.44	54.00	-7.56	64.66	34.40	11.65	64.27	0.00	100	155 AVERAGE	4 6565.00	53.05	80.82	-27.77	67.90	35.70	13.58	64.13	0.00	--	-- Peak	5 7386.00	54.78	74.00	-19.22	68.11	35.76	14.27	63.36	0.00	100	297 PEAK	6 7386.00	43.61	54.00	-10.39	56.95	35.76	14.27	63.37	0.00	100	297 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 3283.00</td><td>43.75</td><td>78.12</td><td>-34.37</td><td>63.83</td><td>33.10</td><td>9.95</td><td>63.13</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>2 4924.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>62.91</td><td>34.40</td><td>11.65</td><td>64.27</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 6565.00</td><td>48.68</td><td>78.12</td><td>-29.44</td><td>63.53</td><td>35.70</td><td>13.58</td><td>64.13</td><td>0.00</td><td>--</td><td>-- Peak</td></tr><tr><td>4 7386.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>57.81</td><td>35.76</td><td>14.27</td><td>63.36</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 3283.00	43.75	78.12	-34.37	63.83	33.10	9.95	63.13	0.00	--	-- Peak	2 4924.00	44.69	74.00	-29.31	62.91	34.40	11.65	64.27	0.00	--	-- PEAK	3 6565.00	48.68	78.12	-29.44	63.53	35.70	13.58	64.13	0.00	--	-- Peak	4 7386.00	44.48	74.00	-29.52	57.81	35.76	14.27	63.36	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																	
1 3282.00	51.29	80.82	-29.53	71.37	33.10	9.95	63.13	0.00	--	-- Peak																																																																																																																																																																																	
2 4924.00	58.84	74.00	-15.16	77.06	34.40	11.65	64.27	0.00	100	155 PEAK																																																																																																																																																																																	
3 4924.00	46.44	54.00	-7.56	64.66	34.40	11.65	64.27	0.00	100	155 AVERAGE																																																																																																																																																																																	
4 6565.00	53.05	80.82	-27.77	67.90	35.70	13.58	64.13	0.00	--	-- Peak																																																																																																																																																																																	
5 7386.00	54.78	74.00	-19.22	68.11	35.76	14.27	63.36	0.00	100	297 PEAK																																																																																																																																																																																	
6 7386.00	43.61	54.00	-10.39	56.95	35.76	14.27	63.37	0.00	100	297 AVERAGE																																																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																	
1 3283.00	43.75	78.12	-34.37	63.83	33.10	9.95	63.13	0.00	--	-- Peak																																																																																																																																																																																	
2 4924.00	44.69	74.00	-29.31	62.91	34.40	11.65	64.27	0.00	--	-- PEAK																																																																																																																																																																																	
3 6565.00	48.68	78.12	-29.44	63.53	35.70	13.58	64.13	0.00	--	-- Peak																																																																																																																																																																																	
4 7386.00	44.48	74.00	-29.52	57.81	35.76	14.27	63.36	0.00	--	-- PEAK																																																																																																																																																																																	


Appendix C. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	98.809	-	-	10HZ
802.11g	98.899	-	-	10HZ
802.11n HT20	98.834	-	-	10HZ

802.11b



802.11g



802.11n HT20

