

1.1. Test Band = NR Band2_ TM1**1.1.1. Test Channel = Low**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
4526.62	-63.76	-13.00	50.76	Horizontal
5172.37	-62.49	-13.00	49.49	Horizontal
7265.25	-58.22	-13.00	45.22	Horizontal
8598.37	-57.41	-13.00	44.41	Horizontal
10950.75	-56.68	-13.00	43.68	Horizontal
13219.87	-55.21	-13.00	42.21	Horizontal
4400.25	-63.84	-13.00	50.84	Vertical
5172.37	-61.84	-13.00	48.84	Vertical
6288.37	-61.22	-13.00	48.22	Vertical
7252.12	-58.13	-13.00	45.13	Vertical
8734.87	-56.76	-13.00	43.76	Vertical
11174.62	-55.98	-13.00	42.98	Vertical

1.2. Test Band = NR Band2_ TM1**1.2.1. Test Channel = Mid**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
4055.25	-64.71	-13.00	51.71	Horizontal
5188.50	-61.99	-13.00	48.99	Horizontal
6618.37	-60.00	-13.00	47.00	Horizontal
7890.75	-58.32	-13.00	45.32	Horizontal
9840.75	-56.52	-13.00	43.52	Horizontal
10994.62	-57.26	-13.00	44.26	Horizontal
4375.50	-63.63	-13.00	50.63	Vertical
5125.50	-61.73	-13.00	48.73	Vertical
6343.87	-60.81	-13.00	47.81	Vertical
7923.37	-58.12	-13.00	45.12	Vertical
9003.00	-56.37	-13.00	43.37	Vertical
11433.00	-55.94	-13.00	42.94	Vertical

1.3. Test Band = NR Band2_ TM1**1.3.1. Test Channel = High**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
4224.37	-64.12	-13.00	51.12	Horizontal
5380.12	-61.66	-13.00	48.66	Horizontal
6443.25	-60.05	-13.00	47.05	Horizontal
7274.62	-58.26	-13.00	45.26	Horizontal
9811.50	-56.25	-13.00	43.25	Horizontal
12199.12	-54.09	-13.00	41.09	Horizontal
4191.00	-64.35	-13.00	51.35	Vertical
4313.25	-64.00	-13.00	51.00	Vertical
5847.00	-61.06	-13.00	48.06	Vertical
7281.37	-57.45	-13.00	44.45	Vertical
8999.25	-56.77	-13.00	43.77	Vertical
10890.37	-56.95	-13.00	43.95	Vertical

1.4. Test Band = NR Band41_ TM1**1.4.1. Test Channel = Low**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
4252.50	-62.58	-25.00	37.58	Horizontal
5046.37	-61.20	-25.00	36.20	Horizontal
6718.50	-57.95	-25.00	32.95	Horizontal
8416.87	-55.67	-25.00	30.67	Horizontal
9822.75	-54.76	-25.00	29.76	Horizontal
11591.25	-53.08	-25.00	28.08	Horizontal
4375.87	-62.94	-25.00	37.94	Vertical
5363.62	-61.23	-25.00	36.23	Vertical
6345.00	-59.33	-25.00	34.33	Vertical
7266.75	-56.63	-25.00	31.63	Vertical
8703.00	-55.57	-25.00	30.57	Vertical
11586.75	-52.88	-25.00	27.88	Vertical

1.5. Test Band = NR Band41_ TM1**1.5.1. Test Channel = Mid**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
4362.37	-62.64	-25.00	37.64	Horizontal
5140.87	-61.38	-25.00	36.38	Horizontal
5820.00	-59.74	-25.00	34.74	Horizontal
7051.50	-57.57	-25.00	32.57	Horizontal
8952.75	-55.46	-25.00	30.46	Horizontal
11586.37	-53.25	-25.00	28.25	Horizontal
4026.37	-64.34	-25.00	39.34	Vertical
4889.62	-61.60	-25.00	36.60	Vertical
5870.62	-59.95	-25.00	34.95	Vertical
7244.25	-56.68	-25.00	31.68	Vertical
8994.37	-55.61	-25.00	30.61	Vertical
11556.00	-53.17	-25.00	28.17	Vertical

1.6. Test Band = NR Band41_ TM1**1.6.1. Test Channel = High**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
4085.62	-63.99	-25.00	38.99	Horizontal
5032.12	-61.25	-25.00	36.25	Horizontal
5927.25	-60.17	-25.00	35.17	Horizontal
7968.00	-56.99	-25.00	31.99	Horizontal
9004.50	-54.92	-25.00	29.92	Horizontal
11592.00	-53.12	-25.00	28.12	Horizontal
4198.12	-63.49	-25.00	38.49	Vertical
5053.12	-60.68	-25.00	35.68	Vertical
6330.37	-59.88	-25.00	34.88	Vertical
7031.25	-57.09	-25.00	32.09	Vertical
9650.25	-55.50	-25.00	30.50	Vertical
11574.37	-52.82	-25.00	27.82	Vertical

1.7. Test Band = NR Band77_ TM1**1.7.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
6793.25	-58.83	-13.00	45.83	Horizontal
7938.65	-56.95	-13.00	43.95	Horizontal
9895.95	-58.13	-13.00	45.13	Horizontal
12097.62	-54.36	-13.00	41.36	Horizontal
14800.12	-55.30	-13.00	42.30	Horizontal
16818.37	-54.98	-13.00	41.98	Horizontal
7110.07	-58.22	-13.00	45.22	Vertical
8417.05	-57.14	-13.00	44.14	Vertical
10882.65	-57.29	-13.00	44.29	Vertical
13306.85	-56.25	-13.00	43.25	Vertical
15138.22	-56.93	-13.00	43.93	Vertical
16468.77	-56.35	-13.00	43.35	Vertical

1.8. Test Band = NR Band77_ TM1**1.8.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7031.30	-58.41	-13.00	45.41	Horizontal
8538.37	-57.08	-13.00	44.08	Horizontal
9820.62	-56.46	-13.00	43.46	Horizontal
11602.55	-54.44	-13.00	41.44	Horizontal
13620.80	-54.54	-13.00	41.54	Horizontal
15821.90	-55.72	-13.00	42.72	Horizontal
7233.70	-58.26	-13.00	45.26	Vertical
9017.92	-56.69	-13.00	43.69	Vertical
11560.00	-55.06	-13.00	42.06	Vertical
13648.97	-54.24	-13.00	41.24	Vertical
15821.32	-55.80	-13.00	42.80	Vertical
17454.32	-54.40	-13.00	41.40	Vertical

1.9. Test Band = NR Band77_ TM1**1.9.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7190.57	-58.33	-13.00	45.33	Horizontal
8547.00	-56.87	-13.00	43.87	Horizontal
10840.67	-57.52	-13.00	44.52	Horizontal
13206.80	-55.15	-13.00	42.15	Horizontal
15816.72	-55.80	-13.00	42.80	Horizontal
17479.62	-53.85	-13.00	40.85	Horizontal
7245.20	-58.09	-13.00	45.09	Vertical
8589.55	-57.22	-13.00	44.22	Vertical
9319.80	-57.10	-13.00	44.10	Vertical
10881.50	-57.46	-13.00	44.46	Vertical
12145.35	-54.55	-13.00	41.55	Vertical
14300.45	-54.43	-13.00	41.43	Vertical

1.10. Test Band = NR Band77_ TM1**1.10.1. Test Channel = Low 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7298.67	-58.66	-13.00	45.66	Horizontal
8785.05	-57.70	-13.00	44.70	Horizontal
10243.25	-58.96	-13.00	45.96	Horizontal
11549.65	-54.28	-13.00	41.28	Horizontal
13738.10	-54.65	-13.00	41.65	Horizontal
15932.87	-57.02	-13.00	44.02	Horizontal
7150.32	-58.34	-13.00	45.34	Vertical
7966.82	-57.48	-13.00	44.48	Vertical
9914.35	-58.16	-13.00	45.16	Vertical
11580.70	-54.45	-13.00	41.45	Vertical
14015.82	-54.17	-13.00	41.17	Vertical
15868.47	-56.52	-13.00	43.52	Vertical

1.11. Test Band = NR Band77_ TM1**1.11.1. Test Channel = Mid 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7076.15	-58.08	-13.00	45.08	Horizontal
8411.87	-57.12	-13.00	44.12	Horizontal
10342.72	-57.61	-13.00	44.61	Horizontal
12101.07	-53.92	-13.00	40.92	Horizontal
14518.37	-55.13	-13.00	42.13	Horizontal
16804.00	-54.98	-13.00	41.98	Horizontal
7243.47	-58.24	-13.00	45.24	Vertical
7940.37	-57.52	-13.00	44.52	Vertical
9330.15	-57.63	-13.00	44.63	Vertical
10883.22	-56.35	-13.00	43.35	Vertical
12490.35	-55.73	-13.00	42.73	Vertical
14808.75	-55.28	-13.00	42.28	Vertical

1.12. Test Band = NR Band77_ TM1**1.12.1. Test Channel = High 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7461.40	-58.36	-13.00	45.36	Horizontal
8434.87	-57.45	-13.00	44.45	Horizontal
9805.67	-56.29	-13.00	43.29	Horizontal
11574.37	-54.04	-13.00	41.04	Horizontal
13649.55	-53.84	-13.00	40.84	Horizontal
16478.55	-55.77	-13.00	42.77	Horizontal
6985.30	-58.67	-13.00	45.67	Vertical
7974.30	-57.52	-13.00	44.52	Vertical
9756.22	-56.28	-13.00	43.28	Vertical
11566.32	-54.53	-13.00	41.53	Vertical
14314.82	-53.58	-13.00	40.58	Vertical
16803.42	-55.02	-13.00	42.02	Vertical

1.13. Test Band = NR Band78_ TM1**1.13.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7943.82	-57.60	-13.00	44.60	Horizontal
9831.55	-55.87	-13.00	42.87	Horizontal
11606.57	-54.74	-13.00	41.74	Horizontal
13189.55	-54.85	-13.00	41.85	Horizontal
14870.27	-55.88	-13.00	42.88	Horizontal
17707.90	-52.64	-13.00	39.64	Horizontal
7678.17	-58.99	-13.00	45.99	Vertical
9522.77	-57.21	-13.00	44.21	Vertical
10364.00	-58.04	-13.00	45.04	Vertical
12712.87	-55.51	-13.00	42.51	Vertical
14844.40	-55.53	-13.00	42.53	Vertical
17898.22	-50.67	-13.00	37.67	Vertical

1.14. Test Band = NR Band78_ TM1**1.14.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7951.87	-57.76	-13.00	44.76	Horizontal
9522.77	-56.89	-13.00	43.89	Horizontal
11611.75	-54.28	-13.00	41.28	Horizontal
13970.40	-54.28	-13.00	41.28	Horizontal
15813.85	-55.80	-13.00	42.80	Horizontal
17939.05	-50.68	-13.00	37.68	Horizontal
7474.05	-58.70	-13.00	45.70	Vertical
9001.25	-56.69	-13.00	43.69	Vertical
10880.35	-57.05	-13.00	44.05	Vertical
12707.12	-56.12	-13.00	43.12	Vertical
14511.47	-55.48	-13.00	42.48	Vertical
16813.77	-54.90	-13.00	41.90	Vertical

1.15. Test Band = NR Band78_ TM1**1.15.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7422.87	-58.52	-13.00	45.52	Horizontal
9544.05	-57.07	-13.00	44.07	Horizontal
10836.65	-57.31	-13.00	44.31	Horizontal
12440.32	-55.78	-13.00	42.78	Horizontal
14316.55	-54.40	-13.00	41.40	Horizontal
15825.92	-55.97	-13.00	42.97	Horizontal
7306.15	-58.42	-13.00	45.42	Vertical
9521.62	-56.71	-13.00	43.71	Vertical
11567.47	-54.84	-13.00	41.84	Vertical
13202.77	-55.24	-13.00	42.24	Vertical
14840.95	-55.70	-13.00	42.70	Vertical
17438.80	-54.33	-13.00	41.33	Vertical

1.16. Test Band = NR Band78_ TM1**1.16.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7299.25	-57.88	-13.00	44.88	Horizontal
8548.15	-56.90	-13.00	43.90	Horizontal
9794.175	-56.46	-13.00	43.46	Horizontal
11547.35	-54.43	-13.00	41.43	Horizontal
13965.22	-54.51	-13.00	41.51	Horizontal
15817.30	-55.83	-13.00	42.83	Horizontal
7249.22	-58.62	-13.00	45.62	Vertical
8465.92	-57.47	-13.00	44.47	Vertical
9803.95	-56.16	-13.00	43.16	Vertical
11560.57	-54.70	-13.00	41.70	Vertical
13628.85	-54.74	-13.00	41.74	Vertical
15808.10	-55.51	-13.00	42.51	Vertical

1.17. Test Band = NR Band78_ TM1**1.17.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7123.30	-58.38	-13.00	45.38	Horizontal
8548.15	-56.65	-13.00	43.65	Horizontal
9848.22	-56.30	-13.00	43.30	Horizontal
11555.40	-54.65	-13.00	41.65	Horizontal
13965.22	-54.93	-13.00	41.93	Horizontal
16808.60	-55.24	-13.00	42.24	Horizontal
7316.50	-58.36	-13.00	45.36	Vertical
8486.05	-56.81	-13.00	43.81	Vertical
9828.67	-56.09	-13.00	43.09	Vertical
11181.65	-56.84	-13.00	43.84	Vertical
13200.47	-55.10	-13.00	42.10	Vertical
15823.62	-56.21	-13.00	43.21	Vertical

1.18. Test Band = NR Band78_ TM1**1.18.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7459.10	-58.49	-13.00	45.49	Horizontal
8718.35	-57.03	-13.00	44.03	Horizontal
9822.35	-56.07	-13.00	43.07	Horizontal
11610.6	-54.35	-13.00	41.35	Horizontal
14008.92	-54.59	-13.00	41.59	Horizontal
15885.72	-56.28	-13.00	43.28	Horizontal
7491.87	-58.24	-13.00	45.24	Vertical
9016.20	-56.60	-13.00	43.60	Vertical
10409.42	-58.12	-13.00	45.12	Vertical
12099.35	-54.06	-13.00	41.06	Vertical
13617.35	-54.65	-13.00	41.65	Vertical
15825.35	-55.67	-13.00	42.67	Vertical

---End of Attachment---