

1.1. Test Band = NR CA N2A-N77A_TM1**1.1.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3914.25	-64.29	-13.00	51.29	Horizontal
5031.37	-62.13	-13.00	49.13	Horizontal
6714.37	-59.14	-13.00	46.14	Horizontal
8459.62	-56.93	-13.00	43.93	Horizontal
11599.50	-54.67	-13.00	41.67	Horizontal
14815.12	-55.25	-13.00	42.25	Horizontal
3831.75	-65.30	-13.00	52.30	Vertical
5177.25	-62.15	-13.00	49.15	Vertical
6662.62	-58.98	-13.00	45.98	Vertical
9011.62	-56.77	-13.00	43.77	Vertical
12725.62	-56.22	-13.00	43.22	Vertical
14316.75	-53.80	-13.00	40.80	Vertical

1.2. Test Band = NR CA N2A-N77A_TM1**1.2.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3860.25	-64.73	-13.00	51.73	Horizontal
5772.75	-62.24	-13.00	49.24	Horizontal
7457.25	-58.28	-13.00	45.28	Horizontal
9802.12	-56.57	-13.00	43.57	Horizontal
14844.00	-55.41	-13.00	42.41	Horizontal
17894.25	-51.16	-13.00	38.16	Horizontal
3895.12	-65.23	-13.00	52.23	Vertical
5335.87	-62.07	-13.00	49.07	Vertical
7182.00	-58.27	-13.00	45.27	Vertical
9474.75	-57.04	-13.00	44.04	Vertical
13215.37	-56.36	-13.00	43.36	Vertical
15810.75	-55.09	-13.00	42.09	Vertical

1.3. Test Band = NR CA N2A-N77A_TM1**1.3.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3815.25	-64.60	-13.00	51.60	Horizontal
5365.12	-62.17	-13.00	49.17	Horizontal
7974.37	-58.08	-13.00	45.08	Horizontal
11207.25	-56.62	-13.00	43.62	Horizontal
14296.12	-54.38	-13.00	41.38	Horizontal
17957.25	-50.98	-13.00	37.98	Horizontal
3878.25	-64.80	-13.00	51.80	Vertical
4825.50	-61.28	-13.00	48.28	Vertical
6784.12	-59.01	-13.00	46.01	Vertical
9809.62	-56.37	-13.00	43.37	Vertical
14304.75	-54.38	-13.00	41.38	Vertical
17947.12	-50.82	-13.00	37.82	Vertical

1.4. Test Band = NR CA N2A-N77A_TM1**1.4.1. Test Channel = Low 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3754.87	-64.80	-13.00	51.80	Horizontal
5090.62	-61.96	-13.00	48.96	Horizontal
7251.75	-58.29	-13.00	45.29	Horizontal
9812.62	-56.38	-13.00	43.38	Horizontal
13207.12	-56.36	-13.00	43.36	Horizontal
17944.87	-51.42	-13.00	38.42	Horizontal
3734.25	-65.56	-13.00	52.56	Vertical
4850.25	-62.85	-13.00	49.85	Vertical
6779.62	-58.88	-13.00	45.88	Vertical
9642.75	-57.03	-13.00	44.03	Vertical
12421.50	-55.23	-13.00	42.23	Vertical
16659.37	-54.81	-13.00	41.81	Vertical

1.5. Test Band = NR CA N2A-N77A_TM1**1.5.1. Test Channel = Mid 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3818.62	-65.06	-13.00	52.06	Horizontal
5028.00	-62.48	-13.00	49.48	Horizontal
6704.62	-58.90	-13.00	45.90	Horizontal
9804.00	-56.52	-13.00	43.52	Horizontal
12706.87	-55.40	-13.00	42.40	Horizontal
17905.12	-51.04	-13.00	38.04	Horizontal
3763.12	-65.29	-13.00	52.29	Vertical
5319.00	-61.82	-13.00	48.82	Vertical
7115.25	-58.61	-13.00	45.61	Vertical
9609.37	-57.18	-13.00	44.18	Vertical
14269.12	-54.53	-13.00	41.53	Vertical
17903.62	-51.52	-13.00	38.52	Vertical

1.6. Test Band = NR CA N2A-N77A_TM1**1.6.1. Test Channel = High 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3711.75	-65.12	-13.00	52.12	Horizontal
4551.75	-62.30	-13.00	49.30	Horizontal
6399.75	-60.65	-13.00	47.65	Horizontal
8622.00	-56.85	-13.00	43.85	Horizontal
11598.37	-54.62	-13.00	41.62	Horizontal
15820.12	-54.73	-13.00	41.73	Horizontal
4239.37	-63.92	-13.00	50.92	Vertical
5191.12	-62.36	-13.00	49.36	Vertical
7266.00	-57.64	-13.00	44.64	Vertical
9051.37	-56.99	-13.00	43.99	Vertical
12103.50	-54.42	-13.00	41.42	Vertical
15808.50	-54.21	-13.00	41.21	Vertical

1.7. Test Band = NR CA N2A-N78A_ TM1**1.7.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
4237.12	-63.80	-13.00	50.80	Horizontal
5358.00	-61.52	-13.00	48.52	Horizontal
7251.75	-58.16	-13.00	45.16	Horizontal
9806.25	-56.88	-13.00	43.88	Horizontal
13758.37	-57.32	-13.00	44.32	Horizontal
17996.62	-53.13	-13.00	40.13	Horizontal
3632.25	-65.27	-13.00	52.27	Vertical
5030.62	-62.24	-13.00	49.24	Vertical
6713.62	-58.20	-13.00	45.20	Vertical
8872.50	-56.77	-13.00	43.77	Vertical
12151.50	-54.37	-13.00	41.37	Vertical
17716.87	-54.94	-13.00	41.94	Vertical

1.8. Test Band = NR CA N2A-N78A_ TM1**1.8.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3778.12	-65.28	-13.00	52.28	Horizontal
4822.87	-62.40	-13.00	49.40	Horizontal
6326.25	-61.10	-13.00	48.10	Horizontal
8006.25	-58.65	-13.00	45.65	Horizontal
11562.00	-54.73	-13.00	41.73	Horizontal
14319.37	-55.40	-13.00	42.40	Horizontal
3799.87	-65.17	-13.00	52.17	Vertical
5356.12	-61.76	-13.00	48.76	Vertical
6777.37	-58.25	-13.00	45.25	Vertical
9019.50	-56.40	-13.00	43.40	Vertical
13734.75	-56.71	-13.00	43.71	Vertical
17954.25	-52.75	-13.00	39.75	Vertical

1.9. Test Band = NR CA N2A-N78A_ TM1**1.9.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3801.37	-65.22	-13.00	52.22	Horizontal
4810.50	-62.16	-13.00	49.16	Horizontal
6409.50	-60.41	-13.00	47.41	Horizontal
8995.12	-56.67	-13.00	43.67	Horizontal
11597.25	-54.97	-13.00	41.97	Horizontal
17899.50	-52.74	-13.00	39.74	Horizontal
3894.750	-65.09	-13.00	52.09	Vertical
5356.50	-61.93	-13.00	48.93	Vertical
6754.50	-58.27	-13.00	45.27	Vertical
9842.62	-56.61	-13.00	43.61	Vertical
12127.87	-54.83	-13.00	41.83	Vertical
16614.00	-55.19	-13.00	42.19	Vertical

1.10. Test Band = NR CA N2A-N78A_ TM1**1.10.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3789.37	-64.91	-13.00	51.91	Horizontal
4999.12	-62.25	-13.00	49.25	Horizontal
6667.87	-59.52	-13.00	46.52	Horizontal
9061.12	-56.07	-13.00	43.07	Horizontal
12126.37	-54.48	-13.00	41.48	Horizontal
17773.12	-53.40	-13.00	40.40	Horizontal
3543.00	-66.67	-13.00	53.67	Vertical
5052.37	-62.63	-13.00	49.63	Vertical
6432.37	-60.17	-13.00	47.17	Vertical
8902.87	-56.35	-13.00	43.35	Vertical
13679.25	-55.70	-13.00	42.70	Vertical
17905.12	-51.44	-13.00	38.44	Vertical

1.11. Test Band = NR CA N2A-N78A_ TM1**1.11.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3574.50	-66.09	-13.00	53.09	Horizontal
4567.87	-63.42	-13.00	50.42	Horizontal
5835.37	-59.99	-13.00	46.99	Horizontal
8197.12	-58.34	-13.00	45.34	Horizontal
11547.75	-54.84	-13.00	41.84	Horizontal
15816.37	-54.12	-13.00	41.12	Horizontal
3717.37	-66.04	-13.00	53.04	Vertical
4801.50	-62.38	-13.00	49.38	Vertical
6730.87	-59.06	-13.00	46.06	Vertical
9530.62	-56.99	-13.00	43.99	Vertical
12396.37	-55.86	-13.00	42.86	Vertical
15817.87	-54.70	-13.00	41.70	Vertical

1.12. Test Band = NR CA N2A-N78A_ TM1**1.12.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
3627.37	-66.01	-13.00	53.01	Horizontal
4404.75	-63.55	-13.00	50.55	Horizontal
6700.50	-59.12	-13.00	46.12	Horizontal
8765.25	-57.04	-13.00	44.04	Horizontal
11601.37	-54.41	-13.00	41.41	Horizontal
14325.00	-54.47	-13.00	41.47	Horizontal
3876.75	-65.03	-13.00	52.03	Vertical
5397.37	-61.60	-13.00	48.60	Vertical
7294.87	-58.36	-13.00	45.36	Vertical
11581.87	-54.81	-13.00	41.81	Vertical
14258.62	-53.83	-13.00	40.83	Vertical
17950.12	-51.32	-13.00	38.32	Vertical

---End of Attachment---