

1.1. Test Band = NR NSA 2A-N77A_TM1**1.1.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7247.50	-58.35	-13.00	45.35	Horizontal
8998.37	-56.86	-13.00	43.86	Horizontal
10868.85	-57.60	-13.00	44.60	Horizontal
12102.80	-54.57	-13.00	41.57	Horizontal
14305.05	-54.55	-13.00	41.55	Horizontal
15819.02	-56.11	-13.00	43.11	Horizontal
7444.15	-58.65	-13.00	45.65	Vertical
8537.80	-56.94	-13.00	43.94	Vertical
10412.30	-58.80	-13.00	45.80	Vertical
12215.50	-54.29	-13.00	41.29	Vertical
14006.62	-55.12	-13.00	42.12	Vertical
15817.87	-56.31	-13.00	43.31	Vertical

1.2. Test Band = NR NSA 2A-N77A_TM1**1.2.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7433.80	-58.39	-13.00	45.39	Horizontal
8541.25	-56.90	-13.00	43.90	Horizontal
9856.85	-56.56	-13.00	43.56	Horizontal
10880.92	-57.45	-13.00	44.45	Horizontal
12146.50	-54.28	-13.00	41.28	Horizontal
14328.05	-54.59	-13.00	41.59	Horizontal
7422.30	-58.59	-13.00	45.59	Vertical
8535.50	-57.04	-13.00	44.04	Vertical
10392.75	-58.62	-13.00	45.62	Vertical
12098.77	-54.23	-13.00	41.23	Vertical
15065.20	-56.88	-13.00	43.88	Vertical
16802.85	-55.39	-13.00	42.39	Vertical

1.3. Test Band = NR NSA 2A-N77A_TM1**1.3.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7242.32	-58.12	-13.00	45.12	Horizontal
8410.15	-57.44	-13.00	44.44	Horizontal
8993.77	-57.18	-13.00	44.18	Horizontal
10879.77	-57.41	-13.00	44.41	Horizontal
12476.55	-56.31	-13.00	43.31	Horizontal
14804.72	-55.62	-13.00	42.62	Horizontal
7493.60	-58.58	-13.00	45.58	Vertical
8410.15	-57.20	-13.00	44.20	Vertical
9830.40	-56.39	-13.00	43.39	Vertical
12106.25	-54.62	-13.00	41.62	Vertical
14314.25	-54.51	-13.00	41.51	Vertical
16806.30	-54.85	-13.00	41.85	Vertical

1.4. Test Band = NR NSA 2A-N77A_TM1**1.4.1. Test Channel = Low 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7418.85	-58.50	-13.00	45.50	Horizontal
8545.85	-57.31	-13.00	44.31	Horizontal
10362.85	-58.69	-13.00	45.69	Horizontal
12477.12	-55.86	-13.00	42.86	Horizontal
14807.60	-55.51	-13.00	42.51	Horizontal
16817.80	-55.23	-13.00	42.23	Horizontal
7295.80	-58.25	-13.00	45.25	Vertical
9015.62	-56.58	-13.00	43.58	Vertical
10825.72	-57.65	-13.00	44.65	Vertical
12214.92	-54.34	-13.00	41.34	Vertical
14773.67	-55.44	-13.00	42.44	Vertical
17906.85	-51.07	-13.00	38.07	Vertical

1.5. Test Band = NR NSA 2A-N77A_TM1**1.5.1. Test Channel = Mid 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7305.57	-58.55	-13.00	45.55	Horizontal
8425.67	-56.76	-13.00	43.76	Horizontal
9824.07	-56.39	-13.00	43.39	Horizontal
11599.67	-54.87	-13.00	41.87	Horizontal
13622.52	-54.85	-13.00	41.85	Horizontal
15817.87	-56.04	-13.00	43.04	Horizontal
7942.67	-57.38	-13.00	44.38	Vertical
9799.35	-56.24	-13.00	43.24	Vertical
11496.17	-55.45	-13.00	42.45	Vertical
13203.92	-55.66	-13.00	42.66	Vertical
14801.85	-55.35	-13.00	42.35	Vertical
17908.00	-51.32	-13.00	38.32	Vertical

1.6. Test Band = NR NSA 2A-N77A_TM1**1.6.1. Test Channel = High 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7951.30	-57.68	-13.00	44.68	Horizontal
9542.90	-57.30	-13.00	44.30	Horizontal
11178.20	-57.08	-13.00	44.08	Horizontal
13641.50	-54.81	-13.00	41.81	Horizontal
15821.90	-56.18	-13.00	43.18	Horizontal
17913.75	-51.27	-13.00	38.27	Horizontal
7975.45	-57.50	-13.00	44.50	Vertical
9824.07	-56.00	-13.00	43.00	Vertical
11174.75	-57.31	-13.00	44.31	Vertical
12534.05	-55.91	-13.00	42.91	Vertical
14823.12	-55.44	-13.00	42.44	Vertical
17998.27	-50.92	-13.00	37.92	Vertical

1.7. Test Band = NR NSA 2A-N78A_ TM1**1.7.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7945.55	-57.82	-13.00	44.82	Horizontal
9825.80	-56.35	-13.00	43.35	Horizontal
11190.80	-56.95	-13.00	43.95	Horizontal
13209.67	-55.50	-13.00	42.50	Horizontal
14821.40	-55.76	-13.00	42.76	Horizontal
16812.62	-55.30	-13.00	42.30	Horizontal
7291.20	-58.52	-13.00	45.52	Vertical
8480.30	-57.16	-13.00	44.16	Vertical
9820.62	-56.13	-13.00	43.13	Vertical
12102.80	-54.58	-13.00	41.58	Vertical
14823.70	-55.94	-13.00	42.94	Vertical
15816.15	-56.07	-13.00	43.07	Vertical

1.8. Test Band = NR NSA 2A-N78A_ TM1**1.8.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7058.32	-58.35	-13.00	45.35	Horizontal
8409.57	-57.16	-13.00	44.16	Horizontal
10366.30	-58.55	-13.00	45.55	Horizontal
12084.40	-54.07	-13.00	41.07	Horizontal
14307.35	-54.18	-13.00	41.18	Horizontal
17895.92	-51.16	-13.00	38.16	Horizontal
7498.20	-58.70	-13.00	45.70	Vertical
8414.75	-57.24	-13.00	44.24	Vertical
9542.90	-56.85	-13.00	43.85	Vertical
11189.12	-57.18	-13.00	44.18	Vertical
13631.72	-55.32	-13.00	42.32	Vertical
16816.07	-55.34	-13.00	42.34	Vertical

1.9. Test Band = NR NSA 2A-N78A_ TM1**1.9.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7580.42	-58.97	-13.00	45.97	Horizontal
8722.37	-57.30	-13.00	44.30	Horizontal
9821.77	-56.14	-13.00	43.14	Horizontal
11606.00	-54.49	-13.00	41.49	Horizontal
13619.07	-54.97	-13.00	41.97	Horizontal
15831.67	-56.10	-13.00	43.10	Horizontal
7973.15	-57.56	-13.00	44.56	Vertical
9393.40	-57.45	-13.00	44.45	Vertical
10356.52	-58.81	-13.00	45.81	Vertical
12460.45	-56.20	-13.00	43.20	Vertical
14827.15	-55.36	-13.00	42.36	Vertical
16806.87	-54.75	-13.00	41.75	Vertical

1.10. Test Band = NR NSA 2A-N78A_ TM1**1.10.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7958.20	-57.32	-13.00	44.32	Horizontal
9136.95	-57.33	-13.00	44.33	Horizontal
10883.22	-57.62	-13.00	44.62	Horizontal
12423.07	-55.53	-13.00	42.53	Horizontal
15325.10	-57.15	-13.00	44.15	Horizontal
16755.70	-55.76	-13.00	42.76	Horizontal
7784.55	-58.92	-13.00	45.92	Vertical
9016.77	-57.11	-13.00	44.11	Vertical
10803.30	-58.69	-13.00	45.69	Vertical
12100.50	-54.60	-13.00	41.60	Vertical
14310.22	-54.46	-13.00	41.46	Vertical
16465.90	-55.99	-13.00	42.99	Vertical

1.11. Test Band = NR NSA 2A-N78A_ TM1**1.11.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7944.97	-57.86	-13.00	44.86	Horizontal
9404.32	-57.38	-13.00	44.38	Horizontal
10806.75	-58.71	-13.00	45.71	Horizontal
12217.80	-54.73	-13.00	41.73	Horizontal
15035.30	-57.09	-13.00	44.09	Horizontal
16805.15	-54.81	-13.00	41.81	Horizontal
7972.00	-57.42	-13.00	44.42	Vertical
9812.57	-56.59	-13.00	43.59	Vertical
11435.80	-56.63	-13.00	43.63	Vertical
12699.07	-56.31	-13.00	43.31	Vertical
14440.75	-55.39	-13.00	42.39	Vertical
17481.92	-54.38	-13.00	41.38	Vertical

1.12. Test Band = NR NSA 2A-N78A_ TM1**1.12.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
8538.95	-56.89	-13.00	43.89	Horizontal
9872.95	-57.26	-13.00	44.26	Horizontal
11561.72	-54.98	-13.00	41.98	Horizontal
13618.50	-55.06	-13.00	42.06	Horizontal
16803.42	-55.16	-13.00	42.16	Horizontal
17715.37	-53.28	-13.00	40.28	Horizontal
7422.87	-58.52	-13.00	45.52	Vertical
8701.67	-57.15	-13.00	44.15	Vertical
10385.27	-58.87	-13.00	45.87	Vertical
12135.00	-54.24	-13.00	41.24	Vertical
13200.47	-55.63	-13.00	42.63	Vertical
14814.50	-55.69	-13.00	42.69	Vertical

1.13. Test Band = NR NSA 4A-N78A_ TM1**1.13.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7452.77	-58.16	-13.00	45.16	Horizontal
8998.95	-56.55	-13.00	43.55	Horizontal
9820.05	-56.09	-13.00	43.09	Horizontal
11569.77	-54.77	-13.00	41.77	Horizontal
14299.30	-54.21	-13.00	41.21	Horizontal
15821.90	-55.89	-13.00	42.89	Horizontal
6718.50	-58.32	-13.00	45.32	Vertical
8548.15	-56.85	-13.00	43.85	Vertical
9820.62	-55.81	-13.00	42.81	Vertical
12117.17	-54.31	-13.00	41.31	Vertical
14805.30	-55.56	-13.00	42.56	Vertical
17500.90	-54.18	-13.00	41.18	Vertical

1.14. Test Band = NR NSA 4A-N78A_ TM1**1.14.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7063.50	-58.26	-13.00	45.26	Horizontal
8373.35	-58.25	-13.00	45.25	Horizontal
8998.37	-57.03	-13.00	44.03	Horizontal
10881.50	-57.33	-13.00	44.33	Horizontal
12719.77	-56.36	-13.00	43.36	Horizontal
14318.85	-54.50	-13.00	41.50	Horizontal
7070.97	-58.19	-13.00	45.19	Vertical
9020.22	-56.89	-13.00	43.89	Vertical
11602.55	-54.67	-13.00	41.67	Vertical
14004.90	-54.25	-13.00	41.25	Vertical
15024.95	-56.58	-13.00	43.58	Vertical
17900.52	-50.67	-13.00	37.67	Vertical

1.15. Test Band = NR NSA 4A-N78A_ TM1**1.15.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7188.27	-58.48	-13.00	45.48	Horizontal
8402.67	-57.59	-13.00	44.59	Horizontal
9808.55	-56.39	-13.00	43.39	Horizontal
11575.52	-54.56	-13.00	41.56	Horizontal
14008.92	-54.88	-13.00	41.88	Horizontal
16513.62	-55.63	-13.00	42.63	Horizontal
7107.77	-58.07	-13.00	45.07	Vertical
8409.00	-57.27	-13.00	44.27	Vertical
9807.97	-56.25	-13.00	43.25	Vertical
12084.40	-54.27	-13.00	41.27	Vertical
14319.42	-54.35	-13.00	41.35	Vertical
17438.80	-54.55	-13.00	41.55	Vertical

1.16. Test Band = NR NSA 4A-N78A_ TM1**1.16.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7463.70	-58.40	-13.00	45.40	Horizontal
8537.22	-56.75	-13.00	43.75	Horizontal
9519.90	-57.05	-13.00	44.05	Horizontal
10882.07	-57.13	-13.00	44.13	Horizontal
12211.47	-54.79	-13.00	41.79	Horizontal
14316.55	-54.61	-13.00	41.61	Horizontal
6689.75	-58.79	-13.00	45.79	Vertical
7464.27	-58.70	-13.00	45.70	Vertical
9000.67	-56.80	-13.00	43.80	Vertical
10790.07	-58.40	-13.00	45.40	Vertical
12728.97	-56.37	-13.00	43.37	Vertical
14312.52	-54.41	-13.00	41.41	Vertical

1.17. Test Band = NR NSA 4A-N78A_ TM1**1.17.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
6998.52	-58.19	-13.00	45.19	Horizontal
8541.82	-56.86	-13.00	43.86	Horizontal
10345.02	-58.51	-13.00	45.51	Horizontal
12129.25	-54.54	-13.00	41.54	Horizontal
14317.12	-54.13	-13.00	41.13	Horizontal
16509.02	-55.92	-13.00	42.92	Horizontal
7459.67	-58.38	-13.00	45.38	Vertical
8857.50	-57.18	-13.00	44.18	Vertical
9881.00	-57.47	-13.00	44.47	Vertical
11574.37	-54.75	-13.00	41.75	Vertical
14312.52	-54.42	-13.00	41.42	Vertical
15037.60	-56.91	-13.00	43.91	Vertical

1.18. Test Band = NR NSA 4A-N78A_ TM1**1.18.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
6739.77	-58.48	-13.00	45.48	Horizontal
7978.90	-57.51	-13.00	44.51	Horizontal
8960.42	-56.90	-13.00	43.90	Horizontal
10361.70	-58.13	-13.00	45.13	Horizontal
12116.02	-54.59	-13.00	41.59	Horizontal
14803.00	-55.49	-13.00	42.49	Horizontal
7781.67	-58.77	-13.00	45.77	Vertical
9536.00	-56.99	-13.00	43.99	Vertical
10851.60	-57.57	-13.00	44.57	Vertical
12216.65	-54.26	-13.00	41.26	Vertical
13613.32	-54.63	-13.00	41.63	Vertical
16785.02	-55.42	-13.00	42.42	Vertical

1.19. Test Band = NR NSA 5A-N77A_ TM1**1.19.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7120.42	-58.31	-13.00	45.31	Horizontal
8413.02	-57.60	-13.00	44.60	Horizontal
9802.22	-56.31	-13.00	43.31	Horizontal
11182.80	-56.96	-13.00	43.96	Horizontal
12480.00	-55.73	-13.00	42.73	Horizontal
14777.70	-55.78	-13.00	42.78	Horizontal
7288.90	-58.43	-13.00	45.43	Vertical
8192.80	-58.20	-13.00	45.20	Vertical
9813.15	-56.18	-13.00	43.18	Vertical
11447.30	-56.40	-13.00	43.40	Vertical
13618.50	-54.79	-13.00	41.79	Vertical
15440.10	-57.12	-13.00	44.12	Vertical

1.20. Test Band = NR NSA 5A-N77A_ TM1**1.20.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7187.12	-58.57	-13.00	45.57	Horizontal
8539.52	-57.32	-13.00	44.32	Horizontal
10353.65	-58.47	-13.00	45.47	Horizontal
12197.10	-54.42	-13.00	41.42	Horizontal
14302.17	-54.39	-13.00	41.39	Horizontal
15819.02	-56.02	-13.00	43.02	Horizontal
7047.97	-58.10	-13.00	45.10	Vertical
8012.25	-57.82	-13.00	44.82	Vertical
9824.07	-56.46	-13.00	43.46	Vertical
11605.42	-54.61	-13.00	41.61	Vertical
14314.82	-54.50	-13.00	41.50	Vertical
15816.72	-55.95	-13.00	42.95	Vertical

1.21. Test Band = NR NSA 5A-N77A_ TM1**1.21.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7080.17	-58.39	-13.00	45.39	Horizontal
8417.05	-57.32	-13.00	44.32	Horizontal
9830.40	-56.19	-13.00	43.19	Horizontal
11172.45	-56.88	-13.00	43.88	Horizontal
13211.97	-55.33	-13.00	42.33	Horizontal
15811.55	-56.11	-13.00	43.11	Horizontal
7319.37	-58.41	-13.00	45.41	Vertical
8545.85	-57.09	-13.00	44.09	Vertical
9423.87	-57.58	-13.00	44.58	Vertical
10879.20	-57.43	-13.00	44.43	Vertical
12224.12	-54.78	-13.00	41.78	Vertical
14317.70	-53.51	-13.00	40.51	Vertical

1.22. Test Band = NR NSA 5A-N77A_ TM1**1.22.1. Test Channel = Low 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7304.42	-58.48	-13.00	45.48	Horizontal
8535.50	-56.81	-13.00	43.81	Horizontal
9807.40	-56.24	-13.00	43.24	Horizontal
11562.87	-54.86	-13.00	41.86	Horizontal
13619.65	-54.58	-13.00	41.58	Horizontal
14804.72	-55.49	-13.00	42.49	Horizontal
7015.20	-58.17	-13.00	45.17	Vertical
7974.87	-57.46	-13.00	44.46	Vertical
9022.52	-57.16	-13.00	44.16	Vertical
10361.70	-58.33	-13.00	45.33	Vertical
12134.42	-54.30	-13.00	41.30	Vertical
14308.50	-53.81	-13.00	40.81	Vertical

1.23. Test Band = NR NSA 5A-N77A_ TM1**1.23.1. Test Channel = Mid 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7260.15	-58.40	-13.00	45.40	Horizontal
8429.12	-57.31	-13.00	44.31	Horizontal
9799.92	-56.46	-13.00	43.46	Horizontal
11171.30	-56.89	-13.00	43.89	Horizontal
13637.47	-54.33	-13.00	41.33	Horizontal
15815.57	-56.12	-13.00	43.12	Horizontal
6747.25	-58.69	-13.00	45.69	Vertical
7962.80	-57.45	-13.00	44.45	Vertical
9017.92	-56.85	-13.00	43.85	Vertical
10384.70	-58.33	-13.00	45.33	Vertical
12444.35	-55.80	-13.00	42.80	Vertical
14320.57	-54.37	-13.00	41.37	Vertical

1.24. Test Band = NR NSA 5A-N77A_ TM1**1.24.1. Test Channel = High 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7303.85	-57.97	-13.00	44.97	Horizontal
8543.55	-56.70	-13.00	43.70	Horizontal
9799.92	-56.45	-13.00	43.45	Horizontal
11554.25	-55.01	-13.00	42.01	Horizontal
13966.37	-54.69	-13.00	41.69	Horizontal
14812.20	-55.39	-13.00	42.39	Horizontal
7420.57	-58.41	-13.00	45.41	Vertical
8996.07	-56.69	-13.00	43.69	Vertical
10411.72	-58.11	-13.00	45.11	Vertical
12103.37	-54.24	-13.00	41.24	Vertical
14793.80	-55.46	-13.00	42.46	Vertical
17896.50	-50.93	-13.00	37.93	Vertical

1.25. Test Band = NR NSA 5A-N78A_ TM1**1.25.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7190.57	-58.40	-13.00	45.40	Horizontal
8542.97	-57.13	-13.00	44.13	Horizontal
9404.90	-57.06	-13.00	44.06	Horizontal
10887.25	-57.37	-13.00	44.37	Horizontal
12233.32	-55.17	-13.00	42.17	Horizontal
14320.00	-54.22	-13.00	41.22	Horizontal
7491.87	-58.26	-13.00	45.26	Vertical
8534.92	-57.12	-13.00	44.12	Vertical
10201.27	-60.24	-13.00	47.24	Vertical
12421.35	-55.93	-13.00	42.93	Vertical
15807.52	-56.09	-13.00	43.09	Vertical
16813.77	-55.02	-13.00	42.02	Vertical

1.26. Test Band = NR NSA 5A-N78A_ TM1**1.26.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7070.97	-58.09	-13.00	45.09	Horizontal
8552.75	-57.28	-13.00	44.28	Horizontal
9806.82	-56.28	-13.00	43.28	Horizontal
11422.00	-56.69	-13.00	43.69	Horizontal
13604.12	-54.90	-13.00	41.90	Horizontal
15865.02	-56.76	-13.00	43.76	Horizontal
7446.45	-58.36	-13.00	45.36	Vertical
9013.32	-56.59	-13.00	43.59	Vertical
9840.75	-56.24	-13.00	43.24	Vertical
11555.40	-54.91	-13.00	41.91	Vertical
13625.40	-55.10	-13.00	42.10	Vertical
14800.12	-55.26	-13.00	42.26	Vertical

1.27. Test Band = NR NSA 5A-N78A_ TM1**1.27.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7498.20	-59.09	-13.00	46.09	Horizontal
8907.52	-57.29	-13.00	44.29	Horizontal
9822.35	-56.54	-13.00	43.54	Horizontal
11146.57	-56.63	-13.00	43.63	Horizontal
13171.72	-55.10	-13.00	42.10	Horizontal
15061.17	-57.19	-13.00	44.19	Horizontal
7247.50	-58.11	-13.00	45.11	Vertical
8537.22	-57.39	-13.00	44.39	Vertical
10818.82	-57.88	-13.00	44.88	Vertical
12399.50	-55.79	-13.00	42.79	Vertical
15033.00	-56.91	-13.00	43.91	Vertical
16636.10	-55.98	-13.00	42.98	Vertical

1.28. Test Band = NR NSA 5A-N78A_ TM1**1.28.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7295.22	-58.36	-13.00	45.36	Horizontal
8621.75	-57.08	-13.00	44.08	Horizontal
10362.85	-58.47	-13.00	45.47	Horizontal
12439.17	-55.99	-13.00	42.99	Horizontal
15824.77	-55.96	-13.00	42.96	Horizontal
17893.05	-50.64	-13.00	37.64	Horizontal
7261.30	-58.56	-13.00	45.56	Vertical
8398.65	-57.48	-13.00	44.48	Vertical
9072.55	-57.27	-13.00	44.27	Vertical
10478.42	-59.50	-13.00	46.50	Vertical
12095.32	-54.33	-13.00	41.33	Vertical
14834.62	-55.52	-13.00	42.52	Vertical

1.29. Test Band = NR NSA 5A-N78A_ TM1**1.29.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7094.55	-58.43	-13.00	45.43	Horizontal
8425.67	-57.41	-13.00	44.41	Horizontal
9402.60	-57.64	-13.00	44.64	Horizontal
10407.70	-58.88	-13.00	45.88	Horizontal
13220.02	-55.28	-13.00	42.28	Horizontal
15394.10	-57.29	-13.00	44.29	Horizontal
7136.52	-58.49	-13.00	45.49	Vertical
8744.80	-57.18	-13.00	44.18	Vertical
10411.15	-59.02	-13.00	46.02	Vertical
12083.25	-54.15	-13.00	41.15	Vertical
14101.50	-55.09	-13.00	42.09	Vertical
17462.95	-54.57	-13.00	41.57	Vertical

1.30. Test Band = NR NSA 5A-N78A_ TM1**1.30.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7077.30	-58.55	-13.00	45.55	Horizontal
7961.07	-57.70	-13.00	44.70	Horizontal
8812.07	-57.06	-13.00	44.06	Horizontal
9825.22	-56.37	-13.00	43.37	Horizontal
11177.05	-57.32	-13.00	44.32	Horizontal
13617.92	-54.95	-13.00	41.95	Horizontal
7953.60	-57.58	-13.00	44.58	Vertical
9022.52	-56.78	-13.00	43.78	Vertical
11182.22	-57.33	-13.00	44.33	Vertical
13204.50	-55.53	-13.00	42.53	Vertical
15816.15	-56.20	-13.00	43.20	Vertical
17895.35	-50.89	-13.00	37.89	Vertical

1.31. Test Band = NR NSA 7A-N77A_ TM1**1.31.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7441.27	-58.69	-13.00	45.69	Horizontal
8864.40	-57.32	-13.00	44.32	Horizontal
10350.20	-58.95	-13.00	45.95	Horizontal
12094.17	-54.65	-13.00	41.65	Horizontal
14315.97	-54.51	-13.00	41.51	Horizontal
15812.70	-56.34	-13.00	43.34	Horizontal
7953.02	-57.36	-13.00	44.36	Vertical
9403.17	-57.32	-13.00	44.32	Vertical
11194.87	-57.86	-13.00	44.86	Vertical
13218.87	-55.90	-13.00	42.90	Vertical
14862.22	-56.74	-13.00	43.74	Vertical
16820.67	-55.13	-13.00	42.13	Vertical

1.32. Test Band = NR NSA 7A-N77A_ TM1**1.32.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7951.30	-57.43	-13.00	44.43	Horizontal
9688.37	-57.03	-13.00	44.03	Horizontal
11175.32	-57.61	-13.00	44.61	Horizontal
13197.02	-56.03	-13.00	43.03	Horizontal
14809.32	-55.44	-13.00	42.44	Horizontal
15835.12	-56.28	-13.00	43.28	Horizontal
7935.20	-57.54	-13.00	44.54	Vertical
9799.92	-56.61	-13.00	43.61	Vertical
11195.45	-58.09	-13.00	45.09	Vertical
12212.62	-54.91	-13.00	41.91	Vertical
14811.62	-55.46	-13.00	42.46	Vertical
17472.15	-54.74	-13.00	41.74	Vertical

1.33. Test Band = NR NSA 7A-N77A_ TM1**1.33.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7456.22	-58.63	-13.00	45.63	Horizontal
8736.75	-57.03	-13.00	44.03	Horizontal
9818.90	-56.50	-13.00	43.50	Horizontal
11600.82	-55.01	-13.00	42.01	Horizontal
14321.15	-54.86	-13.00	41.86	Horizontal
17696.40	-53.44	-13.00	40.44	Horizontal
7300.97	-58.19	-13.00	45.19	Vertical
8550.45	-56.98	-13.00	43.98	Vertical
9818.32	-56.63	-13.00	43.63	Vertical
12087.27	-54.19	-13.00	41.19	Vertical
14308.50	-54.74	-13.00	41.74	Vertical
17753.32	-53.42	-13.00	40.42	Vertical

1.34. Test Band = NR NSA 7A-N77A_ TM1**1.34.1. Test Channel = Low 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7196.32	-58.40	-13.00	45.40	Horizontal
8415.32	-57.23	-13.00	44.23	Horizontal
9817.75	-56.26	-13.00	43.26	Horizontal
11560.00	-54.99	-13.00	41.99	Horizontal
13641.50	-55.44	-13.00	42.44	Horizontal
15816.15	-56.38	-13.00	43.38	Horizontal
7251.52	-58.56	-13.00	45.56	Vertical
7916.22	-57.88	-13.00	44.88	Vertical
9017.92	-57.15	-13.00	44.15	Vertical
11179.92	-57.76	-13.00	44.76	Vertical
13618.50	-55.42	-13.00	42.42	Vertical
15819.02	-56.53	-13.00	43.53	Vertical

1.35. Test Band = NR NSA 7A-N77A_ TM1**1.35.1. Test Channel = Mid 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7248.65	-58.28	-13.00	45.28	Horizontal
8538.37	-56.86	-13.00	43.86	Horizontal
9469.87	-56.70	-13.00	43.70	Horizontal
11614.05	-55.03	-13.00	42.03	Horizontal
14317.12	-54.68	-13.00	41.68	Horizontal
15836.85	-56.43	-13.00	43.43	Horizontal
7961.07	-57.43	-13.00	44.43	Vertical
9020.22	-56.74	-13.00	43.74	Vertical
10361.12	-58.50	-13.00	45.50	Vertical
12100.50	-54.52	-13.00	41.52	Vertical
14817.95	-55.69	-13.00	42.69	Vertical
16817.80	-55.55	-13.00	42.55	Vertical

1.36. Test Band = NR NSA 7A-N77A_ TM1**1.36.1. Test Channel = High 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7448.75	-58.15	-13.00	45.15	Horizontal
8426.82	-57.32	-13.00	44.32	Horizontal
9757.37	-56.93	-13.00	43.93	Horizontal
10879.20	-58.26	-13.00	45.26	Horizontal
12149.37	-54.57	-13.00	41.57	Horizontal
14325.75	-54.72	-13.00	41.72	Horizontal
7090.52	-58.32	-13.00	45.32	Vertical
8542.40	-57.01	-13.00	44.01	Vertical
9989.67	-58.28	-13.00	45.28	Vertical
12155.12	-54.53	-13.00	41.53	Vertical
14312.52	-54.58	-13.00	41.58	Vertical
15825.35	-55.88	-13.00	42.88	Vertical

1.37. Test Band = NR NSA 7A-N78A_ TM1**1.37.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7903.57	-58.59	-13.00	45.59	Horizontal
9559.00	-57.27	-13.00	44.27	Horizontal
10883.22	-57.61	-13.00	44.61	Horizontal
12215.50	-54.50	-13.00	41.50	Horizontal
14324.02	-54.72	-13.00	41.72	Horizontal
15819.02	-56.37	-13.00	43.37	Horizontal
7302.70	-58.40	-13.00	45.40	Vertical
9517.02	-57.06	-13.00	44.06	Vertical
10382.97	-58.72	-13.00	45.72	Vertical
12094.17	-54.30	-13.00	41.30	Vertical
14806.45	-55.43	-13.00	42.43	Vertical
15823.62	-56.14	-13.00	43.14	Vertical

1.38. Test Band = NR NSA 7A-N78A_ TM1**1.38.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7322.25	-58.33	-13.00	45.33	Horizontal
9062.20	-57.14	-13.00	44.14	Horizontal
11607.72	-54.78	-13.00	41.78	Horizontal
13633.45	-54.92	-13.00	41.92	Horizontal
14805.30	-55.42	-13.00	42.42	Horizontal
17706.17	-52.76	-13.00	39.76	Horizontal
7450.47	-58.27	-13.00	45.27	Vertical
9010.45	-56.96	-13.00	43.96	Vertical
10400.22	-58.46	-13.00	45.46	Vertical
11565.75	-54.68	-13.00	41.68	Vertical
14327.47	-54.31	-13.00	41.31	Vertical
16610.80	-56.14	-13.00	43.14	Vertical

1.39. Test Band = NR NSA 7A-N78A_ TM1**1.39.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7965.10	-57.53	-13.00	44.53	Horizontal
9800.50	-56.49	-13.00	43.49	Horizontal
11610.02	-54.81	-13.00	41.81	Horizontal
13594.92	-55.24	-13.00	42.24	Horizontal
14796.67	-55.57	-13.00	42.57	Horizontal
17899.37	-50.82	-13.00	37.82	Horizontal
7478.07	-58.36	-13.00	45.36	Vertical
8837.37	-57.18	-13.00	44.18	Vertical
9914.35	-58.49	-13.00	45.49	Vertical
11553.10	-54.36	-13.00	41.36	Vertical
14836.92	-55.28	-13.00	42.28	Vertical
16807.45	-55.27	-13.00	42.27	Vertical

1.40. Test Band = NR NSA 7A-N78A_ TM1**1.40.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7239.45	-58.76	-13.00	45.76	Horizontal
9518.17	-57.04	-13.00	44.04	Horizontal
11615.77	-54.95	-13.00	41.95	Horizontal
13196.45	-55.69	-13.00	42.69	Horizontal
14803.00	-55.54	-13.00	42.54	Horizontal
17767.12	-53.21	-13.00	40.21	Horizontal
7973.72	-57.87	-13.00	44.87	Vertical
9545.20	-57.29	-13.00	44.29	Vertical
11609.45	-54.94	-13.00	41.94	Vertical
13613.32	-54.95	-13.00	41.95	Vertical
14811.05	-55.42	-13.00	42.42	Vertical
16818.37	-55.47	-13.00	42.47	Vertical

1.41. Test Band = NR NSA 7A-N78A_ TM1**1.41.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7004.27	-58.63	-13.00	45.63	Horizontal
8415.32	-57.37	-13.00	44.37	Horizontal
9687.22	-57.09	-13.00	44.09	Horizontal
11174.75	-57.34	-13.00	44.34	Horizontal
12704.82	-56.36	-13.00	43.36	Horizontal
14839.80	-55.69	-13.00	42.69	Horizontal
7940.95	-57.62	-13.00	44.62	Vertical
9007.57	-56.77	-13.00	43.77	Vertical
10355.95	-58.83	-13.00	45.83	Vertical
12171.80	-54.64	-13.00	41.64	Vertical
14301.02	-54.78	-13.00	41.78	Vertical
15809.25	-56.49	-13.00	43.49	Vertical

1.42. Test Band = NR NSA 7A-N78A_ TM1**1.42.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7455.65	-58.45	-13.00	45.45	Horizontal
8545.85	-56.61	-13.00	43.61	Horizontal
9820.62	-56.44	-13.00	43.44	Horizontal
12064.85	-54.40	-13.00	41.40	Horizontal
14836.35	-55.78	-13.00	42.78	Horizontal
17949.40	-50.77	-13.00	37.77	Horizontal
7254.40	-58.21	-13.00	45.21	Vertical
7977.17	-57.83	-13.00	44.83	Vertical
9795.32	-56.51	-13.00	43.51	Vertical
11560.57	-54.74	-13.00	41.74	Vertical
13601.82	-55.19	-13.00	42.19	Vertical
16637.25	-55.88	-13.00	42.88	Vertical

1.43. Test Band = NR NSA 26A-N78A_ TM1**1.43.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7033.02	-58.48	-13.00	45.48	Horizontal
8535.50	-57.32	-13.00	44.32	Horizontal
9822.35	-56.28	-13.00	43.28	Horizontal
12187.90	-54.86	-13.00	41.86	Horizontal
15819.02	-56.04	-13.00	43.04	Horizontal
17721.70	-52.84	-13.00	39.84	Horizontal
7276.25	-58.28	-13.00	45.28	Vertical
9014.47	-56.81	-13.00	43.81	Vertical
9833.27	-56.60	-13.00	43.60	Vertical
12143.62	-54.60	-13.00	41.60	Vertical
15809.82	-56.06	-13.00	43.06	Vertical
16809.75	-55.22	-13.00	42.22	Vertical

1.44. Test Band = NR NSA 26A-N78A_ TM1**1.44.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7243.47	-58.17	-13.00	45.17	Horizontal
8812.07	-57.24	-13.00	44.24	Horizontal
9839.02	-56.46	-13.00	43.46	Horizontal
11594.50	-54.41	-13.00	41.41	Horizontal
13607.00	-54.76	-13.00	41.76	Horizontal
15812.12	-55.90	-13.00	42.90	Horizontal
7298.67	-58.38	-13.00	45.38	Vertical
8662.00	-56.83	-13.00	43.83	Vertical
9819.47	-56.30	-13.00	43.30	Vertical
11599.10	-54.67	-13.00	41.67	Vertical
13642.65	-54.82	-13.00	41.82	Vertical
14840.37	-55.35	-13.00	42.35	Vertical

1.45. Test Band = NR NSA 26A-N78A_ TM1**1.45.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7092.25	-58.35	-13.00	45.35	Horizontal
8428.55	-57.16	-13.00	44.16	Horizontal
9875.82	-56.78	-13.00	43.78	Horizontal
12166.62	-54.46	-13.00	41.46	Horizontal
14302.75	-54.16	-13.00	41.16	Horizontal
17422.12	-55.01	-13.00	42.01	Horizontal
7302.12	-58.40	-13.00	45.40	Vertical
8431.42	-57.20	-13.00	44.20	Vertical
9823.50	-56.49	-13.00	43.49	Vertical
12159.72	-54.16	-13.00	41.16	Vertical
14302.17	-54.53	-13.00	41.53	Vertical
16808.02	-55.02	-13.00	42.02	Vertical

1.46. Test Band = NR NSA 26A-N78A_ TM1**1.46.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7306.15	-58.27	-13.00	45.27	Horizontal
8547.57	-57.15	-13.00	44.15	Horizontal
10343.30	-58.48	-13.00	45.48	Horizontal
12100.50	-54.26	-13.00	41.26	Horizontal
14444.77	-55.22	-13.00	42.22	Horizontal
16631.50	-55.67	-13.00	42.67	Horizontal
7244.05	-58.25	-13.00	45.25	Vertical
8185.90	-57.81	-13.00	44.81	Vertical
9806.82	-56.31	-13.00	43.31	Vertical
11478.92	-55.75	-13.00	42.75	Vertical
13611.02	-54.86	-13.00	41.86	Vertical
15828.80	-55.55	-13.00	42.55	Vertical

1.47. Test Band = NR NSA 26A-N78A_ TM1**1.47.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7303.27	-58.34	-13.00	45.34	Horizontal
8529.75	-57.22	-13.00	44.22	Horizontal
9846.50	-56.60	-13.00	43.60	Horizontal
12096.47	-54.07	-13.00	41.07	Horizontal
14318.27	-54.23	-13.00	41.23	Horizontal
16807.45	-55.15	-13.00	42.15	Horizontal
7297.52	-58.57	-13.00	45.57	Vertical
8533.77	-57.05	-13.00	44.05	Vertical
9928.15	-58.63	-13.00	45.63	Vertical
12137.87	-54.22	-13.00	41.22	Vertical
14307.92	-54.25	-13.00	41.25	Vertical
16569.40	-55.60	-13.00	42.60	Vertical

1.48. Test Band = NR NSA 26A-N78A_ TM1**1.48.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7080.75	-58.09	-13.00	45.09	Horizontal
8415.32	-57.02	-13.00	44.02	Horizontal
9822.35	-56.03	-13.00	43.03	Horizontal
11580.70	-54.71	-13.00	41.71	Horizontal
13601.82	-54.44	-13.00	41.44	Horizontal
15457.35	-56.91	-13.00	43.91	Horizontal
7020.95	-58.34	-13.00	45.34	Vertical
8501.0	-57.08	-13.00	44.08	Vertical
9838.45	-56.08	-13.00	43.08	Vertical
11605.42	-54.49	-13.00	41.49	Vertical
13189.55	-55.41	-13.00	42.41	Vertical
15319.35	-56.85	-13.00	43.85	Vertical

1.49. Test Band = NR NSA 38A-N78A_ TM1**1.49.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7444.72	-58.64	-13.00	45.64	Horizontal
9015.05	-56.54	-13.00	43.54	Horizontal
9836.72	-56.27	-13.00	43.27	Horizontal
12100.50	-54.50	-13.00	41.50	Horizontal
14323.45	-54.17	-13.00	41.17	Horizontal
16518.22	-56.09	-13.00	43.09	Horizontal
7241.75	-58.24	-13.00	45.24	Vertical
8545.85	-57.16	-13.00	44.16	Vertical
10350.20	-58.28	-13.00	45.28	Vertical
12129.82	-54.49	-13.00	41.49	Vertical
14819.67	-55.42	-13.00	42.42	Vertical
16813.20	-54.74	-13.00	41.74	Vertical

1.50. Test Band = NR NSA 38A-N78A_ TM1**1.50.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7190.00	-58.27	-13.00	45.27	Horizontal
9015.62	-56.95	-13.00	43.95	Horizontal
10819.40	-57.34	-13.00	44.34	Horizontal
13154.47	-55.29	-13.00	42.29	Horizontal
15026.67	-56.45	-13.00	43.45	Horizontal
17947.10	-50.41	-13.00	37.41	Horizontal
6797.85	-58.63	-13.00	45.63	Vertical
8410.72	-57.07	-13.00	44.07	Vertical
9800.50	-56.11	-13.00	43.11	Vertical
11603.12	-54.84	-13.00	41.84	Vertical
14319.42	-54.09	-13.00	41.09	Vertical
16561.35	-55.83	-13.00	42.83	Vertical

1.51. Test Band = NR NSA 38A-N78A_ TM1**1.51.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7299.82	-57.91	-13.00	44.91	Horizontal
8541.25	-56.90	-13.00	43.90	Horizontal
9874.67	-56.56	-13.00	43.56	Horizontal
11576.10	-54.76	-13.00	41.76	Horizontal
14804.15	-55.18	-13.00	42.18	Horizontal
17904.55	-50.54	-13.00	37.54	Horizontal
7494.17	-58.52	-13.00	45.52	Vertical
9545.20	-56.94	-13.00	43.94	Vertical
10389.30	-58.40	-13.00	45.40	Vertical
12125.80	-53.72	-13.00	40.72	Vertical
14819.67	-55.18	-13.00	42.18	Vertical
16811.47	-54.94	-13.00	41.94	Vertical

1.52. Test Band = NR NSA 38A-N78A_ TM1**1.52.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7046.82	-58.22	-13.00	45.22	Horizontal
8413.02	-57.23	-13.00	44.23	Horizontal
10361.12	-58.03	-13.00	45.03	Horizontal
11604.27	-54.74	-13.00	41.74	Horizontal
14310.22	-53.82	-13.00	40.82	Horizontal
17896.50	-50.78	-13.00	37.78	Horizontal
7361.35	-58.33	-13.00	45.33	Vertical
8584.95	-57.22	-13.00	44.22	Vertical
9431.92	-57.45	-13.00	44.45	Vertical
10882.65	-57.14	-13.00	44.14	Vertical
12516.22	-55.83	-13.00	42.83	Vertical
15451.02	-56.73	-13.00	43.73	Vertical

1.53. Test Band = NR NSA 38A-N78A_ TM1**1.53.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7494.75	-58.42	-13.00	45.42	Horizontal
9017.35	-56.56	-13.00	43.56	Horizontal
10884.95	-57.16	-13.00	44.16	Horizontal
13201.05	-55.28	-13.00	42.28	Horizontal
15820.17	-56.01	-13.00	43.01	Horizontal
16853.45	-55.21	-13.00	42.21	Horizontal
7076.15	-58.16	-13.00	45.16	Vertical
8428.55	-57.44	-13.00	44.44	Vertical
9520.47	-56.91	-13.00	43.91	Vertical
12186.17	-54.36	-13.00	41.36	Vertical
14308.50	-53.92	-13.00	40.92	Vertical
17540.00	-53.78	-13.00	40.78	Vertical

1.54. Test Band = NR NSA 38A-N78A_ TM1**1.54.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7253.25	-58.20	-13.00	45.20	Horizontal
8538.37	-57.21	-13.00	44.21	Horizontal
10359.97	-58.07	-13.00	45.07	Horizontal
12080.95	-53.89	-13.00	40.89	Horizontal
14815.07	-55.49	-13.00	42.49	Horizontal
17483.07	-53.78	-13.00	40.78	Horizontal
6671.92	-59.11	-13.00	46.11	Vertical
8407.85	-57.26	-13.00	44.26	Vertical
9529.10	-56.71	-13.00	43.71	Vertical
12140.75	-54.59	-13.00	41.59	Vertical
14313.67	-54.19	-13.00	41.19	Vertical
15815.57	-56.15	-13.00	43.15	Vertical

1.55. Test Band = NR NSA 41A-N77A_ TM1**1.55.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7300.97	-58.37	-13.00	45.37	Horizontal
9013.32	-56.50	-13.00	43.50	Horizontal
10360.55	-58.06	-13.00	45.06	Horizontal
12214.35	-54.25	-13.00	41.25	Horizontal
14799.55	-55.47	-13.00	42.47	Horizontal
17486.52	-53.55	-13.00	40.55	Horizontal
7086.50	-57.98	-13.00	44.98	Vertical
7937.50	-57.00	-13.00	44.00	Vertical
9053.57	-57.16	-13.00	44.16	Vertical
10840.10	-57.27	-13.00	44.27	Vertical
12114.87	-53.90	-13.00	40.90	Vertical
15450.45	-56.80	-13.00	43.80	Vertical

1.56. Test Band = NR NSA 41A-N77A_ TM1**1.56.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7078.45	-58.55	-13.00	45.55	Horizontal
8839.67	-57.14	-13.00	44.14	Horizontal
10869.42	-56.94	-13.00	43.94	Horizontal
13186.10	-55.18	-13.00	42.18	Horizontal
15827.07	-55.81	-13.00	42.81	Horizontal
17898.22	-50.29	-13.00	37.29	Horizontal
7045.67	-58.48	-13.00	45.48	Vertical
8540.67	-56.71	-13.00	43.71	Vertical
10387.00	-58.25	-13.00	45.25	Vertical
12082.67	-54.24	-13.00	41.24	Vertical
14313.10	-54.28	-13.00	41.28	Vertical
17728.60	-52.92	-13.00	39.92	Vertical

1.57. Test Band = NR NSA 41A-N77A_ TM1**1.57.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7957.62	-57.45	-13.00	44.45	Horizontal
9795.32	-56.39	-13.00	43.39	Horizontal
10840.67	-57.24	-13.00	44.24	Horizontal
12517.95	-56.04	-13.00	43.04	Horizontal
15815.57	-55.72	-13.00	42.72	Horizontal
17896.50	-50.58	-13.00	37.58	Horizontal
7466.00	-58.20	-13.00	45.20	Vertical
8959.27	-56.92	-13.00	43.92	Vertical
10412.30	-58.35	-13.00	45.35	Vertical
12137.30	-54.33	-13.00	41.33	Vertical
14814.50	-55.44	-13.00	42.44	Vertical
17999.42	-50.26	-13.00	37.26	Vertical

1.58. Test Band = NR NSA 41A-N77A_ TM1**1.58.1. Test Channel = Low 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7449.32	-58.23	-13.00	45.23	Horizontal
8863.82	-56.82	-13.00	43.82	Horizontal
9820.62	-56.26	-13.00	43.26	Horizontal
11606.57	-54.74	-13.00	41.74	Horizontal
13635.75	-54.65	-13.00	41.65	Horizontal
15819.02	-56.17	-13.00	43.17	Horizontal
7317.07	-58.54	-13.00	45.54	Vertical
8538.37	-57.02	-13.00	44.02	Vertical
10345.60	-58.30	-13.00	45.30	Vertical
13209.67	-55.34	-13.00	42.34	Vertical
15626.40	-56.84	-13.00	43.84	Vertical
17476.75	-54.01	-13.00	41.01	Vertical

1.59. Test Band = NR NSA 41A-N77A_ TM1**1.59.1. Test Channel = Mid 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7306.72	-58.00	-13.00	45.00	Horizontal
8547.00	-57.10	-13.00	44.10	Horizontal
10342.15	-58.10	-13.00	45.10	Horizontal
12150.52	-54.45	-13.00	41.45	Horizontal
14810.47	-55.21	-13.00	42.21	Horizontal
17947.67	-50.59	-13.00	37.59	Horizontal
6783.47	-58.43	-13.00	45.43	Vertical
8545.27	-57.11	-13.00	44.11	Vertical
9807.40	-56.38	-13.00	43.38	Vertical
12102.80	-54.17	-13.00	41.17	Vertical
14322.30	-54.49	-13.00	41.49	Vertical
17893.05	-51.33	-13.00	38.33	Vertical

1.60. Test Band = NR NSA 41A-N77A_ TM1**1.60.1. Test Channel = High 3700-3980**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7052.57	-58.42	-13.00	45.42	Horizontal
7992.12	-57.86	-13.00	44.86	Horizontal
9048.97	-57.29	-13.00	44.29	Horizontal
10366.87	-58.31	-13.00	45.31	Horizontal
12101.65	-54.45	-13.00	41.45	Horizontal
15782.80	-56.23	-13.00	43.23	Horizontal
7106.05	-58.55	-13.00	45.55	Vertical
7949.57	-57.58	-13.00	44.58	Vertical
9801.07	-56.31	-13.00	43.31	Vertical
11477.77	-55.42	-13.00	42.42	Vertical
13653.00	-55.01	-13.00	42.01	Vertical
15820.17	-55.86	-13.00	42.86	Vertical

1.61. Test Band = NR NSA 41A-N78A_ TM1**1.61.1. Test Channel = Low 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7080.75	-58.67	-13.00	45.67	Horizontal
8432.57	-57.57	-13.00	44.57	Horizontal
9853.40	-57.15	-13.00	44.15	Horizontal
12099.35	-54.54	-13.00	41.54	Horizontal
14306.77	-54.51	-13.00	41.51	Horizontal
15823.62	-56.34	-13.00	43.34	Horizontal
7291.20	-58.17	-13.00	45.17	Vertical
8594.15	-56.99	-13.00	43.99	Vertical
10362.85	-59.13	-13.00	46.13	Vertical
13212.55	-55.94	-13.00	42.94	Vertical
14816.80	-55.74	-13.00	42.74	Vertical
17480.77	-54.81	-13.00	41.81	Vertical

1.62. Test Band = NR NSA 41A-N78A_ TM1**1.62.1. Test Channel = Mid 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7085.92	-58.24	-13.00	45.24	Horizontal
8537.22	-57.10	-13.00	44.10	Horizontal
9844.20	-56.45	-13.00	43.45	Horizontal
12124.07	-54.80	-13.00	41.80	Horizontal
14318.85	-54.77	-13.00	41.77	Horizontal
17901.67	-51.16	-13.00	38.16	Horizontal
6714.47	-58.98	-13.00	45.98	Vertical
7937.50	-57.79	-13.00	44.79	Vertical
9828.10	-56.51	-13.00	43.51	Vertical
12116.60	-54.30	-13.00	41.30	Vertical
15820.17	-56.32	-13.00	43.32	Vertical
17947.10	-51.43	-13.00	38.43	Vertical

1.63. Test Band = NR NSA 41A-N78A_ TM1**1.63.1. Test Channel = High 3450-3550**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7453.35	-58.39	-13.00	45.39	Horizontal
9016.77	-57.05	-13.00	44.05	Horizontal
10878.62	-58.42	-13.00	45.42	Horizontal
12131.55	-54.56	-13.00	41.56	Horizontal
14834.62	-55.71	-13.00	42.71	Horizontal
17458.35	-54.68	-13.00	41.68	Horizontal
7246.92	-58.19	-13.00	45.19	Vertical
9019.07	-56.99	-13.00	43.99	Vertical
9824.07	-56.57	-13.00	43.57	Vertical
11588.75	-54.90	-13.00	41.90	Vertical
14006.62	-56.19	-13.00	43.19	Vertical
15811.55	-56.92	-13.00	43.92	Vertical

1.64. Test Band = NR NSA 41A-N78A_ TM1**1.64.1. Test Channel = Low 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
6994.50	-58.23	-13.00	45.23	Horizontal
8176.70	-57.79	-13.00	44.79	Horizontal
9807.97	-56.57	-13.00	43.57	Horizontal
11562.87	-55.21	-13.00	42.21	Horizontal
14008.92	-55.67	-13.00	42.67	Horizontal
16611.95	-55.47	-13.00	42.47	Horizontal
7077.30	-58.49	-13.00	45.49	Vertical
8658.55	-57.24	-13.00	44.24	Vertical
9357.17	-57.52	-13.00	44.52	Vertical
10880.35	-58.22	-13.00	45.22	Vertical
12727.25	-56.57	-13.00	43.57	Vertical
15029.55	-56.90	-13.00	43.90	Vertical

1.65. Test Band = NR NSA 41A-N78A_ TM1**1.65.1. Test Channel = Mid 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
6747.25	-58.88	-13.00	45.88	Horizontal
8437.17	-57.73	-13.00	44.73	Horizontal
9111.07	-57.54	-13.00	44.54	Horizontal
10343.30	-59.33	-13.00	46.33	Horizontal
12428.82	-56.17	-13.00	43.17	Horizontal
14320.00	-55.05	-13.00	42.05	Horizontal
7027.27	-58.86	-13.00	45.86	Vertical
8530.90	-57.14	-13.00	44.14	Vertical
10361.12	-59.70	-13.00	46.70	Vertical
12082.10	-54.47	-13.00	41.47	Vertical
14808.75	-55.41	-13.00	42.41	Vertical
15450.45	-57.20	-13.00	44.20	Vertical

1.66. Test Band = NR NSA 41A-N78A_ TM1**1.66.1. Test Channel = High 3700-3800**

Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Polarization
7304.42	-58.32	-13.00	45.32	Horizontal
8414.75	-57.07	-13.00	44.07	Horizontal
9800.50	-56.74	-13.00	43.74	Horizontal
10880.92	-58.32	-13.00	45.32	Horizontal
12093.02	-54.59	-13.00	41.59	Horizontal
13181.50	-56.51	-13.00	43.51	Horizontal
7087.07	-58.46	-13.00	45.46	Vertical
8383.70	-58.03	-13.00	45.03	Vertical
10405.97	-59.26	-13.00	46.26	Vertical
12432.85	-56.37	-13.00	43.37	Vertical
15456.20	-57.30	-13.00	44.30	Vertical
16626.32	-55.85	-13.00	42.85	Vertical

---End of Attachment---