

WITHINGS	Withings NFC Antenna WFA02		
	Antenna Specification		
	CD:20250117	MD:20250117	Ver: 01

Withings NFC Antenna WFA02 Specification

Subject	Withings WPA02 NFC Antenna WFA02
Type	Specification
Designed by	Xavier Premel
Written by	Xavier Premel
Diffusion	Withings, Manufacturing Subcontractor, Certification Lab

I Revision History

- v01
- Initial version

II Purpose

This document describes the design and gain characteristics of the Withings WFA02 NFC antenna designed by Withings.

III Confidentiality

The mechanical and electrical information contained in this document may be made public for purposes of certification.

2 rue Maurice Hartmann -- 92130 Issy-les-Moulineaux, FRANCE Withings	No communication, reproduction or use without prior written approval from Withings
---	--

WITHINGS	Withings NFC Antenna WFA02		
	Antenna Specification		
	CD:20250117	MD:20250117	Ver: 01

IV Features

- 13.56MHz
- 16,5mm x 30.5mm
- Highly integrated antenna on PCB
- Low-range NFC communication
- Compact conception for high integrability

V General Description

This compact NFC coil antenna has been designed ad-hoc for high integrability in a compact NFC reader circuit requiring low-range communication (few centimeters). It is directly integrated into the NFC PCB circuit. This design was created by Withings and can be easily incorporated into various products.

Type	Brand	Manufacturer	Model	Connector
PCB	Withings	Withings	WFA02	N/A

VI Coil Electrical Characteristics

Material	Copper 35 µm
Inductance (Ls)	780nH
Resistance (Rs)	880mΩ

VII Coil Mechanical Characteristics

Thickness	0.6mm
Width	30.5mm
Height	16.5mm

The following figure shows the design of the NFC antenna which is directly integrated onto the PCB (blue trace, on layer 3 of a 4-layer PCB, 0.6mm thickness).

2 rue Maurice Hartmann -- 92130 Issy-les-Moulineaux, FRANCE	No communication, reproduction or use without prior written approval from Withings
Withings	

Figure 2: NFC coil synthesis tool

Length (amax)

30.5

mm

Width (bmax)

16.5

mm

Track width (w)

300

µm

Gap between tracks (g)

250

µm

Additional Overlap Area (A)

0

mm²

Track Thickness

35

µm

Number of Turns (N)

4

Turn exponent (E)

1.67

PCB Thickness

0.6

mm

Er

4.3

Inductance (Lant)

776

nH

Lant min

704

nH

Lant max

996

nH

Capacitance (Cant)

1.3

pF

Resistance (Rant)


0.98

Ω

Self resonance (Fres)

161

MHz



Measures on real circuits confirm the values indicated in the Coil Electrical Characteristics.