

FCC and Industry Canada Testing of the
SureFlap Ltd
Universal Handheld Microchip Reader,
Model: HRxyyy**
In accordance with FCC 47 CFR Part 15B and
ICES-003

Prepared for: SureFlap Ltd
7 The Irwin Centre
Scotland Road
Dry Drayton
Cambridge
Cambridgeshire
CD23 8AR
United Kingdom



Product Service

Choose certainty.
Add value.

FCC ID: XO9 - HRUNI
IC: 8906A - HRUNI

COMMERCIAL-IN-CONFIDENCE

Date: December 2017
Document Number: 75940672-01 | Issue: 01

RESPONSIBLE FOR	NAME	DATE	SIGNATURE
Project Management	Natalie Bennett	13 December 2017	
Authorised Signatory	Matthew Russell	13 December 2017	

Signatures in this approval box have checked this document in line with the requirements of TÜV SÜD Product Service document control rules.

ENGINEERING STATEMENT

The measurements shown in this report were made in accordance with the procedures described on test pages. All reported testing was carried out on a sample equipment to demonstrate limited compliance with FCC 47 CFR Part 15B and ICES-003. The sample tested was found to comply with the requirements defined in the applied rules.

RESPONSIBLE FOR	NAME	DATE	SIGNATURE
Testing	Graeme Lawler	13 December 2017	

FCC Accreditation
90987 Octagon House, Fareham Test Laboratory

Industry Canada Accreditation
IC2932B-1 Octagon House, Fareham Test Laboratory

EXECUTIVE SUMMARY

A sample of this product was tested and found to be compliant with FCC 47 CFR Part 15B: 2016 and ICES-003: 2016.



DISCLAIMER AND COPYRIGHT

This non-binding report has been prepared by TÜV SÜD Product Service with all reasonable skill and care. The document is confidential to the potential Client and TÜV SÜD Product Service. No part of this document may be reproduced without the prior written approval of TÜV SÜD Product Service. © 2017 TÜV SÜD Product Service.

ACCREDITATION

Our UKAS Accreditation does not cover opinions and interpretations and any expressed are outside the scope of our UKAS Accreditation. Results of tests not covered by our UKAS Accreditation Schedule are marked NUA (Not UKAS Accredited).

TÜV SÜD Product Service
is a trading name of TÜV SÜD Ltd
Registered in Scotland at East Kilbride,
Glasgow G75 0QF, United Kingdom
Registered number: SC215164

TÜV SÜD Ltd is a
TÜV SÜD Group Company

Phone: +44 (0) 1489 558100
Fax: +44 (0) 1489 558101
www.tuv-sud.co.uk

TÜV SÜD Product Service
Octagon House
Concorde Way
Fareham
Hampshire PO15 5RL
United Kingdom



Product Service

Contents

1	Report Summary	2
1.1	Report Modification Record.....	2
1.2	Introduction.....	2
1.3	Brief Summary of Results	3
1.4	Declaration of Build Status	4
1.5	Product Information	5
1.6	Deviations from the Standard.....	5
1.7	EUT Modification Record	5
1.8	Test Location.....	5
2	Test Details	6
2.1	Radiated Emissions.....	6
3	Measurement Uncertainty	9

1 Report Summary

1.1 Report Modification Record

Alterations and additions to this report will be issued to the holders of each copy in the form of a complete document.

Issue	Description of Change	Date of Issue
1	First Issue	13 December 2017

Table 1

1.2 Introduction

Applicant	SureFlap Ltd
Manufacturer	SureFlap Ltd
Model Number(s)	HRxyyy** (** represent the colour variation of the product.)
Serial Number(s)	Not Serialised (75940672-TSR0011)
Hardware Version(s)	01075-FG_01
Software Version(s)	22.22
Number of Samples Tested	2
Test Specification/Issue/Date	FCC 47 CFR Part 15B: 2016 ICES-003: 2016
Order Number	PO2210
Date	25-October-2017
Date of Receipt of EUT	27-October-2017
Start of Test	28-October-2017
Finish of Test	28-October-2017
Name of Engineer(s)	Graeme Lawler
Related Document(s)	ANSI C63.4 (2014)



1.3 Brief Summary of Results

A brief summary of the tests carried out in accordance with FCC 47 CFR Part 15B and ICES-003 is shown below.

Section	Specification Clause		Test Description	Result	Comments/Base Standard
	Part 15B	ICES-003			
Configuration: Idle					
2.1	15.109	6.2	Radiated Emissions	Pass	ANSI C63.4

Table 2



1.4 Declaration of Build Status

MAIN EUT			
MANUFACTURING DESCRIPTION	Universal Handheld Microchip Reader		
MANUFACTURER	Sureflap Ltd		
MODEL NAME/NUMBER	UNIVERSAL HANDHELD READER		
PART NUMBER	HRxyyy** ** to allow for different brand options		
SERIAL NUMBER			
HARDWARE VERSION	01075-FG 01		
SOFTWARE VERSION	22.22		
TRANSMITTER FREQUENCY OPERATING RANGE (MHz)	0.125MHz and 0.134MHz		
RECEIVER FREQUENCY OPERATING RANGE (MHz)	0.125MHz and 0.134MHz		
COUNTRY OF ORIGIN	UK		
INTERMEDIATE FREQUENCIES	N/A		
EMISSION DESIGNATOR(S): (i.e. G1D, GXW)	N/A		
MODULATION TYPES: (i.e. GMSK, QPSK)	AM		
HIGHEST INTERNALLY GENERATED FREQUENCY	32 MHz		
OUTPUT POWER (W or dBm)			
FCC ID	XO9 - HRUNI		
INDUSTRY CANADA ID	8906A - HRUNI		
TECHNICAL DESCRIPTION (a brief description of the intended use and operation)	Handheld Reader for reading RFID microchip implants in animals		
BATTERY/POWER SUPPLY			
MANUFACTURING DESCRIPTION	NOT SUPPLIED WITH PRODUCT		
MANUFACTURER			
TYPE			
PART NUMBER			
VOLTAGE			
COUNTRY OF ORIGIN			
MODULES (if applicable)			
MANUFACTURING DESCRIPTION	N/A		
MANUFACTURER			
TYPE			
POWER			
FCC ID			
COUNTRY OF ORIGIN			
INDUSTRY CANADA ID			
EMISSION DESIGNATOR			
DHSS/FHSS/COMBINED OR OTHER			
ANCILLARIES (if applicable)			
MANUFACTURING DESCRIPTION			
MANUFACTURER			
TYPE			
PART NUMBER			
SERIAL NUMBER			
COUNTRY OF ORIGIN			

I hereby declare that the information supplied is correct and complete.

Name: Chris Cowdery
Date: 25/10/2017

Position held: Head of Embedded Systems

1.5 Product Information

1.5.1 Technical Description

Handheld Reader for reading RFID microchip implants in animals.

1.6 Deviations from the Standard

No deviations from the applicable test standard were made during testing.

1.7 EUT Modification Record

The table below details modifications made to the EUT during the test programme.
The modifications incorporated during each test are recorded on the appropriate test pages.

Modification State	Description of Modification still fitted to EUT	Modification Fitted By	Date Modification Fitted
Serial Number: Not Serialised (75940672-TSR0011)			
0	As supplied by the customer	Not Applicable	Not Applicable

Table 3

1.8 Test Location

TÜV SÜD Product Service conducted the following tests at our Fareham Test Laboratory.

Test Name	Name of Engineer(s)	Accreditation
Configuration: Idle		
Radiated Emissions	Graeme Lawler	UKAS

Table 4

Office Address:

Octagon House
Concorde Way
Segensworth North
Fareham
Hampshire
PO15 5RL
United Kingdom

2 Test Details

2.1 Radiated Emissions

2.1.1 Specification Reference

FCC 47 CFR Part 15B, Clause 15.109
ICES-003, Clause 6.2

2.1.2 Equipment Under Test and Modification State

HRxyyy**, S/N: Not Serialised (75940672-TSR0011) - Modification State 0

2.1.3 Date of Test

28-October-2017

2.1.4 Test Method

This test was performed in accordance with ANSI C63.4, clause 5.4.

2.1.5 Environmental Conditions

Ambient Temperature 20.4 °C
Relative Humidity 53.0 %

2.1.6 Test Results

Idle

Highest frequency generated or used within the EUT: 32 MHz
Upper frequency test limit: 1 GHz

Frequency (MHz)	QP Level (dBuV/m)	QP Limit (dBuV/m)	QP Margin (dBuV/m)	Angle(Deg)	Height(m)	Polarity
30.692	30.1	40.0	-9.9	325	1.00	Vertical
287.995	35.7	46.0	-10.3	205	1.18	Horizontal
288.011	37.1	46.0	-8.9	243	1.00	Vertical
351.992	32.4	46.0	-13.6	221	1.00	Horizontal
352.020	36.2	46.0	-9.8	250	1.00	Vertical
416.016	31.0	46.0	-15.0	316	1.00	Horizontal
416.023	33.3	46.0	-12.7	187	1.00	Vertical
480.014	35.7	46.0	-10.3	279	1.00	Horizontal
480.021	37.5	46.0	-8.5	239	1.00	Vertical
960.000	33.9	46.0	-12.1	148	1.00	Vertical

Table 5 - 30 MHz to 1 GHz



Product Service




Figure 1 - 30 MHz to 1 GHz - Horizontal and Vertical

FCC 47 CFR Part 15, Limit Clause 15.109

Frequency of Emission (MHz)	Field Strength (µV/m)
30 to 88	100.0
88 to 216	150.0
216 to 960	200.0
Above 960	500.0

ICES-003, Limit Clause 6.2

Frequency of Emission (MHz)	Quasi-Peak (dBµV/m)
30 to 88	40.0
88 to 216	43.5
216 to 960	46.0
960 to 1000	54.0

Frequency of Emission (MHz)	Field Strength (dBµV/m)	
	Linear Average Detector	Peak Detector
Above 1000	54.0	74.0



2.1.7 Test Location and Test Equipment Used

This test was carried out in EMC Chamber 5.

Instrument	Manufacturer	Type No	TE No	Calibration Period (months)	Calibration Due
Antenna (Bilog)	Schaffner	CBL6143	287	24	18-Apr-2018
Pre-Amplifier	Phase One	PS04-0086	1533	12	31-Jul-2018
Screened Room (5)	Rainford	Rainford	1545	36	20-Dec-2017
Turntable Controller	Inn-Co GmbH	CO 1000	1606	-	TU
Cable (N-N, 8m)	Rhophase	NPS-2302-8000-NPS	3248	12	02-May-2018
EMI Test Receiver	Rohde & Schwarz	ESU40	3506	12	12-Nov-2017
Tilt Antenna Mast	maturo GmbH	TAM 4.0-P	3916	-	TU
Mast Controller	maturo GmbH	NCD	3917	-	TU
Hygropalm Temperature and Humidity Meter	Rotronic	HP21	4410	12	04-May-2018
Cable (Yellow, Rx, Km-Km 2m)	Scott Cables	KPS-1501-2000-KPS	4527	6	04-Nov-2017
Cable (Rx, SMAm-SMAm 0.5m)	Scott Cables	SLSL18-SMSM-00.50M	4528	6	03-Feb-2017

Table 6

TU - Traceability Unscheduled



3 Measurement Uncertainty

For a 95% confidence level, the measurement uncertainties for defined systems are:

Test Name	Measurement Uncertainty
Radiated Emissions	30 MHz to 1 GHz: ± 5.2 dB 1 GHz to 40 GHz: ± 6.3 dB

Table 7