






13:16:01 06.02.2025



10:47:14 PM 01/21/2025

Port B


Radio Technology = WLAN ax 80 MHz, Operating Frequency = mid, Measurement range =
26GHz - 40GHz, Subband = U-NII-1
(S01_AC01)




05:21:10 PM 08/26/2025

Port A

Radio Technology = WLAN ax 80 MHz, Operating Frequency = mid, Measurement range =
1GHz - 26GHz, Subband = U-NII-2A
(S01_AC01)




16:53:34 25.08.2025




10:58:39 PM 01/20/2025

Port A




13:17:19 06.02.2025



10:48:37 PM 01/21/2025

Port B


Radio Technology = WLAN ax 80 MHz, Operating Frequency = mid, Measurement range =
26GHz - 40GHz, Subband = U-NII-2A
(S01_AC01)




05:22:01 PM 08/26/2025

Port A

Radio Technology = WLAN ax 80 MHz, Operating Frequency = low, Measurement range =
1GHz - 26GHz, Subband = U-NII-2C
(S01_AC01)




16:54:30 25.08.2025




11:00:01 PM 01/20/2025

Port A




13:18:38 06.02.2025



10:49:58 PM 01/21/2025

Port B


Radio Technology = WLAN ax 80 MHz, Operating Frequency = low, Measurement range = 26GHz - 40GHz, Subband = U-NII-2C (S01_AC01)




05:22:52 PM 08/26/2025

Port A

Radio Technology = WLAN ax 80 MHz, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-2C (S01_AC01)




16:55:27 25.08.2025




11:01:24 PM 01/20/2025

Port A




13:19:56 06.02.2025



10:51:21 PM 01/21/2025

Port B


Radio Technology = WLAN ax 80 MHz, Operating Frequency = high, Measurement range = 26GHz - 40GHz, Subband = U-NII-2C (S01_AC01)




05:23:43 PM 08/26/2025

Path A

Radio Technology = WLAN ax 80 MHz, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S01_AC01)




16:56:23 25.08.2025




11:02:46 PM 01/20/2025

Port A




13:21:14 06.02.2025



10:52:42 PM 01/21/2025

Port B


Radio Technology = WLAN ax 80 MHz, Operating Frequency = low, Measurement range =
26GHz - 40GHz, Subband = U-NII-3
(S01_AC01)




05:24:35 PM 08/26/2025

Port A

Radio Technology = WLAN ax 80 MHz, Operating Frequency = straddle, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 + U-NII-4 (S01_AC01)




16:57:20 25.08.2025




11:04:09 PM 01/20/2025

Port A

Radio Technology = WLAN ax 80 MHz, Operating Frequency = straddle, Measurement range =
1GHz - 26GHz, Subband = U-NII-3 + U-NII-4
(S01_AC01)




13:22:33 06.02.2025



10:54:05 PM 01/21/2025

Port B

Radio Technology = WLAN ax 80 MHz, Operating Frequency = straddle, Measurement range =
26GHz - 40GHz, Subband = U-NII-3 + U-NII-4
(S01_AC01)




05:25:26 PM 08/26/2025

Port A

Radiated Measurements


Radio Technology = WLAN a, Operating Frequency = low, Measurement range = 9kHz - 30MHz, Subband = U-NII-1 (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---


Radio Technology = WLAN a, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5149.513	57.8	---	74.00	16.25	1000.0	1000.000	150.0	V	-2.0	12.0	15.9
5149.513	---	44.5	54.00	9.54	1000.0	1000.000	150.0	V	-2.0	12.0	15.9
10363.913	49.4	---	68.20	18.81	1000.0	1000.000	150.0	V	-48.0	99.0	3.8
10363.913	---	35.6	---	---	1000.0	1000.000	150.0	V	-48.0	99.0	3.8
20720.170	53.8	---	74.00	20.21	1000.0	1000.000	150.0	H	-45.0	88.0	17.6
20720.170	---	50.1	54.00	3.92	1000.0	1000.000	150.0	H	-45.0	88.0	17.6


Radio Technology = WLAN a, Operating Frequency = mid, Measurement range = 30MHz - 1GHz, Subband = U-NII-1 (S02_AH02)



Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
774.840000	25.9	46.00	20.1	1000.0	120.000	103.0	H	114	23.7


Radio Technology = WLAN a, Operating Frequency = mid, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
10400.800	---	36.9	---	---	1000.0	1000.000	150.0	V	2.0	79.0	3.9
10400.800	50.7	---	68.20	17.54	1000.0	1000.000	150.0	V	2.0	79.0	3.9
20800.200	---	51.9	54.00	2.15	1000.0	1000.000	150.0	V	11.0	75.0	17.5
20800.200	56.6	---	74.00	17.37	1000.0	1000.000	150.0	V	11.0	75.0	17.5


Radio Technology = WLAN a, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-1 (S02_AH02)



Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Marg in (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Cor. (dB/m)
5350.330	57.7	---	74.0	16.29	1000.0	1000.00	150.	V	-144.0	8.0	16.2
5350.330	---	44.7	54.0	9.32	1000.0	1000.00	150.	V	-144.0	8.0	16.2
20960.000	54.8	---	74.0	19.17	1000.0	1000.00	150.	V	-47.0	93.0	17.8
20960.000	---	48.3	54.0	5.65	1000.0	1000.00	150.	V	-47.0	93.0	17.8


Radio Technology = WLAN a, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-2A (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5351.760	---	44.5	54.00	9.52	1000.0	1000.000	150.0	V	-128.0	80.0	16.3
5351.760	57.7	---	74.00	16.31	1000.0	1000.000	150.0	V	-128.0	80.0	16.3
5458.570	---	44.8	54.00	9.16	1000.0	1000.000	150.0	V	101.0	105.0	16.8
5458.570	58.2	---	74.00	15.84	1000.0	1000.000	150.0	V	101.0	105.0	16.8
10526.850	---	44.0	---	---	1000.0	1000.000	150.0	V	-1.0	85.0	3.4
10526.850	57.8	---	68.20	10.37	1000.0	1000.000	150.0	V	-1.0	85.0	3.4
21040.280	---	52.5	54.00	1.54	1000.0	1000.000	150.0	V	-2.0	75.0	17.7
21040.280	57.7	---	74.00	16.32	1000.0	1000.000	150.0	V	-2.0	75.0	17.7


Radio Technology = WLAN a, Operating Frequency = mid, Measurement range = 30MHz - 1GHz, Subband = U-NII-2A (S02_AH02)



Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
178.410000	28.7	43.50	14.8	1000.0	120.000	100.0	V	123	10.7
811.710000	22.3	46.00	23.7	1000.0	120.000	115.0	V	-197	24.3


Radio Technology = WLAN a, Operating Frequency = mid, Measurement range = 1GHz - 26GHz, Subband = U-NII-2A
(S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
10600.200	---	46.5	54.00	7.49	1000.0	1000.000	150.0	V	-9.0	87.0	3.5
10600.200	59.1	---	74.00	14.94	1000.0	1000.000	150.0	V	-9.0	87.0	3.5
21200.133	---	50.5	54.00	3.53	1000.0	1000.000	150.0	V	-6.0	79.0	17.8
21200.133	56.3	---	74.00	17.65	1000.0	1000.000	150.0	V	-6.0	79.0	17.8


Radio Technology = WLAN a, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-2A (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5350.000	---	44.4	54.00	9.62	1000.0	1000.000	150.0	V	49.0	-10.0	16.2
5350.000	57.7	---	74.00	16.27	1000.0	1000.000	150.0	V	49.0	-10.0	16.2
10639.480	---	45.0	54.00	8.95	1000.0	1000.000	150.0	V	-11.0	82.0	3.3
10639.480	58.7	---	74.00	15.31	1000.0	1000.000	150.0	V	-11.0	82.0	3.3
10639.585	---	45.5	54.00	8.51	1000.0	1000.000	150.0	V	-9.0	85.0	3.3
10639.585	58.8	---	74.00	15.20	1000.0	1000.000	150.0	V	-9.0	85.0	3.3


Radio Technology = WLAN a, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-2C (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5459.010	---	45.1	54.00	8.94	1000.0	1000.000	150.0	V	-182.0	-12.0	16.8
5459.010	58.1	---	74.00	15.92	1000.0	1000.000	150.0	V	-182.0	-12.0	16.8
5469.300	---	44.9	---	---	1000.0	1000.000	150.0	H	-79.0	96.0	16.6
5469.300	58.2	---	68.20	10.01	1000.0	1000.000	150.0	H	-79.0	96.0	16.6
10999.840	---	50.0	54.00	4.02	1000.0	1000.000	150.0	V	11.0	85.0	4.3
10999.840	62.2	---	74.00	11.81	1000.0	1000.000	150.0	V	11.0	85.0	4.3
22000.240	---	51.5	---	---	1000.0	1000.000	150.0	V	45.0	86.0	18.5
22000.240	57.5	---	68.20	10.68	1000.0	1000.000	150.0	V	45.0	86.0	18.5


Radio Technology = WLAN a, Operating Frequency = mid, Measurement range = 30MHz - 1GHz, Subband = U-NII-2C (S02_AH02)



Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
178.440000	27.8	43.50	15.7	1000.0	120.000	103.0	V	129	10.7


Radio Technology = WLAN a, Operating Frequency = mid, Measurement range = 1GHz - 26GHz, Subband = U-NII-2C (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
11160.150	63.7	---	74.00	10.28	1000.0	1000.000	150.0	V	2.0	84.0	4.7
11160.150	---	51.6	54.00	2.37	1000.0	1000.000	150.0	V	2.0	84.0	4.7
16736.559	58.2	---	68.20	9.99	1000.0	1000.000	150.0	H	-44.0	87.0	14.6
16736.559	---	44.3	---	---	1000.0	1000.000	150.0	H	-44.0	87.0	14.6
22320.054	54.0	---	74.00	19.97	1000.0	1000.000	150.0	H	-45.0	87.0	18.8
22320.054	---	51.3	54.00	2.69	1000.0	1000.000	150.0	H	-45.0	87.0	18.8


Radio Technology = WLAN a, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-2C (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5725.000	---	44.8	---	---	1000.0	1000.000	150.0	V	11.0	78.0	16.4
5725.000	58.1	---	68.20	10.09	1000.0	1000.000	150.0	V	11.0	78.0	16.4
11400.415	---	50.4	54.00	3.64	1000.0	1000.000	150.0	V	7.0	78.0	3.7
11400.415	64.1	---	74.00	9.94	1000.0	1000.000	150.0	V	7.0	78.0	3.7
22800.098	---	53.4	54.00	0.62	1000.0	1000.000	150.0	V	34.0	82.0	19.0
22800.098	57.9	---	74.00	16.12	1000.0	1000.000	150.0	V	34.0	82.0	19.0


Radio Technology = WLAN a, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5724.200	---	45.0	---	---	1000.0	1000.000	150.0	H	-54.0	105.0	16.4
5724.200	58.0	---	120.3	62.40	1000.0	1000.000	150.0	H	-54.0	105.0	16.4
11490.505	---	52.7	54.00	1.26	1000.0	1000.000	150.0	V	-10.0	85.0	4.5
11490.505	66.0	---	74.00	7.98	1000.0	1000.000	150.0	V	-10.0	85.0	4.5
22979.918	---	52.2	54.00	1.82	1000.0	1000.000	150.0	V	35.0	91.0	19.1
22979.918	57.9	---	74.00	16.14	1000.0	1000.000	150.0	V	35.0	91.0	19.1


Radio Technology = WLAN a, Operating Frequency = mid, Measurement range = 30MHz - 1GHz, Subband = U-NII-3 (S02_AH02)



Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---


Radio Technology = WLAN a, Operating Frequency = mid, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dB μ V/m)	CAverage (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
11570.288	---	51.9	54.00	2.07	1000.0	1000.000	150.0	V	-11.0	82.0	3.9
11570.288	64.8	---	74.00	9.24	1000.0	1000.000	150.0	V	-11.0	82.0	3.9
17358.281	---	46.0	---	---	1000.0	1000.000	150.0	H	51.0	84.0	16.0
17358.281	59.7	---	68.20	8.52	1000.0	1000.000	150.0	H	51.0	84.0	16.0


Radio Technology = WLAN a, Operating Frequency = high, Measurement range = 9kHz - 30MHz, Subband = U-NII-2C (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---	---	---

Radio Technology = WLAN a, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AH02)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5850.000	---	45.3	---	---	1000.0	1000.000	150.0	V	125.0	-10.0	16.7
5850.000	58.5	---	122.2	63.72	1000.0	1000.000	150.0	V	125.0	-10.0	16.7
11650.192	---	53.0	54.00	0.97	1000.0	1000.000	150.0	V	34.0	86.0	5.6
11650.192	64.6	---	74.00	9.44	1000.0	1000.000	150.0	V	34.0	86.0	5.6
17471.438	---	44.6	---	---	1000.0	1000.000	150.0	H	44.0	86.0	15.2
17471.438	59.5	---	68.20	8.74	1000.0	1000.000	150.0	H	44.0	86.0	15.2

Path A

Radio Technology = WLAN a, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-3 (S02_AH02)




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5850.640	57.9	---	120.7	62.79	1000.0	1000.000	150.0	V	52.0	78.0	16.7
5850.640	---	45.1	---	---	1000.0	1000.000	150.0	V	52.0	78.0	16.7
11649.904	64.5	---	74.00	9.51	1000.0	1000.000	150.0	V	6.0	78.0	5.6
11649.904	---	53.2	54.00	0.80	1000.0	1000.000	150.0	V	6.0	78.0	5.6
23299.970	---	53.9	---	---	1000.0	1000.000	150.0	H	38.0	87.0	19.3
23299.970	58.5	---	68.20	9.67	1000.0	1000.000	150.0	H	38.0	87.0	19.3

Path B


Radio Technology = WLAN a, Operating Frequency = low, Measurement range = 1GHz - 26GHz, Subband = U-NII-4 (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
11730.325	---	51.8	54.00	2.16	1000.0	1000.000	150.0	V	35.0	89.0	3.8
11730.325	64.1	---	74.00	9.88	1000.0	1000.000	150.0	V	35.0	89.0	3.8
17592.000	---	48.3	---	---	1000.0	1000.000	150.0	H	38.0	86.0	15.9
17592.000	62.8	---	68.20	5.40	1000.0	1000.000	150.0	H	38.0	86.0	15.9
23460.560	---	50.4	---	---	1000.0	1000.000	150.0	V	44.0	89.0	19.0
23460.560	57.5	---	68.20	10.74	1000.0	1000.000	150.0	V	44.0	89.0	19.0


Radio Technology = WLAN a, Operating Frequency = high, Measurement range = 30MHz - 1GHz, Subband = U-NII-4 (S02_AH02)



Final Result

Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
150.750000	20.9	43.50	22.6	1000.0	120.000	105.0	V	-64	9.4


Radio Technology = WLAN a, Operating Frequency = high, Measurement range = 1GHz - 26GHz, Subband = U-NII-4 (S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5895.000	---	52.5	---	---	1000.0	1000.000	150.0	H	-41.0	91.0	16.9
5895.000	70.1	---	90.20	20.08	1000.0	1000.000	150.0	H	-41.0	91.0	16.9
5925.000	58.0	---	68.20	10.18	1000.0	1000.000	150.0	H	134.0	15.0	17.0
5925.000	---	45.3	---	---	1000.0	1000.000	150.0	H	134.0	15.0	17.0
11769.963	---	51.1	54.00	2.87	1000.0	1000.000	150.0	V	39.0	88.0	4.3
11769.963	63.3	---	74.00	10.70	1000.0	1000.000	150.0	V	39.0	88.0	4.3
17661.900	---	47.2	---	---	1000.0	1000.000	150.0	H	35.0	84.0	16.0
17661.900	61.1	---	68.20	7.12	1000.0	1000.000	150.0	H	35.0	84.0	16.0
23540.480	---	52.0	---	---	1000.0	1000.000	150.0	V	45.0	82.0	19.3
23540.480	57.8	---	68.20	10.42	1000.0	1000.000	150.0	V	45.0	82.0	19.3


Radio Technology = WLAN n 20 MHz, Operating Frequency = low, Measurement range = 1GHz
- 26GHz, Subband = U-NII-3
(S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5724.900	---	45.2	---	---	1000.0	1000.000	150.0	H	-135.0	96.0	16.4
5724.900	58.7	---	121.9	63.31	1000.0	1000.000	150.0	H	-135.0	96.0	16.4
11489.665	---	53.3	54.00	0.71	1000.0	1000.000	150.0	V	11.0	83.0	4.5
11489.665	63.6	---	74.00	10.36	1000.0	1000.000	150.0	V	11.0	83.0	4.5
17223.536	---	43.6	---	---	1000.0	1000.000	150.0	H	50.0	78.0	15.0
17223.536	57.0	---	68.20	11.17	1000.0	1000.000	150.0	H	50.0	78.0	15.0
22980.029	---	51.5	54.00	2.50	1000.0	1000.000	150.0	H	40.0	93.0	19.1
22980.029	58.0	---	74.00	15.97	1000.0	1000.000	150.0	H	40.0	93.0	19.1

Radio Technology = WLAN n 40 MHz, Operating Frequency = low, Measurement range = 1GHz
- 26GHz, Subband = U-NII-1
(S02_AH02)



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	CAverage (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Height (cm)	Pol	Azimuth (deg)	Elevation (deg)	Corr. (dB/m)
5150.000	---	44.7	54.00	9.27	1000.0	1000.000	150.0	V	-169.0	105.0	15.8
5150.000	57.7	---	74.00	16.33	1000.0	1000.000	150.0	V	-169.0	105.0	15.8
10382.400	---	35.9	---	---	1000.0	1000.000	150.0	V	-2.0	84.0	4.1
10382.400	49.5	---	68.20	18.72	1000.0	1000.000	150.0	V	-2.0	84.0	4.1
20760.000	---	51.9	54.00	2.13	1000.0	1000.000	150.0	V	0.0	75.0	17.4
20760.000	56.5	---	74.00	17.51	1000.0	1000.000	150.0	V	0.0	75.0	17.4