







Host Solder Board-Component View 4	 A photograph showing a host solder board component assembly. The assembly consists of several green printed circuit boards (PCBs) connected by a wide, flat, brown flexible ribbon cable. The boards are populated with various electronic components, including integrated circuits, capacitors, and connectors. One board on the left has the text "GEOSATIS securing people" and "C20026-2L01" printed on it. Another board in the middle has "GEOSATIS BSM Vol.1.2" printed on it. The assembly is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows measurements from 0 to 100 mm.
Host Solder Board-Component View 5	 A photograph showing a host solder board component assembly. The assembly is a small, rectangular, yellowish-gold component with a white label that reads "YE56118C 3.7V 220mAh 0.245Wh * 2021-04-10th". It has two thin wires (one red, one black) extending from one end. The component is placed on a blue textured surface next to a black ruler with white markings in millimeters. The ruler shows measurements from 0 to 100 mm.

Host Solder Board-Component View 6	 A photograph of a host solder board component, labeled 'View 6'. The component is a small, rectangular circuit board with a central integrated circuit (IC) and various surface components. It is mounted on a larger, yellowish-brown flexible printed circuit (FPC) substrate. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters (mm) and centimeters (cm). The component's length is approximately 100 mm, and its width is approximately 20 mm. The central IC is labeled 'GEOSATIS'.
Host Solder Board-Component View 7	 A photograph of a host solder board component, labeled 'View 7'. This view shows the component from a different angle, highlighting the FPC substrate and the central IC. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters (mm) and centimeters (cm). The component's length is approximately 100 mm, and its width is approximately 20 mm. The central IC is labeled 'GEOSATIS'.

Host Solder Board-Component View 8	
Antenna View	

***** END OF REPORT *****