

BOOX Go 6 Series

Quick Start Guide

快速说明书

BOOX

Customer support center:

<https://help.boox.com>

Email: help@boox.com

Made in China

©Onyx International Inc. All rights reserved.

For further instructions, please learn from the pre-loaded
User Manual or official website technical support.

<https://help.boox.com>

FCC Caution:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IMPORTANT NOTE:

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

ISED Warning

The device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems.

Operation of 5250-5350 MHz is restricted to indoor use only.

This device complies with Innovation, Science, and Economic Development Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause interference, and
- (2) this device must accept any interference, including interference that may cause undesired operation of the device.

L'appareil destiné à fonctionner dans la bande 5150–5250 MHz est uniquement destiné à une utilisation en intérieur afin de réduire le risque d'interférence nuisible aux systèmes mobiles par satellite utilisant le même canal.

Le fonctionnement de la bande 5250-5350 MHz est limité à une utilisation en intérieur uniquement. Le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence.

L'exploitation est autorisée aux deux conditions suivantes :

- (1) l'appareil n' doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Specific Absorption Rate (SAR) information

SAR tests are conducted using standard operating positions accepted by the FCC/ISED with the device transmitting at its highest certified power level in all tested frequency bands, although the SAR is determined at the highest certified power level, the actual SAR level of the device while operating can be well below the maximum value. Before a new device is available for sale to the public, it must be tested and certified to the FCC/ISED that it does not exceed the exposure limit established by the FCC/ISED, tests for each device are performed in positions and locations as required by the FCC/ISED.

For body worn operation, this device has been tested and meets the FCC/ISED RF exposure guidelines when used with an accessory designated for this product or when used with an accessory that contains no metal and that positions the device a minimum of 5mm from the body. Non-compliance with the above restrictions may result in violation of RF exposure guidelines.

Les tests DAS sont effectués selon les positions de fonctionnement standard approuvées par la FCC/ISED, l'appareil émettant à sa puissance maximale certifiée dans toutes les bandes de fréquences testées. Bien que le DAS soit déterminé à cette puissance maximale, le niveau DAS réel de l'appareil en fonctionnement peut être nettement inférieur à cette valeur. Avant sa mise en vente, tout nouvel appareil doit être testé et certifié conforme aux normes FCC/ISED, attestant qu'il ne dépasse pas la limite d'exposition établie par la FCC/ISED. Les tests sont réalisés pour chaque appareil dans les positions et aux emplacements requis par la FCC/ISED.

Pour une utilisation sur soi, cet appareil a été testé et est conforme aux directives d'exposition aux radiofréquences de la FCC/ISED lorsqu'il est utilisé avec un accessoire conçu à cet effet ou avec un accessoire sans métal maintenant l'appareil à une distance minimale de 5 mm du corps. Le non-respect de ces restrictions peut entraîner une violation des directives d'exposition aux radiofréquences.