



Band2_Left Band edge_Horizontal_Average_11AX20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5145.853	-7.98	51.60	43.62	54.00	-10.38	Average
2 5150.000	-7.96	51.34	43.38	54.00	-10.62	Average


Band2_Left Band edge_Vertical_Peak_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4976.522	-8.61	66.01	57.40	74.00	-16.60 Peak
2	5150.000	-7.96	62.32	54.36	74.00	-19.64 Peak


Band2_Left Band edge_Vertical_Average_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5145.135	-7.98	51.65	43.67	54.00	-10.33 Average
2	5150.000	-7.96	51.57	43.61	54.00	-10.39 Average


Band2_Right Band edge_Horizontal_Peak_11AX20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-7.66	62.93	55.27	74.00	-18.73	Peak
2	5447.310	-6.89	65.18	58.29	74.00	-15.71	Peak


Band2_Right Band edge_Horizontal_Average_11AX20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-7.66	52.28	44.62	54.00	-9.38 Average
2	5452.958	-6.85	52.08	45.23	54.00	-8.77 Average


Band2_Right Band edge_Vertical_Peak_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5350.000	-7.66	62.57	54.91	74.00	-19.09 Peak
2 5435.520	-7.05	65.68	58.63	74.00	-15.37 Peak


Band2_Right Band edge_Vertical_Average_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-7.66	51.55	43.89	54.00	-10.11 Average
2	5456.603	-6.85	52.11	45.26	54.00	-8.74 Average


Band2_Left Band edge_Horizontal_Peak_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5081.175	-8.11	64.66	56.55	74.00	-17.45	Peak
2	5150.000	-7.96	62.47	54.51	74.00	-19.49	Peak


Band2_Left Band edge_Horizontal_Average_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5145.435	-7.98	51.58	43.60	54.00	-10.40	Average
2 5150.000	-7.96	51.17	43.21	54.00	-10.79	Average


Band2_Left Band edge_Vertical_Peak_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5146.800	-7.97	65.49	57.52	74.00	-16.48	Peak
2 5150.000	-7.96	62.80	54.84	74.00	-19.16	Peak


Band2_Left Band edge_Vertical_Average_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5148.900	-7.96	51.59	43.63	54.00	-10.37 Average
2	5150.000	-7.96	51.35	43.39	54.00	-10.61 Average


Band2_Right Band edge_Horizontal_Peak_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-7.66	67.89	60.23	74.00	-13.77 Peak
2	5351.750	-7.66	72.62	64.96	74.00	-9.04 Peak


Band2_Right Band edge_Horizontal_Average_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-7.66	56.63	48.97	54.00	-5.03 Average
2	5350.200	-7.66	56.98	49.32	54.00	-4.68 Average


Band2_Right Band edge_Vertical_Peak_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-7.66	62.85	55.19	74.00	-18.81	Peak
2 5447.375	-6.89	65.34	58.45	74.00	-15.55	Peak


Band2_Right Band edge_Vertical_Average_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-7.66	53.49	45.83	54.00	-8.17 Average
2	5350.175	-7.66	53.69	46.03	54.00	-7.97 Average


Band2_Left Band edge_Horizontal_Peak_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5138.880	-8.00	64.82	56.82	74.00	-17.18	Peak
2 5150.000	-7.96	62.92	54.96	74.00	-19.04	Peak


Band2_Left Band edge_Horizontal_Average_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5148.890	-7.96	51.60	43.64	54.00	-10.36 Average
2	5150.000	-7.96	51.33	43.37	54.00	-10.63 Average


Band2_Left Band edge_Vertical_Peak_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5137.010	-8.02	64.60	56.58	74.00	-17.42 Peak
2	5150.000	-7.96	62.83	54.87	74.00	-19.13 Peak


Band2_Left Band edge_Vertical_Average_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5147.900	-7.97	51.64	43.67	54.00	-10.33 Average
2	5150.000	-7.96	51.39	43.43	54.00	-10.57 Average


Band2_Right Band edge_Horizontal_Peak_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-7.66	64.71	57.05	74.00	-16.95 Peak
2	5436.750	-7.02	65.35	58.33	74.00	-15.67 Peak


Band2_Right Band edge_Horizontal_Average_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-7.66	54.63	46.97	54.00	-7.03 Average
2	5350.020	-7.66	54.69	47.03	54.00	-6.97 Average


Band2_Right Band edge_Vertical_Peak_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-7.66	62.30	54.64	74.00	-19.36	Peak
2 5442.300	-6.96	65.26	58.30	74.00	-15.70	Peak


Band2_Right Band edge_Vertical_Average_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-7.66	52.02	44.36	54.00	-9.64 Average
2	5458.530	-6.85	52.01	45.16	54.00	-8.84 Average


Band3_Left Band edge_Horizontal_Peak_11A



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	63.30	56.46	74.00	-17.54 Peak
2 5463.278	-6.84	65.96	59.12	68.20	-9.08 Peak
3 5470.000	-6.83	63.27	56.44	68.20	-11.76 Peak


Band3_Left Band edge_Horizontal_Average_11A



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.84	51.84	45.00	54.00	-9.00	Average


Band3_Left Band edge_Vertical_Peak_11A



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.84	64.45	57.61	74.00	-16.39	Peak
2 5464.685	-6.84	65.37	58.53	68.20	-9.67	Peak
3 5470.000	-6.83	63.67	56.84	68.20	-11.36	Peak


Band3_Left Band edge_Vertical_Average_11A



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-A-5500

	Freq Factor		Read Level		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.84	51.68	44.84	54.00	-9.16	Average


Band3_Right Band edge_Horizontal_11A



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.67	63.41	57.74	68.20	-10.46 Peak
2	5729.438	-5.66	65.89	60.23	68.20	-7.97 Peak


Band3_Right Band edge_Vertical_11A



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.68	64.67	58.99	68.20	-9.21 Peak
2	5732.381	-5.66	66.37	60.71	68.20	-7.49 Peak


Band3_Left Band edge_Horizontal_Peak_11AC20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	63.59	56.75	74.00	-17.25 Peak
2 5460.297	-6.84	65.17	58.33	68.20	-9.87 Peak
3 5470.000	-6.83	62.59	55.76	68.20	-12.44 Peak


Band3_Left Band edge_Horizontal_Average_11AC20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.84	51.76	44.92	54.00	-9.08	Average


Band3_Left Band edge_Vertical_Peak_11AC20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	62.87	56.03	74.00	-17.97 Peak
2 5463.044	-6.84	65.97	59.13	68.20	-9.07 Peak
3 5470.000	-6.83	64.35	57.52	68.20	-10.68 Peak


Band3_Left Band edge_Vertical_Average_11AC20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.84	51.75	44.91	54.00	-9.09 Average


Band3_Right Band edge_Horizontal_11AC20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	63.21	57.53	68.20	-10.67	Peak
2	5729.972	-5.66	65.75	60.09	68.20	-8.11	Peak


Band3_Right Band edge_Vertical_11AC20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	63.23	57.55	68.20	-10.65	Peak
2	5743.744	-5.63	65.33	59.70	68.20	-8.50	Peak


Band3_Left Band edge_Horizontal_Peak_11AC40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	62.79	55.95	74.00	-18.05 Peak
2 5461.389	-6.84	65.69	58.85	68.20	-9.35 Peak
3 5470.000	-6.83	63.01	56.18	68.20	-12.02 Peak


Band3_Left Band edge_Horizontal_Average_11AC40



Condition : Horizontal
 Project No. : 2601U64578E-RF
 Tester : Zenos Qiao
 Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
 Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.84	51.79	44.95	54.00	-9.05	Average


Band3_Left Band edge_Vertical_Peak_11AC40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	62.19	55.35	74.00	-18.65 Peak
2 5464.227	-6.84	65.36	58.52	68.20	-9.68 Peak
3 5470.000	-6.83	62.78	55.95	68.20	-12.25 Peak


Band3_Left Band edge_Vertical_Average_11AC40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.84	51.86	45.02	54.00	-8.98	Average


Band3_Right Band edge_Horizontal_11AC40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5725.000	-5.68	63.64	57.96	68.20	-10.24 Peak
2 5729.518	-5.66	65.54	59.88	68.20	-8.32 Peak


Band3_Right Band edge_Vertical_11AC40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	63.57	57.89	68.20	-10.31	Peak
2	5736.030	-5.65	65.52	59.87	68.20	-8.33	Peak


Band3_Left Band edge_Horizontal_Peak_11AC80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	63.91	57.07	74.00	-16.93 Peak
2 5463.252	-6.84	66.24	59.40	68.20	-8.80 Peak
3 5470.000	-6.83	64.67	57.84	68.20	-10.36 Peak


Band3_Left Band edge_Horizontal_Average_11AC80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.84	52.25	45.41	54.00	-8.59 Average


Band3_Left Band edge_Vertical_Peak_11AC80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.84	63.53	56.69	74.00	-17.31	Peak
2	5462.965	-6.84	65.69	58.85	68.20	-9.35	Peak
3	5470.000	-6.83	63.37	56.54	68.20	-11.66	Peak


Band3_Left Band edge_Vertical_Average_11AC80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.84	51.90	45.06	54.00	-8.94	Average


Band3_Right Band edge_Horizontal_11AC80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.68	63.53	57.85	68.20	-10.35	Peak
2 5740.808	-5.65	65.28	59.63	68.20	-8.57	Peak


Band3_Right Band edge_Vertical_11AC80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	63.46	57.78	68.20	-10.42	Peak
2	5741.514	-5.65	65.56	59.91	68.20	-8.29	Peak


Band3_Left Band edge_Horizontal_Peak_11AX20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	64.03	57.19	74.00	-16.81 Peak
2 5461.234	-6.84	65.58	58.74	68.20	-9.46 Peak
3 5470.000	-6.83	63.58	56.75	68.20	-11.45 Peak


Band3_Left Band edge_Horizontal_Average_11AX20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.84	51.74	44.90	54.00	-9.10	Average


Band3_Left Band edge_Vertical_Peak_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	62.75	55.91	74.00	-18.09 Peak
2 5466.212	-6.84	65.86	59.02	68.20	-9.18 Peak
3 5470.000	-6.83	62.95	56.12	68.20	-12.08 Peak


Band3_Left Band edge_Vertical_Average_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AX20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.84	51.95	45.11	54.00	-8.89	Average


Band3_Right Band edge_Horizontal_11AX20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	63.67	57.99	68.20	-10.21	Peak
2	5741.784	-5.64	65.70	60.06	68.20	-8.14	Peak


Band3_Right Band edge_Vertical_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5700

	Freq Factor		Read		Limit	Over	Remark
			Level	Level			
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	63.63	57.95	68.20	-10.25	Peak
2	5740.866	-5.65	65.33	59.68	68.20	-8.52	Peak


Band3_Left Band edge_Horizontal_Peak_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	63.09	56.25	74.00	-17.75 Peak
2 5467.635	-6.83	65.80	58.97	68.20	-9.23 Peak
3 5470.000	-6.83	63.02	56.19	68.20	-12.01 Peak


Band3_Left Band edge_Horizontal_Average_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.84	52.00	45.16	54.00	-8.84 Average


Band3_Left Band edge_Vertical_Peak_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	63.22	56.38	74.00	-17.62 Peak
2 5460.938	-6.84	65.43	58.59	68.20	-9.61 Peak
3 5470.000	-6.83	64.25	57.42	68.20	-10.78 Peak


Band3_Left Band edge_Vertical_Average_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	51.79	44.95	54.00	-9.05 Average


Band3_Right Band edge_Horizontal_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	63.20	57.52	68.20	-10.68	Peak
2	5735.886	-5.65	65.36	59.71	68.20	-8.49	Peak


Band3_Right Band edge_Vertical_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5670

	Freq Factor		Read		Limit	Over	Remark
			Level	Level			
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	63.39	57.71	68.20	-10.49	Peak
2	5727.002	-5.66	65.34	59.68	68.20	-8.52	Peak


Band3_Left Band edge_Horizontal_Peak_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.84	64.91	58.07	74.00	-15.93 Peak
2 5468.078	-6.83	68.00	61.17	68.20	-7.03 Peak
3 5470.000	-6.83	65.25	58.42	68.20	-9.78 Peak


Band3_Left Band edge_Horizontal_Average_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.84	53.98	47.14	54.00	-6.86	Average


Band3_Left Band edge_Vertical_Peak_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.84	64.00	57.16	74.00	-16.84	Peak
2	5461.834	-6.84	65.71	58.87	68.20	-9.33	Peak
3	5470.000	-6.83	62.82	55.99	68.20	-12.21	Peak


Band3_Left Band edge_Vertical_Average_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi-Band3-AX80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.84	52.19	45.35	54.00	-8.65 Average


Band3_Right Band edge_Horizontal_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5725.000	-5.68	63.52	57.84	68.20	-10.36 Peak
2	5729.059	-5.66	65.31	59.65	68.20	-8.55 Peak


Band3_Right Band edge_Vertical_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.68	62.86	57.18	68.20	-11.02	Peak
2	5725.719	-5.67	65.28	59.61	68.20	-8.59	Peak


Band4_Left Band edge_Horizontal_11A



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5641.556	-5.75	65.02	59.27	68.20	-8.93	Peak
2	5665.906	-5.67	65.64	59.97	80.01	-20.04	Peak
3	5700.201	-5.72	65.68	59.96	105.26	-45.30	Peak
4	5723.973	-5.68	65.80	60.12	119.86	-59.74	Peak


Band4_Left Band edge_Vertical_11A



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5621.969	-6.00	66.61	60.61	68.20	-7.59	Peak
2	5657.049	-5.65	66.37	60.72	73.44	-12.72	Peak
3	5700.432	-5.72	65.72	60.00	105.32	-45.32	Peak
4	5724.482	-5.68	65.50	59.82	121.02	-61.20	Peak


Band4_Right Band edge_Horizontal_11A



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5853.640	-4.54	66.04	61.50	113.90	-52.40 Peak
2 5857.435	-4.55	66.16	61.61	110.12	-48.51 Peak
3 5895.653	-4.62	67.03	62.41	89.88	-27.47 Peak
4 5939.915	-4.53	66.03	61.50	68.20	-6.70 Peak


Band4_Right Band edge_Vertical_11A



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5850.752	-4.54	65.89	61.35	120.48	-59.13 Peak
2 5869.088	-4.57	65.81	61.24	106.85	-45.61 Peak
3 5891.817	-4.62	66.51	61.89	92.72	-30.83 Peak
4 5945.854	-4.51	65.95	61.44	68.20	-6.76 Peak


Band4_Left Band edge_Horizontal_11AC20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5632.791	-5.85	65.54	59.69	68.20	-8.51	Peak
2	5680.105	-5.68	65.30	59.62	90.52	-30.90	Peak
3	5717.775	-5.69	66.22	60.53	110.18	-49.65	Peak
4	5723.996	-5.68	65.36	59.68	119.91	-60.23	Peak


Band4_Left Band edge_Vertical_11AC20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5645.094	-5.71	65.20	59.49	68.20	-8.71	Peak
2	5678.879	-5.68	65.89	60.21	89.61	-29.40	Peak
3	5700.524	-5.72	65.60	59.88	105.35	-45.47	Peak
4	5720.990	-5.68	64.86	59.18	113.06	-53.88	Peak


Band4_Right Band edge_Horizontal_11AC20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.361	-4.54	65.63	61.09	121.38	-60.29	Peak
2	5856.466	-4.55	65.88	61.33	110.39	-49.06	Peak
3	5915.515	-4.59	66.35	61.76	75.19	-13.43	Peak
4	5941.461	-4.52	66.13	61.61	68.20	-6.59	Peak


Band4_Right Band edge_Vertical_11AC20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.525	-4.54	65.39	60.85	121.00	-60.15	Peak
2	5867.933	-4.57	65.75	61.18	107.18	-46.00	Peak
3	5893.529	-4.61	66.66	62.05	91.45	-29.40	Peak
4	5936.965	-4.54	66.39	61.85	68.20	-6.35	Peak


Band4_Left Band edge_Horizontal_11AC40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5634.808	-5.83	64.87	59.04	68.20	-9.16	Peak
2	5689.854	-5.70	65.66	59.96	97.72	-37.76	Peak
3	5707.021	-5.71	65.19	59.48	107.17	-47.69	Peak
4	5723.007	-5.68	65.37	59.69	117.66	-57.97	Peak


Band4_Left Band edge_Vertical_11AC40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5624.833	-5.96	65.46	59.50	68.20	-8.70	Peak
2	5697.335	-5.72	65.60	59.88	103.24	-43.36	Peak
3	5719.516	-5.68	65.34	59.66	110.66	-51.00	Peak
4	5721.249	-5.68	65.24	59.56	113.65	-54.09	Peak


Band4_Right Band edge_Horizontal_11AC40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.615	-4.54	65.41	60.87	118.52	-57.65	Peak
2	5870.620	-4.57	65.86	61.29	106.42	-45.13	Peak
3	5875.660	-4.59	65.59	61.00	104.71	-43.71	Peak
4	5946.745	-4.51	65.89	61.38	68.20	-6.82	Peak


Band4_Right Band edge_Vertical_11AC40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5854.135	-4.54	65.12	60.58	112.77	-52.19	Peak
2	5859.385	-4.56	65.62	61.06	109.57	-48.51	Peak
3	5917.634	-4.58	66.42	61.84	73.63	-11.79	Peak
4	5935.326	-4.54	65.87	61.33	68.20	-6.87	Peak


Band4_Left Band edge_Horizontal_11AC80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5646.375	-5.69	64.88	59.19	68.20	-9.01	Peak
2	5686.219	-5.70	66.10	60.40	95.03	-34.63	Peak
3	5719.750	-5.68	66.02	60.34	110.73	-50.39	Peak
4	5720.156	-5.68	66.08	60.40	111.16	-50.76	Peak


Band4_Left Band edge_Vertical_11AC80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5631.125	-5.87	65.01	59.14	68.20	-9.06 Peak
2 5669.000	-5.67	65.69	60.02	82.30	-22.28 Peak
3 5718.813	-5.68	67.33	61.65	110.47	-48.82 Peak
4 5721.250	-5.68	66.40	60.72	113.65	-52.93 Peak


Band4_Right Band edge_Horizontal_11AC80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.828	-4.55	65.61	61.06	115.75	-54.69	Peak
2	5868.128	-4.57	65.24	60.67	107.12	-46.45	Peak
3	5883.288	-4.60	66.37	61.77	99.05	-37.28	Peak
4	5945.472	-4.52	66.50	61.98	68.20	-6.22	Peak


Band4_Right Band edge_Vertical_11AC80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.325	-4.54	65.35	60.81	121.46	-60.65	Peak
2	5872.459	-4.58	66.11	61.53	105.91	-44.38	Peak
3	5911.440	-4.60	66.16	61.56	78.20	-16.64	Peak
4	5947.300	-4.51	65.76	61.25	68.20	-6.95	Peak


Band4_Left Band edge_Horizontal_11AX20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5624.466	-5.96	65.08	59.12	68.20	-9.08 Peak
2 5671.109	-5.67	65.80	60.13	83.86	-23.73 Peak
3 5700.917	-5.72	65.23	59.51	105.46	-45.95 Peak
4 5723.742	-5.68	65.11	59.43	119.33	-59.90 Peak


Band4_Left Band edge_Vertical_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5627.056	-5.93	65.18	59.25	68.20	-8.95	Peak
2	5698.975	-5.72	65.59	59.87	104.44	-44.57	Peak
3	5716.180	-5.69	65.19	59.50	109.73	-50.23	Peak
4	5721.545	-5.68	65.32	59.64	114.32	-54.68	Peak


Band4_Right Band edge_Horizontal_11AX20



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5852.506	-4.55	65.60	61.05	116.49 -55.44 Peak
2	5873.543	-4.58	66.47	61.89	105.61 -43.72 Peak
3	5911.081	-4.60	65.89	61.29	78.47 -17.18 Peak
4	5936.656	-4.54	65.37	60.83	68.20 -7.37 Peak


Band4_Right Band edge_Vertical_11AX20



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5851.021	-4.54	65.63	61.09	119.87	-58.78 Peak
2 5872.161	-4.58	65.80	61.22	105.99	-44.77 Peak
3 5878.060	-4.58	66.36	61.78	102.93	-41.15 Peak
4 5926.281	-4.56	65.53	60.97	68.20	-7.23 Peak


Band4_Left Band edge_Horizontal_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5645.623	-5.70	65.10	59.40	68.20	-8.80	Peak
2	5673.579	-5.67	65.87	60.20	85.69	-25.49	Peak
3	5718.834	-5.68	65.40	59.72	110.47	-50.75	Peak
4	5722.089	-5.68	65.36	59.68	115.56	-55.88	Peak


Band4_Left Band edge_Vertical_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5619.583	-6.02	65.32	59.30	68.20	-8.90	Peak
2	5659.404	-5.66	65.42	59.76	75.18	-15.42	Peak
3	5706.129	-5.71	66.06	60.35	106.92	-46.57	Peak
4	5721.091	-5.68	65.44	59.76	113.29	-53.53	Peak


Band4_Right Band edge_Horizontal_11AX40



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.536	-4.54	65.62	61.08	118.70	-57.62	Peak
2	5874.636	-4.58	65.56	60.98	105.30	-44.32	Peak
3	5916.610	-4.59	65.74	61.15	74.39	-13.24	Peak
4	5929.709	-4.55	65.78	61.23	68.20	-6.97	Peak


Band4_Right Band edge_Vertical_11AX40



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5853.715	-4.54	65.29	60.75	113.73	-52.98 Peak
2 5868.520	-4.58	65.42	60.84	107.01	-46.17 Peak
3 5920.311	-4.58	65.58	61.00	71.66	-10.66 Peak
4 5926.217	-4.56	65.48	60.92	68.20	-7.28 Peak


Band4_Left Band edge_Horizontal_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5638.656	-5.79	65.23	59.44	68.20	-8.76 Peak
2 5679.000	-5.68	66.11	60.43	89.70	-29.27 Peak
3 5717.969	-5.69	66.78	61.09	110.23	-49.14 Peak
4 5721.938	-5.68	66.07	60.39	115.22	-54.83 Peak


Band4_Left Band edge_Vertical_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5627.219	-5.93	65.26	59.33	68.20	-8.87	Peak
2	5672.406	-5.68	65.73	60.05	84.82	-24.77	Peak
3	5711.313	-5.69	66.18	60.49	108.37	-47.88	Peak
4	5724.563	-5.68	65.85	60.17	121.20	-61.03	Peak


Band4_Right Band edge_Horizontal_11AX80



Condition : Horizontal
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.266	-4.55	65.32	60.77	117.03	-56.26	Peak
2	5865.119	-4.57	66.45	61.88	107.96	-46.08	Peak
3	5917.263	-4.58	65.64	61.06	73.91	-12.85	Peak
4	5932.563	-4.54	65.87	61.33	68.20	-6.87	Peak

Band4_Right Band edge_Vertical_11AX80



Condition : Vertical
Project No. : 2601U64578E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5853.616	-4.54	65.47	60.93	113.96	-53.03	Peak
2	5869.253	-4.57	65.68	61.11	106.81	-45.70	Peak
3	5889.981	-4.61	65.80	61.19	94.08	-32.89	Peak
4	5937.288	-4.54	66.21	61.67	68.20	-6.53	Peak

Emission Bandwidth**Test Information:**

Sample No.:	3OAI-2	Test Date:	2026/08/02~2026/08/17
Test Site:	RF	Test Mode:	Transmitting
Tester:	Ciel Jiang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.8-26	Relative Humidity: (%)	47-55	ATM Pressure: (kPa)	100.4-101.0
----------------------	---------	------------------------------	-------	------------------------	-------------

Test Data:**26dB Emission Bandwidth
5150-5250MHz**

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	18.519
	5200	18.669
	5240	18.569
802.11ac20	5180	19.520
	5200	20.241
	5240	19.820
802.11ac40	5190	40.340
	5230	41.642
802.11ac80	5210	81.882
802.11ax20_RU_Full	5180	20.641
	5200	20.848
	5240	20.793
802.11ax40_RU_Full	5190	40.240
	5230	40.140
802.11ax80_RU_Full	5210	81.882

5250-5350MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5260	18.669
	5300	18.719
	5320	18.669
802.11ac20	5260	19.570
	5300	19.720
	5320	19.720
802.11ac40	5270	39.740
	5310	49.249
802.11ac80	5290	81.081
802.11ax20_RU_Full	5260	20.744
	5300	20.696
	5320	20.799
802.11ax40_RU_Full	5270	40.641
	5310	40.140
802.11ax80_RU_Full	5290	81.482

5470-5725MHz


Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5500	18.519
	5600	18.569
	5700	18.619
	5720	18.969
802.11ac20	5500	19.870
	5600	19.720
	5700	19.820
	5720	19.620
802.11ac40	5510	40.240
	5590	40.040
	5670	39.940
	5710	40.140
802.11ac80	5530	80.881
	5610	81.081
	5690	80.881
802.11ax20_RU_Full	5500	20.590
	5600	20.641
	5700	20.897
	5720	20.747
802.11ax40_RU_Full	5510	40.340
	5590	40.541
	5670	40.541
	5710	40.340
802.11ax80_RU_Full	5530	81.482
	5610	81.882
	5690	82.082

6dB Emission Bandwidth**5725-5850MHz**


Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	15.215	0.5	Pass
	5785	15.215	0.5	Pass
	5825	15.215	0.5	Pass
802.11ac20	5745	15.215	0.5	Pass
	5785	15.215	0.5	Pass
	5825	15.215	0.5	Pass
802.11ac40	5755	35.536	0.5	Pass
	5795	34.234	0.5	Pass
802.11ac80	5775	73.073	0.5	Pass
802.11ax20_RU_Full	5745	16.817	0.5	Pass
	5785	15.466	0.5	Pass
	5825	16.767	0.5	Pass
802.11ax40_RU_Full	5755	35.736	0.5	Pass
	5795	36.136	0.5	Pass
802.11ax80_RU_Full	5775	71.872	0.5	Pass

5150-5250MHz


802.11a_5180MHz




802.11a_5200MHz




802.11a_5240MHz




802.11ac20_5180MHz




802.11ac20_5200MHz



802.11ac20_5240MHz




802.11ac40_5190MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:00:52

802.11ac40_5230MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:02:28

802.11ac80_5210MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:48:32

802.11ax20_5180MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:17:13

802.11ax20_5200MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:18:52

802.11ax20_5240MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:20:22

802.11ax40_5190MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:01:57


802.11ax40_5230MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:03:25


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:41:52

802.11a_5260MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 16:58:02

802.11a_5300MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 16:59:36

802.11a_5320MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:01:05

802.11ac20_5260MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:36:32

802.11ac20_5300MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:39:00

802.11ac20_5320MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:41:22

802.11ac40_5270MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:04:22

802.11ac40_5310MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:05:50

802.11ac80_5290MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:49:33

802.11ax20_5260MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:21:52

802.11ax20_5300MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:23:24

802.11ax20_5320MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:25:12

802.11ax40_5270MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:05:08

802.11ax40_5310MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:06:20


802.11ax80_5290MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:42:59


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:02:41

802.11a_5600MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:04:15

802.11a_5700MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:06:16

802.11a_5720MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:07:56

802.11ac20_5500MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:43:00

802.11ac20_5600MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:44:59

802.11ac20_5700MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:49:47

802.11ac20_5720MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:52:00

802.11ac40_5510MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:07:29

802.11ac40_5590MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:08:45

802.11ac40_5670MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:10:11

802.11ac40_5710MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:14:08

802.11ac80_5530MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:50:47

802.11ac80_5610MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:51:49

802.11ac80_5690MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:52:38

802.11ax20_5500MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:26:56

802.11ax20_5600MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:28:29

802.11ax20_5700MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:30:12

802.11ax20_5720MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:32:06

802.11ax40_5510MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:07:38

802.11ax40_5590MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:09:32

802.11ax40_5670MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:10:56

802.11ax40_5710MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:12:12

802.11ax80_5530MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:44:16

802.11ax80_5610MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:45:25


802.11ax80_5690MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 17.AUG.2026 21:46:29


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:09:26

802.11a_5785MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:10:34

802.11a_5825MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:11:35

802.11ac20_5745MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:53:14

802.11ac20_5785MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:54:20

802.11ac20_5825MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:55:22

802.11ac40_5755MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:15:15

802.11ac40_5795MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:16:02

802.11ac80_5775MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:34:04

802.11ax20_5745MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:33:21

802.11ax20_5785MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:34:51

802.11ax20_5825MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:35:54

802.11ax40_5755MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:13:43

802.11ax40_5795MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:14:20

802.11ax80_5775MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:25:51

99% Occupied Bandwidth**Test Information:**

Sample No.:	3OAI-2	Test Date:	2026/08/02
Test Site:	RF	Test Mode:	Transmitting
Tester:	Ciel Jiang	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25.8	Relative Humidity: (%)	55	ATM Pressure: (kPa)	100.4
----------------------	------	------------------------------	----	------------------------	-------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5180	16.250
	5200	16.250
	5240	16.250
802.11ac20	5180	17.450
	5200	17.450
	5240	17.450
802.11ac40	5190	36.100
	5230	36.100
802.11ac80	5210	75.200
802.11ax20_RU_Full	5180	18.850
	5200	18.850
	5240	18.800
802.11ax40_RU_Full	5190	37.500
	5230	37.700
802.11ax80_RU_Full	5210	76.800

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5250-5350MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5260	16.250
	5300	16.250
	5320	16.250
802.11ac20	5260	17.450
	5300	17.500
	5320	17.450
802.11ac40	5270	36.100
	5310	36.100
802.11ac80	5290	75
802.11ax20_RU_Full	5260	18.850
	5300	18.800
	5320	18.800
802.11ax40_RU_Full	5270	37.700
	5310	37.700
802.11ax80_RU_Full	5290	77

5470-5725MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5500	16.250
	5600	16.250
	5700	16.250
	5720	16.250
802.11ac20	5500	17.450
	5600	17.450
	5700	17.500
	5720	17.500
802.11ac40	5510	36
	5590	36
	5670	36
	5710	36
802.11ac80	5530	75
	5610	75.200
	5690	75.200
802.11ax20_RU_Full	5500	18.800
	5600	18.850
	5700	18.850
	5720	18.850
802.11ax40_RU_Full	5510	37.700
	5590	37.700
	5670	37.700
	5710	37.600
802.11ax80_RU_Full	5530	76.800
	5610	76.600
	5690	77

5725-5850MHz


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5745	16.250
	5785	16.250
	5825	16.250
802.11ac20	5745	17.450
	5785	17.500
	5825	17.500
802.11ac40	5755	36
	5795	36
802.11ac80	5775	75
802.11ax20_RU_Full	5745	18.850
	5785	18.850
	5825	18.850
802.11ax40_RU_Full	5755	37.700
	5795	37.600
802.11ax80_RU_Full	5775	76.800

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 16:53:54

802.11a_5200MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 16:55:19

802.11a_5240MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 16:56:50

802.11ac20_5180MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:31:34

802.11ac20_5200MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:33:04

802.11ac20_5240MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:34:33

802.11ac40_5190MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:00:57

802.11ac40_5230MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:02:33

802.11ac80_5210MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:20:12

802.11ax20_5180MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:17:30

802.11ax20_5200MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:19:05

802.11ax20_5240MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:20:37

802.11ax40_5190MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:02:03


802.11ax40_5230MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:03:30


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:17:51

802.11a_5260MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 16:58:17

802.11a_5300MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 16:59:49

802.11a_5320MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:01:20

802.11ac20_5260MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:36:47

802.11ac20_5300MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:39:13

802.11ac20_5320MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:41:37

802.11ac40_5270MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:04:27

802.11ac40_5310MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:05:56

802.11ac80_5290MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:21:48

802.11ax20_5260MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:22:07

802.11ax20_5300MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:23:38

802.11ax20_5320MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:25:27

802.11ax40_5270MHz_RU_Full




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:05:13

802.11ax40_5310MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 18:06:25


802.11ax80_5290MHz_RU_Full



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:19:19


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:02:59

802.11a_5600MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:04:29

802.11a_5700MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:06:35

802.11a_5720MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 17:08:13

802.11ac20_5500MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:43:18

802.11ac20_5600MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:45:14

802.11ac20_5700MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:50:07

802.11ac20_5720MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 19:52:17

802.11ac40_5510MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:07:37

802.11ac40_5590MHz




ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:08:53

802.11ac40_5670MHz



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:10:17

802.11ac40_5710MHz



ProjectNo.:2601U64578E-RF Tester:Ciel Jiang
Date: 2.AUG.2026 20:14:13