

	Product Label Emerson RMM-W	Date: 2016.12.07 Revision 1.1 Status: released
---	--	---

Product Label

Emerson RMM-W

Dokumentvorlage: Vorlage_Hirschmann_TV-Tuner.dot, Version 4.2
EULE-Link: <http://ccs-dev/eule/browse.php?sess=0&parent=554&expand=1&fileid=4870>

	Name, Department	Date	Signature
Author:	Gerd Zoellmer	2016-12-07	
Approval	Gerd Zoellmer	2016-12-07	
Distribution			

<http://nt-dev-cb.hcc.local/cb/doc/312245>


Page 1 of 4

Confidential - Reproductions and exploitation, as well as transfer to third parties without written consent of Hirschmann is prohibited.
Prints and local copies of this document are not subject to revision control.

	Product Label Emerson RMM-W	Date: 2016.12.07 Revision 1.1 Status: released
---	--	---

1 Label (HCC No. 292-278-180)

Material: PET Label, white
Thickness: 0,077 mm (DIN 5337)
Temperature Range: -40 .. 150 °C
Size: 68 mm x 50 mm
Technology: Thermo-Transfer
IMDS-ID: 416917875 / 2



	Product Label Emerson RMM-W	Date: 2016.12.07 Revision 1.1 Status: released
---	--------------------------------	--

2 Design Examples

2.1 Model: 920 571 (no BLE)

Single Battery

RMM-W

EMERSON

S/N: ABH791600116491234 HW Rev. 0004

Reorder PN: 7916-001

IMSI : 310170202941335

IMEI : 357520070027103

Contains IC: 8595A-1CGM5NNN

Contains FCC-ID: XPY1CGM5NNN

Emerson Climate Technologies | Axel Kiers Vej 5A | 8270 Højebjerg | Denmark

Model: 920571 010 Supply: 24V~, 1A max. Li-Ion Battery

2618700200003202 4V, 330 mAh, <1.4 Wh

Country of origin: Germany RMMU: 9999999

Double Battery

RMM-W

EMERSON

S/N: ABH791600216491234 HW Rev. 0004

Reorder PN: 7916-002

IMSI : 310170202941335

IMEI : 357520070027103

Contains IC: 8595A-1CGM5NNN

Contains FCC-ID: XPY1CGM5NNN

Emerson Climate Technologies | Axel Kiers Vej 5A | 8270 Højebjerg | Denmark

Model: 920571 060 Supply: 24V~, 1A max. Li-Ion Battery

2618700200003202 4V, 660 mAh, <2.8 Wh

Country of origin: Germany RMMU: 9999999

2.2 Model: 920 536 (with BLE Option)

Single Battery

RMM-W

EMERSON

S/N: ABH791600316380058 HW Rev. 0004

Reorder PN: 7916-003

IMSI : 310170202941328

IMEI : 357520070023748

MAC-ID : B0:XX:XX:XX:XX:XX

Contains IC: 8595A-1CGM5NNN

Contains FCC-ID: XPY1CGM5NNN

FCC-ID: XTJ-RMM-W-26187

IC: 8653A-RMMW26187

Emerson Climate Technologies | Axel Kiers Vej 5A | 8270 Højebjerg | Denmark

Model: 920536 010 Supply: 24V~, 1A max. Li-Ion Battery

2618700200001801 4V, 330 mAh, <1.4 Wh

Country of origin: Germany RMMU: 5041260

Double Battery

RMM-W

EMERSON

S/N: ABH791600416380058 HW Rev. 0004

Reorder PN: 7916-004

IMSI : 310170202941328

IMEI : 357520070023748

MAC-ID : B0:XX:XX:XX:XX:XX

Contains IC: 8595A-1CGM5NNN

Contains FCC-ID: XPY1CGM5NNN

FCC-ID: XTJ-RMM-W-26187

IC: 8653A-RMMW26187

Emerson Climate Technologies | Axel Kiers Vej 5A | 8270 Højebjerg | Denmark


Model: 920536 060 Supply: 24V~, 1A max. Li-Ion Battery

2618700200001801 4V, 660 mAh, <2.8 Wh

Country of origin: Germany RMMU: 5041260

	Product Label Emerson RMM-W	Date: 2016.12.07 Revision 1.1 Status: released
---	--	---

3 Label Placement



The label can also be placed on the bottom side, in case the device is mounted with VHB tape on the cover.