




Label location



TEW-806UBH/A

HW : v1.0R

FCC ID : XU8TEW806UBH

MAC: 0022CF12345A

S/N: 01MH00005AR



Silkscreen TEW-806UBH

Logo & Model number: Pantone Cool gray 2C

Model number Font: Eurostile Bold 7 pt

Content Font: Eurostile 5 pt

Printing color: Pantone Cool gray 2C



本體COLOR : Black
LOGO印刷顏色 : PANTONE Cool Gray 2C

Name	AU7212/TEW-806UBH (PJTRADE-TRENDnet) 黑色 LF			
Drawing Number	M44-10423-100(上蓋).M44-10423-110(下蓋)			
Mechanical Number	M44-10421-100(上蓋).M44-10421-110(下蓋)			
Material		Factory	銓鼎	
Note				
Ratio	☒ 1:1 ☐			
Responsible	Design	Date	Sample	Date
Design				
Engineer				
Sales				
Apporved				

- NOTES:
1. "D" ARE CRITICAL DIMENSIONS FOR INCOMING INSPECTION.
 2. ALL PARTS TO BE FREE OF NOTICEABLE FLASH.
 3. NO MOLDING DEFECTS ALLOWED WHICH AFFECT FUNCTION.
 4. EXTERIOR SURFACE TO BE FREE OF SINK, WIRE LINE, EJECTOR MARKS AND OTHER VISUAL DEFECTS.
 5. THE OUT SHAPE IS BASED UPON 3D DATA, DO NOT SCALE THE DRAWING.
 6. REFER TO TOLERANCE TABLE UNLESS OTHERWISE SPECIFIED.
 7. RoHS COMPLIANCE AND UL94HB FLAMMABILITY.
 8. GATE NOT TO EXCEED 0.05MM.
 9. FLATNESS TO BE UNDER 0.1MM.
 10. BREAK ALL SHARP CORNERS TO BE NATURE RADIUS R0.15MM UNLESS OTHERWISE SPECIFIED.
 11. GATING, P/L, EJECTOR LOCATIONS TO BE APPROVED BY DESIGNER.
 12. GREASE, OIL AND DIRT REMOVE.