







Band Edge NVNT ac20 5320MHz High Ant1




Band Edge NVNT ac40 5270MHz Low Ant1




Band Edge NVNT ac40 5310MHz High Ant1




Band Edge NVNT ac80 5290MHz Low Ant1




Band Edge NVNT n20 5260MHz Low Ant1




Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant1




Band Edge NVNT n40 5310MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-32.17	-27	Pass
NVNT	a	5280	Ant1	-30.53	-27	Pass
NVNT	a	5320	Ant1	-32.31	-27	Pass
NVNT	ac20	5260	Ant1	-31.7	-27	Pass
NVNT	ac20	5280	Ant1	-31.43	-27	Pass
NVNT	ac20	5320	Ant1	-31.8	-27	Pass
NVNT	ac40	5270	Ant1	-32.01	-27	Pass
NVNT	ac40	5310	Ant1	-31.9	-27	Pass
NVNT	ac80	5290	Ant1	-31.77	-27	Pass
NVNT	n20	5260	Ant1	-31.23	-27	Pass
NVNT	n20	5280	Ant1	-32.1	-27	Pass
NVNT	n20	5320	Ant1	-31.76	-27	Pass
NVNT	n40	5270	Ant1	-32.23	-27	Pass
NVNT	n40	5310	Ant1	-32.11	-27	Pass


Tx. Spurious NVNT a 5260MHz Ant1 Emission




Tx. Spurious NVNT a 5280MHz Ant1 Emission




Tx. Spurious NVNT a 5320MHz Ant1 Emission




Tx. Spurious NVNT ac20 5260MHz Ant1 Emission




Tx. Spurious NVNT ac20 5280MHz Ant1 Emission




Tx. Spurious NVNT ac20 5320MHz Ant1 Emission




Tx. Spurious NVNT ac40 5270MHz Ant1 Emission




Tx. Spurious NVNT ac40 5310MHz Ant1 Emission




Tx. Spurious NVNT ac80 5290MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission




Tx. Spurious NVNT n20 5320MHz Ant1 Emission



Tx. Spurious NVNT n40 5270MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission




WIFI 5.6G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	97.63	0.1	0.72
NVNT	a	5600	Ant1	97.57	0.11	0.72
NVNT	a	5700	Ant1	97.6	0.11	0.72
NVNT	ac20	5500	Ant1	97.45	0.11	0.76
NVNT	ac20	5600	Ant1	97.47	0.11	0.76
NVNT	ac20	5700	Ant1	97.46	0.11	0.76
NVNT	ac40	5510	Ant1	95.07	0.22	1.54
NVNT	ac40	5590	Ant1	95.11	0.22	1.54
NVNT	ac40	5670	Ant1	85.62	0.67	5.26
NVNT	ac80	5530	Ant1	98.25	0.08	0.94
NVNT	ac80	5610	Ant1	98.25	0.08	0.94
NVNT	n20	5500	Ant1	97.45	0.11	0.77
NVNT	n20	5600	Ant1	97.44	0.11	0.77
NVNT	n20	5700	Ant1	97.44	0.11	0.77
NVNT	n40	5510	Ant1	95.09	0.22	1.54
NVNT	n40	5590	Ant1	95.11	0.22	1.54
NVNT	n40	5670	Ant1	95.11	0.22	1.54


Duty Cycle NVNT a 5500MHz Ant1




Duty Cycle NVNT a 5600MHz Ant1




Duty Cycle NVNT a 5700MHz Ant1




Duty Cycle NVNT ac20 5500MHz Ant1




Duty Cycle NVNT ac20 5600MHz Ant1




Duty Cycle NVNT ac20 5700MHz Ant1




Duty Cycle NVNT ac40 5510MHz Ant1




Duty Cycle NVNT ac40 5590MHz Ant1




Duty Cycle NVNT ac40 5670MHz Ant1




Duty Cycle NVNT ac80 5530MHz Ant1




Duty Cycle NVNT ac80 5610MHz Ant1




Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5600MHz Ant1




Duty Cycle NVNT n20 5700MHz Ant1




Duty Cycle NVNT n40 5510MHz Ant1



Duty Cycle NVNT n40 5590MHz Ant1



Duty Cycle NVNT n40 5670MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	10.966	24	Pass
NVNT	a	5600	Ant1	10.836	24	Pass
NVNT	a	5700	Ant1	11.497	24	Pass
NVNT	ac20	5500	Ant1	10.749	24	Pass
NVNT	ac20	5600	Ant1	10.672	24	Pass


NVNT	ac20	5700	Ant1	11.722	24	Pass
NVNT	ac40	5510	Ant1	10.611	24	Pass
NVNT	ac40	5590	Ant1	10.43	24	Pass
NVNT	ac40	5670	Ant1	10.882	24	Pass
NVNT	ac80	5530	Ant1	8.448	24	Pass
NVNT	ac80	5610	Ant1	8.82	24	Pass
NVNT	n20	5500	Ant1	10.667	24	Pass
NVNT	n20	5600	Ant1	10.691	24	Pass
NVNT	n20	5700	Ant1	11.477	24	Pass
NVNT	n40	5510	Ant1	10.538	24	Pass
NVNT	n40	5590	Ant1	10.415	24	Pass
NVNT	n40	5670	Ant1	11.276	24	Pass

Note: The average power value already includes the duty cycle factor


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	21.396	Pass
NVNT	a	5600	Ant1	22.768	Pass
NVNT	a	5700	Ant1	23.513	Pass
NVNT	ac20	5500	Ant1	23.693	Pass
NVNT	ac20	5600	Ant1	21.98	Pass
NVNT	ac20	5700	Ant1	24.582	Pass
NVNT	ac40	5510	Ant1	40.593	Pass
NVNT	ac40	5590	Ant1	42.605	Pass
NVNT	ac40	5670	Ant1	41.008	Pass
NVNT	ac80	5530	Ant1	80.702	Pass
NVNT	ac80	5610	Ant1	80.645	Pass
NVNT	n20	5500	Ant1	23.592	Pass
NVNT	n20	5600	Ant1	24.761	Pass
NVNT	n20	5700	Ant1	25.951	Pass
NVNT	n40	5510	Ant1	40.511	Pass
NVNT	n40	5590	Ant1	40.402	Pass
NVNT	n40	5670	Ant1	40.258	Pass


-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5600MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5600MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1




-26dB Bandwidth NVNT ac40 5510MHz Ant1




-26dB Bandwidth NVNT ac40 5590MHz Ant1




-26dB Bandwidth NVNT ac40 5670MHz Ant1




-26dB Bandwidth NVNT ac80 5530MHz Ant1




-26dB Bandwidth NVNT ac80 5610MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5600MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5590MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.484
NVNT	a	5600	Ant1	16.454
NVNT	a	5700	Ant1	16.443
NVNT	ac20	5500	Ant1	17.554
NVNT	ac20	5600	Ant1	17.551
NVNT	ac20	5700	Ant1	17.574
NVNT	ac40	5510	Ant1	36.012
NVNT	ac40	5590	Ant1	36.037
NVNT	ac40	5670	Ant1	35.925
NVNT	ac80	5530	Ant1	75.052
NVNT	ac80	5610	Ant1	75.261
NVNT	n20	5500	Ant1	17.567
NVNT	n20	5600	Ant1	17.577
NVNT	n20	5700	Ant1	17.576
NVNT	n40	5510	Ant1	35.9
NVNT	n40	5590	Ant1	35.999
NVNT	n40	5670	Ant1	35.989


OBW NVNT a 5500MHz Ant1




OBW NVNT a 5600MHz Ant1




OBW NVNT a 5700MHz Ant1




OBW NVNT ac20 5500MHz Ant1




OBW NVNT ac20 5600MHz Ant1




OBW NVNT ac20 5700MHz Ant1




OBW NVNT ac40 5510MHz Ant1




OBW NVNT ac40 5590MHz Ant1




OBW NVNT ac40 5670MHz Ant1




OBW NVNT ac80 5530MHz Ant1




OBW NVNT ac80 5610MHz Ant1




OBW NVNT n20 5500MHz Ant1




OBW NVNT n20 5600MHz Ant1




OBW NVNT n20 5700MHz Ant1




OBW NVNT n40 5510MHz Ant1



OBW NVNT n40 5590MHz Ant1




OBW NVNT n40 5670MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	1.195	0.1	1.295	11	Pass
NVNT	a	5600	Ant1	1.343	0.11	1.453	11	Pass
NVNT	a	5700	Ant1	2.337	0.11	2.447	11	Pass
NVNT	ac20	5500	Ant1	1.328	0.11	1.438	11	Pass
NVNT	ac20	5600	Ant1	1.028	0.11	1.138	11	Pass
NVNT	ac20	5700	Ant1	1.819	0.11	1.929	11	Pass
NVNT	ac40	5510	Ant1	-2.121	0.22	-1.901	11	Pass
NVNT	ac40	5590	Ant1	-2.255	0.22	-2.035	11	Pass
NVNT	ac40	5670	Ant1	-1.763	0.67	-1.093	11	Pass
NVNT	ac80	5530	Ant1	-6.137	0.08	-6.057	11	Pass
NVNT	ac80	5610	Ant1	-6.183	0.08	-6.103	11	Pass
NVNT	n20	5500	Ant1	0.822	0.11	0.932	11	Pass
NVNT	n20	5600	Ant1	0.802	0.11	0.912	11	Pass
NVNT	n20	5700	Ant1	2.043	0.11	2.153	10	Pass
NVNT	n40	5510	Ant1	-1.674	0.22	-1.454	11	Pass
NVNT	n40	5590	Ant1	-2.595	0.22	-2.375	11	Pass
NVNT	n40	5670	Ant1	-1.365	0.22	-1.145	11	Pass


PSD NVNT a 5500MHz Ant1




PSD NVNT a 5600MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT ac20 5500MHz Ant1




PSD NVNT ac20 5600MHz Ant1




PSD NVNT ac20 5700MHz Ant1




PSD NVNT ac40 5510MHz Ant1




PSD NVNT ac40 5590MHz Ant1




PSD NVNT ac40 5670MHz Ant1




PSD NVNT ac80 5530MHz Ant1




PSD NVNT ac80 5610MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5600MHz Ant1




PSD NVNT n20 5700MHz Ant1




PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5590MHz Ant1




PSD NVNT n40 5670MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-30.45	-27	Pass
NVNT	a	5700	Ant1	-27.36	-27	Pass
NVNT	ac20	5500	Ant1	-32.04	-27	Pass
NVNT	ac20	5700	Ant1	-27.86	-27	Pass
NVNT	ac40	5510	Ant1	-27.92	-27	Pass
NVNT	ac40	5670	Ant1	-33.33	-27	Pass
NVNT	ac80	5530	Ant1	-27.47	-27	Pass
NVNT	ac80	5610	Ant1	-36.29	-27	Pass
NVNT	n20	5500	Ant1	-30.9	-27	Pass
NVNT	n20	5700	Ant1	-28.03	-27	Pass
NVNT	n40	5510	Ant1	-27.49	-27	Pass
NVNT	n40	5670	Ant1	-33.21	-27	Pass


Band Edge NVNT a 5500MHz Low Ant1




Band Edge NVNT a 5700MHz High Ant1




Band Edge NVNT ac20 5500MHz Low Ant1




Band Edge NVNT ac20 5700MHz High Ant1




Band Edge NVNT ac40 5510MHz Low Ant1




Band Edge NVNT ac40 5670MHz High Ant1




Band Edge NVNT ac80 5530MHz Low Ant1




Band Edge NVNT ac80 5610MHz High Ant1




Band Edge NVNT n20 5500MHz Low Ant1




Band Edge NVNT n20 5700MHz High Ant1



Band Edge NVNT n40 5510MHz Low Ant1



Band Edge NVNT n40 5670MHz High Ant1




Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-31.8	-27	Pass
NVNT	a	5600	Ant1	-31.32	-27	Pass
NVNT	a	5700	Ant1	-31.98	-27	Pass
NVNT	ac20	5500	Ant1	-31.82	-27	Pass
NVNT	ac20	5600	Ant1	-31.88	-27	Pass

NVNT	ac20	5700	Ant1	-31.5	-27	Pass
NVNT	ac40	5510	Ant1	-31.82	-27	Pass
NVNT	ac40	5590	Ant1	-31.68	-27	Pass
NVNT	ac40	5670	Ant1	-31.84	-27	Pass
NVNT	ac80	5530	Ant1	-32.34	-27	Pass
NVNT	ac80	5610	Ant1	-31.74	-27	Pass
NVNT	n20	5500	Ant1	-31.89	-27	Pass
NVNT	n20	5600	Ant1	-31.6	-27	Pass
NVNT	n20	5700	Ant1	-30.78	-27	Pass
NVNT	n40	5510	Ant1	-31.63	-27	Pass
NVNT	n40	5590	Ant1	-32.23	-27	Pass
NVNT	n40	5670	Ant1	-31.72	-27	Pass


Tx. Spurious NVNT a 5500MHz Ant1 Emission




Tx. Spurious NVNT a 5600MHz Ant1 Emission




Tx. Spurious NVNT a 5700MHz Ant1 Emission




Tx. Spurious NVNT ac20 5500MHz Ant1 Emission




Tx. Spurious NVNT ac20 5600MHz Ant1 Emission




Tx. Spurious NVNT ac20 5700MHz Ant1 Emission




Tx. Spurious NVNT ac40 5510MHz Ant1 Emission




Tx. Spurious NVNT ac40 5590MHz Ant1 Emission




Tx. Spurious NVNT ac40 5670MHz Ant1 Emission




Tx. Spurious NVNT ac80 5530MHz Ant1 Emission




Tx. Spurious NVNT ac80 5610MHz Ant1 Emission




Tx. Spurious NVNT n20 5500MHz Ant1 Emission




Tx. Spurious NVNT n20 5600MHz Ant1 Emission




Tx. Spurious NVNT n20 5700MHz Ant1 Emission




Tx. Spurious NVNT n40 5510MHz Ant1 Emission



Tx. Spurious NVNT n40 5590MHz Ant1 Emission



Tx. Spurious NVNT n40 5670MHz Ant1 Emission




WIFI 5.8G


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	97.6	0.11	0.72
NVNT	a	5785	Ant1	97.61	0.11	0.72
NVNT	a	5825	Ant1	97.57	0.11	0.72
NVNT	ac20	5745	Ant1	97.46	0.11	0.76
NVNT	ac20	5785	Ant1	97.42	0.11	0.76
NVNT	ac20	5825	Ant1	97.46	0.11	0.76
NVNT	ac40	5755	Ant1	95.09	0.22	1.54
NVNT	ac40	5795	Ant1	95.14	0.22	1.54
NVNT	ac80	5775	Ant1	96.17	0.17	0.97
NVNT	n20	5745	Ant1	97.4	0.11	0.77
NVNT	n20	5785	Ant1	97.41	0.11	0.77
NVNT	n20	5825	Ant1	97.42	0.11	0.77
NVNT	n40	5755	Ant1	95.07	0.22	1.54
NVNT	n40	5795	Ant1	95.1	0.22	1.54


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	10.079	30	Pass
NVNT	a	5785	Ant1	9.896	30	Pass
NVNT	a	5825	Ant1	8.858	30	Pass
NVNT	ac20	5745	Ant1	9.95	30	Pass
NVNT	ac20	5785	Ant1	9.763	30	Pass
NVNT	ac20	5825	Ant1	8.744	30	Pass
NVNT	ac40	5755	Ant1	10.026	30	Pass
NVNT	ac40	5795	Ant1	9.501	30	Pass
NVNT	ac80	5775	Ant1	10.058	30	Pass
NVNT	n20	5745	Ant1	9.959	30	Pass
NVNT	n20	5785	Ant1	9.797	30	Pass
NVNT	n20	5825	Ant1	8.748	30	Pass
NVNT	n40	5755	Ant1	9.976	30	Pass
NVNT	n40	5795	Ant1	9.433	30	Pass


Note: The average power value already includes the duty cycle factor

-6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	15.214	0.5	Pass
NVNT	a	5785	Ant1	14.248	0.5	Pass
NVNT	a	5825	Ant1	14.723	0.5	Pass
NVNT	ac20	5745	Ant1	13.753	0.5	Pass
NVNT	ac20	5785	Ant1	15.455	0.5	Pass
NVNT	ac20	5825	Ant1	15.431	0.5	Pass
NVNT	ac40	5755	Ant1	33.827	0.5	Pass

NVNT	ac40	5795	Ant1	33.772	0.5	Pass
NVNT	ac80	5775	Ant1	72.56	0.5	Pass
NVNT	n20	5745	Ant1	15.044	0.5	Pass
NVNT	n20	5785	Ant1	14.882	0.5	Pass
NVNT	n20	5825	Ant1	16.315	0.5	Pass
NVNT	n40	5755	Ant1	33.849	0.5	Pass
NVNT	n40	5795	Ant1	34.978	0.5	Pass

-6dB Bandwidth NVNT a 5745MHz Ant1



-6dB Bandwidth NVNT a 5785MHz Ant1