









5.1.4 OCCUPIED CHANNEL BANDWIDTH



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.459
NVNT	a	5200	Ant1	16.711
NVNT	a	5240	Ant1	16.603
NVNT	n20	5180	Ant1	17.59
NVNT	n20	5200	Ant1	17.65
NVNT	n20	5240	Ant1	17.575
NVNT	n40	5190	Ant1	36.074
NVNT	n40	5230	Ant1	36.224
NVNT	ac20	5180	Ant1	17.542
NVNT	ac20	5200	Ant1	17.578
NVNT	ac20	5240	Ant1	17.575
NVNT	ac40	5190	Ant1	36.098
NVNT	ac40	5230	Ant1	36.134
NVNT	ac80	5210	Ant1	75.184



















5.1.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	5.79	11	Pass
NVNT	a	5200	Ant1	5.27	11	Pass
NVNT	a	5240	Ant1	5.51	11	Pass
NVNT	n20	5180	Ant1	6.13	11	Pass
NVNT	n20	5200	Ant1	4.73	11	Pass
NVNT	n20	5240	Ant1	4.58	11	Pass
NVNT	n40	5190	Ant1	2.07	11	Pass
NVNT	n40	5230	Ant1	1.97	11	Pass
NVNT	ac20	5180	Ant1	5.03	11	Pass
NVNT	ac20	5200	Ant1	4.62	11	Pass
NVNT	ac20	5240	Ant1	5.5	11	Pass
NVNT	ac40	5190	Ant1	2.03	11	Pass
NVNT	ac40	5230	Ant1	1.73	11	Pass
NVNT	ac80	5210	Ant1	-0.39	11	Pass

