

























Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-39.01	<=-27	Pass
NVNT	a	5700	Ant1	-40.89	<=-27	Pass
NVNT	a	5500	Ant2	-39.96	<=-27	Pass
NVNT	a	5700	Ant2	-40.26	<=-27	Pass
NVNT	n20	5500	MIMO	-39.93	<=-27	Pass
NVNT	n20	5700	MIMO	-41.02	<=-27	Pass
NVNT	n20	5500	Ant1	-40.12	<=-27	Pass
NVNT	n20	5500	Ant2	-37.29	<=-27	Pass
NVNT	n20	5700	Ant1	-40.4	<=-27	Pass
NVNT	n20	5700	Ant2	-39.59	<=-27	Pass
NVNT	n40	5510	MIMO	-40.1	<=-27	Pass
NVNT	n40	5670	MIMO	-41.34	<=-27	Pass
NVNT	n40	5510	Ant1	-40.78	<=-27	Pass
NVNT	n40	5510	Ant2	-40.68	<=-27	Pass
NVNT	n40	5670	Ant1	-40.74	<=-27	Pass
NVNT	n40	5670	Ant2	-42.47	<=-27	Pass
NVNT	ac20	5500	MIMO	-40.14	<=-27	Pass
NVNT	ac20	5700	MIMO	-41.26	<=-27	Pass
NVNT	ac20	5500	Ant1	-40.49	<=-27	Pass
NVNT	ac20	5500	Ant2	-38.56	<=-27	Pass
NVNT	ac20	5700	Ant1	-39.9	<=-27	Pass
NVNT	ac20	5700	Ant2	-40.15	<=-27	Pass
NVNT	ac40	5510	MIMO	-39.48	<=-27	Pass
NVNT	ac40	5670	MIMO	-40.72	<=-27	Pass
NVNT	ac40	5510	Ant1	-38.43	<=-27	Pass
NVNT	ac40	5510	Ant2	-40.61	<=-27	Pass
NVNT	ac40	5670	Ant1	-40.41	<=-27	Pass
NVNT	ac40	5670	Ant2	-41.18	<=-27	Pass
NVNT	ac80	5530	MIMO	-38.93	<=-27	Pass
NVNT	ac80	5610	MIMO	-40.97	<=-27	Pass
NVNT	ac80	5530	Ant1	-38.92	<=-27	Pass
NVNT	ac80	5530	Ant2	-39.16	<=-27	Pass
NVNT	ac80	5610	Ant1	-41.44	<=-27	Pass
NVNT	ac80	5610	Ant2	-42.81	<=-27	Pass
NVNT	ac160	5570	MIMO	-40.6	<=-27	Pass
NVNT	ac160	5570	MIMO	-33.66	<=-27	Pass
NVNT	ac160	5570	Ant1	-41.64	<=-27	Pass
NVNT	ac160	5570	Ant2	-42.77	<=-27	Pass
NVNT	ac160	5570	Ant1	-37.71	<=-27	Pass
NVNT	ac160	5570	Ant2	-40.74	<=-27	Pass
NVNT	ax20	5500	MIMO	-40.03	<=-27	Pass
NVNT	ax20	5700	MIMO	-41.13	<=-27	Pass
NVNT	ax20	5500	Ant1	-39.93	<=-27	Pass
NVNT	ax20	5500	Ant2	-38.04	<=-27	Pass
NVNT	ax20	5700	Ant1	-41.06	<=-27	Pass
NVNT	ax20	5700	Ant2	-40.35	<=-27	Pass
NVNT	ax40	5510	MIMO	-40.11	<=-27	Pass
NVNT	ax40	5670	MIMO	-40.61	<=-27	Pass
NVNT	ax40	5510	Ant1	-39.4	<=-27	Pass
NVNT	ax40	5510	Ant2	-40.74	<=-27	Pass
NVNT	ax40	5670	Ant1	-40.39	<=-27	Pass
NVNT	ax40	5670	Ant2	-42.12	<=-27	Pass
NVNT	ax80	5530	MIMO	-39.11	<=-27	Pass
NVNT	ax80	5610	MIMO	-41.67	<=-27	Pass
NVNT	ax80	5530	Ant1	-40.41	<=-27	Pass
NVNT	ax80	5530	Ant2	-40.6	<=-27	Pass
NVNT	ax80	5610	Ant1	-41.42	<=-27	Pass
NVNT	ax80	5610	Ant2	-42.75	<=-27	Pass
NVNT	ax160	5570	MIMO	-36.96	<=-27	Pass
NVNT	ax160	5570	MIMO	-38.22	<=-27	Pass
NVNT	ax160	5570	Ant1	-40.04	<=-27	Pass




NVNT	ax160	5570	Ant2	-42.27	<=-27	Pass
NVNT	ax160	5570	Ant1	-38.41	<=-27	Pass
NVNT	ax160	5570	Ant2	-42.13	<=-27	Pass







Band Edge NVNT a 5500MHz Low Ant2




Band Edge NVNT a 5700MHz High Ant2










Band Edge NVNT n20 5500MHz Low Ant1




Band Edge NVNT n20 5500MHz Low Ant2












Band Edge NVNT n40 5510MHz Low MIMO







Band Edge NVNT n40 5670MHz High MIMO

























Band Edge NVNT ac40 5510MHz Low Ant1




Band Edge NVNT ac40 5510MHz Low Ant2












Band Edge NVNT ac80 5530MHz Low MIMO



Band Edge NVNT ac80 5610MHz High MIMO











Band Edge NVNT ac160 5570MHz High MIMO




Band Edge NVNT ac160 5570MHz Low MIMO






Band Edge NVNT ac160 5570MHz High Ant1




Band Edge NVNT ac160 5570MHz High Ant2










Band Edge NVNT ac160 5570MHz Low Ant1







Band Edge NVNT ac160 5570MHz Low Ant2



























Band Edge NVNT ax80 5530MHz Low Ant1




Band Edge NVNT ax80 5530MHz Low Ant2






Band Edge NVNT ax80 5610MHz High Ant1



Band Edge NVNT ax80 5610MHz High Ant2





Band Edge NVNT ax160 5570MHz High MIMO



Band Edge NVNT ax160 5570MHz Low MIMO








Band Edge NVNT ax160 5570MHz High Ant1



Band Edge NVNT ax160 5570MHz High Ant2







Restrict Band

Condi tion	Mode	Frequ ncy (MHz)	Antenn a	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Facto r (dB)	E (dBuV/ m)	Detector	Limit (dBuV/ m)	Verdi ct
NV NT	a	5500	Ant1	5460	-46.72	3.1	0	51.61	Peak	<=68.2	Pass
NV NT	a	5500	Ant1	5460	-54.4	3.1	0.15	44.08	Average	<=54	Pass
NV NT	a	5500	Ant1	5465	-44.01	3.1	0	54.32	Peak	<=68.2	Pass
NV NT	a	5500	Ant1	5462.8	-53.25	3.1	0.15	45.23	Average	<=54	Pass
NV NT	a	5500	Ant1	5470	-47.31	3.1	0	51.02	Peak	<=68.2	Pass
NV NT	a	5500	Ant1	5470	-53.88	3.1	0.15	44.6	Average	<=54	Pass
NV NT	a	5700	Ant1	5725	-47.37	3.1	0	50.96	Peak	<=68.2	Pass
NV NT	a	5700	Ant1	5725	-54.99	3.1	0.15	43.49	Average	<=54	Pass
NV NT	a	5700	Ant1	5728.8	-44.3	3.1	0	54.03	Peak	<=68.2	Pass
NV NT	a	5700	Ant1	5735	-54.31	3.1	0.15	44.17	Average	<=54	Pass
NV NT	a	5700	Ant1	5735	-46.18	3.1	0	52.15	Peak	<=68.2	Pass
NV NT	a	5500	Ant2	5460	-45.45	2	0	51.78	Peak	<=68.2	Pass
NV NT	a	5500	Ant2	5460	-54.24	2	0.15	43.14	Average	<=54	Pass
NV NT	a	5500	Ant2	5466.2	-42.09	2	0	55.14	Peak	<=68.2	Pass
NV NT	a	5500	Ant2	5467.2	-53.19	2	0.15	44.19	Average	<=54	Pass
NV NT	a	5500	Ant2	5470	-47.2	2	0	50.03	Peak	<=68.2	Pass
NV NT	a	5500	Ant2	5470	-53.43	2	0.15	43.95	Average	<=54	Pass
NV NT	a	5700	Ant2	5725	-45.65	2	0	51.58	Peak	<=68.2	Pass
NV NT	a	5700	Ant2	5725	-53.91	2	0.17	43.49	Average	<=54	Pass
NV NT	a	5700	Ant2	5726.4	-43.13	2	0	54.1	Peak	<=68.2	Pass
NV NT	a	5700	Ant2	5729	-53.73	2	0.17	43.67	Average	<=54	Pass
NV NT	a	5700	Ant2	5735	-45.72	2	0	51.51	Peak	<=68.2	Pass
NV NT	a	5700	Ant2	5735	-54.41	2	0.17	42.99	Average	<=54	Pass
NV NT	n20	5500	Ant1	5460	-46.69	3.1	0	51.64	Peak	<=68.2	Pass
NV NT	n20	5500	Ant1	5460	-53.99	3.1	0.15	44.49	Average	<=54	Pass
NV NT	n20	5500	Ant1	5466	-43.25	3.1	0	55.08	Peak	<=68.2	Pass
NV NT	n20	5500	Ant1	5469.6	-53.05	3.1	0.15	45.43	Average	<=54	Pass
NV NT	n20	5500	Ant1	5470	-44.69	3.1	0	53.64	Peak	<=68.2	Pass
NV NT	n20	5500	Ant1	5470	-53.35	3.1	0.15	45.13	Average	<=54	Pass
NV NT	n20	5500	Ant2	5460	-44.82	2	0	52.41	Peak	<=68.2	Pass



NV NT	n20	5500	Ant2	5460	-53.79	2	0.16	43.6	Average	<=54	Pass
NV NT	n20	5500	Ant2	5469.8	-42.17	2	0	55.06	Peak	<=68.2	Pass
NV NT	n20	5500	Ant2	5464	-53.23	2	0.16	44.16	Average	<=54	Pass
NV NT	n20	5500	Ant2	5470	-44.97	2	0	52.26	Peak	<=68.2	Pass
NV NT	n20	5500	Ant2	5470	-53.54	2	0.16	43.85	Average	<=54	Pass
NV NT	n20	5500	MIMO	5460	-42.64	5.46	0	58.05	Peak	<=68.2	Pass
NV NT	n20	5500	MIMO	5460	-50.88	5.46	0.16	49.97	Average	<=54	Pass
NV NT	n20	5500	MIMO	5469.8	-40.17	5.46	0	60.52	Peak	<=68.2	Pass
NV NT	n20	5500	MIMO	5469.6	-50.26	5.46	0.16	50.59	Average	<=54	Pass
NV NT	n20	5500	MIMO	5470	-41.82	5.46	0	58.87	Peak	<=68.2	Pass
NV NT	n20	5500	MIMO	5470	-50.43	5.46	0.16	50.42	Average	<=54	Pass
NV NT	n20	5700	Ant1	5725	-45.95	3.1	0	52.38	Peak	<=68.2	Pass
NV NT	n20	5700	Ant1	5725	-54.91	3.1	0.16	43.58	Average	<=54	Pass
NV NT	n20	5700	Ant1	5730.8	-44.31	3.1	0	54.02	Peak	<=68.2	Pass
NV NT	n20	5700	Ant1	5726.6	-53.87	3.1	0.16	44.62	Average	<=54	Pass
NV NT	n20	5700	Ant1	5735	-47.38	3.1	0	50.95	Peak	<=68.2	Pass
NV NT	n20	5700	Ant1	5735	-55.29	3.1	0.16	43.2	Average	<=54	Pass
NV NT	n20	5700	Ant2	5725	-45.4	2	0	51.83	Peak	<=68.2	Pass
NV NT	n20	5700	Ant2	5725	-53.27	2	0.15	44.11	Average	<=54	Pass
NV NT	n20	5700	Ant2	5726.6	-44.61	2	0	52.62	Peak	<=68.2	Pass
NV NT	n20	5700	Ant2	5735	-45.83	2	0	51.4	Peak	<=68.2	Pass
NV NT	n20	5700	Ant2	5735	-54.77	2	0.15	42.61	Average	<=54	Pass
NV NT	n20	5700	MIMO	5725	-42.66	5.46	0	58.03	Peak	<=68.2	Pass
NV NT	n20	5700	MIMO	5725	-51	5.46	0.15	49.84	Average	<=54	Pass
NV NT	n20	5700	MIMO	5730.8	-41.75	5.46	0	58.94	Peak	<=68.2	Pass
NV NT	n20	5700	MIMO	5735	-43.53	5.46	0	57.16	Peak	<=68.2	Pass
NV NT	n20	5700	MIMO	5735	-52.01	5.46	0.15	48.83	Average	<=54	Pass
NV NT	n40	5510	Ant1	5460	-46.83	3.1	0	51.5	Peak	<=68.2	Pass
NV NT	n40	5510	Ant1	5460	-54.12	3.1	0.26	44.47	Average	<=54	Pass
NV NT	n40	5510	Ant1	5462.4	-43.63	3.1	0	54.7	Peak	<=68.2	Pass
NV NT	n40	5510	Ant1	5466.2	-53.21	3.1	0.26	45.38	Average	<=54	Pass
NV NT	n40	5510	Ant1	5470	-44.33	3.1	0	54	Peak	<=68.2	Pass
NV	n40	5510	Ant1	5470	-53.42	3.1	0.26	45.17	Average	<=54	Pass



NT											
NV	n40	5510	Ant2	5460	-45.6	2	0	51.63	Peak	<=68.2	Pass
NT											
NV	n40	5510	Ant2	5460	-52.77	2	0.26	44.72	Average	<=54	Pass
NT											
NV	n40	5510	Ant2	5464	-42.18	2	0	55.05	Peak	<=68.2	Pass
NT											
NV	n40	5510	Ant2	5469.8	-51.48	2	0.26	46.01	Average	<=54	Pass
NT											
NV	n40	5510	Ant2	5470	-43.91	2	0	53.32	Peak	<=68.2	Pass
NT											
NV	n40	5510	Ant2	5470	-51.95	2	0.26	45.54	Average	<=54	Pass
NT											
NV	n40	5510	MIMO	5460	-43.16	5.46	0	57.53	Peak	<=68.2	Pass
NT											
NV	n40	5510	MIMO	5460	-50.38	5.46	0.26	50.57	Average	<=54	Pass
NT											
NV	n40	5510	MIMO	5464	-40.22	5.46	0	60.47	Peak	<=68.2	Pass
NT											
NV	n40	5510	MIMO	5469.8	-49.4	5.46	0.26	51.55	Average	<=54	Pass
NT											
NV	n40	5510	MIMO	5470	-41.1	5.46	0	59.59	Peak	<=68.2	Pass
NT											
NV	n40	5510	MIMO	5470	-49.61	5.46	0.26	51.34	Average	<=54	Pass
NT											
NV	n40	5670	Ant1	5725	-48.38	3.1	0	49.95	Peak	<=68.2	Pass
NT											
NV	n40	5670	Ant1	5725	-55.14	3.1	0.26	43.45	Average	<=54	Pass
NT											
NV	n40	5670	Ant1	5734.2	-44.41	3.1	0	53.92	Peak	<=68.2	Pass
NT											
NV	n40	5670	Ant1	5725.6	-54.43	3.1	0.26	44.16	Average	<=54	Pass
NT											
NV	n40	5670	Ant1	5735	-45.83	3.1	0	52.5	Peak	<=68.2	Pass
NT											
NV	n40	5670	Ant1	5735	-54.69	3.1	0.26	43.9	Average	<=54	Pass
NT											
NV	n40	5670	Ant2	5725	-46.12	2	0	51.11	Peak	<=68.2	Pass
NT											
NV	n40	5670	Ant2	5725	-54.58	2	0.26	42.91	Average	<=54	Pass
NT											
NV	n40	5670	Ant2	5732.4	-44.4	2	0	52.83	Peak	<=68.2	Pass
NT											
NV	n40	5670	Ant2	5727.4	-53.78	2	0.26	43.71	Average	<=54	Pass
NT											
NV	n40	5670	Ant2	5735	-45.87	2	0	51.36	Peak	<=68.2	Pass
NT											
NV	n40	5670	Ant2	5735	-54.92	2	0.26	42.57	Average	<=54	Pass
NT											
NV	n40	5670	MIMO	5725	-44.09	5.46	0	56.6	Peak	<=68.2	Pass
NT											
NV	n40	5670	MIMO	5725	-51.84	5.46	0.26	49.11	Average	<=54	Pass
NT											
NV	n40	5670	MIMO	5732	-41.84	5.46	0	58.85	Peak	<=68.2	Pass
NT											
NV	n40	5670	MIMO	5730.4	-51.25	5.46	0.26	49.7	Average	<=54	Pass
NT											
NV	n40	5670	MIMO	5735	-42.84	5.46	0	57.85	Peak	<=68.2	Pass
NT											
NV	n40	5670	MIMO	5735	-51.79	5.46	0.26	49.16	Average	<=54	Pass
NT											
NV	ac20	5500	Ant1	5460	-45.06	3.1	0	53.27	Peak	<=68.2	Pass
NT											
NV	ac20	5500	Ant1	5460	-53.77	3.1	0.15	44.71	Average	<=54	Pass
NT											



NV NT	ac20	5500	Ant1	5468.6	-42.43	3.1	0	55.9	Peak	<=68.2	Pass
NV NT	ac20	5500	Ant1	5469.4	-53.07	3.1	0.15	45.41	Average	<=54	Pass
NV NT	ac20	5500	Ant1	5470	-44.74	3.1	0	53.59	Peak	<=68.2	Pass
NV NT	ac20	5500	Ant1	5470	-53.59	3.1	0.15	44.89	Average	<=54	Pass
NV NT	ac20	5500	Ant2	5460	-46.45	2	0	50.78	Peak	<=68.2	Pass
NV NT	ac20	5500	Ant2	5460	-54.25	2	0.17	43.15	Average	<=54	Pass
NV NT	ac20	5500	Ant2	5468.6	-40.93	2	0	56.3	Peak	<=68.2	Pass
NV NT	ac20	5500	Ant2	5470	-53.03	2	0.17	44.37	Average	<=54	Pass
NV NT	ac20	5500	Ant2	5470	-45.5	2	0	51.73	Peak	<=68.2	Pass
NV NT	ac20	5500	MIMO	5460	-42.69	5.46	0	58	Peak	<=68.2	Pass
NV NT	ac20	5500	MIMO	5460	-50.99	5.46	0.17	49.87	Average	<=54	Pass
NV NT	ac20	5500	MIMO	5468.6	-38.61	5.46	0	62.08	Peak	<=68.2	Pass
NV NT	ac20	5500	MIMO	5465.8	-50.22	5.46	0.17	50.64	Average	<=54	Pass
NV NT	ac20	5500	MIMO	5470	-42.09	5.46	0	58.6	Peak	<=68.2	Pass
NV NT	ac20	5500	MIMO	5470	-50.29	5.46	0.17	50.57	Average	<=54	Pass
NV NT	ac20	5700	Ant1	5725	-46.98	3.1	0	51.35	Peak	<=68.2	Pass
NV NT	ac20	5700	Ant1	5725	-54.57	3.1	0.17	43.93	Average	<=54	Pass
NV NT	ac20	5700	Ant1	5727.2	-45.29	3.1	0	53.04	Peak	<=68.2	Pass
NV NT	ac20	5700	Ant1	5735	-54.38	3.1	0.17	44.12	Average	<=54	Pass
NV NT	ac20	5700	Ant1	5735	-46.23	3.1	0	52.1	Peak	<=68.2	Pass
NV NT	ac20	5700	Ant2	5725	-45.97	2	0	51.26	Peak	<=68.2	Pass
NV NT	ac20	5700	Ant2	5725	-54.35	2	0.17	43.05	Average	<=54	Pass
NV NT	ac20	5700	Ant2	5730	-42.49	2	0	54.74	Peak	<=68.2	Pass
NV NT	ac20	5700	Ant2	5731.6	-54.19	2	0.17	43.21	Average	<=54	Pass
NV NT	ac20	5700	Ant2	5735	-46.33	2	0	50.9	Peak	<=68.2	Pass
NV NT	ac20	5700	Ant2	5735	-54.43	2	0.17	42.97	Average	<=54	Pass
NV NT	ac20	5700	MIMO	5725	-43.44	5.46	0	57.25	Peak	<=68.2	Pass
NV NT	ac20	5700	MIMO	5725	-51.45	5.46	0.17	49.41	Average	<=54	Pass
NV NT	ac20	5700	MIMO	5730	-41.08	5.46	0	59.61	Peak	<=68.2	Pass
NV NT	ac20	5700	MIMO	5735	-51.39	5.46	0.17	49.47	Average	<=54	Pass
NV NT	ac20	5700	MIMO	5735	-43.27	5.46	0	57.42	Peak	<=68.2	Pass
NV NT	ac40	5510	Ant1	5460	-44.79	3.1	0	53.54	Peak	<=68.2	Pass
NV	ac40	5510	Ant1	5460	-53.66	3.1	0.28	44.95	Average	<=54	Pass



NT											
NV	ac40	5510	Ant1	5462.4	-43.22	3.1	0	55.11	Peak	<=68.2	Pass
NT											
NV	ac40	5510	Ant1	5469.2	-52.74	3.1	0.28	45.87	Average	<=54	Pass
NT											
NV	ac40	5510	Ant1	5470	-44.93	3.1	0	53.4	Peak	<=68.2	Pass
NT											
NV	ac40	5510	Ant1	5470	-53.03	3.1	0.28	45.58	Average	<=54	Pass
NT											
NV	ac40	5510	Ant2	5460	-43.69	2	0	53.54	Peak	<=68.2	Pass
NT											
NV	ac40	5510	Ant2	5460	-53.36	2	0.27	44.14	Average	<=54	Pass
NT											
NV	ac40	5510	Ant2	5461.6	-42.8	2	0	54.43	Peak	<=68.2	Pass
NT											
NV	ac40	5510	Ant2	5466.6	-52.62	2	0.27	44.88	Average	<=54	Pass
NT											
NV	ac40	5510	Ant2	5470	-44.01	2	0	53.22	Peak	<=68.2	Pass
NT											
NV	ac40	5510	Ant2	5470	-53.1	2	0.27	44.4	Average	<=54	Pass
NT											
NV	ac40	5510	MIMO	5460	-41.19	5.46	0	59.5	Peak	<=68.2	Pass
NT											
NV	ac40	5510	MIMO	5460	-50.5	5.46	0.27	50.46	Average	<=54	Pass
NT											
NV	ac40	5510	MIMO	5461.6	-41.18	5.46	0	59.51	Peak	<=68.2	Pass
NT											
NV	ac40	5510	MIMO	5469.2	-49.82	5.46	0.27	51.14	Average	<=54	Pass
NT											
NV	ac40	5510	MIMO	5470	-41.44	5.46	0	59.25	Peak	<=68.2	Pass
NT											
NV	ac40	5510	MIMO	5470	-50.05	5.46	0.27	50.91	Average	<=54	Pass
NT											
NV	ac40	5670	Ant1	5725	-44.89	3.1	0	53.44	Peak	<=68.2	Pass
NT											
NV	ac40	5670	Ant1	5725	-54.58	3.1	0.27	44.02	Average	<=54	Pass
NT											
NV	ac40	5670	Ant1	5733.6	-54.08	3.1	0.27	44.52	Average	<=54	Pass
NT											
NV	ac40	5670	Ant1	5735	-47.69	3.1	0	50.64	Peak	<=68.2	Pass
NT											
NV	ac40	5670	Ant1	5735	-55.25	3.1	0.27	43.35	Average	<=54	Pass
NT											
NV	ac40	5670	Ant2	5725	-47.38	2	0	49.85	Peak	<=68.2	Pass
NT											
NV	ac40	5670	Ant2	5725	-54.61	2	0.27	42.89	Average	<=54	Pass
NT											
NV	ac40	5670	Ant2	5730.6	-44.05	2	0	53.18	Peak	<=68.2	Pass
NT											
NV	ac40	5670	Ant2	5731	-54.05	2	0.27	43.45	Average	<=54	Pass
NT											
NV	ac40	5670	Ant2	5735	-47.44	2	0	49.79	Peak	<=68.2	Pass
NT											
NV	ac40	5670	Ant2	5735	-54.21	2	0.27	43.29	Average	<=54	Pass
NT											
NV	ac40	5670	MIMO	5725	-42.95	5.46	0	57.74	Peak	<=68.2	Pass
NT											
NV	ac40	5670	MIMO	5725	-51.58	5.46	0.27	49.38	Average	<=54	Pass
NT											
NV	ac40	5670	MIMO	5730.6	-42.1	5.46	0	58.59	Peak	<=68.2	Pass
NT											
NV	ac40	5670	MIMO	5727.6	-51.28	5.46	0.27	49.68	Average	<=54	Pass
NT											
NV	ac40	5670	MIMO	5735	-44.55	5.46	0	56.14	Peak	<=68.2	Pass
NT											



NV NT	ac40	5670	MIMO	5735	-51.69	5.46	0.27	49.27	Average	<=54	Pass
NV NT	ac80	5530	Ant1	5460	-44.43	3.1	0	53.9	Peak	<=68.2	Pass
NV NT	ac80	5530	Ant1	5460	-53.57	3.1	0.39	45.15	Average	<=54	Pass
NV NT	ac80	5530	Ant1	5470	-42.17	3.1	0	56.16	Peak	<=68.2	Pass
NV NT	ac80	5530	Ant1	5468	-52.73	3.1	0.39	45.99	Average	<=54	Pass
NV NT	ac80	5530	Ant1	5470	-53.56	3.1	0.39	45.16	Average	<=54	Pass
NV NT	ac80	5530	Ant2	5460	-44.42	2	0	52.81	Peak	<=68.2	Pass
NV NT	ac80	5530	Ant2	5460	-53.31	2	0.39	44.31	Average	<=54	Pass
NV NT	ac80	5530	Ant2	5465	-41.73	2	0	55.5	Peak	<=68.2	Pass
NV NT	ac80	5530	Ant2	5461	-52.71	2	0.39	44.91	Average	<=54	Pass
NV NT	ac80	5530	Ant2	5470	-45.78	2	0	51.45	Peak	<=68.2	Pass
NV NT	ac80	5530	Ant2	5470	-53.26	2	0.39	44.36	Average	<=54	Pass
NV NT	ac80	5530	MIMO	5460	-41.41	5.46	0	59.28	Peak	<=68.2	Pass
NV NT	ac80	5530	MIMO	5460	-50.43	5.46	0.39	50.65	Average	<=54	Pass
NV NT	ac80	5530	MIMO	5464.4	-40.17	5.46	0	60.52	Peak	<=68.2	Pass
NV NT	ac80	5530	MIMO	5461	-49.9	5.46	0.39	51.18	Average	<=54	Pass
NV NT	ac80	5530	MIMO	5470	-40.6	5.46	0	60.09	Peak	<=68.2	Pass
NV NT	ac80	5530	MIMO	5470	-50.4	5.46	0.39	50.68	Average	<=54	Pass
NV NT	ac80	5610	Ant1	5725	-47.98	3.1	0	50.35	Peak	<=68.2	Pass
NV NT	ac80	5610	Ant1	5725	-54.8	3.1	0.38	43.91	Average	<=54	Pass
NV NT	ac80	5610	Ant1	5729.8 75	-45.18	3.1	0	53.15	Peak	<=68.2	Pass
NV NT	ac80	5610	Ant1	5731.5 15	-54.62	3.1	0.38	44.09	Average	<=54	Pass
NV NT	ac80	5610	Ant1	5735	-46.9	3.1	0	51.43	Peak	<=68.2	Pass
NV NT	ac80	5610	Ant1	5735	-55.25	3.1	0.38	43.46	Average	<=54	Pass
NV NT	ac80	5610	Ant2	5725	-47.13	2	0	50.1	Peak	<=68.2	Pass
NV NT	ac80	5610	Ant2	5725	-54.79	2	0.36	42.8	Average	<=54	Pass
NV NT	ac80	5610	Ant2	5727.2 1	-44.28	2	0	52.95	Peak	<=68.2	Pass
NV NT	ac80	5610	Ant2	5726.3 9	-53.89	2	0.36	43.7	Average	<=54	Pass
NV NT	ac80	5610	Ant2	5735	-45.48	2	0	51.75	Peak	<=68.2	Pass
NV NT	ac80	5610	Ant2	5735	-54.68	2	0.36	42.91	Average	<=54	Pass
NV NT	ac80	5610	MIMO	5725	-44.52	5.46	0	56.17	Peak	<=68.2	Pass
NV NT	ac80	5610	MIMO	5725	-51.78	5.46	0.36	49.27	Average	<=54	Pass
NV	ac80	5610	MIMO	5729.8	-41.9	5.46	0	58.79	Peak	<=68.2	Pass



NT				75								
NV	ac80	5610	MIMO	5731.7	-51.29	5.46	0.36	49.76	Average	<=54	Pass	
NT				2								
NV	ac80	5610	MIMO	5735	-43.12	5.46	0	57.57	Peak	<=68.2	Pass	
NT												
NV	ac80	5610	MIMO	5735	-51.95	5.46	0.36	49.1	Average	<=54	Pass	
NT												
NV	ac16	5570	Ant1	5725	-46.79	3.1	0	51.54	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	Ant1	5725	-54.85	3.1	0.5	43.98	Average	<=54	Pass	
NT	0											
NV	ac16	5570	Ant1	5731.4	-44.9	3.1	0	53.43	Peak	<=68.2	Pass	
NT	0			25								
NV	ac16	5570	Ant1	5728.8	-54.11	3.1	0.5	44.72	Average	<=54	Pass	
NT	0			25								
NV	ac16	5570	Ant1	5735	-47.34	3.1	0	50.99	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	Ant1	5735	-54.42	3.1	0.5	44.41	Average	<=54	Pass	
NT	0											
NV	ac16	5570	Ant2	5725	-46.06	2	0	51.17	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	Ant2	5725	-54.87	2	0.51	42.87	Average	<=54	Pass	
NT	0											
NV	ac16	5570	Ant2	5729.1	-43.57	2	0	53.66	Peak	<=68.2	Pass	
NT	0			5								
NV	ac16	5570	Ant2	5732.4	-54.13	2	0.51	43.61	Average	<=54	Pass	
NT	0											
NV	ac16	5570	Ant2	5735	-46.73	2	0	50.5	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	Ant2	5735	-54.37	2	0.51	43.37	Average	<=54	Pass	
NT	0											
NV	ac16	5570	MIMO	5725	-43.4	5.46	0	57.29	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	MIMO	5725	-51.85	5.46	0.51	49.35	Average	<=54	Pass	
NT	0											
NV	ac16	5570	MIMO	5729.1	-41.57	5.46	0	59.12	Peak	<=68.2	Pass	
NT	0			5								
NV	ac16	5570	MIMO	5734.6	-51.32	5.46	0.51	49.88	Average	<=54	Pass	
NT	0			75								
NV	ac16	5570	MIMO	5735	-44.01	5.46	0	56.68	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	MIMO	5735	-51.38	5.46	0.51	49.82	Average	<=54	Pass	
NT	0											
NV	ac16	5570	Ant1	5460	-43.77	3.1	0	54.56	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	Ant1	5460	-52.63	3.1	0.5	46.2	Average	<=54	Pass	
NT	0											
NV	ac16	5570	Ant1	5464.8	-41.39	3.1	0	56.94	Peak	<=68.2	Pass	
NT	0			6								
NV	ac16	5570	Ant1	5467.8	-50.56	3.1	0.5	48.27	Average	<=54	Pass	
NT	0			3								
NV	ac16	5570	Ant1	5470	-42.14	3.1	0	56.19	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	Ant1	5470	-51.51	3.1	0.5	47.32	Average	<=54	Pass	
NT	0											
NV	ac16	5570	Ant2	5460	-44.69	2	0	52.54	Peak	<=68.2	Pass	
NT	0											
NV	ac16	5570	Ant2	5460	-54	2	0.51	43.74	Average	<=54	Pass	
NT	0											
NV	ac16	5570	Ant2	5467.5	-43.42	2	0	53.81	Peak	<=68.2	Pass	
NT	0			6								
NV	ac16	5570	Ant2	5463.7	-52.9	2	0.51	44.84	Average	<=54	Pass	
NT	0			8								
NV	ac16	5570	Ant2	5470	-44.18	2	0	53.05	Peak	<=68.2	Pass	
NT	0											



NV NT	ac16 0	5570	Ant2	5470	-53.94	2	0.51	43.8	Average	<=54	Pass
NV NT	ac16 0	5570	MIMO	5460	-41.2	5.46	0	59.49	Peak	<=68.2	Pass
NV NT	ac16 0	5570	MIMO	5460	-50.25	5.46	0.51	50.95	Average	<=54	Pass
NV NT	ac16 0	5570	MIMO	5464.8 6	-39.97	5.46	0	60.72	Peak	<=68.2	Pass
NV NT	ac16 0	5570	MIMO	5467.8 3	-48.98	5.46	0.51	52.22	Average	<=54	Pass
NV NT	ac16 0	5570	MIMO	5470	-40.03	5.46	0	60.66	Peak	<=68.2	Pass
NV NT	ac16 0	5570	MIMO	5470	-49.55	5.46	0.51	51.65	Average	<=54	Pass
NV NT	ax20	5500	Ant1	5460	-45.96	3.1	0	52.37	Peak	<=68.2	Pass
NV NT	ax20	5500	Ant1	5460	-53.66	3.1	0.16	44.83	Average	<=54	Pass
NV NT	ax20	5500	Ant1	5465.4	-43.98	3.1	0	54.35	Peak	<=68.2	Pass
NV NT	ax20	5500	Ant1	5469.2	-53.05	3.1	0.16	45.44	Average	<=54	Pass
NV NT	ax20	5500	Ant1	5470	-46.36	3.1	0	51.97	Peak	<=68.2	Pass
NV NT	ax20	5500	Ant1	5470	-53.81	3.1	0.16	44.68	Average	<=54	Pass
NV NT	ax20	5500	Ant2	5460	-45.94	2	0	51.29	Peak	<=68.2	Pass
NV NT	ax20	5500	Ant2	5460	-53.87	2	0.16	43.52	Average	<=54	Pass
NV NT	ax20	5500	Ant2	5463.4	-41.68	2	0	55.55	Peak	<=68.2	Pass
NV NT	ax20	5500	Ant2	5468.2	-53.07	2	0.16	44.32	Average	<=54	Pass
NV NT	ax20	5500	Ant2	5470	-45.92	2	0	51.31	Peak	<=68.2	Pass
NV NT	ax20	5500	Ant2	5470	-53.89	2	0.16	43.5	Average	<=54	Pass
NV NT	ax20	5500	MIMO	5460	-42.94	5.46	0	57.75	Peak	<=68.2	Pass
NV NT	ax20	5500	MIMO	5460	-50.75	5.46	0.16	50.1	Average	<=54	Pass
NV NT	ax20	5500	MIMO	5463.4	-40.3	5.46	0	60.39	Peak	<=68.2	Pass
NV NT	ax20	5500	MIMO	5469.2	-50.09	5.46	0.16	50.76	Average	<=54	Pass
NV NT	ax20	5500	MIMO	5470	-43.12	5.46	0	57.57	Peak	<=68.2	Pass
NV NT	ax20	5500	MIMO	5470	-50.84	5.46	0.16	50.01	Average	<=54	Pass
NV NT	ax20	5700	Ant1	5725	-44.34	3.1	0	53.99	Peak	<=68.2	Pass
NV NT	ax20	5700	Ant1	5725	-53.57	3.1	0.16	44.92	Average	<=54	Pass
NV NT	ax20	5700	Ant1	5728.8	-43.24	3.1	0	55.09	Peak	<=68.2	Pass
NV NT	ax20	5700	Ant1	5735	-47.28	3.1	0	51.05	Peak	<=68.2	Pass
NV NT	ax20	5700	Ant1	5735	-55.03	3.1	0.16	43.46	Average	<=54	Pass
NV NT	ax20	5700	Ant2	5725	-46.33	2	0	50.9	Peak	<=68.2	Pass
NV NT	ax20	5700	Ant2	5725	-54.82	2	0.15	42.56	Average	<=54	Pass
NV	ax20	5700	Ant2	5730.8	-43.44	2	0	53.79	Peak	<=68.2	Pass



NT											
NV	ax20	5700	Ant2	5728.2	-54.26	2	0.15	43.12	Average	<=54	Pass
NT											
NV	ax20	5700	Ant2	5735	-45.21	2	0	52.02	Peak	<=68.2	Pass
NT											
NV	ax20	5700	Ant2	5735	-54.97	2	0.15	42.41	Average	<=54	Pass
NT											
NV	ax20	5700	MIMO	5725	-42.21	5.46	0	58.48	Peak	<=68.2	Pass
NT											
NV	ax20	5700	MIMO	5725	-51.14	5.46	0.15	49.7	Average	<=54	Pass
NT											
NV	ax20	5700	MIMO	5729	-41.33	5.46	0	59.36	Peak	<=68.2	Pass
NT											
NV	ax20	5700	MIMO	5735	-43.11	5.46	0	57.58	Peak	<=68.2	Pass
NT											
NV	ax20	5700	MIMO	5735	-51.99	5.46	0.15	48.85	Average	<=54	Pass
NT											
NV	ax40	5510	Ant1	5460	-45.75	3.1	0	52.58	Peak	<=68.2	Pass
NT											
NV	ax40	5510	Ant1	5460	-53.16	3.1	0.27	45.44	Average	<=54	Pass
NT											
NV	ax40	5510	Ant1	5468.6	-43.73	3.1	0	54.6	Peak	<=68.2	Pass
NT											
NV	ax40	5510	Ant1	5466.6	-52.68	3.1	0.27	45.92	Average	<=54	Pass
NT											
NV	ax40	5510	Ant1	5470	-44.72	3.1	0	53.61	Peak	<=68.2	Pass
NT											
NV	ax40	5510	Ant1	5470	-53	3.1	0.27	45.6	Average	<=54	Pass
NT											
NV	ax40	5510	Ant2	5460	-44.54	2	0	52.69	Peak	<=68.2	Pass
NT											
NV	ax40	5510	Ant2	5460	-52.94	2	0.27	44.56	Average	<=54	Pass
NT											
NV	ax40	5510	Ant2	5466.2	-42.19	2	0	55.04	Peak	<=68.2	Pass
NT											
NV	ax40	5510	Ant2	5469.2	-52.04	2	0.27	45.46	Average	<=54	Pass
NT											
NV	ax40	5510	Ant2	5470	-44.85	2	0	52.38	Peak	<=68.2	Pass
NT											
NV	ax40	5510	Ant2	5470	-52.75	2	0.27	44.75	Average	<=54	Pass
NT											
NV	ax40	5510	MIMO	5460	-42.09	5.46	0	58.6	Peak	<=68.2	Pass
NT											
NV	ax40	5510	MIMO	5460	-50.04	5.46	0.27	50.92	Average	<=54	Pass
NT											
NV	ax40	5510	MIMO	5468.6	-40.25	5.46	0	60.44	Peak	<=68.2	Pass
NT											
NV	ax40	5510	MIMO	5469.2	-49.56	5.46	0.27	51.4	Average	<=54	Pass
NT											
NV	ax40	5510	MIMO	5470	-41.77	5.46	0	58.92	Peak	<=68.2	Pass
NT											
NV	ax40	5510	MIMO	5470	-49.86	5.46	0.27	51.1	Average	<=54	Pass
NT											
NV	ax40	5670	Ant1	5725	-48.85	3.1	0	49.48	Peak	<=68.2	Pass
NT											
NV	ax40	5670	Ant1	5725	-54.89	3.1	0.26	43.7	Average	<=54	Pass
NT											
NV	ax40	5670	Ant1	5732	-45.85	3.1	0	52.48	Peak	<=68.2	Pass
NT											
NV	ax40	5670	Ant1	5726.8	-54.34	3.1	0.26	44.25	Average	<=54	Pass
NT											
NV	ax40	5670	Ant1	5735	-47.43	3.1	0	50.9	Peak	<=68.2	Pass
NT											
NV	ax40	5670	Ant1	5735	-55.79	3.1	0.26	42.8	Average	<=54	Pass





NV NT	ax40	5670	Ant2	5725	-45.83	2	0	51.4	Peak	<=68.2	Pass
NV NT	ax40	5670	Ant2	5725	-54.34	2	0.26	43.15	Average	<=54	Pass
NV NT	ax40	5670	Ant2	5728	-44.9	2	0	52.33	Peak	<=68.2	Pass
NV NT	ax40	5670	Ant2	5729	-53.92	2	0.26	43.57	Average	<=54	Pass
NV NT	ax40	5670	Ant2	5735	-46.99	2	0	50.24	Peak	<=68.2	Pass
NV NT	ax40	5670	Ant2	5735	-54.96	2	0.26	42.53	Average	<=54	Pass
NV NT	ax40	5670	MIMO	5725	-44.07	5.46	0	56.62	Peak	<=68.2	Pass
NV NT	ax40	5670	MIMO	5725	-51.6	5.46	0.26	49.35	Average	<=54	Pass
NV NT	ax40	5670	MIMO	5726.8	-42.62	5.46	0	58.07	Peak	<=68.2	Pass
NV NT	ax40	5670	MIMO	5727.2	-51.36	5.46	0.26	49.59	Average	<=54	Pass
NV NT	ax40	5670	MIMO	5735	-44.19	5.46	0	56.5	Peak	<=68.2	Pass
NV NT	ax40	5670	MIMO	5735	-52.34	5.46	0.26	48.61	Average	<=54	Pass
NV NT	ax80	5530	Ant1	5460	-46.72	3.1	0	51.61	Peak	<=68.2	Pass
NV NT	ax80	5530	Ant1	5460	-53.84	3.1	0.37	44.86	Average	<=54	Pass
NV NT	ax80	5530	Ant1	5460.6	-43.92	3.1	0	54.41	Peak	<=68.2	Pass
NV NT	ax80	5530	Ant1	5468	-52.29	3.1	0.37	46.41	Average	<=54	Pass
NV NT	ax80	5530	Ant1	5470	-46.42	3.1	0	51.91	Peak	<=68.2	Pass
NV NT	ax80	5530	Ant1	5470	-53.13	3.1	0.37	45.57	Average	<=54	Pass
NV NT	ax80	5530	Ant2	5460	-45.08	2	0	52.15	Peak	<=68.2	Pass
NV NT	ax80	5530	Ant2	5460	-52.69	2	0.37	44.91	Average	<=54	Pass
NV NT	ax80	5530	Ant2	5468.6	-43.15	2	0	54.08	Peak	<=68.2	Pass
NV NT	ax80	5530	Ant2	5468.2	-52.54	2	0.37	45.06	Average	<=54	Pass
NV NT	ax80	5530	Ant2	5470	-46.21	2	0	51.02	Peak	<=68.2	Pass
NV NT	ax80	5530	Ant2	5470	-53.17	2	0.37	44.43	Average	<=54	Pass
NV NT	ax80	5530	MIMO	5460	-42.81	5.46	0	57.88	Peak	<=68.2	Pass
NV NT	ax80	5530	MIMO	5460	-50.22	5.46	0.37	50.84	Average	<=54	Pass
NV NT	ax80	5530	MIMO	5465.6	-40.99	5.46	0	59.7	Peak	<=68.2	Pass
NV NT	ax80	5530	MIMO	5468	-49.52	5.46	0.37	51.54	Average	<=54	Pass
NV NT	ax80	5530	MIMO	5470	-43.3	5.46	0	57.39	Peak	<=68.2	Pass
NV NT	ax80	5530	MIMO	5470	-50.14	5.46	0.37	50.92	Average	<=54	Pass
NV NT	ax80	5610	Ant1	5725	-47.88	3.1	0	50.45	Peak	<=68.2	Pass
NV NT	ax80	5610	Ant1	5725	-55.18	3.1	0.36	43.51	Average	<=54	Pass
NV	ax80	5610	Ant1	5729.2	-45.43	3.1	0	52.9	Peak	<=68.2	Pass





NT				6								
NV	ax80	5610	Ant1	5728.8	-54.54	3.1	0.36	44.15	Average	<=54	Pass	
NT				5								
NV	ax80	5610	Ant1	5735	-47.23	3.1	0	51.1	Peak	<=68.2	Pass	
NT												
NV	ax80	5610	Ant1	5735	-55.18	3.1	0.36	43.51	Average	<=54	Pass	
NT												
NV	ax80	5610	Ant2	5725	-47.7	2	0	49.53	Peak	<=68.2	Pass	
NT												
NV	ax80	5610	Ant2	5725	-54.99	2	0.35	42.59	Average	<=54	Pass	
NT												
NV	ax80	5610	Ant2	5730.9	-44.19	2	0	53.04	Peak	<=68.2	Pass	
NT												
NV	ax80	5610	Ant2	5732.5	-54.09	2	0.35	43.49	Average	<=54	Pass	
NT				4								
NV	ax80	5610	Ant2	5735	-47.21	2	0	50.02	Peak	<=68.2	Pass	
NT												
NV	ax80	5610	Ant2	5735	-54.98	2	0.35	42.6	Average	<=54	Pass	
NT												
NV	ax80	5610	MIMO	5725	-44.78	5.46	0	55.91	Peak	<=68.2	Pass	
NT												
NV	ax80	5610	MIMO	5725	-52.07	5.46	0.35	48.97	Average	<=54	Pass	
NT												
NV	ax80	5610	MIMO	5726.1	-42.5	5.46	0	58.19	Peak	<=68.2	Pass	
NT				85								
NV	ax80	5610	MIMO	5732.5	-51.56	5.46	0.35	49.48	Average	<=54	Pass	
NT				4								
NV	ax80	5610	MIMO	5735	-44.21	5.46	0	56.48	Peak	<=68.2	Pass	
NT												
NV	ax80	5610	MIMO	5735	-52.07	5.46	0.35	48.97	Average	<=54	Pass	
NT												
NV	ax16	5570	Ant1	5725	-45.74	3.1	0	52.59	Peak	<=68.2	Pass	
NT	0											
NV	ax16	5570	Ant1	5725	-54.46	3.1	0.49	44.36	Average	<=54	Pass	
NT	0											
NV	ax16	5570	Ant1	5726.8	-41.82	3.1	0	56.51	Peak	<=68.2	Pass	
NT	0			75								
NV	ax16	5570	Ant1	5727.8	-53.44	3.1	0.49	45.38	Average	<=54	Pass	
NT	0			5								
NV	ax16	5570	Ant1	5735	-46.21	3.1	0	52.12	Peak	<=68.2	Pass	
NT	0											
NV	ax16	5570	Ant1	5735	-54.54	3.1	0.49	44.28	Average	<=54	Pass	
NT	0											
NV	ax16	5570	Ant2	5725	-47.13	2	0	50.1	Peak	<=68.2	Pass	
NT	0											
NV	ax16	5570	Ant2	5725	-54.65	2	0.49	43.07	Average	<=54	Pass	
NT	0											
NV	ax16	5570	Ant2	5734.6	-44.38	2	0	52.85	Peak	<=68.2	Pass	
NT	0			75								
NV	ax16	5570	Ant2	5734.6	-54.03	2	0.49	43.69	Average	<=54	Pass	
NT	0			75								
NV	ax16	5570	Ant2	5735	-45.46	2	0	51.77	Peak	<=68.2	Pass	
NT	0											
NV	ax16	5570	Ant2	5735	-54.44	2	0.49	43.28	Average	<=54	Pass	
NT	0											
NV	ax16	5570	MIMO	5725	-43.37	5.46	0	57.32	Peak	<=68.2	Pass	
NT	0											
NV	ax16	5570	MIMO	5725	-51.54	5.46	0.49	49.64	Average	<=54	Pass	
NT	0											
NV	ax16	5570	MIMO	5726.8	-40.15	5.46	0	60.54	Peak	<=68.2	Pass	
NT	0			75								
NV	ax16	5570	MIMO	5734.6	-50.82	5.46	0.49	50.36	Average	<=54	Pass	
NT	0			75								
NV	ax16	5570	MIMO	5735	-42.81	5.46	0	57.88	Peak	<=68.2	Pass	
NT	0											




NV NT	ax16 0	5570	MIMO	5735	-51.48	5.46	0.49	49.7	Average	<=54	Pass
NV NT	ax16 0	5570	Ant1	5460	-45.81	3.1	0	52.52	Peak	<=68.2	Pass
NV NT	ax16 0	5570	Ant1	5460	-53.89	3.1	0.49	44.93	Average	<=54	Pass
NV NT	ax16 0	5570	Ant1	5465.1 3	-43.54	3.1	0	54.79	Peak	<=68.2	Pass
NV NT	ax16 0	5570	Ant1	5465.4	-52.65	3.1	0.49	46.17	Average	<=54	Pass
NV NT	ax16 0	5570	Ant1	5470	-45.03	3.1	0	53.3	Peak	<=68.2	Pass
NV NT	ax16 0	5570	Ant1	5470	-53.61	3.1	0.49	45.21	Average	<=54	Pass
NV NT	ax16 0	5570	Ant2	5460	-45.67	2	0	51.56	Peak	<=68.2	Pass
NV NT	ax16 0	5570	Ant2	5460	-53.97	2	0.49	43.75	Average	<=54	Pass
NV NT	ax16 0	5570	Ant2	5462.7	-43.16	2	0	54.07	Peak	<=68.2	Pass
NV NT	ax16 0	5570	Ant2	5465.9 4	-52.98	2	0.49	44.74	Average	<=54	Pass
NV NT	ax16 0	5570	Ant2	5470	-46.29	2	0	50.94	Peak	<=68.2	Pass
NV NT	ax16 0	5570	Ant2	5470	-53.77	2	0.49	43.95	Average	<=54	Pass
NV NT	ax16 0	5570	MIMO	5460	-42.73	5.46	0	57.96	Peak	<=68.2	Pass
NV NT	ax16 0	5570	MIMO	5460	-50.92	5.46	0.49	50.26	Average	<=54	Pass
NV NT	ax16 0	5570	MIMO	5467.2 9	-40.98	5.46	0	59.71	Peak	<=68.2	Pass
NV NT	ax16 0	5570	MIMO	5465.4	-50.07	5.46	0.49	51.11	Average	<=54	Pass
NV NT	ax16 0	5570	MIMO	5470	-42.6	5.46	0	58.09	Peak	<=68.2	Pass
NV NT	ax16 0	5570	MIMO	5470	-50.68	5.46	0.49	50.5	Average	<=54	Pass








Restrict Band NVNT a 5500MHz Ant2 Peak




Restrict Band NVNT a 5500MHz Ant2 Average






Restrict Band NVNT a 5700MHz Ant2 Peak




Restrict Band NVNT a 5700MHz Ant2 Average






Restrict Band NVNT n20 5500MHz Ant1 Peak




Restrict Band NVNT n20 5500MHz Ant1 Average








Restrict Band NVNT n20 5500MHz Ant2 Peak




Restrict Band NVNT n20 5500MHz Ant2 Average








Restrict Band NVNT n20 5700MHz Ant2 Peak




Restrict Band NVNT n20 5700MHz Ant2 Average





Restrict Band NVNT n40 5510MHz Ant1 Peak




Restrict Band NVNT n40 5510MHz Ant1 Average







Restrict Band NVNT n40 5510MHz Ant2 Peak




Restrict Band NVNT n40 5510MHz Ant2 Average








Restrict Band NVNT n40 5670MHz Ant2 Peak




Restrict Band NVNT n40 5670MHz Ant2 Average






Restrict Band NVNT ac20 5500MHz Ant1 Peak




Restrict Band NVNT ac20 5500MHz Ant1 Average






Restrict Band NVNT ac20 5500MHz Ant2 Peak




Restrict Band NVNT ac20 5500MHz Ant2 Average





Restrict Band NVNT ac20 5700MHz Ant1 Peak



Restrict Band NVNT ac20 5700MHz Ant1 Average



