





















Band Edge NVNT ac20 5180MHz Low MIMO







Band Edge NVNT ac20 5240MHz High MIMO

















Restrict Band

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
a	5180	Ant1	4500	-49.39	3.19	0	49.03	Peak	<=68.2	Pass
a	5180	Ant1	4500	-58.22	3.19	0.29	40.49	Average	<=54	Pass
a	5180	Ant1	5149.6	-38.21	3.19	0	60.21	Peak	<=68.2	Pass
a	5180	Ant1	5149.6	-49.19	3.19	0.29	49.52	Average	<=54	Pass
a	5180	Ant1	5150	-40.66	3.19	0	57.76	Peak	<=68.2	Pass
a	5180	Ant1	5150	-50.18	3.19	0.29	48.53	Average	<=54	Pass
a	5240	Ant1	5350	-48.25	3.19	0	50.17	Peak	<=68.2	Pass
a	5240	Ant1	5350	-56.58	3.19	0.29	2.13	Average	<=54	Pass
a	5240	Ant1	5372.88	-44.45	3.19	0	53.97	Peak	<=68.2	Pass
a	5240	Ant1	5360.16	-55.16	3.19	0.29	43.55	Average	<=54	Pass
a	5240	Ant1	5460	-48.72	3.19	0	49.7	Peak	<=68.2	Pass
a	5240	Ant1	5460	-57.31	3.19	0.29	41.4	Average	<=54	Pass
a	5180	Ant2	4500	-50.25	2.76	0	47.74	Peak	<=68.2	Pass
a	5180	Ant2	4500	-58.55	2.76	0.29	39.73	Average	<=54	Pass
a	5180	Ant2	5146.8	-34.32	2.76	0	63.67	Peak	<=68.2	Pass
a	5180	Ant2	5148.9	-48.89	2.76	0.29	49.39	Average	<=54	Pass
a	5180	Ant2	5150	-34.07	2.76	0	63.92	Peak	<=68.2	Pass
a	5180	Ant2	5150	-52.69	2.76	0.29	45.59	Average	<=54	Pass
a	5240	Ant2	5350	-46.79	2.76	0	51.2	Peak	<=68.2	Pass
a	5240	Ant2	5350	-56.65	2.76	0.29	41.63	Average	<=54	Pass
a	5240	Ant2	5354.88	-44.99	2.76	0	53	Peak	<=68.2	Pass
a	5240	Ant2	5354.64	-55.81	2.76	0.29	42.47	Average	<=54	Pass
a	5240	Ant2	5460	-46.95	2.76	0	51.04	Peak	<=68.2	Pass
a	5240	Ant2	5460	-57.61	2.76	0.29	40.67	Average	<=54	Pass
n20	5180	Ant1	4500	-49.15	3.19	0	49.27	Peak	<=68.2	Pass
n20	5180	Ant1	4500	-57.12	3.19	0.31	41.61	Average	<=54	Pass
n20	5180	Ant1	4926.3	-45.18	3.19	0	53.24	Peak	<=68.2	Pass
n20	5180	Ant1	5149.6	-54.5	3.19	0.31	44.23	Average	<=54	Pass
n20	5180	Ant1	5150	-41.65	3.19	0	56.77	Peak	<=68.2	Pass
n20	5180	Ant1	5150	-54	3.19	0.31	44.73	Average	<=54	Pass
n20	5180	Ant2	4500	-49.97	2.76	0	48.02	Peak	<=68.2	Pass
n20	5180	Ant2	4500	-58.01	2.76	0.31	40.29	Average	<=54	Pass
n20	5180	Ant2	4864.7	-45.93	2.76	0	52.06	Peak	<=68.2	Pass
n20	5180	Ant2	4908.1	-55.34	2.76	0.31	42.96	Average	<=54	Pass
n20	5180	Ant2	5150	-48.45	2.76	0	49.54	Peak	<=68.2	Pass
n20	5180	Ant2	5150	-55.57	2.76	0.31	42.73	Average	<=54	Pass
n20	5180	MIMO	4500	-46.53	5.99	0	54.69	Peak	<=68.2	Pass
n20	5180	MIMO	4500	-54.53	5.99	0.31	47	Average	<=54	Pass
n20	5180	MIMO	4831.8	-43.14	5.99	0	58.08	Peak	<=68.2	Pass
n20	5180	MIMO	5149.6	-52.27	5.99	0.31	49.26	Average	<=54	Pass
n20	5180	MIMO	5150	-40.83	5.99	0	60.39	Peak	<=68.2	Pass
n20	5180	MIMO	5150	-51.7	5.99	0.31	49.83	Average	<=54	Pass
n20	5240	Ant1	5350	-48.63	3.19	0	49.79	Peak	<=68.2	Pass
n20	5240	Ant1	5350	-55.67	3.19	0.31	43.06	Average	<=54	Pass
n20	5240	Ant1	5426.16	-45.63	3.19	0	52.79	Peak	<=68.2	Pass
n20	5240	Ant1	5350.32	-55.51	3.19	0.31	43.22	Average	<=54	Pass
n20	5240	Ant1	5460	-49.39	3.19	0	49.03	Peak	<=68.2	Pass
n20	5240	Ant1	5460	-56.93	3.19	0.31	41.8	Average	<=54	Pass
n20	5240	Ant2	5350	-48.13	2.76	0	49.86	Peak	<=68.2	Pass
n20	5240	Ant2	5350	-56.49	2.76	0.31	41.81	Average	<=54	Pass
n20	5240	Ant2	5378.64	-46.04	2.76	0	51.95	Peak	<=68.2	Pass
n20	5240	Ant2	5352.48	-55.26	2.76	0.31	43.04	Average	<=54	Pass
n20	5240	Ant2	5460	-48.78	2.76	0	49.21	Peak	<=68.2	Pass
n20	5240	Ant2	5460	-56.74	2.76	0.31	41.56	Average	<=54	Pass
n20	5240	MIMO	5350	-45.36	5.99	0	55.86	Peak	<=68.2	Pass
n20	5240	MIMO	5350	-53.05	5.99	0.31	48.48	Average	<=54	Pass
n20	5240	MIMO	5426.16	-43.56	5.99	0	57.66	Peak	<=68.2	Pass
n20	5240	MIMO	5352.48	-52.5	5.99	0.31	49.03	Average	<=54	Pass
n20	5240	MIMO	5460	-46.06	5.99	0	55.16	Peak	<=68.2	Pass



n20	5240	MIMO	5460	-53.82	5.99	0.31	47.71	Average	<=54	Pass
n40	5190	Ant1	4500	-49.92	3.19	0	48.5	Peak	<=68.2	Pass
n40	5190	Ant1	4500	-57.8	3.19	0.6	41.22	Average	<=54	Pass
n40	5190	Ant1	5148.97	-41.41	3.19	0	57.01	Peak	<=68.2	Pass
n40	5190	Ant1	5148.97	-50.37	3.19	0.6	48.65	Average	<=54	Pass
n40	5190	Ant1	5150	-40.41	3.19	0	58.01	Peak	<=68.2	Pass
n40	5190	Ant1	5150	-50.15	3.19	0.6	48.87	Average	<=54	Pass
n40	5190	Ant2	4500	-49.57	2.76	0	48.42	Peak	<=68.2	Pass
n40	5190	Ant2	4500	-57.79	2.76	0.6	40.8	Average	<=54	Pass
n40	5190	Ant2	5142.4	-38.04	2.76	0	59.95	Peak	<=68.2	Pass
n40	5190	Ant2	5148.24	-51.23	2.76	0.6	47.36	Average	<=54	Pass
n40	5190	Ant2	5150	-35.27	2.76	0	62.72	Peak	<=68.2	Pass
n40	5190	Ant2	5150	-51.52	2.76	0.6	47.07	Average	<=54	Pass
n40	5190	MIMO	4500	-46.73	5.99	0	54.49	Peak	<=68.2	Pass
n40	5190	MIMO	4500	-54.78	5.99	0.6	47.04	Average	<=54	Pass
n40	5190	MIMO	5149.7	-37.1	5.99	0	64.12	Peak	<=68.2	Pass
n40	5190	MIMO	5148.24	-48.14	5.99	0.6	53.68	Average	<=54	Pass
n40	5190	MIMO	5150	-34.11	5.99	0	67.11	Peak	<=68.2	Pass
n40	5190	MIMO	5150	-47.77	5.99	0.6	54.05	Average	<=54	Pass
n40	5230	Ant1	5350	-48.68	3.19	0	49.74	Peak	<=68.2	Pass
n40	5230	Ant1	5350	-56.6	3.19	0.61	42.43	Average	<=54	Pass
n40	5230	Ant1	5370.9	-44.86	3.19	0	53.56	Peak	<=68.2	Pass
n40	5230	Ant1	5362.53	-55.09	3.19	0.61	43.94	Average	<=54	Pass
n40	5230	Ant1	5460	-48.36	3.19	0	50.06	Peak	<=68.2	Pass
n40	5230	Ant1	5460	-57.08	3.19	0.61	41.95	Average	<=54	Pass
n40	5230	Ant2	5350	-47.45	2.76	0	50.54	Peak	<=68.2	Pass
n40	5230	Ant2	5350	-56.26	2.76	0.61	42.34	Average	<=54	Pass
n40	5230	Ant2	5447.58	-46.3	2.76	0	51.69	Peak	<=68.2	Pass
n40	5230	Ant2	5358.21	-55.33	2.76	0.61	43.27	Average	<=54	Pass
n40	5230	Ant2	5460	-48.94	2.76	0	49.05	Peak	<=68.2	Pass
n40	5230	Ant2	5460	-57.09	2.76	0.61	41.51	Average	<=54	Pass
n40	5230	MIMO	5350	-45.01	5.99	0	56.21	Peak	<=68.2	Pass
n40	5230	MIMO	5350	-53.42	5.99	0.61	48.41	Average	<=54	Pass
n40	5230	MIMO	5384.67	-43.35	5.99	0	57.87	Peak	<=68.2	Pass
n40	5230	MIMO	5362.53	-52.46	5.99	0.61	49.37	Average	<=54	Pass
n40	5230	MIMO	5460	-45.63	5.99	0	55.59	Peak	<=68.2	Pass
n40	5230	MIMO	5460	-54.07	5.99	0.61	47.76	Average	<=54	Pass
ac20	5180	Ant1	4500	-50.06	3.19	0	48.36	Peak	<=68.2	Pass
ac20	5180	Ant1	4500	-58.28	3.19	0.31	40.45	Average	<=54	Pass
ac20	5180	Ant1	5141.9	-38.5	3.19	0	59.92	Peak	<=68.2	Pass
ac20	5180	Ant1	5149.6	-52.01	3.19	0.31	46.72	Average	<=54	Pass
ac20	5180	Ant1	5150	-40	3.19	0	58.42	Peak	<=68.2	Pass
ac20	5180	Ant1	5150	-51.51	3.19	0.31	47.22	Average	<=54	Pass
ac20	5180	Ant2	4500	-49.26	2.76	0	48.73	Peak	<=68.2	Pass
ac20	5180	Ant2	4500	-57.86	2.76	0.31	40.44	Average	<=54	Pass
ac20	5180	Ant2	5148.2	-37.31	2.76	0	60.68	Peak	<=68.2	Pass
ac20	5180	Ant2	5148.2	-53	2.76	0.31	45.3	Average	<=54	Pass
ac20	5180	Ant2	5150	-39.63	2.76	0	58.36	Peak	<=68.2	Pass
ac20	5180	Ant2	5150	-53.34	2.76	0.31	44.96	Average	<=54	Pass
ac20	5180	MIMO	4500	-46.63	5.99	0	54.59	Peak	<=68.2	Pass
ac20	5180	MIMO	4500	-55.05	5.99	0.31	46.48	Average	<=54	Pass
ac20	5180	MIMO	5148.2	-35.85	5.99	0	65.37	Peak	<=68.2	Pass
ac20	5180	MIMO	5148.9	-49.62	5.99	0.31	51.91	Average	<=54	Pass
ac20	5180	MIMO	5150	-36.8	5.99	0	64.42	Peak	<=68.2	Pass
ac20	5180	MIMO	5150	-49.32	5.99	0.31	52.21	Average	<=54	Pass
ac20	5240	Ant1	5350	-48.93	3.19	0	49.49	Peak	<=68.2	Pass
ac20	5240	Ant1	5350	-56.12	3.19	0.31	42.61	Average	<=54	Pass
ac20	5240	Ant1	5354.88	-45.35	3.19	0	53.07	Peak	<=68.2	Pass
ac20	5240	Ant1	5351.04	-55.6	3.19	0.31	43.13	Average	<=54	Pass
ac20	5240	Ant1	5460	-49.33	3.19	0	49.09	Peak	<=68.2	Pass
ac20	5240	Ant1	5460	-56.74	3.19	0.31	41.99	Average	<=54	Pass
ac20	5240	Ant2	5350	-49.39	2.76	0	48.6	Peak	<=68.2	Pass
ac20	5240	Ant2	5350	-56.77	2.76	0.31	41.53	Average	<=54	Pass
ac20	5240	Ant2	5352.72	-45.71	2.76	0	52.28	Peak	<=68.2	Pass




ac20	5240	Ant2	5362.56	-55.68	2.76	0.31	42.62	Average	<=54	Pass
ac20	5240	Ant2	5460	-49.36	2.76	0	48.63	Peak	<=68.2	Pass
ac20	5240	Ant2	5460	-57.14	2.76	0.31	41.16	Average	<=54	Pass
ac20	5240	MIMO	5350	-46.14	5.99	0	55.08	Peak	<=68.2	Pass
ac20	5240	MIMO	5350	-53.42	5.99	0.31	48.11	Average	<=54	Pass
ac20	5240	MIMO	5352.72	-43.59	5.99	0	57.63	Peak	<=68.2	Pass
ac20	5240	MIMO	5362.56	-52.92	5.99	0.31	48.61	Average	<=54	Pass
ac20	5240	MIMO	5460	-46.33	5.99	0	54.89	Peak	<=68.2	Pass
ac20	5240	MIMO	5460	-53.93	5.99	0.31	47.6	Average	<=54	Pass
ac40	5190	Ant1	4500	-49.66	3.19	0	48.76	Peak	<=68.2	Pass
ac40	5190	Ant1	4500	-57.47	3.19	0.6	41.55	Average	<=54	Pass
ac40	5190	Ant1	5148.24	-39.46	3.19	0	58.96	Peak	<=68.2	Pass
ac40	5190	Ant1	5149.7	-52.78	3.19	0.6	46.24	Average	<=54	Pass
ac40	5190	Ant1	5150	-42.4	3.19	0	56.02	Peak	<=68.2	Pass
ac40	5190	Ant1	5150	-52.44	3.19	0.6	46.58	Average	<=54	Pass
ac40	5190	Ant2	4500	-50.08	2.76	0	47.91	Peak	<=68.2	Pass
ac40	5190	Ant2	4500	-57.47	2.76	0.6	41.12	Average	<=54	Pass
ac40	5190	Ant2	5149.7	-38.09	2.76	0	59.9	Peak	<=68.2	Pass
ac40	5190	Ant2	5149.7	-52.99	2.76	0.6	45.6	Average	<=54	Pass
ac40	5190	Ant2	5150	-37.04	2.76	0	60.95	Peak	<=68.2	Pass
ac40	5190	Ant2	5150	-54.57	2.76	0.6	44.02	Average	<=54	Pass
ac40	5190	MIMO	4500	-46.85	5.99	0	54.37	Peak	<=68.2	Pass
ac40	5190	MIMO	4500	-54.46	5.99	0.6	47.36	Average	<=54	Pass
ac40	5190	MIMO	5149.7	-37	5.99	0	64.22	Peak	<=68.2	Pass
ac40	5190	MIMO	5149.7	-49.87	5.99	0.6	51.95	Average	<=54	Pass
ac40	5190	MIMO	5150	-35.93	5.99	0	65.29	Peak	<=68.2	Pass
ac40	5190	MIMO	5150	-50.37	5.99	0.6	51.45	Average	<=54	Pass
ac40	5230	Ant1	5350	-48.04	3.19	0	50.38	Peak	<=68.2	Pass
ac40	5230	Ant1	5350	-56.01	3.19	0.6	43.01	Average	<=54	Pass
ac40	5230	Ant1	5438.4	-45.72	3.19	0	52.7	Peak	<=68.2	Pass
ac40	5230	Ant1	5360.91	-55.44	3.19	0.6	43.58	Average	<=54	Pass
ac40	5230	Ant1	5460	-49.65	3.19	0	48.77	Peak	<=68.2	Pass
ac40	5230	Ant1	5460	-57.17	3.19	0.6	41.85	Average	<=54	Pass
ac40	5230	Ant2	5350	-48.39	2.76	0	49.6	Peak	<=68.2	Pass
ac40	5230	Ant2	5350	-55.95	2.76	0.6	42.64	Average	<=54	Pass
ac40	5230	Ant2	5352.54	-44.45	2.76	0	53.54	Peak	<=68.2	Pass
ac40	5230	Ant2	5352	-55.5	2.76	0.6	43.09	Average	<=54	Pass
ac40	5230	Ant2	5460	-48.91	2.76	0	49.08	Peak	<=68.2	Pass
ac40	5230	Ant2	5460	-56.83	2.76	0.6	41.76	Average	<=54	Pass
ac40	5230	MIMO	5350	-45.2	5.99	0	56.02	Peak	<=68.2	Pass
ac40	5230	MIMO	5350	-52.97	5.99	0.6	48.85	Average	<=54	Pass
ac40	5230	MIMO	5352.54	-43.08	5.99	0	58.14	Peak	<=68.2	Pass
ac40	5230	MIMO	5360.91	-52.61	5.99	0.6	49.21	Average	<=54	Pass
ac40	5230	MIMO	5460	-46.25	5.99	0	54.97	Peak	<=68.2	Pass
ac40	5230	MIMO	5460	-53.99	5.99	0.6	47.83	Average	<=54	Pass
ac80	5210	Ant1	5350	-47.69	3.19	0	50.73	Peak	<=68.2	Pass
ac80	5210	Ant1	5350	-55.98	3.19	1.16	43.6	Average	<=54	Pass
ac80	5210	Ant1	5364.63	-45.08	3.19	0	53.34	Peak	<=68.2	Pass
ac80	5210	Ant1	5390.04	-54.78	3.19	1.16	44.8	Average	<=54	Pass
ac80	5210	Ant1	5460	-49.26	3.19	0	49.16	Peak	<=68.2	Pass
ac80	5210	Ant1	5460	-56.64	3.19	1.16	42.94	Average	<=54	Pass
ac80	5210	Ant2	5350	-47.7	2.76	0	50.29	Peak	<=68.2	Pass
ac80	5210	Ant2	5350	-56.34	2.76	1.16	42.81	Average	<=54	Pass
ac80	5210	Ant2	5380.47	-45.19	2.76	0	52.8	Peak	<=68.2	Pass
ac80	5210	Ant2	5417.76	-55.6	2.76	1.16	43.55	Average	<=54	Pass
ac80	5210	Ant2	5460	-48.77	2.76	0	49.22	Peak	<=68.2	Pass
ac80	5210	Ant2	5460	-57.03	2.76	1.16	42.12	Average	<=54	Pass
ac80	5210	MIMO	5350	-44.68	5.99	0	56.54	Peak	<=68.2	Pass
ac80	5210	MIMO	5350	-53.15	5.99	1.16	49.23	Average	<=54	Pass
ac80	5210	MIMO	5418.75	-43.24	5.99	0	57.98	Peak	<=68.2	Pass
ac80	5210	MIMO	5363.64	-52.69	5.99	1.16	49.69	Average	<=54	Pass
ac80	5210	MIMO	5460	-46	5.99	0	55.22	Peak	<=68.2	Pass
ac80	5210	MIMO	5460	-53.82	5.99	1.16	48.56	Average	<=54	Pass
ac80	5210	Ant1	4500	-48.52	3.19	0	49.9	Peak	<=68.2	Pass







ac80	5210	Ant1	4500	-58.31	3.19	1.16	41.27	Average	<=54	Pass
ac80	5210	Ant1	5143.06	-36.55	3.19	0	61.87	Peak	<=68.2	Pass
ac80	5210	Ant1	5143.85	-49.46	3.19	1.16	50.12	Average	<=54	Pass
ac80	5210	Ant1	5150	-38.19	3.19	0	60.23	Peak	<=68.2	Pass
ac80	5210	Ant1	5150	-49.84	3.19	1.16	49.74	Average	<=54	Pass
ac80	5210	Ant2	4500	-51.24	2.76	0	46.75	Peak	<=68.2	Pass
ac80	5210	Ant2	4500	-58.47	2.76	1.16	40.68	Average	<=54	Pass
ac80	5210	Ant2	5141.48	-37.95	2.76	0	60.04	Peak	<=68.2	Pass
ac80	5210	Ant2	5148.59	-54	2.76	1.16	45.15	Average	<=54	Pass
ac80	5210	Ant2	5150	-41.82	2.76	0	56.17	Peak	<=68.2	Pass
ac80	5210	Ant2	5150	-54.4	2.76	1.16	44.75	Average	<=54	Pass
ac80	5210	MIMO	4500	-46.66	5.99	0	54.56	Peak	<=68.2	Pass
ac80	5210	MIMO	4500	-55.38	5.99	1.16	47	Average	<=54	Pass
ac80	5210	MIMO	5148.59	-35.4	5.99	0	65.82	Peak	<=68.2	Pass
ac80	5210	MIMO	5143.85	-48.4	5.99	1.16	53.98	Average	<=54	Pass
ac80	5210	MIMO	5150	-36.63	5.99	0	64.59	Peak	<=68.2	Pass
ac80	5210	MIMO	5150	-48.54	5.99	1.16	53.84	Average	<=54	Pass
ax20	5180	Ant1	4500	-49.26	3.19	0	49.16	Peak	<=68.2	Pass
ax20	5180	Ant1	4500	-57.86	3.19	0.4	40.96	Average	<=54	Pass
ax20	5180	Ant1	5148.2	-41.83	3.19	0	56.59	Peak	<=68.2	Pass
ax20	5180	Ant1	5102.7	-55.1	3.19	0.4	43.72	Average	<=54	Pass
ax20	5180	Ant1	5150	-42.68	3.19	0	55.74	Peak	<=68.2	Pass
ax20	5180	Ant1	5150	-55.87	3.19	0.4	42.95	Average	<=54	Pass
ax20	5180	Ant2	4500	-51.84	2.76	0	46.15	Peak	<=68.2	Pass
ax20	5180	Ant2	4500	-59.03	2.76	0.4	39.36	Average	<=54	Pass
ax20	5180	Ant2	5146.8	-45.66	2.76	0	52.33	Peak	<=68.2	Pass
ax20	5180	Ant2	4854.9	-55.76	2.76	0.4	42.63	Average	<=54	Pass
ax20	5180	Ant2	5150	-48.01	2.76	0	49.98	Peak	<=68.2	Pass
ax20	5180	Ant2	5150	-56.38	2.76	0.4	42.01	Average	<=54	Pass
ax20	5180	MIMO	4500	-47.35	5.99	0	53.87	Peak	<=68.2	Pass
ax20	5180	MIMO	4500	-55.4	5.99	0.4	46.22	Average	<=54	Pass
ax20	5180	MIMO	5148.2	-40.83	5.99	0	60.39	Peak	<=68.2	Pass
ax20	5180	MIMO	4881.5	-52.91	5.99	0.4	48.71	Average	<=54	Pass
ax20	5180	MIMO	5150	-41.56	5.99	0	59.66	Peak	<=68.2	Pass
ax20	5180	MIMO	5150	-53.11	5.99	0.4	48.51	Average	<=54	Pass
ax20	5240	Ant1	5350	-47.71	3.19	0	50.71	Peak	<=68.2	Pass
ax20	5240	Ant1	5350	-56.69	3.19	0.4	42.13	Average	<=54	Pass
ax20	5240	Ant1	5374.56	-45.35	3.19	0	53.07	Peak	<=68.2	Pass
ax20	5240	Ant1	5375.52	-55.58	3.19	0.4	43.24	Average	<=54	Pass
ax20	5240	Ant1	5460	-47.41	3.19	0	51.01	Peak	<=68.2	Pass
ax20	5240	Ant1	5460	-58.21	3.19	0.4	40.61	Average	<=54	Pass
ax20	5240	Ant2	5350	-48.7	2.76	0	49.29	Peak	<=68.2	Pass
ax20	5240	Ant2	5350	-56.86	2.76	0.4	41.53	Average	<=54	Pass
ax20	5240	Ant2	5351.04	-46.33	2.76	0	51.66	Peak	<=68.2	Pass
ax20	5240	Ant2	5352.24	-55.46	2.76	0.4	42.93	Average	<=54	Pass
ax20	5240	Ant2	5460	-50.62	2.76	0	47.37	Peak	<=68.2	Pass
ax20	5240	Ant2	5460	-58.19	2.76	0.4	40.2	Average	<=54	Pass
ax20	5240	MIMO	5350	-45.17	5.99	0	56.05	Peak	<=68.2	Pass
ax20	5240	MIMO	5350	-53.76	5.99	0.4	47.86	Average	<=54	Pass
ax20	5240	MIMO	5374.56	-44.01	5.99	0	57.21	Peak	<=68.2	Pass
ax20	5240	MIMO	5352.24	-53.14	5.99	0.4	48.48	Average	<=54	Pass
ax20	5240	MIMO	5460	-45.71	5.99	0	55.51	Peak	<=68.2	Pass
ax20	5240	MIMO	5460	-55.19	5.99	0.4	46.43	Average	<=54	Pass
ax40	5190	Ant1	4500	-50.43	3.19	0	47.99	Peak	<=68.2	Pass
ax40	5190	Ant1	4500	-57.69	3.19	0.71	41.44	Average	<=54	Pass
ax40	5190	Ant1	5147.51	-41.49	3.19	0	56.93	Peak	<=68.2	Pass
ax40	5190	Ant1	5146.78	-51.81	3.19	0.71	47.32	Average	<=54	Pass
ax40	5190	Ant1	5150	-41.06	3.19	0	57.36	Peak	<=68.2	Pass
ax40	5190	Ant1	5150	-51.3	3.19	0.71	47.83	Average	<=54	Pass
ax40	5190	Ant2	4500	-49.73	2.76	0	48.26	Peak	<=68.2	Pass
ax40	5190	Ant2	4500	-58.11	2.76	0.71	40.59	Average	<=54	Pass
ax40	5190	Ant2	5148.24	-37.45	2.76	0	60.54	Peak	<=68.2	Pass
ax40	5190	Ant2	5144.59	-53.51	2.76	0.71	45.19	Average	<=54	Pass
ax40	5190	Ant2	5150	-36.53	2.76	0	61.46	Peak	<=68.2	Pass







ax40	5190	Ant2	5150	-54.68	2.76	0.71	44.02	Average	<=54	Pass
ax40	5190	MIMO	4500	-47.06	5.99	0	54.16	Peak	<=68.2	Pass
ax40	5190	MIMO	4500	-54.88	5.99	0.71	47.05	Average	<=54	Pass
ax40	5190	MIMO	5148.24	-36.24	5.99	0	64.98	Peak	<=68.2	Pass
ax40	5190	MIMO	5147.51	-50.02	5.99	0.71	51.91	Average	<=54	Pass
ax40	5190	MIMO	5150	-35.22	5.99	0	66	Peak	<=68.2	Pass
ax40	5190	MIMO	5150	-49.66	5.99	0.71	52.27	Average	<=54	Pass
ax40	5230	Ant1	5350	-48.74	3.19	0	49.68	Peak	<=68.2	Pass
ax40	5230	Ant1	5350	-55.47	3.19	0.72	43.67	Average	<=54	Pass
ax40	5230	Ant1	5427.6	-45.38	3.19	0	53.04	Peak	<=68.2	Pass
ax40	5230	Ant1	5426.79	-55.16	3.19	0.72	43.98	Average	<=54	Pass
ax40	5230	Ant1	5460	-48.08	3.19	0	50.34	Peak	<=68.2	Pass
ax40	5230	Ant1	5460	-56.24	3.19	0.72	42.9	Average	<=54	Pass
ax40	5230	Ant2	5350	-48.29	2.76	0	49.7	Peak	<=68.2	Pass
ax40	5230	Ant2	5350	-57.28	2.76	0.72	41.43	Average	<=54	Pass
ax40	5230	Ant2	5354.16	-45.58	2.76	0	52.41	Peak	<=68.2	Pass
ax40	5230	Ant2	5366.31	-55.43	2.76	0.72	43.28	Average	<=54	Pass
ax40	5230	Ant2	5460	-49.27	2.76	0	48.72	Peak	<=68.2	Pass
ax40	5230	Ant2	5460	-57.04	2.76	0.72	41.67	Average	<=54	Pass
ax40	5230	MIMO	5350	-45.5	5.99	0	55.72	Peak	<=68.2	Pass
ax40	5230	MIMO	5350	-53.27	5.99	0.72	48.67	Average	<=54	Pass
ax40	5230	MIMO	5354.16	-43.47	5.99	0	57.75	Peak	<=68.2	Pass
ax40	5230	MIMO	5368.47	-52.35	5.99	0.72	49.59	Average	<=54	Pass
ax40	5230	MIMO	5460	-45.62	5.99	0	55.6	Peak	<=68.2	Pass
ax40	5230	MIMO	5460	-53.61	5.99	0.72	48.33	Average	<=54	Pass
ax80	5210	Ant1	5350	-47.81	3.19	0	50.61	Peak	<=68.2	Pass
ax80	5210	Ant1	5350	-55.88	3.19	1.27	43.81	Average	<=54	Pass
ax80	5210	Ant1	5422.05	-45.23	3.19	0	53.19	Peak	<=68.2	Pass
ax80	5210	Ant1	5403.24	-55.09	3.19	1.27	44.6	Average	<=54	Pass
ax80	5210	Ant1	5460	-49.69	3.19	0	48.73	Peak	<=68.2	Pass
ax80	5210	Ant1	5460	-56.37	3.19	1.27	43.32	Average	<=54	Pass
ax80	5210	Ant2	5350	-50.26	2.76	0	47.73	Peak	<=68.2	Pass
ax80	5210	Ant2	5350	-57.1	2.76	1.27	42.16	Average	<=54	Pass
ax80	5210	Ant2	5362.32	-46.03	2.76	0	51.96	Peak	<=68.2	Pass
ax80	5210	Ant2	5383.44	-55.62	2.76	1.27	43.64	Average	<=54	Pass
ax80	5210	Ant2	5460	-50.26	2.76	0	47.73	Peak	<=68.2	Pass
ax80	5210	Ant2	5460	-56.51	2.76	1.27	42.75	Average	<=54	Pass
ax80	5210	MIMO	5350	-45.85	5.99	0	55.37	Peak	<=68.2	Pass
ax80	5210	MIMO	5350	-53.44	5.99	1.27	49.05	Average	<=54	Pass
ax80	5210	MIMO	5404.23	-43.39	5.99	0	57.83	Peak	<=68.2	Pass
ax80	5210	MIMO	5431.29	-52.76	5.99	1.27	49.73	Average	<=54	Pass
ax80	5210	MIMO	5460	-46.96	5.99	0	54.26	Peak	<=68.2	Pass
ax80	5210	MIMO	5460	-53.43	5.99	1.27	49.06	Average	<=54	Pass
ax80	5210	Ant1	4500	-49.03	3.19	0	49.39	Peak	<=68.2	Pass
ax80	5210	Ant1	4500	-57.83	3.19	1.27	41.86	Average	<=54	Pass
ax80	5210	Ant1	5144.64	-39.83	3.19	0	58.59	Peak	<=68.2	Pass
ax80	5210	Ant1	5149.38	-51.66	3.19	1.27	48.03	Average	<=54	Pass
ax80	5210	Ant1	5150	-40.05	3.19	0	58.37	Peak	<=68.2	Pass
ax80	5210	Ant1	5150	-52.43	3.19	1.27	47.26	Average	<=54	Pass
ax80	5210	Ant2	4500	-48.7	2.76	0	49.29	Peak	<=68.2	Pass
ax80	5210	Ant2	4500	-58.42	2.76	1.27	40.84	Average	<=54	Pass
ax80	5210	Ant2	5139.11	-42.04	2.76	0	55.95	Peak	<=68.2	Pass
ax80	5210	Ant2	5147.01	-55.48	2.76	1.27	43.78	Average	<=54	Pass
ax80	5210	Ant2	5150	-45.65	2.76	0	52.34	Peak	<=68.2	Pass
ax80	5210	Ant2	5150	-55.71	2.76	1.27	43.55	Average	<=54	Pass
ax80	5210	MIMO	4500	-45.85	5.99	0	55.37	Peak	<=68.2	Pass
ax80	5210	MIMO	4500	-55.1	5.99	1.27	47.39	Average	<=54	Pass
ax80	5210	MIMO	5139.11	-38.71	5.99	0	62.51	Peak	<=68.2	Pass
ax80	5210	MIMO	5149.38	-50.21	5.99	1.27	52.28	Average	<=54	Pass
ax80	5210	MIMO	5150	-38.99	5.99	0	62.23	Peak	<=68.2	Pass
ax80	5210	MIMO	5150	-50.76	5.99	1.27	51.73	Average	<=54	Pass











































































































































U-NNI-2A
Duty Cycle

Mode	Frequency (MHz)	Antenna	On Time (ms)	Period (ms)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)	Max Variation (%)
a	5260	Ant1	1.396	1.494	93.44	0.29	0.72	0.26
a	5300	Ant1	1.398	1.496	93.45	0.29	0.72	0.27
a	5320	Ant1	1.398	1.494	93.57	0.29	0.72	0.28
a	5260	Ant2	1.398	1.496	93.45	0.29	0.72	0.23
a	5300	Ant2	1.398	1.496	93.45	0.29	0.72	0.23
a	5320	Ant2	1.396	1.494	93.44	0.29	0.72	0.28
n20	5260	Ant1	1.308	1.406	93.03	0.31	0.76	0.22
n20	5260	Ant2	1.308	1.406	93.03	0.31	0.76	0.27
n20	5300	Ant1	1.31	1.408	93.04	0.31	0.76	0.24
n20	5300	Ant2	1.31	1.406	93.17	0.31	0.76	0.22
n20	5320	Ant1	1.308	1.406	93.03	0.31	0.76	0.20
n20	5320	Ant2	1.31	1.406	93.17	0.31	0.76	0.22
n40	5270	Ant1	0.649	0.747	86.88	0.61	1.54	0.23
n40	5270	Ant2	0.649	0.747	86.88	0.61	1.54	0.20
n40	5310	Ant1	0.65	0.747	87.01	0.6	1.54	0.17
n40	5310	Ant2	0.65	0.747	87.01	0.6	1.54	0.25
ac20	5260	Ant1	1.316	1.414	93.07	0.31	0.76	0.24
ac20	5260	Ant2	1.316	1.414	93.07	0.31	0.76	0.26
ac20	5300	Ant1	1.318	1.416	93.08	0.31	0.76	0.27
ac20	5300	Ant2	1.316	1.414	93.07	0.31	0.76	0.28
ac20	5320	Ant1	1.316	1.414	93.07	0.31	0.76	0.23
ac20	5320	Ant2	1.316	1.414	93.07	0.31	0.76	0.23
ac40	5270	Ant1	0.657	0.755	87.02	0.6	1.52	0.28
ac40	5270	Ant2	0.657	0.755	87.02	0.6	1.52	0.23
ac40	5310	Ant1	0.657	0.755	87.02	0.6	1.52	0.23
ac40	5310	Ant2	0.657	0.755	87.02	0.6	1.52	0.28
ac80	5290	Ant1	0.324	0.423	76.6	1.16	3.09	0.22
ac80	5290	Ant2	0.324	0.423	76.6	1.16	3.09	0.27
ax20	5260	Ant1	1.022	1.12	91.25	0.4	0.98	0.24
ax20	5260	Ant2	1.02	1.118	91.23	0.4	0.98	0.22
ax20	5300	Ant1	1.022	1.12	91.25	0.4	0.98	0.20
ax20	5300	Ant2	1.022	1.12	91.25	0.4	0.98	0.22
ax20	5320	Ant1	1.023	1.121	91.26	0.4	0.98	0.23
ax20	5320	Ant2	1.023	1.121	91.26	0.4	0.98	0.20
ax40	5270	Ant1	0.542	0.64	84.69	0.72	1.85	0.17
ax40	5270	Ant2	0.542	0.64	84.69	0.72	1.85	0.25
ax40	5310	Ant1	0.542	0.64	84.69	0.72	1.85	0.24
ax40	5310	Ant2	0.542	0.64	84.69	0.72	1.85	0.26
ax80	5290	Ant1	0.29	0.39	74.36	1.29	3.44	0.27
ax80	5290	Ant2	0.29	0.39	74.36	1.29	3.44	0.28





Duty Cycle NVNT a 5320MHz Ant1



Duty Cycle NVNT a 5260MHz Ant2

