













OBW NVNT ac20 5500MHz Ant1




OBW NVNT ac20 5500MHz Ant2








OBW NVNT ac20 5580MHz Ant1




OBW NVNT ac20 5580MHz Ant2










OBW NVNT ac40 5510MHz Ant1




OBW NVNT ac40 5510MHz Ant2










OBW NVNT ac40 5670MHz Ant1




OBW NVNT ac40 5670MHz Ant2










OBW NVNT ac80 5610MHz Ant1




OBW NVNT ac80 5610MHz Ant2










OBW NVNT ax20 5580MHz Ant1




OBW NVNT ax20 5580MHz Ant2










OBW NVNT ax40 5510MHz Ant1




OBW NVNT ax40 5510MHz Ant2










OBW NVNT ax40 5670MHz Ant1




OBW NVNT ax40 5670MHz Ant2








OBW NVNT ax80 5610MHz Ant1



OBW NVNT ax80 5610MHz Ant2








Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	2.839	0.29	3.129	<=11	Pass
NVNT	a	5580	Ant1	1.508	0.29	1.798	<=11	Pass
NVNT	a	5700	Ant1	0.911	0.29	1.201	<=11	Pass
NVNT	a	5500	Ant2	3.443	0.29	3.733	<=11	Pass
NVNT	a	5580	Ant2	2.843	0.29	3.133	<=11	Pass
NVNT	a	5700	Ant2	1.281	0.29	1.571	<=11	Pass
NVNT	n20	5500	Ant1	0.585	0.31	0.895	<=11	Pass
NVNT	n20	5500	Ant2	1.338	0.31	1.648	<=11	Pass
NVNT	n20	5500	MIMO	3.988	0.31	4.298	<=11	Pass
NVNT	n20	5580	Ant1	-0.038	0.31	0.272	<=11	Pass
NVNT	n20	5580	Ant2	0.335	0.31	0.645	<=11	Pass
NVNT	n20	5580	MIMO	3.163	0.31	3.473	<=11	Pass
NVNT	n20	5700	Ant1	-1.775	0.31	-1.465	<=11	Pass
NVNT	n20	5700	Ant2	-1.915	0.31	-1.605	<=11	Pass
NVNT	n20	5700	MIMO	1.166	0.31	1.476	<=11	Pass
NVNT	n40	5510	Ant1	-3.995	0.6	-3.395	<=11	Pass
NVNT	n40	5510	Ant2	-3.768	0.6	-3.168	<=11	Pass
NVNT	n40	5510	MIMO	-0.87	0.6	-0.27	<=11	Pass
NVNT	n40	5550	Ant1	-4.741	0.6	-4.141	<=11	Pass
NVNT	n40	5550	Ant2	-4.284	0.61	-3.674	<=11	Pass
NVNT	n40	5550	MIMO	-1.496	0.61	-0.886	<=11	Pass
NVNT	n40	5670	Ant1	-7.181	0.6	-6.581	<=11	Pass
NVNT	n40	5670	Ant2	-8.177	0.6	-7.577	<=11	Pass
NVNT	n40	5670	MIMO	-4.64	0.6	-4.04	<=11	Pass
NVNT	ac20	5500	Ant1	-0.593	0.31	-0.283	<=11	Pass
NVNT	ac20	5500	Ant2	-0.649	0.31	-0.339	<=11	Pass
NVNT	ac20	5500	MIMO	2.389	0.31	2.699	<=11	Pass
NVNT	ac20	5580	Ant1	-1.958	0.31	-1.648	<=11	Pass
NVNT	ac20	5580	Ant2	-1.495	0.31	-1.185	<=11	Pass
NVNT	ac20	5580	MIMO	1.29	0.31	1.6	<=11	Pass
NVNT	ac20	5700	Ant1	-2.695	0.31	-2.385	<=11	Pass
NVNT	ac20	5700	Ant2	-3.527	0.31	-3.217	<=11	Pass
NVNT	ac20	5700	MIMO	-0.081	0.31	0.229	<=11	Pass
NVNT	ac40	5510	Ant1	-4.511	0.6	-3.911	<=11	Pass
NVNT	ac40	5510	Ant2	-4.786	0.6	-4.186	<=11	Pass
NVNT	ac40	5510	MIMO	-1.636	0.6	-1.036	<=11	Pass
NVNT	ac40	5550	Ant1	-5.135	0.6	-4.535	<=11	Pass
NVNT	ac40	5550	Ant2	-4.71	0.6	-4.11	<=11	Pass
NVNT	ac40	5550	MIMO	-1.907	0.6	-1.307	<=11	Pass
NVNT	ac40	5670	Ant1	-7.046	0.6	-6.446	<=11	Pass
NVNT	ac40	5670	Ant2	-7.209	0.6	-6.609	<=11	Pass
NVNT	ac40	5670	MIMO	-4.116	0.6	-3.516	<=11	Pass
NVNT	ac80	5530	Ant1	-8.149	1.16	-6.989	<=11	Pass
NVNT	ac80	5530	Ant2	-7.632	1.15	-6.482	<=11	Pass
NVNT	ac80	5530	MIMO	-4.873	1.16	-3.713	<=11	Pass
NVNT	ac80	5610	Ant1	-9.646	1.17	-8.476	<=11	Pass
NVNT	ac80	5610	Ant2	-9.18	1.16	-8.02	<=11	Pass
NVNT	ac80	5610	MIMO	-6.396	1.17	-5.226	<=11	Pass
NVNT	ax20	5500	Ant1	-0.255	0.4	0.145	<=11	Pass
NVNT	ax20	5500	Ant2	1.065	0.4	1.465	<=11	Pass
NVNT	ax20	5500	MIMO	3.465	0.4	3.865	<=11	Pass
NVNT	ax20	5580	Ant1	-1.384	0.4	-0.984	<=11	Pass
NVNT	ax20	5580	Ant2	0.728	0.39	1.118	<=11	Pass
NVNT	ax20	5580	MIMO	2.809	0.4	3.209	<=11	Pass
NVNT	ax20	5700	Ant1	-1.187	0.4	-0.787	<=11	Pass
NVNT	ax20	5700	Ant2	-2.936	0.4	-2.536	<=11	Pass
NVNT	ax20	5700	MIMO	1.036	0.4	1.436	<=11	Pass
NVNT	ax40	5510	Ant1	-5.544	0.72	-4.824	<=11	Pass
NVNT	ax40	5510	Ant2	-4.995	0.71	-4.285	<=11	Pass
NVNT	ax40	5510	MIMO	-2.251	0.72	-1.531	<=11	Pass







NVNT	ax40	5550	Ant1	-4.861	0.71	-4.151	<=11	Pass
NVNT	ax40	5550	Ant2	-3.983	0.71	-3.273	<=11	Pass
NVNT	ax40	5550	MIMO	-1.39	0.71	-0.68	<=11	Pass
NVNT	ax40	5670	Ant1	-6.751	0.72	-6.031	<=11	Pass
NVNT	ax40	5670	Ant2	-6.952	0.72	-6.232	<=11	Pass
NVNT	ax40	5670	MIMO	-3.84	0.72	-3.12	<=11	Pass
NVNT	ax80	5530	Ant1	-7.979	1.29	-6.689	<=11	Pass
NVNT	ax80	5530	Ant2	-7.069	1.27	-5.799	<=11	Pass
NVNT	ax80	5530	MIMO	-4.49	1.29	-3.2	<=11	Pass
NVNT	ax80	5610	Ant1	-9.202	1.29	-7.912	<=11	Pass
NVNT	ax80	5610	Ant2	-7.838	1.27	-6.568	<=11	Pass
NVNT	ax80	5610	MIMO	-5.456	1.29	-4.166	<=11	Pass






























































































Band Edge

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
a	5500	Ant1	-32.28	<=-27	Pass
a	5700	Ant1	-33.93	<=-27	Pass
a	5500	Ant2	-33.04	<=-27	Pass
a	5700	Ant2	-36.09	<=-27	Pass
n20	5500	MIMO	-28.89	<=-27	Pass
n20	5700	MIMO	-35.98	<=-27	Pass
n20	5500	Ant1	-37.31	<=-27	Pass
n20	5500	Ant2	-39.61	<=-27	Pass
n20	5700	Ant1	-37.97	<=-27	Pass
n20	5700	Ant2	-42.54	<=-27	Pass
n40	5510	MIMO	-28.35	<=-27	Pass
n40	5670	MIMO	-38.64	<=-27	Pass
n40	5510	Ant1	-30.45	<=-27	Pass
n40	5510	Ant2	-29.03	<=-27	Pass
n40	5670	Ant1	-41.74	<=-27	Pass
n40	5670	Ant2	-41.5	<=-27	Pass
ac20	5500	MIMO	-34.83	<=-27	Pass
ac20	5700	MIMO	-34.9	<=-27	Pass
ac20	5500	Ant1	-32.79	<=-27	Pass
ac20	5500	Ant2	-36.7	<=-27	Pass
ac20	5700	Ant1	-37.37	<=-27	Pass
ac20	5700	Ant2	-41.97	<=-27	Pass
ac40	5510	MIMO	-28.23	<=-27	Pass
ac40	5670	MIMO	-38.64	<=-27	Pass
ac40	5510	Ant1	-30	<=-27	Pass
ac40	5510	Ant2	-29.64	<=-27	Pass
ac40	5670	Ant1	-41.05	<=-27	Pass
ac40	5670	Ant2	-42.41	<=-27	Pass
ac80	5530	MIMO	-29.72	<=-27	Pass
ac80	5610	MIMO	-40.69	<=-27	Pass
ac80	5530	Ant1	-33.27	<=-27	Pass
ac80	5530	Ant2	-34.89	<=-27	Pass
ac80	5610	Ant1	-43.15	<=-27	Pass
ac80	5610	Ant2	-40.64	<=-27	Pass
ax20	5500	MIMO	-35.83	<=-27	Pass
ax20	5700	MIMO	-33.84	<=-27	Pass
ax20	5500	Ant1	-36.73	<=-27	Pass
ax20	5500	Ant2	-33.41	<=-27	Pass
ax20	5700	Ant1	-38.32	<=-27	Pass
ax20	5700	Ant2	-41.73	<=-27	Pass
ax40	5510	MIMO	-29.59	<=-27	Pass
ax40	5670	MIMO	-35.42	<=-27	Pass
ax40	5510	Ant1	-34.05	<=-27	Pass
ax40	5510	Ant2	-33.19	<=-27	Pass
ax40	5670	Ant1	-41.21	<=-27	Pass
ax40	5670	Ant2	-41.97	<=-27	Pass
ax80	5530	MIMO	-35.16	<=-27	Pass
ax80	5610	MIMO	-41.41	<=-27	Pass
ax80	5530	Ant1	-38.54	<=-27	Pass
ax80	5530	Ant2	-39.99	<=-27	Pass
ax80	5610	Ant1	-43.58	<=-27	Pass
ax80	5610	Ant2	-42.94	<=-27	Pass










Band Edge NVNT a 5500MHz Low Ant2







Band Edge NVNT a 5700MHz High Ant2





























































































Restrict Band

Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
a	5500	Ant1	5460	-44.89	3.19	0	53.53	Peak	<=68.2	Pass
a	5500	Ant1	5460	-54.11	3.19	0.29	44.6	Average	<=54	Pass
a	5500	Ant1	5469.8	-35.77	3.19	0	62.65	Peak	<=68.2	Pass
a	5500	Ant1	5470	-49.43	3.19	0.29	49.28	Average	<=54	Pass
a	5500	Ant1	5470	-35.92	3.19	0	62.5	Peak	<=68.2	Pass
a	5700	Ant1	5725	-37.77	3.19	0	60.65	Peak	<=68.2	Pass
a	5700	Ant1	5725	-48.94	3.19	0.29	49.77	Average	<=54	Pass
a	5700	Ant1	5726	-32.75	3.19	0	65.67	Peak	<=68.2	Pass
a	5700	Ant1	5735	-41.43	3.19	0	56.99	Peak	<=68.2	Pass
a	5700	Ant1	5735	-54.14	3.19	0.29	44.57	Average	<=54	Pass
a	5500	Ant2	5460	-43.67	2.76	0	54.32	Peak	<=68.2	Pass
a	5500	Ant2	5460	-55	2.76	0.29	43.28	Average	<=54	Pass
a	5500	Ant2	5468.4	-35.47	2.76	0	62.52	Peak	<=68.2	Pass
a	5500	Ant2	5469.2	-51.7	2.76	0.29	46.58	Average	<=54	Pass
a	5500	Ant2	5470	-38.5	2.76	0	59.49	Peak	<=68.2	Pass
a	5500	Ant2	5470	-53.14	2.76	0.29	45.14	Average	<=54	Pass
a	5700	Ant2	5725	-43.67	2.76	0	54.32	Peak	<=68.2	Pass
a	5700	Ant2	5725	-53.26	2.76	0.29	45.02	Average	<=54	Pass
a	5700	Ant2	5726	-39.01	2.76	0	58.98	Peak	<=68.2	Pass
a	5700	Ant2	5725.4	-51.28	2.76	0.29	47	Average	<=54	Pass
a	5700	Ant2	5735	-42.59	2.76	0	55.4	Peak	<=68.2	Pass
a	5700	Ant2	5735	-54.73	2.76	0.29	43.55	Average	<=54	Pass
n20	5500	Ant1	5460	-40.73	3.19	0	57.69	Peak	<=68.2	Pass
n20	5500	Ant1	5460	-54.62	3.19	0.31	44.11	Average	<=54	Pass
n20	5500	Ant1	5469.2	-33.87	3.19	0	64.55	Peak	<=68.2	Pass
n20	5500	Ant1	5469.6	-49.3	3.19	0.31	49.43	Average	<=54	Pass
n20	5500	Ant1	5470	-36.06	3.19	0	62.36	Peak	<=68.2	Pass
n20	5500	Ant1	5470	-49.91	3.19	0.31	48.82	Average	<=54	Pass
n20	5500	Ant2	5460	-48.84	2.76	0	49.15	Peak	<=68.2	Pass
n20	5500	Ant2	5460	-56.46	2.76	0.31	41.84	Average	<=54	Pass
n20	5500	Ant2	5464.2	-45.59	2.76	0	52.4	Peak	<=68.2	Pass
n20	5500	Ant2	5469	-54.62	2.76	0.31	43.68	Average	<=54	Pass
n20	5500	Ant2	5470	-46.28	2.76	0	51.71	Peak	<=68.2	Pass
n20	5500	Ant2	5470	-56.33	2.76	0.31	41.97	Average	<=54	Pass
n20	5500	MIMO	5460	-40.11	5.99	0	61.11	Peak	<=68.2	Pass
n20	5500	MIMO	5460	-52.43	5.99	0.31	49.1	Average	<=54	Pass
n20	5500	MIMO	5469.2	-33.71	5.99	0	67.51	Peak	<=68.2	Pass
n20	5500	MIMO	5469.6	-48.4	5.99	0.31	53.13	Average	<=54	Pass
n20	5500	MIMO	5470	-35.67	5.99	0	65.55	Peak	<=68.2	Pass
n20	5500	MIMO	5470	-49.02	5.99	0.31	52.51	Average	<=54	Pass
n20	5700	Ant1	5725	-41.43	3.19	0	56.99	Peak	<=68.2	Pass
n20	5700	Ant1	5725	-52.75	3.19	0.31	45.98	Average	<=54	Pass
n20	5700	Ant1	5725.2	-38.64	3.19	0	59.78	Peak	<=68.2	Pass
n20	5700	Ant1	5725.2	-51.96	3.19	0.31	46.77	Average	<=54	Pass
n20	5700	Ant1	5735	-46.43	3.19	0	51.99	Peak	<=68.2	Pass
n20	5700	Ant1	5735	-56.85	3.19	0.31	41.88	Average	<=54	Pass
n20	5700	Ant2	5725	-43.74	2.76	0	54.25	Peak	<=68.2	Pass
n20	5700	Ant2	5725	-54.11	2.76	0.31	44.19	Average	<=54	Pass
n20	5700	Ant2	5725.6	-41.05	2.76	0	56.94	Peak	<=68.2	Pass
n20	5700	Ant2	5735	-47.77	2.76	0	50.22	Peak	<=68.2	Pass
n20	5700	Ant2	5735	-56.2	2.76	0.31	42.1	Average	<=54	Pass
n20	5700	MIMO	5725	-39.42	5.99	0	61.8	Peak	<=68.2	Pass
n20	5700	MIMO	5725	-50.37	5.99	0.31	51.16	Average	<=54	Pass
n20	5700	MIMO	5725.2	-37.52	5.99	0	63.7	Peak	<=68.2	Pass
n20	5700	MIMO	5725.2	-50.12	5.99	0.31	51.41	Average	<=54	Pass
n20	5700	MIMO	5735	-44.04	5.99	0	57.18	Peak	<=68.2	Pass
n20	5700	MIMO	5735	-53.5	5.99	0.31	48.03	Average	<=54	Pass



n40	5510	Ant1	5460	-46.86	3.19	0	51.56	Peak	<=68.2	Pass
n40	5510	Ant1	5460	-56.09	3.19	0.6	42.93	Average	<=54	Pass
n40	5510	Ant1	5468.8	-39.45	3.19	0	58.97	Peak	<=68.2	Pass
n40	5510	Ant1	5469.8	-53.13	3.19	0.6	45.89	Average	<=54	Pass
n40	5510	Ant1	5470	-44.94	3.19	0	53.48	Peak	<=68.2	Pass
n40	5510	Ant1	5470	-53.49	3.19	0.6	45.53	Average	<=54	Pass
n40	5510	Ant2	5460	-48.11	2.76	0	49.88	Peak	<=68.2	Pass
n40	5510	Ant2	5460	-57	2.76	0.6	41.59	Average	<=54	Pass
n40	5510	Ant2	5468.6	-46.96	2.76	0	51.03	Peak	<=68.2	Pass
n40	5510	Ant2	5467.6	-56.16	2.76	0.6	42.43	Average	<=54	Pass
n40	5510	Ant2	5470	-50.16	2.76	0	47.83	Peak	<=68.2	Pass
n40	5510	Ant2	5470	-56.73	2.76	0.6	41.86	Average	<=54	Pass
n40	5510	MIMO	5460	-44.43	5.99	0	56.79	Peak	<=68.2	Pass
n40	5510	MIMO	5460	-53.51	5.99	0.6	48.31	Average	<=54	Pass
n40	5510	MIMO	5468.8	-38.84	5.99	0	62.38	Peak	<=68.2	Pass
n40	5510	MIMO	5469.6	-51.45	5.99	0.6	50.37	Average	<=54	Pass
n40	5510	MIMO	5470	-43.8	5.99	0	57.42	Peak	<=68.2	Pass
n40	5510	MIMO	5470	-51.8	5.99	0.6	50.02	Average	<=54	Pass
n40	5670	Ant1	5725	-47.95	3.19	0	50.47	Peak	<=68.2	Pass
n40	5670	Ant1	5725	-55.49	3.19	0.6	43.53	Average	<=54	Pass
n40	5670	Ant1	5734	-45.01	3.19	0	53.41	Peak	<=68.2	Pass
n40	5670	Ant1	5727.6	-55.01	3.19	0.6	44.01	Average	<=54	Pass
n40	5670	Ant1	5735	-47.25	3.19	0	51.17	Peak	<=68.2	Pass
n40	5670	Ant1	5735	-56.57	3.19	0.6	42.45	Average	<=54	Pass
n40	5670	Ant2	5725	-48.95	2.76	0	49.04	Peak	<=68.2	Pass
n40	5670	Ant2	5725	-56.91	2.76	0.6	41.68	Average	<=54	Pass
n40	5670	Ant2	5734.8	-47.05	2.76	0	50.94	Peak	<=68.2	Pass
n40	5670	Ant2	5728.4	-56.21	2.76	0.6	42.38	Average	<=54	Pass
n40	5670	Ant2	5735	-49.19	2.76	0	48.8	Peak	<=68.2	Pass
n40	5670	Ant2	5735	-57.71	2.76	0.6	40.88	Average	<=54	Pass
n40	5670	MIMO	5725	-45.41	5.99	0	55.81	Peak	<=68.2	Pass
n40	5670	MIMO	5725	-53.13	5.99	0.6	48.69	Average	<=54	Pass
n40	5670	MIMO	5734	-43.81	5.99	0	57.41	Peak	<=68.2	Pass
n40	5670	MIMO	5728	-52.87	5.99	0.6	48.95	Average	<=54	Pass
n40	5670	MIMO	5735	-45.1	5.99	0	56.12	Peak	<=68.2	Pass
n40	5670	MIMO	5735	-54.09	5.99	0.6	47.73	Average	<=54	Pass
ac20	5500	Ant1	5460	-44.85	3.19	0	53.57	Peak	<=68.2	Pass
ac20	5500	Ant1	5460	-54.11	3.19	0.31	44.62	Average	<=54	Pass
ac20	5500	Ant1	5466	-42.1	3.19	0	56.32	Peak	<=68.2	Pass
ac20	5500	Ant1	5470	-50.88	3.19	0.31	47.85	Average	<=54	Pass
ac20	5500	Ant1	5470	-43.09	3.19	0	55.33	Peak	<=68.2	Pass
ac20	5500	Ant2	5460	-48.08	2.76	0	49.91	Peak	<=68.2	Pass
ac20	5500	Ant2	5460	-56.59	2.76	0.31	41.71	Average	<=54	Pass
ac20	5500	Ant2	5470	-45.2	2.76	0	52.79	Peak	<=68.2	Pass
ac20	5500	Ant2	5468.6	-54.88	2.76	0.31	43.42	Average	<=54	Pass
ac20	5500	Ant2	5470	-56.49	2.76	0.31	41.81	Average	<=54	Pass
ac20	5500	MIMO	5460	-43.16	5.99	0	58.06	Peak	<=68.2	Pass
ac20	5500	MIMO	5460	-52.17	5.99	0.31	49.36	Average	<=54	Pass
ac20	5500	MIMO	5467.4	-40.73	5.99	0	60.49	Peak	<=68.2	Pass
ac20	5500	MIMO	5469.6	-49.8	5.99	0.31	51.73	Average	<=54	Pass
ac20	5500	MIMO	5470	-41.01	5.99	0	60.21	Peak	<=68.2	Pass
ac20	5500	MIMO	5470	-49.83	5.99	0.31	51.7	Average	<=54	Pass
ac20	5700	Ant1	5725	-38.64	3.19	0	59.78	Peak	<=68.2	Pass
ac20	5700	Ant1	5725	-49.27	3.19	0.31	49.46	Average	<=54	Pass
ac20	5700	Ant1	5725.6	-35.26	3.19	0	63.16	Peak	<=68.2	Pass
ac20	5700	Ant1	5735	-42.8	3.19	0	55.62	Peak	<=68.2	Pass
ac20	5700	Ant1	5735	-54.22	3.19	0.31	44.51	Average	<=54	Pass
ac20	5700	Ant2	5725	-44.68	2.76	0	53.31	Peak	<=68.2	Pass
ac20	5700	Ant2	5725	-55.28	2.76	0.31	43.02	Average	<=54	Pass
ac20	5700	Ant2	5725.4	-55.07	2.76	0.31	43.23	Average	<=54	Pass
ac20	5700	Ant2	5735	-48.32	2.76	0	49.67	Peak	<=68.2	Pass
ac20	5700	Ant2	5735	-57.27	2.76	0.31	41.03	Average	<=54	Pass
ac20	5700	MIMO	5725	-37.67	5.99	0	63.55	Peak	<=68.2	Pass
ac20	5700	MIMO	5725	-48.3	5.99	0.31	53.23	Average	<=54	Pass



ac20	5700	MIMO	5725.6	-34.9	5.99	0	66.32	Peak	<=68.2	Pass
ac20	5700	MIMO	5735	-41.73	5.99	0	59.49	Peak	<=68.2	Pass
ac20	5700	MIMO	5735	-52.47	5.99	0.31	49.06	Average	<=54	Pass
ac40	5510	Ant1	5460	-48.51	3.19	0	49.91	Peak	<=68.2	Pass
ac40	5510	Ant1	5460	-56.33	3.19	0.6	42.69	Average	<=54	Pass
ac40	5510	Ant1	5467.6	-39.89	3.19	0	58.53	Peak	<=68.2	Pass
ac40	5510	Ant1	5468.6	-52.84	3.19	0.6	46.18	Average	<=54	Pass
ac40	5510	Ant1	5470	-44.45	3.19	0	53.97	Peak	<=68.2	Pass
ac40	5510	Ant1	5470	-53.28	3.19	0.6	45.74	Average	<=54	Pass
ac40	5510	Ant2	5460	-48.23	2.76	0	49.76	Peak	<=68.2	Pass
ac40	5510	Ant2	5460	-57.2	2.76	0.6	41.39	Average	<=54	Pass
ac40	5510	Ant2	5465.4	-44.98	2.76	0	53.01	Peak	<=68.2	Pass
ac40	5510	Ant2	5468.6	-55.71	2.76	0.6	42.88	Average	<=54	Pass
ac40	5510	Ant2	5470	-47.91	2.76	0	50.08	Peak	<=68.2	Pass
ac40	5510	Ant2	5470	-57.46	2.76	0.6	41.13	Average	<=54	Pass
ac40	5510	MIMO	5460	-45.36	5.99	0	55.86	Peak	<=68.2	Pass
ac40	5510	MIMO	5460	-53.73	5.99	0.6	48.09	Average	<=54	Pass
ac40	5510	MIMO	5467.6	-39.34	5.99	0	61.88	Peak	<=68.2	Pass
ac40	5510	MIMO	5468.6	-51.03	5.99	0.6	50.79	Average	<=54	Pass
ac40	5510	MIMO	5470	-42.83	5.99	0	58.39	Peak	<=68.2	Pass
ac40	5510	MIMO	5470	-51.88	5.99	0.6	49.94	Average	<=54	Pass
ac40	5670	Ant1	5725	-44.42	3.19	0	54	Peak	<=68.2	Pass
ac40	5670	Ant1	5725	-52	3.19	0.6	47.02	Average	<=54	Pass
ac40	5670	Ant1	5725.4	-40.84	3.19	0	57.58	Peak	<=68.2	Pass
ac40	5670	Ant1	5725.6	-51.17	3.19	0.6	47.85	Average	<=54	Pass
ac40	5670	Ant1	5735	-44.35	3.19	0	54.07	Peak	<=68.2	Pass
ac40	5670	Ant1	5735	-53.74	3.19	0.6	45.28	Average	<=54	Pass
ac40	5670	Ant2	5725	-47.4	2.76	0	50.59	Peak	<=68.2	Pass
ac40	5670	Ant2	5725	-55.86	2.76	0.6	42.73	Average	<=54	Pass
ac40	5670	Ant2	5727.4	-44.41	2.76	0	53.58	Peak	<=68.2	Pass
ac40	5670	Ant2	5728.2	-54.66	2.76	0.6	43.93	Average	<=54	Pass
ac40	5670	Ant2	5735	-49.5	2.76	0	48.49	Peak	<=68.2	Pass
ac40	5670	Ant2	5735	-56.12	2.76	0.6	42.47	Average	<=54	Pass
ac40	5670	MIMO	5725	-42.65	5.99	0	58.57	Peak	<=68.2	Pass
ac40	5670	MIMO	5725	-50.5	5.99	0.6	51.32	Average	<=54	Pass
ac40	5670	MIMO	5725.4	-39.93	5.99	0	61.29	Peak	<=68.2	Pass
ac40	5670	MIMO	5725.6	-49.84	5.99	0.6	51.98	Average	<=54	Pass
ac40	5670	MIMO	5735	-43.19	5.99	0	58.03	Peak	<=68.2	Pass
ac40	5670	MIMO	5735	-51.76	5.99	0.6	50.06	Average	<=54	Pass
ac80	5530	Ant1	5460	-42.98	3.19	0	55.44	Peak	<=68.2	Pass
ac80	5530	Ant1	5460	-52.75	3.19	1.16	46.83	Average	<=54	Pass
ac80	5530	Ant1	5463.6	-39.41	3.19	0	59.01	Peak	<=68.2	Pass
ac80	5530	Ant1	5461.8	-51.14	3.19	1.16	48.44	Average	<=54	Pass
ac80	5530	Ant1	5470	-41.88	3.19	0	56.54	Peak	<=68.2	Pass
ac80	5530	Ant1	5470	-52.6	3.19	1.16	46.98	Average	<=54	Pass
ac80	5530	Ant2	5460	-47.73	2.76	0	50.26	Peak	<=68.2	Pass
ac80	5530	Ant2	5460	-55.7	2.76	1.15	43.44	Average	<=54	Pass
ac80	5530	Ant2	5469.4	-44.59	2.76	0	53.4	Peak	<=68.2	Pass
ac80	5530	Ant2	5469.2	-54.32	2.76	1.15	44.82	Average	<=54	Pass
ac80	5530	Ant2	5470	-45.54	2.76	0	52.45	Peak	<=68.2	Pass
ac80	5530	Ant2	5470	-54.5	2.76	1.15	44.64	Average	<=54	Pass
ac80	5530	MIMO	5460	-41.73	5.99	0	59.49	Peak	<=68.2	Pass
ac80	5530	MIMO	5460	-50.97	5.99	1.16	51.41	Average	<=54	Pass
ac80	5530	MIMO	5463.6	-38.29	5.99	0	62.93	Peak	<=68.2	Pass
ac80	5530	MIMO	5461.8	-49.86	5.99	1.16	52.52	Average	<=54	Pass
ac80	5530	MIMO	5470	-40.33	5.99	0	60.89	Peak	<=68.2	Pass
ac80	5530	MIMO	5470	-50.44	5.99	1.16	51.94	Average	<=54	Pass
ac80	5610	Ant1	5725	-49.77	3.19	0	48.65	Peak	<=68.2	Pass
ac80	5610	Ant1	5725	-57.11	3.19	1.17	42.48	Average	<=54	Pass
ac80	5610	Ant1	5729.055	-46.55	3.19	0	51.87	Peak	<=68.2	Pass
ac80	5610	Ant1	5729.67	-56.02	3.19	1.17	43.57	Average	<=54	Pass
ac80	5610	Ant1	5735	-48	3.19	0	50.42	Peak	<=68.2	Pass
ac80	5610	Ant1	5735	-56.49	3.19	1.17	43.1	Average	<=54	Pass
ac80	5610	Ant2	5725	-48.94	2.76	0	49.05	Peak	<=68.2	Pass



ac80	5610	Ant2	5725	-57.36	2.76	1.16	41.79	Average	<=54	Pass
ac80	5610	Ant2	5725.775	-47.35	2.76	0	50.64	Peak	<=68.2	Pass
ac80	5610	Ant2	5734.795	-56.06	2.76	1.16	43.09	Average	<=54	Pass
ac80	5610	Ant2	5735	-49.61	2.76	0	48.38	Peak	<=68.2	Pass
ac80	5610	Ant2	5735	-56.7	2.76	1.16	42.45	Average	<=54	Pass
ac80	5610	MIMO	5725	-46.32	5.99	0	54.9	Peak	<=68.2	Pass
ac80	5610	MIMO	5725	-54.22	5.99	1.17	48.17	Average	<=54	Pass
ac80	5610	MIMO	5729.055	-44.49	5.99	0	56.73	Peak	<=68.2	Pass
ac80	5610	MIMO	5734.795	-53.28	5.99	1.17	49.11	Average	<=54	Pass
ac80	5610	MIMO	5735	-45.72	5.99	0	55.5	Peak	<=68.2	Pass
ac80	5610	MIMO	5735	-53.58	5.99	1.17	48.81	Average	<=54	Pass
ax20	5500	Ant1	5460	-39.9	3.19	0	58.52	Peak	<=68.2	Pass
ax20	5500	Ant1	5460	-54.56	3.19	0.4	44.26	Average	<=54	Pass
ax20	5500	Ant1	5469.2	-33.47	3.19	0	64.95	Peak	<=68.2	Pass
ax20	5500	Ant1	5468.6	-49.75	3.19	0.4	49.07	Average	<=54	Pass
ax20	5500	Ant1	5470	-37.51	3.19	0	60.91	Peak	<=68.2	Pass
ax20	5500	Ant1	5470	-49.76	3.19	0.4	49.06	Average	<=54	Pass
ax20	5500	Ant2	5460	-47.99	2.76	0	50	Peak	<=68.2	Pass
ax20	5500	Ant2	5460	-57.12	2.76	0.4	41.27	Average	<=54	Pass
ax20	5500	Ant2	5469	-44.7	2.76	0	53.29	Peak	<=68.2	Pass
ax20	5500	Ant2	5469.4	-55.78	2.76	0.4	42.61	Average	<=54	Pass
ax20	5500	Ant2	5470	-47.2	2.76	0	50.79	Peak	<=68.2	Pass
ax20	5500	Ant2	5470	-55.92	2.76	0.4	42.47	Average	<=54	Pass
ax20	5500	MIMO	5460	-39.27	5.99	0	61.95	Peak	<=68.2	Pass
ax20	5500	MIMO	5460	-52.64	5.99	0.4	48.98	Average	<=54	Pass
ax20	5500	MIMO	5469.2	-33.31	5.99	0	67.91	Peak	<=68.2	Pass
ax20	5500	MIMO	5470	-48.82	5.99	0.4	52.8	Average	<=54	Pass
ax20	5500	MIMO	5470	-37.07	5.99	0	64.15	Peak	<=68.2	Pass
ax20	5700	Ant1	5725	-38.53	3.19	0	59.89	Peak	<=68.2	Pass
ax20	5700	Ant1	5725	-51.09	3.19	0.4	47.73	Average	<=54	Pass
ax20	5700	Ant1	5735	-46.61	3.19	0	51.81	Peak	<=68.2	Pass
ax20	5700	Ant1	5735	-56.14	3.19	0.4	42.68	Average	<=54	Pass
ax20	5700	Ant2	5725	-44.68	2.76	0	53.31	Peak	<=68.2	Pass
ax20	5700	Ant2	5725	-54.12	2.76	0.4	44.27	Average	<=54	Pass
ax20	5700	Ant2	5728.2	-40.69	2.76	0	57.3	Peak	<=68.2	Pass
ax20	5700	Ant2	5725.6	-54.07	2.76	0.4	44.32	Average	<=54	Pass
ax20	5700	Ant2	5735	-49.14	2.76	0	48.85	Peak	<=68.2	Pass
ax20	5700	Ant2	5735	-56.68	2.76	0.4	41.71	Average	<=54	Pass
ax20	5700	MIMO	5725	-37.59	5.99	0	63.63	Peak	<=68.2	Pass
ax20	5700	MIMO	5725	-49.34	5.99	0.4	52.28	Average	<=54	Pass
ax20	5700	MIMO	5725.2	-37.48	5.99	0	63.74	Peak	<=68.2	Pass
ax20	5700	MIMO	5735	-44.68	5.99	0	56.54	Peak	<=68.2	Pass
ax20	5700	MIMO	5735	-53.39	5.99	0.4	48.23	Average	<=54	Pass
ax40	5510	Ant1	5460	-46.62	3.19	0	51.8	Peak	<=68.2	Pass
ax40	5510	Ant1	5460	-55.04	3.19	0.72	44.1	Average	<=54	Pass
ax40	5510	Ant1	5466.8	-41.14	3.19	0	57.28	Peak	<=68.2	Pass
ax40	5510	Ant1	5470	-51.3	3.19	0.72	47.84	Average	<=54	Pass
ax40	5510	Ant1	5470	-41.44	3.19	0	56.98	Peak	<=68.2	Pass
ax40	5510	Ant2	5460	-48.5	2.76	0	49.49	Peak	<=68.2	Pass
ax40	5510	Ant2	5460	-57.25	2.76	0.71	41.45	Average	<=54	Pass
ax40	5510	Ant2	5464.4	-45.09	2.76	0	52.9	Peak	<=68.2	Pass
ax40	5510	Ant2	5467.6	-56.12	2.76	0.71	42.58	Average	<=54	Pass
ax40	5510	Ant2	5470	-49.23	2.76	0	48.76	Peak	<=68.2	Pass
ax40	5510	Ant2	5470	-57.3	2.76	0.71	41.4	Average	<=54	Pass
ax40	5510	MIMO	5460	-44.45	5.99	0	56.77	Peak	<=68.2	Pass
ax40	5510	MIMO	5460	-53	5.99	0.72	48.94	Average	<=54	Pass
ax40	5510	MIMO	5466.8	-40.22	5.99	0	61	Peak	<=68.2	Pass
ax40	5510	MIMO	5470	-50.33	5.99	0.72	51.61	Average	<=54	Pass
ax40	5510	MIMO	5470	-40.77	5.99	0	60.45	Peak	<=68.2	Pass
ax40	5670	Ant1	5725	-46.4	3.19	0	52.02	Peak	<=68.2	Pass
ax40	5670	Ant1	5725	-56.6	3.19	0.72	42.54	Average	<=54	Pass
ax40	5670	Ant1	5726.8	-44.37	3.19	0	54.05	Peak	<=68.2	Pass
ax40	5670	Ant1	5734	-55.26	3.19	0.72	43.88	Average	<=54	Pass
ax40	5670	Ant1	5735	-47.9	3.19	0	50.52	Peak	<=68.2	Pass



ax40	5670	Ant1	5735	-56.53	3.19	0.72	42.61	Average	<=54	Pass
ax40	5670	Ant2	5725	-49.7	2.76	0	48.29	Peak	<=68.2	Pass
ax40	5670	Ant2	5725	-57.22	2.76	0.72	41.49	Average	<=54	Pass
ax40	5670	Ant2	5733.8	-47.02	2.76	0	50.97	Peak	<=68.2	Pass
ax40	5670	Ant2	5735	-56.3	2.76	0.72	42.41	Average	<=54	Pass
ax40	5670	Ant2	5735	-49.59	2.76	0	48.4	Peak	<=68.2	Pass
ax40	5670	MIMO	5725	-44.73	5.99	0	56.49	Peak	<=68.2	Pass
ax40	5670	MIMO	5725	-53.89	5.99	0.72	48.05	Average	<=54	Pass
ax40	5670	MIMO	5726.8	-43.06	5.99	0	58.16	Peak	<=68.2	Pass
ax40	5670	MIMO	5728.2	-52.9	5.99	0.72	49.04	Average	<=54	Pass
ax40	5670	MIMO	5735	-45.65	5.99	0	55.57	Peak	<=68.2	Pass
ax40	5670	MIMO	5735	-53.4	5.99	0.72	48.54	Average	<=54	Pass
ax80	5530	Ant1	5460	-43.26	3.19	0	55.16	Peak	<=68.2	Pass
ax80	5530	Ant1	5460	-51.62	3.19	1.29	48.09	Average	<=54	Pass
ax80	5530	Ant1	5463.2	-39.33	3.19	0	59.09	Peak	<=68.2	Pass
ax80	5530	Ant1	5468	-50.38	3.19	1.29	49.33	Average	<=54	Pass
ax80	5530	Ant1	5470	-41.88	3.19	0	56.54	Peak	<=68.2	Pass
ax80	5530	Ant1	5470	-51.74	3.19	1.29	47.97	Average	<=54	Pass
ax80	5530	Ant2	5460	-46.67	2.76	0	51.32	Peak	<=68.2	Pass
ax80	5530	Ant2	5460	-55.54	2.76	1.27	43.72	Average	<=54	Pass
ax80	5530	Ant2	5464	-44.36	2.76	0	53.63	Peak	<=68.2	Pass
ax80	5530	Ant2	5468.6	-54.18	2.76	1.27	45.08	Average	<=54	Pass
ax80	5530	Ant2	5470	-46.49	2.76	0	51.5	Peak	<=68.2	Pass
ax80	5530	Ant2	5470	-54.91	2.76	1.27	44.35	Average	<=54	Pass
ax80	5530	MIMO	5460	-41.63	5.99	0	59.59	Peak	<=68.2	Pass
ax80	5530	MIMO	5460	-50.14	5.99	1.29	52.37	Average	<=54	Pass
ax80	5530	MIMO	5463.2	-38.3	5.99	0	62.92	Peak	<=68.2	Pass
ax80	5530	MIMO	5466.2	-49.13	5.99	1.29	53.38	Average	<=54	Pass
ax80	5530	MIMO	5470	-40.59	5.99	0	60.63	Peak	<=68.2	Pass
ax80	5530	MIMO	5470	-50.03	5.99	1.29	52.48	Average	<=54	Pass
ax80	5610	Ant1	5725	-48.25	3.19	0	50.17	Peak	<=68.2	Pass
ax80	5610	Ant1	5725	-56.98	3.19	1.29	42.73	Average	<=54	Pass
ax80	5610	Ant1	5729.055	-45.79	3.19	0	52.63	Peak	<=68.2	Pass
ax80	5610	Ant1	5729.875	-55.92	3.19	1.29	43.79	Average	<=54	Pass
ax80	5610	Ant1	5735	-48.69	3.19	0	49.73	Peak	<=68.2	Pass
ax80	5610	Ant1	5735	-57.05	3.19	1.29	42.66	Average	<=54	Pass
ax80	5610	Ant2	5725	-49.29	2.76	0	48.7	Peak	<=68.2	Pass
ax80	5610	Ant2	5725	-57.29	2.76	1.27	41.97	Average	<=54	Pass
ax80	5610	Ant2	5729.26	-45.97	2.76	0	52.02	Peak	<=68.2	Pass
ax80	5610	Ant2	5734.59	-56.19	2.76	1.27	43.07	Average	<=54	Pass
ax80	5610	Ant2	5735	-49.69	2.76	0	48.3	Peak	<=68.2	Pass
ax80	5610	Ant2	5735	-57.34	2.76	1.27	41.92	Average	<=54	Pass
ax80	5610	MIMO	5725	-45.73	5.99	0	55.49	Peak	<=68.2	Pass
ax80	5610	MIMO	5725	-54.12	5.99	1.29	48.39	Average	<=54	Pass
ax80	5610	MIMO	5729.26	-43.53	5.99	0	57.69	Peak	<=68.2	Pass
ax80	5610	MIMO	5731.105	-53.26	5.99	1.29	49.25	Average	<=54	Pass
ax80	5610	MIMO	5735	-46.15	5.99	0	55.07	Peak	<=68.2	Pass
ax80	5610	MIMO	5735	-54.18	5.99	1.29	48.33	Average	<=54	Pass

