















Band Edge(Hopping)



Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-45.46	<=-20	Pass
NVNT	1-DH5	2480	Hopping	-47.38	<=-20	Pass
NVNT	2-DH5	2402	Hopping	-51.73	<=-20	Pass
NVNT	2-DH5	2480	Hopping	-54.21	<=-20	Pass
NVNT	3-DH5	2402	Hopping	-52.03	<=-20	Pass
NVNT	3-DH5	2480	Hopping	-55.64	<=-20	Pass



















Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-29.79	<=-20	Pass
NVNT	1-DH5	2441	-30.47	<=-20	Pass
NVNT	1-DH5	2480	-31.51	<=-20	Pass
NVNT	2-DH5	2402	-36.71	<=-20	Pass
NVNT	2-DH5	2441	-37.19	<=-20	Pass
NVNT	2-DH5	2480	-40.35	<=-20	Pass
NVNT	3-DH5	2402	-36.11	<=-20	Pass
NVNT	3-DH5	2441	-36.99	<=-20	Pass
NVNT	3-DH5	2480	-38.27	<=-20	Pass






Tx. Spurious NVNT 1-DH5 2441MHz Ref




Tx. Spurious NVNT 1-DH5 2441MHz Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ref




Tx. Spurious NVNT 1-DH5 2480MHz Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ref




Tx. Spurious NVNT 2-DH5 2402MHz Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ref




Tx. Spurious NVNT 2-DH5 2441MHz Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ref




Tx. Spurious NVNT 2-DH5 2480MHz Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ref




Tx. Spurious NVNT 3-DH5 2402MHz Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ref




Tx. Spurious NVNT 3-DH5 2441MHz Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ref



Tx. Spurious NVNT 3-DH5 2480MHz Emission






Restrict Band

Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
1-DH5	2402	Ant1	No-Hopping	2310	-50.51	2.6	0	47.35	Peak	<=74	Pass
1-DH5	2402	Ant1	No-Hopping	2310	-58.75	2.6	1.14	40.25	Average	<=54	Pass
1-DH5	2402	Ant1	No-Hopping	2362.32	-47.87	2.6	0	49.99	Peak	<=74	Pass
1-DH5	2402	Ant1	No-Hopping	2382.192	-57.64	2.6	1.14	41.36	Average	<=54	Pass
1-DH5	2402	Ant1	No-Hopping	2390	-49.22	2.6	0	48.64	Peak	<=74	Pass
1-DH5	2402	Ant1	No-Hopping	2390	-58.36	2.6	1.14	40.64	Average	<=54	Pass
1-DH5	2480	Ant1	No-Hopping	2483.5	-49.83	2.6	0	48.03	Peak	<=74	Pass
1-DH5	2480	Ant1	No-Hopping	2483.5	-56.87	2.6	1.13	42.12	Average	<=54	Pass
1-DH5	2480	Ant1	No-Hopping	2486.176	-45.6	2.6	0	52.26	Peak	<=74	Pass
1-DH5	2480	Ant1	No-Hopping	2484.136	-56.59	2.6	1.13	42.4	Average	<=54	Pass
1-DH5	2480	Ant1	No-Hopping	2500	-49.92	2.6	0	47.94	Peak	<=74	Pass
1-DH5	2480	Ant1	No-Hopping	2500	-57.81	2.6	1.13	41.18	Average	<=54	Pass
2-DH5	2402	Ant1	No-Hopping	2310	-50.89	2.6	0	46.97	Peak	<=74	Pass
2-DH5	2402	Ant1	No-Hopping	2310	-58.42	2.6	1.12	40.56	Average	<=54	Pass
2-DH5	2402	Ant1	No-Hopping	2348.208	-46.51	2.6	0	51.35	Peak	<=74	Pass
2-DH5	2402	Ant1	No-Hopping	2383.632	-57.61	2.6	1.12	41.37	Average	<=54	Pass
2-DH5	2402	Ant1	No-Hopping	2390	-50.25	2.6	0	47.61	Peak	<=74	Pass
2-DH5	2402	Ant1	No-Hopping	2390	-57.93	2.6	1.12	41.05	Average	<=54	Pass
2-DH5	2480	Ant1	No-Hopping	2483.5	-47.29	2.6	0	50.57	Peak	<=74	Pass
2-DH5	2480	Ant1	No-Hopping	2483.5	-56.44	2.6	1.12	42.54	Average	<=54	Pass
2-DH5	2480	Ant1	No-Hopping	2483.92	-41.89	2.6	0	55.97	Peak	<=74	Pass
2-DH5	2480	Ant1	No-Hopping	2483.536	-55.74	2.6	1.12	43.24	Average	<=54	Pass
2-DH5	2480	Ant1	No-Hopping	2500	-49.3	2.6	0	48.56	Peak	<=74	Pass
2-DH5	2480	Ant1	No-Hopping	2500	-57.61	2.6	1.12	41.37	Average	<=54	Pass
3-DH5	2402	Ant1	No-Hopping	2310	-50.03	2.6	0	47.83	Peak	<=74	Pass
3-DH5	2402	Ant1	No-Hopping	2310	-58.6	2.6	1.12	40.38	Average	<=54	Pass
3-DH5	2402	Ant1	No-Hopping	2313.744	-46.95	2.6	0	50.91	Peak	<=74	Pass
3-DH5	2402	Ant1	No-Hopping	2388.144	-57.48	2.6	1.12	41.5	Average	<=54	Pass
3-DH5	2402	Ant1	No-Hopping	2390	-49.91	2.6	0	47.95	Peak	<=74	Pass
3-DH5	2402	Ant1	No-Hopping	2390	-58.16	2.6	1.12	40.82	Average	<=54	Pass
3-DH5	2480	Ant1	No-Hopping	2486.5	-48.89	2.6	0	48.97	Peak	<=74	Pass
3-DH5	2480	Ant1	No-Hopping	2486.5	-56.76	2.6	1.12	42.22	Average	<=54	Pass
3-DH5	2480	Ant1	No-Hopping	2505.634	-46.26	2.6	0	51.6	Peak	<=74	Pass
3-DH5	2480	Ant1	No-Hopping	2493.622	-56.68	2.6	1.12	42.3	Average	<=54	Pass
3-DH5	2480	Ant1	No-Hopping	2509	-50.01	2.6	0	47.85	Peak	<=74	Pass
3-DH5	2480	Ant1	No-Hopping	2509	-57.18	2.6	1.12	41.8	Average	<=54	Pass






Test Graphs



Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak







Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average















Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average





14. TEST SETUP PHOTO

Reference to the appendix I for details.

15. EUT CONSTRUCTIONAL DETAILS

Reference to the appendix II for details.

***** END OF REPORT *****