






ANT1:


Test Mode: IEEE 802.11b

Test CH1: 2412MHz



Test CH6: 2437MHz











Test CH11: 2462MHz




Test Mode: IEEE 802.11g Test CH1: 2412MHz







Test CH6: 2437MHz





Test CH11: 2462MHz




Test Mode: IEEE 802.11n HT20 Test CH1: 2412MHz











Test CH6: 2437MHz

Test CH11: 2462MHz




Test Mode: IEEE 802.11n HT40
Test CH1: 2422MHz









Test CH1: 2437MHz



Test CH1: 2452MHz





6. BAND EDGE COMPLIANCE TEST

6.1. Test Equipment

Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval
1.	PXA Signal Analyzer	Agilent	N9030A	MY51380221	Sep.08,18	1 Year
2.	Amplifier	HP	8449B	3008A02495	Apr.23.18	1 Year
3.	Horn Antenna	ETC	MCTD 1209	DRH15F03006	May.30,18	1 Year
4.	RF Cable	Hubersuhner	SUCOFLEX106	505239/6	Apr.23,18	1 Year

6.2. Limit


All the lower and upper band-edges emissions appearing within 2310MHz to 2390MHz and 2483.5MHz to 2500MHz restricted frequency bands shall not exceed the limits shown in 15.209, all the other emissions outside operation frequency band 2400MHz to 2483.5MHz shall be at least 20dB below the fundamental emissions, or comply with 15.209 limits.

6.3. Test Procedure

1. The EUT is placed on a turntable, which is 1.5m above the ground plane and worked at highest radiated power.
2. The turntable was rotated for 360 degrees to determine the position of maximum emission level.
3. EUT is set 3m away from the receiving antenna, which is varied from 1m to 4m to find out the highest emission.
4. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission:
 - (a) PEAK: RBW=1MHz; VBW=3MHz; Sweep=AUTO
 - (b) AVERAGE: RBW=1MHz; VBW=10Hz; Sweep=AUTO


6.4. Test Results

Pass (The testing data was attached in the next pages.)




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	28.06	10.28	51.96	35.70	54.60	74.00	19.40	Peak
2	2400.05	28.06	10.28	61.29	35.70	63.93	74.00	10.07	Peak
3	2410.86	28.08	10.31	102.45	35.70	105.14	74.00	-31.14	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	28.06	10.28	59.45	35.70	62.09	74.00	11.91	Peak
2	2400.00	28.06	10.28	71.25	35.70	73.09	74.00	0.11	Peak
3	2413.27	28.08	10.31	106.60	35.70	109.29	74.00	-35.29	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.04	28.06	10.28	47.56	35.70	50.20	54.00	3.80	Average
2	2400.00	28.06	10.28	56.93	35.70	61.57	54.00	-7.57	Average
3	2412.81	28.08	10.31	101.93	35.70	104.62	54.00	-50.62	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	28.06	10.28	43.77	35.70	46.41	54.00	7.59	Average
2	2400.05	28.06	10.28	54.50	35.70	57.14	54.00	-3.14	Average
3	2412.81	28.08	10.31	97.67	35.70	100.36	54.00	-46.36	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2460.74	20.15	10.42	90.10	32.51	96.24	74.00	-22.24	Peak
2	2463.50	20.10	10.45	39.13	32.40	45.20	74.00	28.72	Peak
3	2500.00	28.20	10.48	35.66	32.46	41.88	74.00	32.12	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2461.28	20.15	10.42	95.04	32.51	91.90	54.00	-37.90	Average
2	2463.50	20.10	10.45	32.54	32.40	30.69	54.00	23.31	Average
3	2500.00	28.20	10.48	25.18	32.46	31.40	54.00	22.60	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2462.70	20.15	10.42	90.64	32.51	94.70	54.00	-40.70	Average
2	2463.50	20.10	10.45	35.03	32.40	41.90	54.00	12.02	Average
3	2500.00	28.20	10.48	26.03	32.46	32.25	54.00	21.75	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2460.80	20.15	10.42	94.05	32.51	100.11	74.00	-26.11	Peak
2	2463.50	20.10	10.45	42.07	32.40	40.22	74.00	25.70	Peak
3	2500.00	28.20	10.48	38.35	32.46	44.57	74.00	29.43	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	20.06	10.28	56.21	32.56	61.99	74.00	12.01	Peak
2	2400.00	20.06	10.20	62.79	32.56	60.57	74.00	5.43	Peak
3	2407.64	28.08	10.31	97.38	32.56	103.21	74.00	-29.21	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	20.06	10.28	52.99	32.56	50.77	74.00	15.23	Peak
2	2400.00	20.06	10.20	61.60	32.56	67.46	74.00	6.54	Peak
3	2419.48	28.08	10.31	95.60	32.53	101.46	74.00	-27.46	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	20.06	10.28	37.16	32.56	42.94	54.00	11.06	Average
2	2400.00	20.06	10.20	43.00	32.56	40.06	54.00	5.14	Average
3	2406.83	28.08	10.31	77.40	32.56	83.23	54.00	-29.23	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	20.06	10.28	41.91	32.56	47.69	54.00	6.31	Average
2	2400.00	20.06	10.20	49.26	32.56	55.04	54.00	-1.04	Average
3	2413.39	28.08	10.31	82.77	32.53	80.63	54.00	-34.63	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2466.02	20.15	10.42	94.19	32.48	100.28	74.00	-26.28	Peak
2	2403.50	20.10	10.45	50.90	32.40	57.13	74.00	16.07	Peak
3	2500.00	20.10	10.48	40.05	32.46	46.27	74.00	27.73	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2461.04	20.15	10.42	90.16	32.51	86.22	54.00	-32.22	Average
2	2403.50	20.10	10.45	34.60	32.40	40.03	54.00	13.17	Average
3	2500.00	20.10	10.48	28.08	32.46	34.30	54.00	19.70	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2464.70	20.15	10.42	70.00	32.48	84.17	54.00	-30.17	Average
2	2403.50	20.10	10.45	32.50	32.40	30.65	54.00	15.35	Average
3	2500.00	20.10	10.48	26.46	32.46	32.68	54.00	21.32	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2465.24	20.15	10.42	86.02	32.48	92.11	74.00	-18.11	Peak
2	2403.50	20.10	10.45	40.20	32.40	46.35	74.00	27.65	Peak
3	2500.00	20.10	10.48	35.07	32.46	41.29	74.00	32.71	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	20.06	10.20	55.01	32.56	60.79	74.00	13.21	Peak
2	2400.00	20.06	10.20	59.02	32.56	65.60	74.00	8.40	Peak
3	2409.59	20.08	10.31	91.31	32.56	97.14	74.00	-23.14	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.04	20.06	10.20	30.50	32.56	44.20	54.00	9.72	Average
2	2400.00	20.06	10.20	43.56	32.56	49.34	54.00	4.66	Average
3	2406.83	20.08	10.31	74.59	32.56	80.42	54.00	-26.42	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	20.06	10.20	39.51	32.56	45.29	54.00	8.71	Average
2	2400.00	20.06	10.20	44.20	32.56	50.06	54.00	3.94	Average
3	2413.62	20.08	10.31	74.86	32.53	80.72	54.00	-26.72	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	20.06	10.20	57.52	32.56	63.30	74.00	10.70	Peak
2	2400.00	20.06	10.20	61.56	32.56	67.34	74.00	6.66	Peak
3	2409.02	20.08	10.31	95.77	32.56	101.60	74.00	-27.60	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2454.74	20.15	10.42	90.78	32.51	96.84	74.00	-22.84	Peak
2	2403.50	20.10	10.45	49.15	32.40	55.30	74.00	18.70	Peak
3	2500.00	20.20	10.48	37.65	32.46	43.87	74.00	30.13	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2454.74	20.15	10.42	67.26	32.40	73.35	54.00	-19.35	Average
2	2403.50	20.10	10.45	28.73	32.40	34.00	54.00	19.12	Average
3	2500.00	20.20	10.48	24.69	32.46	30.91	54.00	23.09	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2454.74	20.15	10.42	74.07	32.51	80.13	54.00	-26.13	Average
2	2403.50	20.10	10.45	34.43	32.40	40.50	54.00	13.42	Average
3	2500.00	20.20	10.48	27.09	32.46	33.31	54.00	20.69	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2454.74	20.15	10.42	91.59	32.48	97.68	74.00	-23.68	Peak
2	2403.50	20.10	10.45	50.61	32.40	56.76	74.00	17.24	Peak
3	2500.00	20.20	10.48	37.62	32.46	43.84	74.00	30.16	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2389.24	28.06	10.28	65.14	35.72	67.76	74.00	6.24	Peak
2	2389.94	28.06	10.28	63.04	35.70	65.68	74.00	8.32	Peak
3	2400.00	28.06	10.28	63.19	35.70	65.63	74.00	8.17	Peak
4	2418.08	28.08	10.31	97.96	35.67	100.68	74.00	-26.68	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	28.06	10.28	62.67	35.70	65.31	74.00	8.69	Peak
2	2400.02	28.06	10.28	65.78	35.70	68.42	74.00	5.58	Peak
3	2432.78	28.10	10.35	100.86	35.67	103.64	74.00	-29.64	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2389.94	28.06	10.28	48.41	35.70	51.05	54.00	2.95	Average
2	2400.02	28.06	10.28	49.03	35.70	51.67	54.00	2.33	Average
3	2426.90	28.10	10.35	75.06	35.67	77.84	54.00	-23.84	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2389.94	28.06	10.28	45.22	35.70	47.86	54.00	6.14	Average
2	2400.00	28.06	10.28	46.98	35.70	49.62	54.00	4.38	Average
3	2425.64	28.10	10.35	73.39	35.67	76.17	54.00	-22.17	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading
 -Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2442.00	28.13	10.38	85.54	32.51	91.54	74.00	-17.54	Peak
2	2483.48	28.18	10.45	45.58	32.48	51.73	74.00	22.27	Peak
3	2500.00	28.20	10.48	39.88	32.46	46.10	74.00	27.90	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2445.32	28.13	10.38	64.47	32.51	70.47	54.00	-16.47	Average
2	2483.48	28.18	10.45	31.63	32.48	37.78	54.00	16.22	Average
3	2500.00	28.20	10.48	26.65	32.46	32.87	54.00	21.13	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2455.60	28.15	10.42	65.65	32.51	71.71	54.00	-17.71	Average
2	2483.48	28.18	10.45	34.77	32.48	40.92	54.00	13.08	Average
3	2500.00	28.20	10.48	28.28	32.46	34.50	54.00	19.50	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	Reading (dBuV)	Amp factor (dB)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2460.62	28.15	10.42	89.46	32.51	95.52	74.00	-21.52	Peak
2	2483.48	28.18	10.45	50.73	32.48	56.88	74.00	17.12	Peak
3	2500.00	28.20	10.48	41.55	32.46	47.77	74.00	26.23	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp factor.
 2. The emission levels that are 20dB below the official limit are not reported.

7. 6dB Bandwidth Test

7.1. Test Equipment

Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval
1.	PXA Signal Analyzer	Agilent	N9030A	MY51380221	Sep.08,18	1 Year
2.	Attenuator	Agilent	8491B	MY39269170	Oct.14,18	1 Year
3.	RF Cable	Hubersuhner	SUCOFLEX106	505239/6	Apr.23,18	1 Year

7.2. Limit

For direct sequence systems, the minimum 6dB bandwidth shall be at least 500kHz

7.3. Test Procedure

The transmitter output was connected to a spectrum analyzer, The bandwidth of the fundamental frequency was measured by spectrum analyzer with 100kHz RBW and 300kHz VBW. The 6dB bandwidth is defined as the total spectrum the power of which is higher than peak power minus 6dB.


7.4. Test Results

EUT: BCM dual band 2*2 WiFi		
M/N: 50-0102-BC-22		
Test date: 2019-02-20	Pressure: 102.1±1.0 kpa	Humidity: 51.1±3.0%
Tested by: Garry	Test site: RF site	Temperature: 22.8±0.6 °C

Test Mode	CH	6dB bandwidth (MHz)		Limit (kHz)
		ANT0	ANT1	
11b	CH1	8.102	8.095	≥ 500
	CH6	8.108	8.097	≥ 500
	CH11	8.113	8.090	≥ 500
11g	CH1	16.39	16.37	≥ 500
	CH6	16.39	16.38	≥ 500
	CH11	16.39	16.38	≥ 500
11n HT20	CH1	17.64	17.61	≥ 500
	CH6	17.64	17.60	≥ 500
	CH11	17.63	17.57	≥ 500
11n HT40	CH3	36.38	36.37	≥ 500
	CH6	36.39	36.39	≥ 500
	CH9	36.38	36.39	≥ 500
Conclusion : PASS				

ANT0:

Test Mode: IEEE 802.11b
Test CH1: 2412MHz




ANT1:

Test Mode: IEEE 802.11b
Test CH1: 2412MHz




Test CH6: 2437MHz



Test CH6: 2437MHz



Test CH11: 2462MHz




Test CH11: 2462MHz



ANT0:

Test Mode: IEEE 802.11g
Test CH1: 2412MHz




ANT1:

Test Mode: IEEE 802.11g
Test CH1: 2412MHz




Test CH6: 2437MHz




Test CH6: 2437MHz



Test CH11: 2462MHz




Test CH11: 2462MHz




ANT0:

Test Mode: IEEE 802.11n HT20
Test CH1: 2412MHz




ANT1:


Test Mode: IEEE 802.11n HT20
Test CH1: 2412MHz




Test CH6: 2437MHz




Test CH6: 2437MHz



Test CH11: 2462MHz




Test CH11: 2462MHz




ANT0:

Test Mode: IEEE 802.11n HT40
Test CH3: 2422MHz




ANT1:


Test Mode: IEEE 802.11n HT40
Test CH3: 2422MHz




Test CH6: 2437MHz



Test CH6: 2437MHz



Test CH9: 2452MHz



Test CH9: 2452MHz

