

## T.007: 5.h Beacon labels and markings AMI branding

### EPIRB Labels




Figure 1: AMI VDR EPIRB Front Label with Operating instructions




Figure 2: AMI VDR EPIRB Top Front Label with warnings





Figure 3: AMI VDR EPIRB Top Rear Label

**Made in the UK**  
**by Ocean Signal Limited**

**Class: 2    -20°C to +55°C**  
**Category:1   -4°F to +131°F**  
**168h Minimum Operation**

**9V Lithium Batt**  
**Expire: MMMYYYY**

**Model No. X-VDRFF-AMI**  
**Serial No. XXXXXXXXXXXXX**



**XXXX**  
**XX**  
**C/S TAC No.**  
**XXX**

**FCC ID: XXXXXXXXXX**  
**IC: XXXXX-XXXXXXXX**



**XXXX XXXXXX**

**In the event of a false activation**  
**in the USA. Call toll free**  
**855 406 USCG (855 406 8724)**

**Figure 4: AMI VDR EPIRB Approvals label**


|                                     |                            |
|-------------------------------------|----------------------------|
| <b>UIN:</b><br>XXXXXXXXXXXXXXXXXXXX |                            |
| <b>Call Sign:</b> XXXXXXXX          | <b>MMSI:</b><br>XXXXXXXXXX |
| <b>Vessel:</b>                      | <b>Country:</b>            |

**Figure 5: AMI VDR EPIRB UIN label generic registration information label**



# Automatic Release Housing Category I

For  
**Class 2 EPIRB type**  
**X-VDRFF-AMI**  
Operates on 406 & 121.5 MHz  
Compass safe distance: 1m



**Figure 6: AMI Auto Release Housing Top label**

| Programming Details |
|---------------------|
| UIN:                |
| Vessel:             |
| MMSI:               |
| Country:            |
| Call Sign:          |

**Figure 7: Auto Release Housing Ships detail label**

|                      |
|----------------------|
| Date of installation |
|----------------------|

**Figure 8: Auto Release Housing Expiry date label**