

Spurious Emission at Antenna Terminals


2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.23	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	840	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1840	-51.53	-13	38.53	Pass	841
1840	1920	1	RMS	1851	21.83	60	38.17	Pass	401
1920	3000	1	RMS	2943	-51.43	-13	38.43	Pass	1081
3000	12000	1	RMS	11990	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	984.29	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1840	-53.91	-13	40.91	Pass	841
1840	1920	1	RMS	1871	22.53	60	37.47	Pass	401
1920	3000	1	RMS	3000	-51.41	-13	38.41	Pass	1081
3000	12000	1	RMS	3742	-40.48	-13	27.48	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.16	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	983.289	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1838	-53.89	-13	40.89	Pass	841
1840	1920	1	RMS	1871	21.58	60	38.42	Pass	401
1920	3000	1	RMS	2996	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	3742	-41.38	-13	28.38	Pass	9002
12000	20000	1	RMS	13606	-39.79	-13	26.79	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	981.087	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1832	-53.92	-13	40.92	Pass	841
1840	1920	1	RMS	1891	22.66	60	37.34	Pass	401
1920	3000	1	RMS	2989	-51.4	-13	38.4	Pass	1081
3000	12000	1	RMS	3782	-39.55	-13	26.55	Pass	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	850.201	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1839	-53.94	-13	40.94	Pass	841
1840	1920	1	RMS	1891	21.66	60	38.34	Pass	401
1920	3000	1	RMS	2935	-51.37	-13	38.37	Pass	1081
3000	12000	1	RMS	3782	-40.37	-13	27.37	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001



3. LTE_Band4


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	850.901	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-53.63	-13	40.63	Pass	701
1700	1765	1	RMS	1710.238	22.7	60	37.3	Pass	401
1765	3000	1	RMS	2997	-51.32	-13	38.32	Pass	1236
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.63	-13	26.63	Pass	8001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	867.912	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-53.66	-13	40.66	Pass	701
1700	1765	1	RMS	1710.238	21.84	60	38.16	Pass	401
1765	3000	1	RMS	2985	-51.22	-13	38.22	Pass	1236
3000	12000	1	RMS	11996	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13605	-39.71	-13	26.71	Pass	8001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-70.63	-13	57.63	Pass	2986
30	1000	0.1	RMS	851.802	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1680	-53.93	-13	40.93	Pass	701
1700	1765	1	RMS	1732.013	22.77	60	37.23	Pass	401
1765	3000	1	RMS	3000	-51.26	-13	38.26	Pass	1236
3000	12000	1	RMS	12000	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	958.673	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1676	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1732.013	21.84	60	38.16	Pass	401
1765	3000	1	RMS	2990	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	849.901	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1673	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1753.788	22.83	60	37.17	Pass	401
1765	3000	1	RMS	2999	-51.29	-13	38.29	Pass	1236
3000	12000	1	RMS	11997	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13602	-39.69	-13	26.69	Pass	8001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	821.8	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1682	-53.96	-13	40.96	Pass	701
1700	1765	1	RMS	1753.788	21.89	60	38.11	Pass	401
1765	3000	1	RMS	2986	-51.27	-13	38.27	Pass	1236
3000	12000	1	RMS	11997	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.68	-13	26.68	Pass	8001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	835.9	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-53.49	-13	40.49	Pass	701
1700	1765	1	RMS	1710.238	22.71	60	37.29	Pass	401
1765	3000	1	RMS	2980	-51.31	-13	38.31	Pass	1236
3000	12000	1	RMS	11993	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13600	-39.59	-13	26.59	Pass	8001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-13	58.41	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	834.6	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-53.55	-13	40.55	Pass	701
1700	1765	1	RMS	1710.238	21.86	60	38.14	Pass	401
1765	3000	1	RMS	2977	-51.25	-13	38.25	Pass	1236
3000	12000	1	RMS	11999	-44.13	-13	31.13	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	58.25	Pass	2986
30	1000	0.1	RMS	882.322	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1677	-53.9	-13	40.9	Pass	701
1700	1765	1	RMS	1731.2	22.85	60	37.15	Pass	401
1765	3000	1	RMS	2980	-51.29	-13	38.29	Pass	1236
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13606	-39.7	-13	26.7	Pass	8001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	870.014	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1681	-53.95	-13	40.95	Pass	701
1700	1765	1	RMS	1731.2	21.82	60	38.18	Pass	401
1765	3000	1	RMS	2987	-51.24	-13	38.24	Pass	1236
3000	12000	1	RMS	11997	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	818.3	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1676	-53.91	-13	40.91	Pass	701
1700	1765	1	RMS	1752.163	22.75	60	37.25	Pass	401
1765	3000	1	RMS	2986	-51.29	-13	38.29	Pass	1236
3000	12000	1	RMS	11996	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	897.032	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1683	-53.92	-13	40.92	Pass	701
1700	1765	1	RMS	1752.163	21.99	60	38.01	Pass	401
1765	3000	1	RMS	2993	-51.27	-13	38.27	Pass	1236
3000	12000	1	RMS	11997	-44.16	-13	31.16	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.16	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	990.894	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1700	-52.92	-13	39.92	Pass	701
1700	1765	1	RMS	1710.238	22.85	60	37.15	Pass	401
1765	3000	1	RMS	2986	-51.23	-13	38.23	Pass	1236
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13602	-39.7	-13	26.7	Pass	8001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	842.6	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1700	-53.15	-13	40.15	Pass	701
1700	1765	1	RMS	1710.238	21.8	60	38.2	Pass	401
1765	3000	1	RMS	2989	-51.28	-13	38.28	Pass	1236
3000	12000	1	RMS	11999	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13602	-39.67	-13	26.67	Pass	8001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	938.159	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1676	-53.95	-13	40.95	Pass	701
1700	1765	1	RMS	1730.225	22.85	60	37.15	Pass	401
1765	3000	1	RMS	2992	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11999	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13603	-39.69	-13	26.69	Pass	8001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	835.3	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1681	-53.93	-13	40.93	Pass	701
1700	1765	1	RMS	1730.225	22.02	60	37.98	Pass	401
1765	3000	1	RMS	2985	-51.22	-13	38.22	Pass	1236
3000	12000	1	RMS	11998	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	953.769	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1680	-53.95	-13	40.95	Pass	701
1700	1765	1	RMS	1750.213	22.89	60	37.11	Pass	401
1765	3000	1	RMS	3000	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	11999	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	847.5	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1679	-53.96	-13	40.96	Pass	701
1700	1765	1	RMS	1750.213	21.91	60	38.09	Pass	401
1765	3000	1	RMS	2997	-51.36	-13	38.36	Pass	1236
3000	12000	1	RMS	11995	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13607	-39.8	-13	26.8	Pass	8001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	987.992	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	37.97	Pass	701
1700	1765	1	RMS	1710.563	22.74	60	37.26	Pass	401
1765	3000	1	RMS	2978	-51.32	-13	38.32	Pass	1236
3000	12000	1	RMS	11989	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	970.18	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	38.15	Pass	701
1700	1765	1	RMS	1710.4	21.93	60	38.07	Pass	401
1765	3000	1	RMS	2931	-51.31	-13	38.31	Pass	1236
3000	12000	1	RMS	11996	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.85	-13	26.85	Pass	8001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	888.226	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1680	-54	-13	41	Pass	701
1700	1765	1	RMS	1727.95	22.82	60	37.18	Pass	401
1765	3000	1	RMS	2987	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11995	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13599	-39.73	-13	26.73	Pass	8001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	991.494	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1682	-54	-13	41	Pass	701
1700	1765	1	RMS	1728.113	21.8	60	38.2	Pass	401
1765	3000	1	RMS	2982	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11993	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	872.616	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1680	-54	-13	41	Pass	701
1700	1765	1	RMS	1745.5	22.83	60	37.17	Pass	401
1765	3000	1	RMS	1765	-51.29	-13	38.29	Pass	1236
3000	12000	1	RMS	11995	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.77	-13	26.77	Pass	8001




3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	845.2	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1683	-54	-13	41	Pass	701
1700	1765	1	RMS	1745.5	21.9	60	38.1	Pass	401
1765	3000	1	RMS	1765	-51.28	-13	38.28	Pass	1236
3000	12000	1	RMS	11991	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




3.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.16	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	904.036	-65.03	-13	52.03	Pass	9701
1000	1700	1	RMS	1699	-48.42	-13	35.42	Pass	701
1700	1765	1	RMS	1710.725	22.84	60	37.16	Pass	401
1765	3000	1	RMS	2994	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11995	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13604	-39.8	-13	26.8	Pass	8001




3.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	854.504	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1699	-49.46	-13	36.46	Pass	701
1700	1765	1	RMS	1710.888	21.93	60	38.07	Pass	401
1765	3000	1	RMS	3000	-51.37	-13	38.37	Pass	1236
3000	12000	1	RMS	11995	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13603	-39.82	-13	26.82	Pass	8001




3.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	58.01	Pass	2986
30	1000	0.1	RMS	845.3	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1699	-53.8	-13	40.8	Pass	701
1700	1765	1	RMS	1725.675	22.89	60	37.11	Pass	401
1765	3000	1	RMS	2950	-51.38	-13	38.38	Pass	1236
3000	12000	1	RMS	11995	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




3.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	871.115	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1699	-53.82	-13	40.82	Pass	701
1700	1765	1	RMS	1725.675	21.86	60	38.14	Pass	401
1765	3000	1	RMS	2990	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13598	-39.79	-13	26.79	Pass	8001




3.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	925.351	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1679	-53.97	-13	40.97	Pass	701
1700	1765	1	RMS	1740.788	22.86	60	37.14	Pass	401
1765	3000	1	RMS	1770	-49.54	-13	36.54	Pass	1236
3000	12000	1	RMS	11987	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13596	-39.8	-13	26.8	Pass	8001




3.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	57.86	Pass	2986
30	1000	0.1	RMS	986.491	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1680	-53.95	-13	40.95	Pass	701
1700	1765	1	RMS	1740.788	21.97	60	38.03	Pass	401
1765	3000	1	RMS	1765	-49.57	-13	36.57	Pass	1236
3000	12000	1	RMS	11998	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001




3.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	836.4	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1696	-48.83	-13	35.83	Pass	701
1700	1765	1	RMS	1711.05	22.75	60	37.25	Pass	401
1765	3000	1	RMS	2995	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11997	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13603	-39.7	-13	26.7	Pass	8001




3.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	991.995	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-49.66	-13	36.66	Pass	701
1700	1765	1	RMS	1711.05	21.97	60	38.03	Pass	401
1765	3000	1	RMS	2843	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	11993	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




3.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	57.85	Pass	2986
30	1000	0.1	RMS	868.713	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1694	-53.57	-13	40.57	Pass	701
1700	1765	1	RMS	1723.563	22.76	60	37.24	Pass	401
1765	3000	1	RMS	2996	-51.3	-13	38.3	Pass	1236
3000	12000	1	RMS	11995	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001




3.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	900.334	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1694	-53.62	-13	40.62	Pass	701
1700	1765	1	RMS	1723.563	21.94	60	38.06	Pass	401
1765	3000	1	RMS	2990	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11996	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001




3.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	57.9	Pass	2986
30	1000	0.1	RMS	852.502	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-53.87	-13	40.87	Pass	701
1700	1765	1	RMS	1736.075	22.79	60	37.21	Pass	401
1765	3000	1	RMS	1765	-41.15	-13	28.15	Pass	1236
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.67	-13	26.67	Pass	8001



3.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	863.71	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1700	-53.94	-13	40.94	Pass	701
1700	1765	1	RMS	1736.075	21.86	60	38.14	Pass	401
1765	3000	1	RMS	1765	-41.87	-13	28.87	Pass	1236
3000	12000	1	RMS	11999	-44.14	-13	31.14	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001



4. LTE_Band66


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	873.316	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-53.66	-13	40.66	Pass	701
1700	1790	1	RMS	1710.125	22.64	60	37.36	Pass	401
1790	3000	1	RMS	2995	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13603	-39.76	-13	26.76	Pass	8001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	60.03	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	875.718	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.75	-13	40.75	Pass	701
1700	1790	1	RMS	1710.125	21.72	60	38.28	Pass	401
1790	3000	1	RMS	2993	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13605	-39.83	-13	26.83	Pass	8001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	838.2	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1681	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1744.55	22.62	60	37.38	Pass	401
1790	3000	1	RMS	2990	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11996	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.18	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	870.514	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1676	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1744.55	21.73	60	38.27	Pass	401
1790	3000	1	RMS	2987	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	12000	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	840.7	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1674	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1778.75	22.84	60	37.16	Pass	401
1790	3000	1	RMS	2993	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	12000	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.88	-13	26.88	Pass	8001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	973.983	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1671	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1778.75	21.86	60	38.14	Pass	401
1790	3000	1	RMS	2989	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13604	-39.84	-13	26.84	Pass	8001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	1000	0.1	RMS	878.72	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1700	-53.62	-13	40.62	Pass	701
1700	1790	1	RMS	1710.125	22.74	60	37.26	Pass	401
1790	3000	1	RMS	2978	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11996	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13603	-39.89	-13	26.89	Pass	8001



4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	876.218	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-53.73	-13	40.73	Pass	701
1700	1790	1	RMS	1710.125	21.75	60	38.25	Pass	401
1790	3000	1	RMS	2993	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11992	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13602	-39.88	-13	26.88	Pass	8001



4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	964.176	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1680	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1743.65	22.78	60	37.22	Pass	401
1790	3000	1	RMS	2998	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11998	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001

