

Spurious Emission at Antenna Terminals


4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	839.7	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1674	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1743.65	21.77	60	38.23	Pass	401
1790	3000	1	RMS	2993	-51.52	-13	38.52	Pass	1211
3000	12000	1	RMS	11999	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	898.233	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1678	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1777.175	22.86	60	37.14	Pass	401
1790	3000	1	RMS	2987	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	12000	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13598	-39.91	-13	26.91	Pass	8001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	870.314	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1681	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1777.175	21.92	60	38.08	Pass	401
1790	3000	1	RMS	2973	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11995	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13599	-39.86	-13	26.86	Pass	8001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	986.791	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1700	-53.06	-13	40.06	Pass	701
1700	1790	1	RMS	1710.125	22.62	60	37.38	Pass	401
1790	3000	1	RMS	2990	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11991	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13604	-39.85	-13	26.85	Pass	8001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	1000	0.1	RMS	980.787	-65.54	-13	52.54	Pass	9701
1000	1700	1	RMS	1700	-53.31	-13	40.31	Pass	701
1700	1790	1	RMS	1710.35	21.64	60	38.36	Pass	401
1790	3000	1	RMS	2959	-51.51	-13	38.51	Pass	1211
3000	12000	1	RMS	11997	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.91	-13	26.91	Pass	8001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	965.077	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1684	-54.17	-13	41.17	Pass	701
1700	1790	1	RMS	1742.75	22.91	60	37.09	Pass	401
1790	3000	1	RMS	2984	-51.54	-13	38.54	Pass	1211
3000	12000	1	RMS	12000	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13600	-39.87	-13	26.87	Pass	8001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-13	58.45	Pass	2986
30	1000	0.1	RMS	850.001	-65.33	-13	52.33	Pass	9701
1000	1700	1	RMS	1675	-54.18	-13	41.18	Pass	701
1700	1790	1	RMS	1742.75	21.98	60	38.02	Pass	401
1790	3000	1	RMS	2933	-51.55	-13	38.55	Pass	1211
3000	12000	1	RMS	11999	-44.44	-13	31.44	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	58.02	Pass	2986
30	1000	0.1	RMS	859.407	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1680	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1775.15	22.77	60	37.23	Pass	401
1790	3000	1	RMS	2988	-51.52	-13	38.52	Pass	1211
3000	12000	1	RMS	11997	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13600	-39.96	-13	26.96	Pass	8001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	935.057	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1680	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1775.15	21.94	60	38.06	Pass	401
1790	3000	1	RMS	2983	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11999	-44.42	-13	31.42	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-71.13	-13	58.13	Pass	2986
30	1000	0.1	RMS	904.036	-65.42	-13	52.42	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	38.08	Pass	701
1700	1790	1	RMS	1710.575	22.59	60	37.41	Pass	401
1790	3000	1	RMS	2993	-51.46	-13	38.46	Pass	1211
3000	12000	1	RMS	11999	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13600	-39.83	-13	26.83	Pass	8001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	861.408	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	38.22	Pass	701
1700	1790	1	RMS	1710.575	21.8	60	38.2	Pass	401
1790	3000	1	RMS	2997	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11996	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13600	-39.9	-13	26.9	Pass	8001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	870.214	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1678	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1740.5	22.84	60	37.16	Pass	401
1790	3000	1	RMS	2996	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11996	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-39.88	-13	26.88	Pass	8001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	836.6	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1682	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1740.5	21.96	60	38.04	Pass	401
1790	3000	1	RMS	2956	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11995	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	853.203	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1677	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1770.425	22.83	60	37.17	Pass	401
1790	3000	1	RMS	2932	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11997	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13605	-39.85	-13	26.85	Pass	8001




4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.98	-13	59.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	58.06	Pass	2986
30	1000	0.1	RMS	846.5	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1677	-54.09	-13	41.09	Pass	701
1700	1790	1	RMS	1770.425	21.88	60	38.12	Pass	401
1790	3000	1	RMS	2987	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11996	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13597	-39.94	-13	26.94	Pass	8001




4.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	887.225	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1699	-48.85	-13	35.85	Pass	701
1700	1790	1	RMS	1710.8	22.76	60	37.24	Pass	401
1790	3000	1	RMS	2987	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13604	-39.89	-13	26.89	Pass	8001




4.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	980.287	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-49.47	-13	36.47	Pass	701
1700	1790	1	RMS	1710.8	21.78	60	38.22	Pass	401
1790	3000	1	RMS	2990	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001




4.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	850.601	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1675	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1738.25	22.84	60	37.16	Pass	401
1790	3000	1	RMS	2985	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11888	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13602	-39.85	-13	26.85	Pass	8001




4.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.16	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	853.103	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1680	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1738.25	21.93	60	38.07	Pass	401
1790	3000	1	RMS	2991	-51.47	-13	38.47	Pass	1211
3000	12000	1	RMS	11998	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001




4.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-13	58.15	Pass	2986
30	1000	0.1	RMS	979.787	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1680	-54.1	-13	41.1	Pass	701
1700	1790	1	RMS	1765.7	22.85	60	37.15	Pass	401
1790	3000	1	RMS	1790	-50.74	-13	37.74	Pass	1211
3000	12000	1	RMS	12000	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13606	-39.86	-13	26.86	Pass	8001




4.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	1000	0.1	RMS	843.2	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1681	-54.11	-13	41.11	Pass	701
1700	1790	1	RMS	1765.7	21.99	60	38.01	Pass	401
1790	3000	1	RMS	1790	-50.88	-13	37.88	Pass	1211
3000	12000	1	RMS	12000	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13608	-39.84	-13	26.84	Pass	8001




4.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	847.1	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1700	-49.35	-13	36.35	Pass	701
1700	1790	1	RMS	1711.025	22.65	60	37.35	Pass	401
1790	3000	1	RMS	2989	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	12000	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




4.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	998.199	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1700	-49.63	-13	36.63	Pass	701
1700	1790	1	RMS	1711.025	21.84	60	38.16	Pass	401
1790	3000	1	RMS	2993	-51.5	-13	38.5	Pass	1211
3000	12000	1	RMS	11995	-44.42	-13	31.42	Pass	9002
12000	20000	1	RMS	13603	-39.88	-13	26.88	Pass	8001




4.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	975.184	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1700	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1736	22.84	60	37.16	Pass	401
1790	3000	1	RMS	2963	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11990	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-39.89	-13	26.89	Pass	8001




4.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	907.339	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1700	-54.12	-13	41.12	Pass	701
1700	1790	1	RMS	1736	21.96	60	38.04	Pass	401
1790	3000	1	RMS	2985	-51.51	-13	38.51	Pass	1211
3000	12000	1	RMS	11991	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001




4.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	909.34	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1676	-54.14	-13	41.14	Pass	701
1700	1790	1	RMS	1760.975	22.78	60	37.22	Pass	401
1790	3000	1	RMS	1790	-42.77	-13	29.77	Pass	1211
3000	12000	1	RMS	11999	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13600	-39.9	-13	26.9	Pass	8001



4.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	990.093	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1674	-54.16	-13	41.16	Pass	701
1700	1790	1	RMS	1760.975	21.96	60	38.04	Pass	401
1790	3000	1	RMS	1790	-43.42	-13	30.42	Pass	1211
3000	12000	1	RMS	11996	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13606	-39.95	-13	26.95	Pass	8001



5. LTE_Band13


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.17	-72.33	-13	59.33	Pass	2986
30	767	0.1	RMS	766.6	-65.27	-13	52.27	Pass	7371
767	797	0.1	RMS	777.35	20.52	60	39.48	Pass	401
797	1000	0.1	RMS	928.4	-65.42	-13	52.42	Pass	2031
1000	3000	1	RMS	1554	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	6798	-45.72	-13	32.72	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-73.21	-13	60.21	Pass	2986
30	767	0.1	RMS	766.6	-65.49	-13	52.49	Pass	7371
767	797	0.1	RMS	777.35	19.66	60	40.34	Pass	401
797	1000	0.1	RMS	842.7	-65.39	-13	52.39	Pass	2031
1000	3000	1	RMS	1554	-49.45	-13	36.45	Pass	2001
3000	10000	1	RMS	6803	-45.69	-13	32.69	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	59.77	Pass	2986
30	767	0.1	RMS	747.5	-65.96	-13	52.96	Pass	7371
767	797	0.1	RMS	779.825	20.46	60	39.54	Pass	401
797	1000	0.1	RMS	908.2	-65.37	-13	52.37	Pass	2031
1000	3000	1	RMS	1559	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	6802	-45.72	-13	32.72	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.18	-72.37	-13	59.37	Pass	2986
30	767	0.1	RMS	743.7	-65.96	-13	52.96	Pass	7371
767	797	0.1	RMS	779.825	19.49	60	40.51	Pass	401
797	1000	0.1	RMS	949.9	-65.4	-13	52.4	Pass	2031
1000	3000	1	RMS	1559	-48.99	-13	35.99	Pass	2001
3000	10000	1	RMS	6801	-45.72	-13	32.72	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.17	-73	-13	60	Pass	2986
30	767	0.1	RMS	752	-65.79	-13	52.79	Pass	7371
767	797	0.1	RMS	782.375	20.27	60	39.73	Pass	401
797	1000	0.1	RMS	844.4	-65.37	-13	52.37	Pass	2031
1000	3000	1	RMS	1564	-47.97	-13	34.97	Pass	2001
3000	10000	1	RMS	6800	-45.72	-13	32.72	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.21	-72.53	-13	59.53	Pass	2986
30	767	0.1	RMS	711.1	-65.93	-13	52.93	Pass	7371
767	797	0.1	RMS	782.375	19.36	60	40.64	Pass	401
797	1000	0.1	RMS	848	-65.32	-13	52.32	Pass	2031
1000	3000	1	RMS	1564	-48.76	-13	35.76	Pass	2001
3000	10000	1	RMS	6801	-45.77	-13	32.77	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	767	0.1	RMS	766.9	-65.2	-13	52.2	Pass	7371
767	797	0.1	RMS	777.575	20.01	60	39.99	Pass	401
797	1000	0.1	RMS	980	-65.33	-13	52.33	Pass	2031
1000	3000	1	RMS	1555	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	59.69	Pass	2986
30	767	0.1	RMS	766.9	-65.4	-13	52.4	Pass	7371
767	797	0.1	RMS	777.575	19.43	60	40.57	Pass	401
797	1000	0.1	RMS	946.3	-65.35	-13	52.35	Pass	2031
1000	3000	1	RMS	1555	-50.11	-13	37.11	Pass	2001
3000	10000	1	RMS	6799	-45.71	-13	32.71	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.18	-72.11	-13	59.11	Pass	2986
30	767	0.1	RMS	766.9	-65.15	-13	52.15	Pass	7371
767	797	0.1	RMS	777.575	20.8	60	39.2	Pass	401
797	1000	0.1	RMS	948.4	-65.34	-13	52.34	Pass	2031
1000	3000	1	RMS	1555	-49.12	-13	36.12	Pass	2001
3000	10000	1	RMS	6799	-45.77	-13	32.77	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.58	-13	58.58	Pass	401
0.15	30	0.01	RMS	0.16	-73.07	-13	60.07	Pass	2986
30	767	0.1	RMS	766.9	-65.39	-13	52.39	Pass	7371
767	797	0.1	RMS	777.575	19.99	60	40.01	Pass	401
797	1000	0.1	RMS	999.7	-65.15	-13	52.15	Pass	2031
1000	3000	1	RMS	1555	-49.81	-13	36.81	Pass	2001
3000	10000	1	RMS	6802	-45.7	-13	32.7	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.19	-72.28	-13	59.28	Pass	2986
30	767	0.1	RMS	766.9	-65.28	-13	52.28	Pass	7371
767	797	0.1	RMS	777.575	20.24	60	39.76	Pass	401
797	1000	0.1	RMS	845.9	-65.29	-13	52.29	Pass	2031
1000	3000	1	RMS	1555	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6801	-45.76	-13	32.76	Pass	7001



5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.17	-72.73	-13	59.73	Pass	2986
30	767	0.1	RMS	766.9	-65.3	-13	52.3	Pass	7371
767	797	0.1	RMS	777.575	20	60	40	Pass	401
797	1000	0.1	RMS	919.4	-65.27	-13	52.27	Pass	2031
1000	3000	1	RMS	1555	-49.22	-13	36.22	Pass	2001
3000	10000	1	RMS	6801	-45.74	-13	32.74	Pass	7001



6. LTE_Band17


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-13	58.66	Pass	2986
30	694	0.1	RMS	693.6	-65.43	-13	52.43	Pass	6641
694	726	0.1	RMS	704.32	20.32	60	39.68	Pass	401
726	1000	0.1	RMS	980.2	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1408	-47.96	-13	34.96	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	58.81	Pass	2986
30	694	0.1	RMS	693.6	-65.56	-13	52.56	Pass	6641
694	726	0.1	RMS	704.32	19.55	60	40.45	Pass	401
726	1000	0.1	RMS	858.9	-65.26	-13	52.26	Pass	2741
1000	3000	1	RMS	1408	-49	-13	36	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	59.02	Pass	2986
30	694	0.1	RMS	585.8	-66.1	-13	53.1	Pass	6641
694	726	0.1	RMS	707.84	20.51	60	39.49	Pass	401
726	1000	0.1	RMS	984.6	-65.21	-13	52.21	Pass	2741
1000	3000	1	RMS	1415	-48.19	-13	35.19	Pass	2001
3000	10000	1	RMS	6803	-45.53	-13	32.53	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	694	0.1	RMS	608.6	-66.12	-13	53.12	Pass	6641
694	726	0.1	RMS	707.84	19.68	60	40.32	Pass	401
726	1000	0.1	RMS	953.4	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1415	-48.9	-13	35.9	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.23	-72.88	-13	59.88	Pass	2986
30	694	0.1	RMS	487.8	-66.1	-13	53.1	Pass	6641
694	726	0.1	RMS	711.36	20.57	60	39.43	Pass	401
726	1000	0.1	RMS	849.7	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1422	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	6800	-45.7	-13	32.7	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.2	-72.85	-13	59.85	Pass	2986
30	694	0.1	RMS	497.1	-66.09	-13	53.09	Pass	6641
694	726	0.1	RMS	711.36	19.73	60	40.27	Pass	401
726	1000	0.1	RMS	855.3	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1422	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	6799	-45.66	-13	32.66	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	694	0.1	RMS	693.9	-65.06	-13	52.06	Pass	6641
694	726	0.1	RMS	704.56	20.09	60	39.91	Pass	401
726	1000	0.1	RMS	856.7	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1409	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.23	-72.88	-13	59.88	Pass	2986
30	694	0.1	RMS	693.9	-65.17	-13	52.17	Pass	6641
694	726	0.1	RMS	704.56	19.52	60	40.48	Pass	401
726	1000	0.1	RMS	839.6	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1774	-49.6	-13	36.6	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.19	-72.16	-13	59.16	Pass	2986
30	694	0.1	RMS	489.2	-66.01	-13	53.01	Pass	6641
694	726	0.1	RMS	705.6	20.38	60	39.62	Pass	401
726	1000	0.1	RMS	999.7	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1411	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.31	-72.67	-13	59.67	Pass	2986
30	694	0.1	RMS	693	-65.13	-13	52.13	Pass	6641
694	726	0.1	RMS	705.6	19.28	60	40.72	Pass	401
726	1000	0.1	RMS	967.3	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1411	-49.54	-13	36.54	Pass	2001
3000	10000	1	RMS	6798	-45.65	-13	32.65	Pass	7001



6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	59.42	Pass	2986
30	694	0.1	RMS	693.6	-65.45	-13	52.45	Pass	6641
694	726	0.1	RMS	706.56	20.07	60	39.93	Pass	401
726	1000	0.1	RMS	979.3	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1413	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	6800	-45.69	-13	32.69	Pass	7001

