

Spurious Emission at Antenna Terminals

6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	694	0.1	RMS	693.7	-64.68	-13	51.68	Pass	6641
694	726	0.1	RMS	706.56	19.28	60	40.72	Pass	401
726	1000	0.1	RMS	985.4	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1413	-49.78	-13	36.78	Pass	2001
3000	10000	1	RMS	6797	-45.68	-13	32.68	Pass	7001



7. LTE_Band14


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.18	-72.58	-13	59.58	Pass	2986
30	778	0.1	RMS	777.6	-64.94	-13	51.94	Pass	7481
778	808	0.1	RMS	788.35	20.4	60	39.6	Pass	401
808	1000	0.1	RMS	834.1	-65.15	-13	52.15	Pass	1921
1000	3000	1	RMS	1576	-47.72	-13	34.72	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	59.81	Pass	2986
30	778	0.1	RMS	777.6	-65.46	-13	52.46	Pass	7481
778	808	0.1	RMS	788.35	19.62	60	40.38	Pass	401
808	1000	0.1	RMS	854.8	-65.21	-13	52.21	Pass	1921
1000	3000	1	RMS	1576	-48.34	-13	35.34	Pass	2001
3000	10000	1	RMS	6801	-45.65	-13	32.65	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	778	0.1	RMS	766.8	-65.7	-13	52.7	Pass	7481
778	808	0.1	RMS	790.825	20.54	60	39.46	Pass	401
808	1000	0.1	RMS	855.7	-64.98	-13	51.98	Pass	1921
1000	3000	1	RMS	1581	-47.92	-13	34.92	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	59.19	Pass	2986
30	778	0.1	RMS	774.1	-65.62	-13	52.62	Pass	7481
778	808	0.1	RMS	790.825	19.65	60	40.35	Pass	401
808	1000	0.1	RMS	965.4	-65.11	-13	52.11	Pass	1921
1000	3000	1	RMS	1581	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	778	0.1	RMS	758.7	-65.65	-13	52.65	Pass	7481
778	808	0.1	RMS	793.3	20.26	60	39.74	Pass	401
808	1000	0.1	RMS	871.1	-65.14	-13	52.14	Pass	1921
1000	3000	1	RMS	1586	-47.74	-13	34.74	Pass	2001
3000	10000	1	RMS	6803	-45.51	-13	32.51	Pass	7001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	778	0.1	RMS	777.5	-65.69	-13	52.69	Pass	7481
778	808	0.1	RMS	793.375	19.29	60	40.71	Pass	401
808	1000	0.1	RMS	838	-65.28	-13	52.28	Pass	1921
1000	3000	1	RMS	1586	-49.01	-13	36.01	Pass	2001
3000	10000	1	RMS	6805	-45.66	-13	32.66	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	778	0.1	RMS	777.9	-64.92	-13	51.92	Pass	7481
778	808	0.1	RMS	788.575	20.36	60	39.64	Pass	401
808	1000	0.1	RMS	985.2	-65.21	-13	52.21	Pass	1921
1000	3000	1	RMS	1577	-48.39	-13	35.39	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	778	0.1	RMS	777.9	-62.8	-13	49.8	Pass	7481
778	808	0.1	RMS	788.575	19.5	60	40.5	Pass	401
808	1000	0.1	RMS	858.8	-65.16	-13	52.16	Pass	1921
1000	3000	1	RMS	1577	-49.18	-13	36.18	Pass	2001
3000	10000	1	RMS	6799	-45.49	-13	32.49	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	778	0.1	RMS	777.9	-63.77	-13	50.77	Pass	7481
778	808	0.1	RMS	788.575	20.44	60	39.56	Pass	401
808	1000	0.1	RMS	963.8	-65.01	-13	52.01	Pass	1921
1000	3000	1	RMS	1577	-48.14	-13	35.14	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	778	0.1	RMS	777.9	-65.03	-13	52.03	Pass	7481
778	808	0.1	RMS	788.575	19.59	60	40.41	Pass	401
808	1000	0.1	RMS	975.1	-65.17	-13	52.17	Pass	1921
1000	3000	1	RMS	1577	-49.15	-13	36.15	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-13	59.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	778	0.1	RMS	777.9	-64.43	-13	51.43	Pass	7481
778	808	0.1	RMS	788.575	20.64	60	39.36	Pass	401
808	1000	0.1	RMS	919.6	-65.08	-13	52.08	Pass	1921
1000	3000	1	RMS	1577	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.22	-13	58.22	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	59.47	Pass	2986
30	778	0.1	RMS	777.8	-63.39	-13	50.39	Pass	7481
778	808	0.1	RMS	788.575	19.46	60	40.54	Pass	401
808	1000	0.1	RMS	996.5	-65.2	-13	52.2	Pass	1921
1000	3000	1	RMS	1577	-49.32	-13	36.32	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001



8. LTE_Band25


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	845.7	-65.15	-13	52.15	Pass	9701
1000	1840	1	RMS	1840	-53.17	-13	40.17	Pass	841
1840	1925	1	RMS	1850.2	22.44	60	37.56	Pass	401
1925	3000	1	RMS	2989	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11992	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.16	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	859.007	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1840	-53.34	-13	40.34	Pass	841
1840	1925	1	RMS	1850.2	21.53	60	38.47	Pass	401
1925	3000	1	RMS	2989	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11995	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13601	-39.62	-13	26.62	Pass	8001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	58.51	Pass	2986
30	1000	0.1	RMS	878.419	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1832	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1881.863	22.23	60	37.77	Pass	401
1925	3000	1	RMS	2982	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.74	-13	26.74	Pass	8001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	997.698	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1835	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1881.863	21.49	60	38.51	Pass	401
1925	3000	1	RMS	2988	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	11995	-44.19	-13	31.19	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	836.3	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1913.738	22.45	60	37.55	Pass	401
1925	3000	1	RMS	2998	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	926.651	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1831	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1913.738	21.42	60	38.58	Pass	401
1925	3000	1	RMS	2985	-51.31	-13	38.31	Pass	1076
3000	12000	1	RMS	12000	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13607	-39.73	-13	26.73	Pass	8001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.16	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	873.216	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.17	-13	40.17	Pass	841
1840	1925	1	RMS	1850.2	22.45	60	37.55	Pass	401
1925	3000	1	RMS	2997	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	982.188	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.17	-13	40.17	Pass	841
1840	1925	1	RMS	1850.2	21.53	60	38.47	Pass	401
1925	3000	1	RMS	2998	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11994	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13603	-39.76	-13	26.76	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	848.7	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1837	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1881.225	22.23	60	37.77	Pass	401
1925	3000	1	RMS	2990	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11995	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13603	-39.73	-13	26.73	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	984.99	-65.34	-13	52.34	Pass	9701
1000	1840	1	RMS	1830	-53.84	-13	40.84	Pass	841
1840	1925	1	RMS	1881.225	21.4	60	38.6	Pass	401
1925	3000	1	RMS	2994	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	11996	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13602	-39.74	-13	26.74	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	981.388	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1839	-53.9	-13	40.9	Pass	841
1840	1925	1	RMS	1912.038	22.23	60	37.77	Pass	401
1925	3000	1	RMS	2982	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11994	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	58.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	984.79	-65.24	-13	52.24	Pass	9701
1000	1840	1	RMS	1839	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1912.038	21.41	60	38.59	Pass	401
1925	3000	1	RMS	2930	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	11996	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.17	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	873.016	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-53.23	-13	40.23	Pass	841
1840	1925	1	RMS	1850.2	22.53	60	37.47	Pass	401
1925	3000	1	RMS	2838	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.66	-13	26.66	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	850.001	-65.21	-13	52.21	Pass	9701
1000	1840	1	RMS	1840	-53.37	-13	40.37	Pass	841
1840	1925	1	RMS	1850.2	21.56	60	38.44	Pass	401
1925	3000	1	RMS	2981	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11993	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	853.103	-65.27	-13	52.27	Pass	9701
1000	1840	1	RMS	1835	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1880.163	22.31	60	37.69	Pass	401
1925	3000	1	RMS	2994	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11997	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13609	-39.79	-13	26.79	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	853.103	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1837	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1880.163	21.52	60	38.48	Pass	401
1925	3000	1	RMS	2995	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11992	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13604	-39.76	-13	26.76	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	851.502	-65.03	-13	52.03	Pass	9701
1000	1840	1	RMS	1838	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1910.125	22.38	60	37.62	Pass	401
1925	3000	1	RMS	2999	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	11997	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13600	-39.63	-13	26.63	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	836.4	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1832	-53.83	-13	40.83	Pass	841
1840	1925	1	RMS	1910.338	21.39	60	38.61	Pass	401
1925	3000	1	RMS	2987	-51.32	-13	38.32	Pass	1076
3000	12000	1	RMS	11994	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13604	-39.78	-13	26.78	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	1000	0.1	RMS	863.209	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1840	-53.31	-13	40.31	Pass	841
1840	1925	1	RMS	1850.413	22.47	60	37.53	Pass	401
1925	3000	1	RMS	2990	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	901.535	-65.32	-13	52.32	Pass	9701
1000	1840	1	RMS	1840	-53.44	-13	40.44	Pass	841
1840	1925	1	RMS	1850.413	21.47	60	38.53	Pass	401
1925	3000	1	RMS	2990	-51.29	-13	38.29	Pass	1076
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	847	-65.23	-13	52.23	Pass	9701
1000	1840	1	RMS	1833	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1878.038	22.25	60	37.75	Pass	401
1925	3000	1	RMS	2985	-51.3	-13	38.3	Pass	1076
3000	12000	1	RMS	11992	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13600	-39.76	-13	26.76	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	970.28	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1878.038	21.68	60	38.32	Pass	401
1925	3000	1	RMS	2932	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11993	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	838.6	-65.22	-13	52.22	Pass	9701
1000	1840	1	RMS	1833	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1905.45	22.43	60	37.57	Pass	401
1925	3000	1	RMS	2987	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13599	-39.78	-13	26.78	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.18	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	848.5	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1827	-53.94	-13	40.94	Pass	841
1840	1925	1	RMS	1905.45	21.67	60	38.33	Pass	401
1925	3000	1	RMS	2991	-51.35	-13	38.35	Pass	1076
3000	12000	1	RMS	11985	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13599	-39.81	-13	26.81	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	837.4	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.27	-13	40.27	Pass	841
1840	1925	1	RMS	1850.625	22.36	60	37.64	Pass	401
1925	3000	1	RMS	2995	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11997	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13597	-39.81	-13	26.81	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	849.1	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1840	-53.44	-13	40.44	Pass	841
1840	1925	1	RMS	1850.838	21.56	60	38.44	Pass	401
1925	3000	1	RMS	2992	-51.41	-13	38.41	Pass	1076
3000	12000	1	RMS	11996	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13605	-39.75	-13	26.75	Pass	8001




8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	846.9	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1840	-53.89	-13	40.89	Pass	841
1840	1925	1	RMS	1875.7	22.45	60	37.55	Pass	401
1925	3000	1	RMS	2990	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	12000	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13599	-39.72	-13	26.72	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	993.596	-65.28	-13	52.28	Pass	9701
1000	1840	1	RMS	1837	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1875.7	21.61	60	38.39	Pass	401
1925	3000	1	RMS	2996	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11990	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13602	-39.72	-13	26.72	Pass	8001




8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	868.713	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1840	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1900.775	22.54	60	37.46	Pass	401
1925	3000	1	RMS	2978	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11996	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13603	-39.78	-13	26.78	Pass	8001




8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	59.33	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	889.927	-65.33	-13	52.33	Pass	9701
1000	1840	1	RMS	1837	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1900.775	21.67	60	38.33	Pass	401
1925	3000	1	RMS	2986	-51.33	-13	38.33	Pass	1076
3000	12000	1	RMS	12000	-44.12	-13	31.12	Pass	9002
12000	20000	1	RMS	13605	-39.79	-13	26.79	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	828.2	-65.29	-13	52.29	Pass	9701
1000	1840	1	RMS	1840	-53.09	-13	40.09	Pass	841
1840	1925	1	RMS	1851.05	22.57	60	37.43	Pass	401
1925	3000	1	RMS	2994	-51.36	-13	38.36	Pass	1076
3000	12000	1	RMS	11874	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.74	-13	26.74	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-13	58.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	869.113	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1840	-53.23	-13	40.23	Pass	841
1840	1925	1	RMS	1851.05	21.46	60	38.54	Pass	401
1925	3000	1	RMS	2987	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11997	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.8	-13	26.8	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	859.207	-65.26	-13	52.26	Pass	9701
1000	1840	1	RMS	1835	-53.87	-13	40.87	Pass	841
1840	1925	1	RMS	1873.575	22.43	60	37.57	Pass	401
1925	3000	1	RMS	2986	-51.37	-13	38.37	Pass	1076
3000	12000	1	RMS	11995	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13601	-39.81	-13	26.81	Pass	8001




8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	850.901	-65.31	-13	52.31	Pass	9701
1000	1840	1	RMS	1827	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1873.363	21.5	60	38.5	Pass	401
1925	3000	1	RMS	2978	-51.38	-13	38.38	Pass	1076
3000	12000	1	RMS	11995	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.73	-13	26.73	Pass	8001




8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	974.583	-65.25	-13	52.25	Pass	9701
1000	1840	1	RMS	1838	-53.88	-13	40.88	Pass	841
1840	1925	1	RMS	1896.1	22.4	60	37.6	Pass	401
1925	3000	1	RMS	2978	-51.39	-13	38.39	Pass	1076
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.78	-13	26.78	Pass	8001



8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	846.2	-65.35	-13	52.35	Pass	9701
1000	1840	1	RMS	1839	-53.91	-13	40.91	Pass	841
1840	1925	1	RMS	1895.888	21.6	60	38.4	Pass	401
1925	3000	1	RMS	2993	-51.34	-13	38.34	Pass	1076
3000	12000	1	RMS	11991	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13608	-39.85	-13	26.85	Pass	8001



--BLANK BELOW--