




Fig.307




Fig.308




Fig.309




Fig.310




Fig.311




Fig.312




Fig.313




Fig.314




Fig.315




Fig.316




Fig.317




Fig.318





Fig.319

Fig.320




Fig.321

Fig.322





Fig.323

Fig.324




Fig.325




Fig.326




Fig.327




Fig.328




Fig.329




Fig.330




Fig.331




Fig.332




Fig.333




Fig.334




Fig.335




Fig.336




Fig.337




Fig.338




Fig.339




Fig.340




Fig.341




Fig.342




Fig.343




Fig.344




Fig.345




Fig.346




Fig.347




Fig.348




Fig.349




Fig.350




Fig.351




Fig.352

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) N78-3700-3800 Low Channel DFT-QPSK											
		10M	15M	20M	25M	30M	40M	50M	60M	70M	80M	90M	100M
-30	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
-20	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
-10	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
0	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+10	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+30	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+40	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+50	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	LV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	HV	---	---	---	---	---	---	---	---	---	---	---	0.00

Temperature(°C)	Voltage	Test Result (ppm) N78-3700-3800 High Channel DFT-QPSK											
		10M	15M	20M	25M	30M	40M	50M	60M	70M	80M	90M	100M
-30	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
-20	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
-10	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
0	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+10	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	NV	---	---	---	---	---	---	---	---	---	---	---	0.01
+30	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+40	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+50	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	LV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	HV	---	---	---	---	---	---	---	---	---	---	---	0.00

8 Effective Radiated Power and Effective Isotropic Radiated Power

Effective Radiated Power and Effective Isotropic Radiated Power								
Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3705	647000	10	15kHz	Inner_1RB_Left	26.29	24.2	0.263
					Inner_1RB_Right	26.5	24.41	0.276
					Inner_Full	26.48	24.39	0.275
	3750	650000			Inner_1RB_Left	27.06	24.97	0.314
					Inner_1RB_Right	27.17	25.08	0.322
					Inner_Full	27.16	25.07	0.321
	3795	653000			Inner_1RB_Left	24.78	22.69	0.186
					Inner_1RB_Right	25.22	23.13	0.206
					Inner_Full	26.19	24.1	0.257
DFT-16QAM	3705	647000			Inner_1RB_Left	25.35	23.26	0.212
					Inner_1RB_Right	25.36	23.27	0.212
					Inner_Full	25.4	23.31	0.214
	3750	650000			Inner_1RB_Left	26.12	24.03	0.253
					Inner_1RB_Right	25.98	23.89	0.245
					Inner_Full	26.07	23.98	0.250
	3795	653000			Inner_1RB_Left	26.28	24.19	0.262
					Inner_1RB_Right	26.22	24.13	0.259
					Inner_Full	25.16	23.07	0.203
DFT-64QAM	3705	647000			Inner_1RB_Left	23.4	21.31	0.135
					Inner_1RB_Right	24.09	22	0.158
					Inner_Full	23.78	21.69	0.148
	3750	650000			Inner_1RB_Left	24.54	22.45	0.176
					Inner_1RB_Right	24.28	22.19	0.166
					Inner_Full	24.44	22.35	0.172
	3795	653000			Inner_1RB_Left	25.25	23.16	0.207
					Inner_1RB_Right	24.21	22.12	0.163
					Inner_Full	24.25	22.16	0.164
DFT-256QAM	3705	647000			Inner_1RB_Left	23.4	21.31	0.135
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	23.73	21.64	0.146
	3750	650000			Inner_1RB_Left	24.19	22.1	0.162
					Inner_1RB_Right	24.66	22.57	0.181
					Inner_Full	24.46	22.37	0.173
	3795	653000			Inner_1RB_Left	24.19	22.1	0.162
					Inner_1RB_Right	25.23	23.14	0.206
					Inner_Full	26.19	24.1	0.257

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3705	647000	10	15kHz	Inner_1RB_Left	26.33	24.24	0.265
					Inner_1RB_Right	26.47	24.38	0.274
					Inner_Full	26.49	24.4	0.275
	3750	650000			Inner_1RB_Left	27.05	24.96	0.313
					Inner_1RB_Right	27.09	25	0.316
					Inner_Full	27.14	25.05	0.320
	3795	653000			Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	25.22	23.13	0.206
					Inner_Full	26.26	24.17	0.261
CP-16QAM	3705	647000			Inner_1RB_Left	25.16	23.07	0.203
					Inner_1RB_Right	25.61	23.52	0.225
					Inner_Full	25.71	23.62	0.230
	3750	650000			Inner_1RB_Left	26.16	24.07	0.255
					Inner_1RB_Right	26.01	23.92	0.247
					Inner_Full	25.99	23.9	0.245
	3795	653000			Inner_1RB_Left	24.23	22.14	0.164
					Inner_1RB_Right	25.29	23.2	0.209
					Inner_Full	24.19	22.1	0.162
CP-64QAM	3705	647000			Inner_1RB_Left	23.8	21.71	0.148
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	23.71	21.62	0.145
	3750	650000			Inner_1RB_Left	24.2	22.11	0.163
					Inner_1RB_Right	24.35	22.26	0.168
					Inner_Full	24.33	22.24	0.167
	3795	653000			Inner_1RB_Left	25.3	23.21	0.209
					Inner_1RB_Right	24.32	22.23	0.167
					Inner_Full	24.28	22.19	0.166
CP-256QAM	3705	647000			Inner_1RB_Left	23.44	21.35	0.136
					Inner_1RB_Right	23.71	21.62	0.145
					Inner_Full	24.07	21.98	0.158
	3750	650000			Inner_1RB_Left	24.2	22.11	0.163
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	24.36	22.27	0.169
	3795	653000			Inner_1RB_Left	25.2	23.11	0.205
					Inner_1RB_Right	25.14	23.05	0.202
					Inner_Full	25.23	23.14	0.206

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3707.52	647168	15	15kHz	Inner_1RB_Left	24.92	22.83	0.192
					Inner_1RB_Right	25.41	23.32	0.215
					Inner_Full	25.03	22.94	0.197
	3750	650000			Inner_1RB_Left	25.53	23.44	0.221
					Inner_1RB_Right	24.21	22.12	0.163
					Inner_Full	25.29	23.2	0.209
	3792.48	652832			Inner_1RB_Left	25.14	23.05	0.202
					Inner_1RB_Right	25.18	23.09	0.204
					Inner_Full	24.94	22.85	0.193
DFT-16QAM	3707.52	647168			Inner_1RB_Left	24.45	22.36	0.172
					Inner_1RB_Right	24.72	22.63	0.183
					Inner_Full	24.51	22.42	0.175
	3750	650000			Inner_1RB_Left	25.33	23.24	0.211
					Inner_1RB_Right	24.19	22.1	0.162
					Inner_Full	24.27	22.18	0.165
	3792.48	652832			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.13	22.04	0.160
					Inner_Full	24.43	22.34	0.171
DFT-64QAM	3707.52	647168			Inner_1RB_Left	22.68	20.59	0.115
					Inner_1RB_Right	23.06	20.97	0.125
					Inner_Full	22.91	20.82	0.121
	3750	650000			Inner_1RB_Left	25.25	23.16	0.207
					Inner_1RB_Right	25.19	23.1	0.204
					Inner_Full	24.26	22.17	0.165
	3792.48	652832			Inner_1RB_Left	22.82	20.73	0.118
					Inner_1RB_Right	22.89	20.8	0.120
					Inner_Full	22.87	20.78	0.120
DFT-256QAM	3707.52	647168			Inner_1RB_Left	22.71	20.62	0.115
					Inner_1RB_Right	23.08	20.99	0.126
					Inner_Full	22.88	20.79	0.120
	3750	650000			Inner_1RB_Left	25.25	23.16	0.207
					Inner_1RB_Right	25.37	23.28	0.213
					Inner_Full	24.27	22.18	0.165
	3792.48	652832			Inner_1RB_Left	22.8	20.71	0.118
					Inner_1RB_Right	22.89	20.8	0.120
					Inner Full	22.88	20.79	0.120

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3707.52	647168	15	15kHz	Inner_1RB_Left	24.94	22.85	0.193
					Inner_1RB_Right	25.27	23.18	0.208
					Inner_Full	25.03	22.94	0.197
	3750	650000			Inner_1RB_Left	25.25	23.16	0.207
					Inner_1RB_Right	25.31	23.22	0.210
					Inner_Full	25.27	23.18	0.208
	3792.48	652832			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	25.26	23.17	0.207
					Inner_Full	24.97	22.88	0.194
CP-16QAM	3707.52	647168			Inner_1RB_Left	23.99	21.9	0.155
					Inner_1RB_Right	24.36	22.27	0.169
					Inner_Full	24.49	22.4	0.174
	3750	650000			Inner_1RB_Left	24.28	22.19	0.166
					Inner_1RB_Right	25.27	23.18	0.208
					Inner_Full	24.3	22.21	0.166
	3792.48	652832			Inner_1RB_Left	24.56	22.47	0.177
					Inner_1RB_Right	24.48	22.39	0.173
					Inner_Full	24.39	22.3	0.170
CP-64QAM	3707.52	647168			Inner_1RB_Left	22.63	20.54	0.113
					Inner_1RB_Right	22.9	20.81	0.121
					Inner_Full	22.96	20.87	0.122
	3750	650000			Inner_1RB_Left	24.25	22.16	0.164
					Inner_1RB_Right	24.34	22.25	0.168
					Inner_Full	24.28	22.19	0.166
	3792.48	652832			Inner_1RB_Left	22.79	20.7	0.117
					Inner_1RB_Right	22.83	20.74	0.119
					Inner_Full	22.79	20.7	0.117
CP-256QAM	3707.52	647168			Inner_1RB_Left	22.68	20.59	0.115
					Inner_1RB_Right	23.04	20.95	0.124
					Inner_Full	22.93	20.84	0.121
	3750	650000			Inner_1RB_Left	25.22	23.13	0.206
					Inner_1RB_Right	26.25	24.16	0.261
					Inner_Full	25.27	23.18	0.208
	3792.48	652832			Inner_1RB_Left	22.92	20.83	0.121
					Inner_1RB_Right	22.91	20.82	0.121
					Inner_Full	22.86	20.77	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3710.01	647334	20	15kHz	Inner_1RB_Left	26.36	24.27	0.267
					Inner_1RB_Right	26.73	24.64	0.291
					Inner_Full	26.81	24.72	0.296
	3750	650000			Inner_1RB_Left	26.88	24.79	0.301
					Inner_1RB_Right	27.07	24.98	0.315
					Inner_Full	27.27	25.18	0.330
	3789.99	652666			Inner_1RB_Left	24.79	22.7	0.186
					Inner_1RB_Right	26.27	24.18	0.262
					Inner_Full	26.3	24.21	0.264
DFT-16QAM	3710.01	647334			Inner_1RB_Left	25.25	23.16	0.207
					Inner_1RB_Right	25.62	23.53	0.225
					Inner_Full	25.79	23.7	0.234
	3750	650000			Inner_1RB_Left	25.95	23.86	0.243
					Inner_1RB_Right	25.86	23.77	0.238
					Inner_Full	26.17	24.08	0.256
	3789.99	652666			Inner_1RB_Left	26.23	24.14	0.259
					Inner_1RB_Right	26.28	24.19	0.262
					Inner_Full	-36.21	-38.3	0.000
DFT-64QAM	3710.01	647334			Inner_1RB_Left	23.53	21.44	0.139
					Inner_1RB_Right	23.96	21.87	0.154
					Inner_Full	24.12	22.03	0.160
	3750	650000			Inner_1RB_Left	24.41	22.32	0.171
					Inner_1RB_Right	24.19	22.1	0.162
					Inner_Full	24.52	22.43	0.175
	3789.99	652666			Inner_1RB_Left	26.29	24.2	0.263
					Inner_1RB_Right	26.3	24.21	0.264
					Inner_Full	26.3	24.21	0.264
DFT-256QAM	3710.01	647334			Inner_1RB_Left	23.52	21.43	0.139
					Inner_1RB_Right	23.94	21.85	0.153
					Inner_Full	24.17	22.08	0.161
	3750	650000			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.12	22.03	0.160
					Inner_Full	24.48	22.39	0.173
	3789.99	652666			Inner_1RB_Left	26.27	24.18	0.262
					Inner_1RB_Right	26.25	24.16	0.261
					Inner_Full	26.26	24.17	0.261

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3710.01	647334	20	15kHz	Inner_1RB_Left	26.36	24.27	0.267
					Inner_1RB_Right	26.72	24.63	0.290
					Inner_Full	26.75	24.66	0.292
	3750	650000			Inner_1RB_Left	26.9	24.81	0.303
					Inner_1RB_Right	26.96	24.87	0.307
					Inner_Full	27.03	24.94	0.312
	3789.99	652666			Inner_1RB_Left	25.21	23.12	0.205
					Inner_1RB_Right	26.25	24.16	0.261
					Inner_Full	24.29	22.2	0.166
CP-16QAM	3710.01	647334			Inner_1RB_Left	25.25	23.16	0.207
					Inner_1RB_Right	25.88	23.79	0.239
					Inner_Full	25.86	23.77	0.238
	3750	650000			Inner_1RB_Left	25.96	23.87	0.244
					Inner_1RB_Right	25.87	23.78	0.239
					Inner_Full	25.86	23.77	0.238
	3789.99	652666			Inner_1RB_Left	25.23	23.14	0.206
					Inner_1RB_Right	25.28	23.19	0.208
					Inner_Full	25.22	23.13	0.206
CP-64QAM	3710.01	647334			Inner_1RB_Left	23.95	21.86	0.153
					Inner_1RB_Right	23.95	21.86	0.153
					Inner_Full	24.35	22.26	0.168
	3750	650000			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.15	22.06	0.161
					Inner_Full	24.49	22.4	0.174
	3789.99	652666			Inner_1RB_Left	24.25	22.16	0.164
					Inner_1RB_Right	25.25	23.16	0.207
					Inner_Full	25.22	23.13	0.206
CP-256QAM	3710.01	647334			Inner_1RB_Left	23.5	21.41	0.138
					Inner_1RB_Right	23.97	21.88	0.154
					Inner_Full	24.33	22.24	0.167
	3750	650000			Inner_1RB_Left	23.95	21.86	0.153
					Inner_1RB_Right	24.48	22.39	0.173
					Inner_Full	24.53	22.44	0.175
	3789.99	652666			Inner_1RB_Left	26.24	24.15	0.260
					Inner_1RB_Right	26.21	24.12	0.258
					Inner_Full	26.3	24.21	0.264

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3712.5	647500	25	15kHz	Inner_1RB_Left	24.83	22.74	0.188
					Inner_1RB_Right	25.27	23.18	0.208
					Inner_Full	25.09	23	0.200
	3750	650000			Inner_1RB_Left	25.39	23.3	0.214
					Inner_1RB_Right	-35.02	-37.11	0.000
					Inner_Full	-35.03	-37.12	0.000
	3787.5	652500			Inner_1RB_Left	25.27	23.18	0.208
					Inner_1RB_Right	24.92	22.83	0.192
					Inner_Full	24.93	22.84	0.192
DFT-16QAM	3712.5	647500			Inner_1RB_Left	24.28	22.19	0.166
					Inner_1RB_Right	24.74	22.65	0.184
					Inner_Full	24.6	22.51	0.178
	3750	650000			Inner_1RB_Left	25.03	22.94	0.197
					Inner_1RB_Right	25.04	22.95	0.197
					Inner_Full	25.07	22.98	0.199
	3787.5	652500			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.03	21.94	0.156
					Inner_Full	24.45	22.36	0.172
DFT-64QAM	3712.5	647500			Inner_1RB_Left	22.62	20.53	0.113
					Inner_1RB_Right	23.02	20.93	0.124
					Inner_Full	23.04	20.95	0.124
	3750	650000			Inner_1RB_Left	25.05	22.96	0.198
					Inner_1RB_Right	25.08	22.99	0.199
					Inner_Full	25.09	23	0.200
	3787.5	652500			Inner_1RB_Left	22.88	20.79	0.120
					Inner_1RB_Right	22.73	20.64	0.116
					Inner_Full	22.89	20.8	0.120
DFT-256QAM	3712.5	647500			Inner_1RB_Left	22.58	20.49	0.112
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	23.04	20.95	0.124
	3750	650000			Inner_1RB_Left	25.02	22.93	0.196
					Inner_1RB_Right	25.09	23	0.200
					Inner_Full	25.06	22.97	0.198
	3787.5	652500			Inner_1RB_Left	22.86	20.77	0.119
					Inner_1RB_Right	22.7	20.61	0.115
					Inner Full	22.9	20.81	0.121

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3712.5	647500	25	15kHz	Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	25.25	23.16	0.207
					Inner_Full	25.1	23.01	0.200
	3750	650000			Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	25.03	22.94	0.197
					Inner_Full	25.09	23	0.200
	3787.5	652500			Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	24.94	22.85	0.193
					Inner_Full	25	22.91	0.195
CP-16QAM	3712.5	647500			Inner_1RB_Left	24.25	22.16	0.164
					Inner_1RB_Right	24.27	22.18	0.165
					Inner_Full	24.55	22.46	0.176
	3750	650000			Inner_1RB_Left	25.04	22.95	0.197
					Inner_1RB_Right	25.07	22.98	0.199
					Inner_Full	25.05	22.96	0.198
	3787.5	652500			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	24.41	22.32	0.171
CP-64QAM	3712.5	647500			Inner_1RB_Left	22.52	20.43	0.110
					Inner_1RB_Right	23.09	21	0.126
					Inner_Full	22.95	20.86	0.122
	3750	650000			Inner_1RB_Left	25.07	22.98	0.199
					Inner_1RB_Right	25.05	22.96	0.198
					Inner_Full	25.04	22.95	0.197
	3787.5	652500			Inner_1RB_Left	22.84	20.75	0.119
					Inner_1RB_Right	22.69	20.6	0.115
					Inner_Full	22.79	20.7	0.117
CP-256QAM	3712.5	647500			Inner_1RB_Left	22.69	20.6	0.115
					Inner_1RB_Right	23.04	20.95	0.124
					Inner_Full	22.98	20.89	0.123
	3750	650000			Inner_1RB_Left	25.05	22.96	0.198
					Inner_1RB_Right	25.12	23.03	0.201
					Inner_Full	25.04	22.95	0.197
	3787.5	652500			Inner_1RB_Left	22.87	20.78	0.120
					Inner_1RB_Right	22.78	20.69	0.117
					Inner_Full	22.79	20.7	0.117

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3715.02	647668	30	15kHz	Inner_1RB_Left	23.9	21.81	0.152
					Inner_1RB_Right	25.89	23.8	0.240
					Inner_Full	25.89	23.8	0.240
	3750	650000			Inner_1RB_Left	25.46	23.37	0.217
					Inner_1RB_Right	25.59	23.5	0.224
					Inner_Full	25.63	23.54	0.226
	3785.01	652334			Inner_1RB_Left	24.89	22.8	0.191
					Inner_1RB_Right	24.5	22.41	0.174
					Inner_Full	25.52	23.43	0.220
DFT-16QAM	3715.02	647668			Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	23.91	21.82	0.152
	3750	650000			Inner_1RB_Left	24.81	22.72	0.187
					Inner_1RB_Right	24.6	22.51	0.178
					Inner_Full	25.09	23	0.200
	3785.01	652334			Inner_1RB_Left	24.46	22.37	0.173
					Inner_1RB_Right	24.48	22.39	0.173
					Inner_Full	24.47	22.38	0.173
DFT-64QAM	3715.02	647668			Inner_1RB_Left	-33.93	-36.02	0.000
					Inner_1RB_Right	23.91	21.82	0.152
					Inner_Full	23.93	21.84	0.153
	3750	650000			Inner_1RB_Left	23.23	21.14	0.130
					Inner_1RB_Right	23.31	21.22	0.132
					Inner_Full	23.49	21.4	0.138
	3785.01	652334			Inner_1RB_Left	24.45	22.36	0.172
					Inner_1RB_Right	24.49	22.4	0.174
					Inner_Full	24.43	22.34	0.171
DFT-256QAM	3715.02	647668			Inner_1RB_Left	23.9	21.81	0.152
					Inner_1RB_Right	23.9	21.81	0.152
					Inner_Full	23.95	21.86	0.153
	3750	650000			Inner_1RB_Left	23.19	21.1	0.129
					Inner_1RB_Right	23.29	21.2	0.132
					Inner_Full	23.58	21.49	0.141
	3785.01	652334			Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	24.47	22.38	0.173
					Inner_Full	24.49	22.4	0.174

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3715.02	647668	30	15kHz	Inner_1RB_Left	24.91	22.82	0.191
					Inner_1RB_Right	23.91	21.82	0.152
					Inner_Full	23.9	21.81	0.152
	3750	650000			Inner_1RB_Left	25.48	23.39	0.218
					Inner_1RB_Right	25.59	23.5	0.224
					Inner_Full	25.64	23.55	0.226
	3785.01	652334			Inner_1RB_Left	24.5	22.41	0.174
					Inner_1RB_Right	24.5	22.41	0.174
					Inner_Full	24.5	22.41	0.174
CP-16QAM	3715.02	647668			Inner_1RB_Left	23.93	21.84	0.153
					Inner_1RB_Right	23.91	21.82	0.152
					Inner_Full	23.9	21.81	0.152
	3750	650000			Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	25.09	23	0.200
	3785.01	652334			Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	-34.48	-36.57	0.000
					Inner_Full	24.51	22.42	0.175
CP-64QAM	3715.02	647668			Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.9	21.81	0.152
					Inner_Full	23.97	21.88	0.154
	3750	650000			Inner_1RB_Left	23.13	21.04	0.127
					Inner_1RB_Right	23.13	21.04	0.127
					Inner_Full	23.48	21.39	0.138
	3785.01	652334			Inner_1RB_Left	24.51	22.42	0.175
					Inner_1RB_Right	24.49	22.4	0.174
					Inner_Full	24.52	22.43	0.175
CP-256QAM	3715.02	647668			Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.92	21.83	0.152
					Inner_Full	23.89	21.8	0.151
	3750	650000			Inner_1RB_Left	23.06	20.97	0.125
					Inner_1RB_Right	23.14	21.05	0.127
					Inner_Full	23.56	21.47	0.140
	3785.01	652334			Inner_1RB_Left	24.5	22.41	0.174
					Inner_1RB_Right	24.47	22.38	0.173
					Inner Full	24.5	22.41	0.174

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3720	648000	40	15kHz	Inner_1RB_Left	24.53	22.44	0.175
					Inner_1RB_Right	25.29	23.2	0.209
					Inner_Full	25.22	23.13	0.206
	3750	650000			Inner_1RB_Left	25.35	23.26	0.212
					Inner_1RB_Right	25.47	23.38	0.218
					Inner_Full	26.05	23.96	0.249
	3780	652000			Inner_1RB_Left	24.25	22.16	0.164
					Inner_1RB_Right	25.74	23.65	0.232
					Inner_Full	26.27	24.18	0.262
DFT-16QAM	3720	648000			Inner_1RB_Left	23.55	21.46	0.140
					Inner_1RB_Right	24.59	22.5	0.178
					Inner_Full	24.65	22.56	0.180
	3750	650000			Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	24.19	22.1	0.162
					Inner_Full	24.47	22.38	0.173
	3780	652000			Inner_1RB_Left	25.03	22.94	0.197
					Inner_1RB_Right	24.75	22.66	0.185
					Inner_Full	25.23	23.14	0.206
DFT-64QAM	3720	648000			Inner_1RB_Left	22.36	20.27	0.106
					Inner_1RB_Right	22.91	20.82	0.121
					Inner_Full	23.04	20.95	0.124
	3750	650000			Inner_1RB_Left	24	21.91	0.155
					Inner_1RB_Right	24.01	21.92	0.156
					Inner_Full	24.19	22.1	0.162
	3780	652000			Inner_1RB_Left	23.57	21.48	0.141
					Inner_1RB_Right	23.32	21.23	0.133
					Inner_Full	23.65	21.56	0.143
DFT-256QAM	3720	648000			Inner_1RB_Left	22.29	20.2	0.105
					Inner_1RB_Right	23	20.91	0.123
					Inner_Full	23.03	20.94	0.124
	3750	650000			Inner_1RB_Left	23.84	21.75	0.150
					Inner_1RB_Right	23.83	21.74	0.149
					Inner_Full	24.16	22.07	0.161
	3780	652000			Inner_1RB_Left	23.6	21.51	0.142
					Inner_1RB_Right	23.3	21.21	0.132
					Inner_Full	23.58	21.49	0.141

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3720	648000	40	15kHz	Inner_1RB_Left	24.54	22.45	0.176
					Inner_1RB_Right	25.29	23.2	0.209
					Inner_Full	25.13	23.04	0.201
	3750	650000			Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	26.43	24.34	0.272
					Inner_Full	26.82	24.73	0.297
	3780	652000			Inner_1RB_Left	25.97	23.88	0.244
					Inner_1RB_Right	25.8	23.71	0.235
					Inner_Full	26.26	24.17	0.261
CP-16QAM	3720	648000			Inner_1RB_Left	23.6	21.51	0.142
					Inner_1RB_Right	24.23	22.14	0.164
					Inner_Full	24.61	22.52	0.179
	3750	650000			Inner_1RB_Left	25.23	23.14	0.206
					Inner_1RB_Right	25.36	23.27	0.212
					Inner_Full	25.82	23.73	0.236
	3780	652000			Inner_1RB_Left	24.65	22.56	0.180
					Inner_1RB_Right	24.44	22.35	0.172
					Inner_Full	25.22	23.13	0.206
CP-64QAM	3720	648000			Inner_1RB_Left	22.29	20.2	0.105
					Inner_1RB_Right	22.95	20.86	0.122
					Inner_Full	23.08	20.99	0.126
	3750	650000			Inner_1RB_Left	23.86	21.77	0.150
					Inner_1RB_Right	23.95	21.86	0.153
					Inner_Full	24.39	22.3	0.170
	3780	652000			Inner_1RB_Left	23.55	21.46	0.140
					Inner_1RB_Right	23.31	21.22	0.132
					Inner_Full	23.62	21.53	0.142
CP-256QAM	3720	648000			Inner_1RB_Left	22.3	20.21	0.105
					Inner_1RB_Right	22.93	20.84	0.121
					Inner_Full	23.08	20.99	0.126
	3750	650000			Inner_1RB_Left	22.8	20.71	0.118
					Inner_1RB_Right	22.24	20.15	0.104
					Inner_Full	0.36	-1.73	0.001
	3780	652000			Inner_1RB_Left	23.58	21.49	0.141
					Inner_1RB_Right	23.37	21.28	0.134
					Inner Full	23.59	21.5	0.141

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3725.01	648334	50	15kHz	Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	25.09	23	0.200
					Inner_Full	25.03	22.94	0.197
	3750	650000			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	26.55	24.46	0.279
					Inner_Full	26.94	24.85	0.305
	3774.99	651666			Inner_1RB_Left	24.6	22.51	0.178
					Inner_1RB_Right	24.48	22.39	0.173
					Inner_Full	24.7	22.61	0.182
DFT-16QAM	3725.01	648334			Inner_1RB_Left	23.93	21.84	0.153
					Inner_1RB_Right	24.8	22.71	0.187
					Inner_Full	24.4	22.31	0.170
	3750	650000			Inner_1RB_Left	25.11	23.02	0.200
					Inner_1RB_Right	25.33	23.24	0.211
					Inner_Full	25.86	23.77	0.238
	3774.99	651666			Inner_1RB_Left	23.83	21.74	0.149
					Inner_1RB_Right	23.56	21.47	0.140
					Inner_Full	24.14	22.05	0.160
DFT-64QAM	3725.01	648334			Inner_1RB_Left	22.28	20.19	0.104
					Inner_1RB_Right	23.11	21.02	0.126
					Inner_Full	23.98	21.89	0.155
	3750	650000			Inner_1RB_Left	24.01	21.92	0.156
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.27	22.18	0.165
	3774.99	651666			Inner_1RB_Left	22.19	20.1	0.102
					Inner_1RB_Right	21.8	19.71	0.094
					Inner_Full	22.52	20.43	0.110
DFT-256QAM	3725.01	648334			Inner_1RB_Left	23.32	21.23	0.133
					Inner_1RB_Right	24.38	22.29	0.169
					Inner_Full	23.95	21.86	0.153
	3750	650000			Inner_1RB_Left	22.09	20	0.100
					Inner_1RB_Right	21.74	19.65	0.092
					Inner_Full	14.08	11.99	0.016
	3774.99	651666			Inner_1RB_Left	21.89	19.8	0.095
					Inner_1RB_Right	21.21	19.12	0.082
					Inner Full	21.55	19.46	0.088

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3725.01	648334	50	15kHz	Inner_1RB_Left	25.89	23.8	0.240
					Inner_1RB_Right	26.69	24.6	0.288
					Inner_Full	26.57	24.48	0.281
	3750	650000			Inner_1RB_Left	25.3	23.21	0.209
					Inner_1RB_Right	25.48	23.39	0.218
					Inner_Full	25.89	23.8	0.240
	3774.99	651666			Inner_1RB_Left	25.16	23.07	0.203
					Inner_1RB_Right	25.17	23.08	0.203
					Inner_Full	25.26	23.17	0.207
CP-16QAM	3725.01	648334			Inner_1RB_Left	24.59	22.5	0.178
					Inner_1RB_Right	25.39	23.3	0.214
					Inner_Full	25.53	23.44	0.221
	3750	650000			Inner_1RB_Left	23.9	21.81	0.152
					Inner_1RB_Right	24.19	22.1	0.162
					Inner_Full	24.27	22.18	0.165
	3774.99	651666			Inner_1RB_Left	23.74	21.65	0.146
					Inner_1RB_Right	23.42	21.33	0.136
					Inner_Full	23.65	21.56	0.143
CP-64QAM	3725.01	648334			Inner_1RB_Left	23.46	21.37	0.137
					Inner_1RB_Right	24.28	22.19	0.166
					Inner_Full	24.18	22.09	0.162
	3750	650000			Inner_1RB_Left	23	20.91	0.123
					Inner_1RB_Right	22.54	20.45	0.111
					Inner_Full	22.18	20.09	0.102
	3774.99	651666			Inner_1RB_Left	22.1	20.01	0.100
					Inner_1RB_Right	21.84	19.75	0.094
					Inner_Full	23.13	21.04	0.127
CP-256QAM	3725.01	648334			Inner_1RB_Left	24.8	22.71	0.187
					Inner_1RB_Right	22.6	20.51	0.112
					Inner_Full	23.08	20.99	0.126
	3750	650000			Inner_1RB_Left	22.81	20.72	0.118
					Inner_1RB_Right	-0.62	-2.71	0.001
					Inner_Full	23.26	21.17	0.131
	3774.99	651666			Inner_1RB_Left	22.66	20.57	0.114
					Inner_1RB_Right	22.39	20.3	0.107
					Inner_Full	23.94	21.85	0.153

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	26.59	24.5	0.282
					Inner_1RB_Right	26.86	24.77	0.300
					Inner_Full	26.57	24.48	0.281
	3750	650000			Inner_1RB_Left	27.13	25.04	0.319
					Inner_1RB_Right	27.02	24.93	0.311
					Inner_Full	27.06	24.97	0.314
	3795	653000			Inner_1RB_Left	23.53	21.44	0.139
					Inner_1RB_Right	26.73	24.64	0.291
					Inner_Full	26.66	24.57	0.286
DFT-16QAM	3705	647000			Inner_1RB_Left	25.44	23.35	0.216
					Inner_1RB_Right	25.65	23.56	0.227
					Inner_Full	25.63	23.54	0.226
	3750	650000			Inner_1RB_Left	26.01	23.92	0.247
					Inner_1RB_Right	22.44	20.35	0.108
					Inner_Full	26.1	24.01	0.252
	3795	653000			Inner_1RB_Left	25.58	23.49	0.223
					Inner_1RB_Right	25.52	23.43	0.220
					Inner_Full	25.7	23.61	0.230
DFT-64QAM	3705	647000			Inner_1RB_Left	23.77	21.68	0.147
					Inner_1RB_Right	23.97	21.88	0.154
					Inner_Full	24.09	22	0.158
	3750	650000			Inner_1RB_Left	24.58	22.49	0.177
					Inner_1RB_Right	24.36	22.27	0.169
					Inner_Full	24.55	22.46	0.176
	3795	653000			Inner_1RB_Left	23.99	21.9	0.155
					Inner_1RB_Right	23.95	21.86	0.153
					Inner_Full	24.15	22.06	0.161
DFT-256QAM	3705	647000			Inner_1RB_Left	21.97	19.88	0.097
					Inner_1RB_Right	22.13	20.04	0.101
					Inner_Full	22.04	19.95	0.099
	3750	650000			Inner_1RB_Left	22.55	20.46	0.111
					Inner_1RB_Right	22.52	20.43	0.110
					Inner_Full	22.54	20.45	0.111
	3795	653000			Inner_1RB_Left	22.02	19.93	0.098
					Inner_1RB_Right	22.06	19.97	0.099
					Inner_Full	22.14	20.05	0.101

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	24.95	22.86	0.193
					Inner_1RB_Right	25.19	23.1	0.204
					Inner_Full	25.13	23.04	0.201
	3750	650000			Inner_1RB_Left	25.52	23.43	0.220
					Inner_1RB_Right	25.51	23.42	0.220
					Inner_Full	25.58	23.49	0.223
	3795	653000			Inner_1RB_Left	25.07	22.98	0.199
					Inner_1RB_Right	25.08	22.99	0.199
					Inner_Full	25.15	23.06	0.202
CP-16QAM	3705	647000			Inner_1RB_Left	24.51	22.42	0.175
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	24.59	22.5	0.178
	3750	650000			Inner_1RB_Left	25.06	22.97	0.198
					Inner_1RB_Right	25.01	22.92	0.196
					Inner_Full	25.09	23	0.200
	3795	653000			Inner_1RB_Left	24.68	22.59	0.182
					Inner_1RB_Right	24.68	22.59	0.182
					Inner_Full	24.66	22.57	0.181
CP-64QAM	3705	647000			Inner_1RB_Left	23.06	20.97	0.125
					Inner_1RB_Right	23.25	21.16	0.131
					Inner_Full	23.12	21.03	0.127
	3750	650000			Inner_1RB_Left	23.64	21.55	0.143
					Inner_1RB_Right	23.55	21.46	0.140
					Inner_Full	23.58	21.49	0.141
	3795	653000			Inner_1RB_Left	23.24	21.15	0.130
					Inner_1RB_Right	23.22	21.13	0.130
					Inner_Full	23.19	21.1	0.129
CP-256QAM	3705	647000			Inner_1RB_Left	20.28	18.19	0.066
					Inner_1RB_Right	20.52	18.43	0.070
					Inner_Full	20.16	18.07	0.064
	3750	650000			Inner_1RB_Left	20.91	18.82	0.076
					Inner_1RB_Right	20.73	18.64	0.073
					Inner_Full	20.65	18.56	0.072
	3795	653000			Inner_1RB_Left	20.44	18.35	0.068
					Inner_1RB_Right	20.34	18.25	0.067
					Inner Full	20.24	18.15	0.065

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	26.43	24.34	0.272
					Inner_1RB_Right	26.65	24.56	0.286
					Inner_Full	26.63	24.54	0.284
	3750	650000			Inner_1RB_Left	26.93	24.84	0.305
					Inner_1RB_Right	26.82	24.73	0.297
					Inner_Full	27.08	24.99	0.316
	3792.48	652832			Inner_1RB_Left	26.66	24.57	0.286
					Inner_1RB_Right	26.64	24.55	0.285
					Inner_Full	26.64	24.55	0.285
DFT-16QAM	3707.52	647168			Inner_1RB_Left	25.29	23.2	0.209
					Inner_1RB_Right	25.56	23.47	0.222
					Inner_Full	25.64	23.55	0.226
	3750	650000			Inner_1RB_Left	26.03	23.94	0.248
					Inner_1RB_Right	25.89	23.8	0.240
					Inner_Full	26.12	24.03	0.253
	3792.48	652832			Inner_1RB_Left	25.53	23.44	0.221
					Inner_1RB_Right	25.48	23.39	0.218
					Inner_Full	25.66	23.57	0.228
DFT-64QAM	3707.52	647168			Inner_1RB_Left	24.05	21.96	0.157
					Inner_1RB_Right	24.35	22.26	0.168
					Inner_Full	24.19	22.1	0.162
	3750	650000			Inner_1RB_Left	24.56	22.47	0.177
					Inner_1RB_Right	24.2	22.11	0.163
					Inner_Full	24.64	22.55	0.180
	3792.48	652832			Inner_1RB_Left	23.94	21.85	0.153
					Inner_1RB_Right	23.9	21.81	0.152
					Inner_Full	24.23	22.14	0.164
DFT-256QAM	3707.52	647168			Inner_1RB_Left	21.77	19.68	0.093
					Inner_1RB_Right	9.37	7.28	0.005
					Inner_Full	21.99	19.9	0.098
	3750	650000			Inner_1RB_Left	22.45	20.36	0.109
					Inner_1RB_Right	22.22	20.13	0.103
					Inner_Full	22.42	20.33	0.108
	3792.48	652832			Inner_1RB_Left	21.96	19.87	0.097
					Inner_1RB_Right	21.86	19.77	0.095
					Inner Full	22.02	19.93	0.098

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	24.83	22.74	0.188
					Inner_1RB_Right	25.09	23	0.200
					Inner_Full	25.09	23	0.200
	3750	650000			Inner_1RB_Left	25.43	23.34	0.216
					Inner_1RB_Right	25.32	23.23	0.210
					Inner_Full	25.53	23.44	0.221
	3792.48	652832			Inner_1RB_Left	25.05	22.96	0.198
					Inner_1RB_Right	25.09	23	0.200
					Inner_Full	25.13	23.04	0.201
CP-16QAM	3707.52	647168			Inner_1RB_Left	24.48	22.39	0.173
					Inner_1RB_Right	24.68	22.59	0.182
					Inner_Full	24.66	22.57	0.181
	3750	650000			Inner_1RB_Left	25.16	23.07	0.203
					Inner_1RB_Right	25	22.91	0.195
					Inner_Full	25.06	22.97	0.198
	3792.48	652832			Inner_1RB_Left	24.58	22.49	0.177
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	24.63	22.54	0.179
CP-64QAM	3707.52	647168			Inner_1RB_Left	23.1	21.01	0.126
					Inner_1RB_Right	23.35	21.26	0.134
					Inner_Full	23.09	21	0.126
	3750	650000			Inner_1RB_Left	23.58	21.49	0.141
					Inner_1RB_Right	23.38	21.29	0.135
					Inner_Full	17.01	14.92	0.031
	3792.48	652832			Inner_1RB_Left	23.13	21.04	0.127
					Inner_1RB_Right	23.15	21.06	0.128
					Inner_Full	23.11	21.02	0.126
CP-256QAM	3707.52	647168			Inner_1RB_Left	19.95	17.86	0.061
					Inner_1RB_Right	20.04	17.95	0.062
					Inner_Full	20.18	18.09	0.064
	3750	650000			Inner_1RB_Left	20.45	18.36	0.069
					Inner_1RB_Right	20.33	18.24	0.067
					Inner_Full	20.58	18.49	0.071
	3792.48	652832			Inner_1RB_Left	20.26	18.17	0.066
					Inner_1RB_Right	20.22	18.13	0.065
					Inner Full	20.21	18.12	0.065

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	26.42	24.33	0.271
					Inner_1RB_Right	26.62	24.53	0.284
					Inner_Full	26.71	24.62	0.290
	3750	650000			Inner_1RB_Left	26.92	24.83	0.304
					Inner_1RB_Right	26.72	24.63	0.290
					Inner_Full	27.13	25.04	0.319
	3789.99	652666			Inner_1RB_Left	26.41	24.32	0.270
					Inner_1RB_Right	26.35	24.26	0.267
					Inner_Full	26.68	24.59	0.288
DFT-16QAM	3710.01	647334			Inner_1RB_Left	25.27	23.18	0.208
					Inner_1RB_Right	25.44	23.35	0.216
					Inner_Full	25.67	23.58	0.228
	3750	650000			Inner_1RB_Left	25.84	23.75	0.237
					Inner_1RB_Right	25.64	23.55	0.226
					Inner_Full	26.03	23.94	0.248
	3789.99	652666			Inner_1RB_Left	25.32	23.23	0.210
					Inner_1RB_Right	25.31	23.22	0.210
					Inner_Full	25.6	23.51	0.224
DFT-64QAM	3710.01	647334			Inner_1RB_Left	23.61	21.52	0.142
					Inner_1RB_Right	23.75	21.66	0.147
					Inner_Full	24.16	22.07	0.161
	3750	650000			Inner_1RB_Left	24.15	22.06	0.161
					Inner_1RB_Right	24.04	21.95	0.157
					Inner_Full	24.56	22.47	0.177
	3789.99	652666			Inner_1RB_Left	23.99	21.9	0.155
					Inner_1RB_Right	23.92	21.83	0.152
					Inner_Full	24.13	22.04	0.160
DFT-256QAM	3710.01	647334			Inner_1RB_Left	21.8	19.71	0.094
					Inner_1RB_Right	21.87	19.78	0.095
					Inner_Full	22.05	19.96	0.099
	3750	650000			Inner_1RB_Left	22.4	20.31	0.107
					Inner_1RB_Right	21.98	19.89	0.097
					Inner_Full	22.48	20.39	0.109
	3789.99	652666			Inner_1RB_Left	21.82	19.73	0.094
					Inner_1RB_Right	21.79	19.7	0.093
					Inner Full	22.05	19.96	0.099

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	24.75	22.66	0.185
					Inner_1RB_Right	25	22.91	0.195
					Inner_Full	25.12	23.03	0.201
	3750	650000			Inner_1RB_Left	25.31	23.22	0.210
					Inner_1RB_Right	25.22	23.13	0.206
					Inner_Full	25.5	23.41	0.219
	3789.99	652666			Inner_1RB_Left	5.4	3.31	0.002
					Inner_1RB_Right	24.96	22.87	0.194
					Inner_Full	25.08	22.99	0.199
CP-16QAM	3710.01	647334			Inner_1RB_Left	24.29	22.2	0.166
					Inner_1RB_Right	24.53	22.44	0.175
					Inner_Full	24.64	22.55	0.180
	3750	650000			Inner_1RB_Left	24.95	22.86	0.193
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	25.08	22.99	0.199
	3789.99	652666			Inner_1RB_Left	24.43	22.34	0.171
					Inner_1RB_Right	24.45	22.36	0.172
					Inner_Full	24.63	22.54	0.179
CP-64QAM	3710.01	647334			Inner_1RB_Left	22.84	20.75	0.119
					Inner_1RB_Right	23.12	21.03	0.127
					Inner_Full	23.08	20.99	0.126
	3750	650000			Inner_1RB_Left	23.45	21.36	0.137
					Inner_1RB_Right	23.34	21.25	0.133
					Inner_Full	23.5	21.41	0.138
	3789.99	652666			Inner_1RB_Left	22.99	20.9	0.123
					Inner_1RB_Right	22.94	20.85	0.122
					Inner_Full	23.06	20.97	0.125
CP-256QAM	3710.01	647334			Inner_1RB_Left	20.09	18	0.063
					Inner_1RB_Right	20.31	18.22	0.066
					Inner_Full	20.21	18.12	0.065
	3750	650000			Inner_1RB_Left	20.7	18.61	0.073
					Inner_1RB_Right	20.45	18.36	0.069
					Inner_Full	20.61	18.52	0.071
	3789.99	652666			Inner_1RB_Left	20.15	18.06	0.064
					Inner_1RB_Right	20.19	18.1	0.065
					Inner Full	20.19	18.1	0.065

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3712.5	647500	25	30kHz	Inner_1RB_Left	26.29	24.2	0.263
					Inner_1RB_Right	26.46	24.37	0.274
					Inner_Full	26.66	24.57	0.286
	3750	650000			Inner_1RB_Left	26.85	24.76	0.299
					Inner_1RB_Right	26.64	24.55	0.285
					Inner_Full	27.08	24.99	0.316
	3787.5	652500			Inner_1RB_Left	26.37	24.28	0.268
					Inner_1RB_Right	26.38	24.29	0.269
					Inner_Full	26.66	24.57	0.286
DFT-16QAM	3712.5	647500			Inner_1RB_Left	25.24	23.15	0.207
					Inner_1RB_Right	25.42	23.33	0.215
					Inner_Full	25.72	23.63	0.231
	3750	650000			Inner_1RB_Left	25.75	23.66	0.232
					Inner_1RB_Right	25.54	23.45	0.221
					Inner_Full	26.14	24.05	0.254
	3787.5	652500			Inner_1RB_Left	25.23	23.14	0.206
					Inner_1RB_Right	25.21	23.12	0.205
					Inner_Full	25.73	23.64	0.231
DFT-64QAM	3712.5	647500			Inner_1RB_Left	23.85	21.76	0.150
					Inner_1RB_Right	24.02	21.93	0.156
					Inner_Full	24.15	22.06	0.161
	3750	650000			Inner_1RB_Left	24.15	22.06	0.161
					Inner_1RB_Right	23.94	21.85	0.153
					Inner_Full	24.55	22.46	0.176
	3787.5	652500			Inner_1RB_Left	23.99	21.9	0.155
					Inner_1RB_Right	23.99	21.9	0.155
					Inner_Full	24.17	22.08	0.161
DFT-256QAM	3712.5	647500			Inner_1RB_Left	21.76	19.67	0.093
					Inner_1RB_Right	15.82	13.73	0.024
					Inner_Full	22.08	19.99	0.100
	3750	650000			Inner_1RB_Left	22.34	20.25	0.106
					Inner_1RB_Right	21.88	19.79	0.095
					Inner_Full	22.5	20.41	0.110
	3787.5	652500			Inner_1RB_Left	21.81	19.72	0.094
					Inner_1RB_Right	3.53	1.44	0.001
					Inner Full	22.11	20.02	0.100

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3712.5	647500	25	30kHz	Inner_1RB_Left	24.78	22.69	0.186
					Inner_1RB_Right	25.04	22.95	0.197
					Inner_Full	25.11	23.02	0.200
	3750	650000			Inner_1RB_Left	25.3	23.21	0.209
					Inner_1RB_Right	25.13	23.04	0.201
					Inner_Full	25.51	23.42	0.220
	3787.5	652500			Inner_1RB_Left	24.95	22.86	0.193
					Inner_1RB_Right	24.94	22.85	0.193
					Inner_Full	25.08	22.99	0.199
CP-16QAM	3712.5	647500			Inner_1RB_Left	24.27	22.18	0.165
					Inner_1RB_Right	24.46	22.37	0.173
					Inner_Full	24.62	22.53	0.179
	3750	650000			Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	24.64	22.55	0.180
					Inner_Full	24.99	22.9	0.195
	3787.5	652500			Inner_1RB_Left	24.36	22.27	0.169
					Inner_1RB_Right	24.46	22.37	0.173
					Inner_Full	24.59	22.5	0.178
CP-64QAM	3712.5	647500			Inner_1RB_Left	22.83	20.74	0.119
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	23.1	21.01	0.126
	3750	650000			Inner_1RB_Left	23.44	21.35	0.136
					Inner_1RB_Right	23.18	21.09	0.129
					Inner_Full	23.48	21.39	0.138
	3787.5	652500			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	23.03	20.94	0.124
					Inner_Full	23.08	20.99	0.126
CP-256QAM	3712.5	647500			Inner_1RB_Left	20.04	17.95	0.062
					Inner_1RB_Right	20.24	18.15	0.065
					Inner_Full	20.2	18.11	0.065
	3750	650000			Inner_1RB_Left	20.65	18.56	0.072
					Inner_1RB_Right	20.31	18.22	0.066
					Inner_Full	20.6	18.51	0.071
	3787.5	652500			Inner_1RB_Left	20.19	18.1	0.065
					Inner_1RB_Right	20.27	18.18	0.066
					Inner Full	20.2	18.11	0.065

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3715.02	647668	30	30kHz	Inner_1RB_Left	26.21	24.12	0.258
					Inner_1RB_Right	26.43	24.34	0.272
					Inner_Full	26.71	24.62	0.290
	3750	650000			Inner_1RB_Left	26.7	24.61	0.289
					Inner_1RB_Right	26.57	24.48	0.281
					Inner_Full	27.06	24.97	0.314
	3785.01	652334			Inner_1RB_Left	26.17	24.08	0.256
					Inner_1RB_Right	26.34	24.25	0.266
					Inner_Full	26.66	24.57	0.286
DFT-16QAM	3715.02	647668			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	25.34	23.25	0.211
					Inner_Full	25.7	23.61	0.230
	3750	650000			Inner_1RB_Left	25.79	23.7	0.234
					Inner_1RB_Right	25.67	23.58	0.228
					Inner_Full	26.08	23.99	0.251
	3785.01	652334			Inner_1RB_Left	25.25	23.16	0.207
					Inner_1RB_Right	25.49	23.4	0.219
					Inner_Full	25.64	23.55	0.226
DFT-64QAM	3715.02	647668			Inner_1RB_Left	23.48	21.39	0.138
					Inner_1RB_Right	23.71	21.62	0.145
					Inner_Full	24.22	22.13	0.163
	3750	650000			Inner_1RB_Left	23.98	21.89	0.155
					Inner_1RB_Right	23.88	21.79	0.151
					Inner_Full	24.55	22.46	0.176
	3785.01	652334			Inner_1RB_Left	23.42	21.33	0.136
					Inner_1RB_Right	23.65	21.56	0.143
					Inner_Full	20.97	18.88	0.077
DFT-256QAM	3715.02	647668			Inner_1RB_Left	21.77	19.68	0.093
					Inner_1RB_Right	21.76	19.67	0.093
					Inner_Full	22.04	19.95	0.099
	3750	650000			Inner_1RB_Left	22.15	20.06	0.101
					Inner_1RB_Right	22.06	19.97	0.099
					Inner_Full	22.43	20.34	0.108
	3785.01	652334			Inner_1RB_Left	21.71	19.62	0.092
					Inner_1RB_Right	21.89	19.8	0.095
					Inner Full	22.01	19.92	0.098

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3715.02	647668	30	30kHz	Inner_1RB_Left	24.7	22.61	0.182
					Inner_1RB_Right	24.95	22.86	0.193
					Inner_Full	25.17	23.08	0.203
	3750	650000			Inner_1RB_Left	25.21	23.12	0.205
					Inner_1RB_Right	25.18	23.09	0.204
					Inner_Full	25.54	23.45	0.221
	3785.01	652334			Inner_1RB_Left	24.7	22.61	0.182
					Inner_1RB_Right	24.92	22.83	0.192
					Inner_Full	25.22	23.13	0.206
CP-16QAM	3715.02	647668			Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	24.46	22.37	0.173
					Inner_Full	24.61	22.52	0.179
	3750	650000			Inner_1RB_Left	24.88	22.79	0.190
					Inner_1RB_Right	24.84	22.75	0.188
					Inner_Full	24.97	22.88	0.194
	3785.01	652334			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.65	22.56	0.180
					Inner_Full	24.57	22.48	0.177
CP-64QAM	3715.02	647668			Inner_1RB_Left	22.79	20.7	0.117
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	23.15	21.06	0.128
	3750	650000			Inner_1RB_Left	23.23	21.14	0.130
					Inner_1RB_Right	23.24	21.15	0.130
					Inner_Full	23.51	21.42	0.139
	3785.01	652334			Inner_1RB_Left	22.77	20.68	0.117
					Inner_1RB_Right	22.96	20.87	0.122
					Inner_Full	23.14	21.05	0.127
CP-256QAM	3715.02	647668			Inner_1RB_Left	20.03	17.94	0.062
					Inner_1RB_Right	20.28	18.19	0.066
					Inner_Full	20.2	18.11	0.065
	3750	650000			Inner_1RB_Left	20.39	18.3	0.068
					Inner_1RB_Right	20.21	18.12	0.065
					Inner_Full	20.58	18.49	0.071
	3785.01	652334			Inner_1RB_Left	19.78	17.69	0.059
					Inner_1RB_Right	19.96	17.87	0.061
					Inner Full	20.18	18.09	0.064

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	26	23.91	0.246
					Inner_1RB_Right	26.2	24.11	0.258
					Inner_Full	26.66	24.57	0.286
	3750	650000			Inner_1RB_Left	26.55	24.46	0.279
					Inner_1RB_Right	26.49	24.4	0.275
					Inner_Full	27.05	24.96	0.313
	3780	652000			Inner_1RB_Left	26.08	23.99	0.251
					Inner_1RB_Right	26.29	24.2	0.263
					Inner_Full	26.72	24.63	0.290
DFT-16QAM	3720	648000			Inner_1RB_Left	25.01	22.92	0.196
					Inner_1RB_Right	25.15	23.06	0.202
					Inner_Full	25.69	23.6	0.229
	3750	650000			Inner_1RB_Left	13.13	11.04	0.013
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	26.04	23.95	0.248
	3780	652000			Inner_1RB_Left	24.97	22.88	0.194
					Inner_1RB_Right	25.31	23.22	0.210
					Inner_Full	25.73	23.64	0.231
DFT-64QAM	3720	648000			Inner_1RB_Left	23.63	21.54	0.143
					Inner_1RB_Right	23.56	21.47	0.140
					Inner_Full	24.14	22.05	0.160
	3750	650000			Inner_1RB_Left	23.97	21.88	0.154
					Inner_1RB_Right	23.83	21.74	0.149
					Inner_Full	24.5	22.41	0.174
	3780	652000			Inner_1RB_Left	20.13	18.04	0.064
					Inner_1RB_Right	23.63	21.54	0.143
					Inner_Full	24.17	22.08	0.161
DFT-256QAM	3720	648000			Inner_1RB_Left	21.39	19.3	0.085
					Inner_1RB_Right	21.69	19.6	0.091
					Inner_Full	10.32	8.23	0.007
	3750	650000			Inner_1RB_Left	21.98	19.89	0.097
					Inner_1RB_Right	21.91	19.82	0.096
					Inner_Full	22.46	20.37	0.109
	3780	652000			Inner_1RB_Left	21.56	19.47	0.089
					Inner_1RB_Right	21.86	19.77	0.095
					Inner Full	22.12	20.03	0.101

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	24.55	22.46	0.176
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	25.14	23.05	0.202
	3750	650000			Inner_1RB_Left	25.02	22.93	0.196
					Inner_1RB_Right	18.82	16.73	0.047
					Inner_Full	25.52	23.43	0.220
	3780	652000			Inner_1RB_Left	24.55	22.46	0.176
					Inner_1RB_Right	18.62	16.53	0.045
					Inner_Full	25.21	23.12	0.205
CP-16QAM	3720	648000			Inner_1RB_Left	24.05	21.96	0.157
					Inner_1RB_Right	24.2	22.11	0.163
					Inner_Full	24.55	22.46	0.176
	3750	650000			Inner_1RB_Left	24.58	22.49	0.177
					Inner_1RB_Right	24.46	22.37	0.173
					Inner_Full	24.92	22.83	0.192
	3780	652000			Inner_1RB_Left	24.11	22.02	0.159
					Inner_1RB_Right	24.33	22.24	0.167
					Inner_Full	24.59	22.5	0.178
CP-64QAM	3720	648000			Inner_1RB_Left	22.56	20.47	0.111
					Inner_1RB_Right	22.74	20.65	0.116
					Inner_Full	23.07	20.98	0.125
	3750	650000			Inner_1RB_Left	23.06	20.97	0.125
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	23.43	21.34	0.136
	3780	652000			Inner_1RB_Left	22.65	20.56	0.114
					Inner_1RB_Right	22.91	20.82	0.121
					Inner_Full	23.12	21.03	0.127
CP-256QAM	3720	648000			Inner_1RB_Left	19.8	17.71	0.059
					Inner_1RB_Right	20.1	18.01	0.063
					Inner_Full	20.12	18.03	0.064
	3750	650000			Inner_1RB_Left	20.28	18.19	0.066
					Inner_1RB_Right	20.16	18.07	0.064
					Inner_Full	20.49	18.4	0.069
	3780	652000			Inner_1RB_Left	19.89	17.8	0.060
					Inner_1RB_Right	20.1	18.01	0.063
					Inner_Full	20.18	18.09	0.064

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	26.22	24.13	0.259
					Inner_1RB_Right	26.43	24.34	0.272
					Inner_Full	26.68	24.59	0.288
	3750	650000			Inner_1RB_Left	26.72	24.63	0.290
					Inner_1RB_Right	26.73	24.64	0.291
					Inner_Full	27.07	24.98	0.315
	3774.99	651666			Inner_1RB_Left	26.48	24.39	0.275
					Inner_1RB_Right	26.44	24.35	0.272
					Inner_Full	26.72	24.63	0.290
DFT-16QAM	3725.01	648334			Inner_1RB_Left	25.17	23.08	0.203
					Inner_1RB_Right	25.44	23.35	0.216
					Inner_Full	25.66	23.57	0.228
	3750	650000			Inner_1RB_Left	25.67	23.58	0.228
					Inner_1RB_Right	25.69	23.6	0.229
					Inner_Full	26.09	24	0.251
	3774.99	651666			Inner_1RB_Left	25.35	23.26	0.212
					Inner_1RB_Right	25.35	23.26	0.212
					Inner_Full	25.67	23.58	0.228
DFT-64QAM	3725.01	648334			Inner_1RB_Left	23.48	21.39	0.138
					Inner_1RB_Right	23.7	21.61	0.145
					Inner_Full	24.17	22.08	0.161
	3750	650000			Inner_1RB_Left	24.02	21.93	0.156
					Inner_1RB_Right	24.01	21.92	0.156
					Inner_Full	24.52	22.43	0.175
	3774.99	651666			Inner_1RB_Left	23.72	21.63	0.146
					Inner_1RB_Right	23.76	21.67	0.147
					Inner_Full	24.14	22.05	0.160
DFT-256QAM	3725.01	648334			Inner_1RB_Left	21.64	19.55	0.090
					Inner_1RB_Right	21.99	19.9	0.098
					Inner_Full	22.09	20	0.100
	3750	650000			Inner_1RB_Left	22.17	20.08	0.102
					Inner_1RB_Right	22.12	20.03	0.101
					Inner_Full	22.47	20.38	0.109
	3774.99	651666			Inner_1RB_Left	22.03	19.94	0.099
					Inner_1RB_Right	21.63	19.54	0.090
					Inner Full	22.09	20	0.100

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	24.71	22.62	0.183
					Inner_1RB_Right	24.96	22.87	0.194
					Inner_Full	25.08	22.99	0.199
	3750	650000			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	25.25	23.16	0.207
					Inner_Full	25.46	23.37	0.217
	3774.99	651666			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	25.04	22.95	0.197
					Inner_Full	25.07	22.98	0.199
CP-16QAM	3725.01	648334			Inner_1RB_Left	24.55	22.46	0.176
					Inner_1RB_Right	24.79	22.7	0.186
					Inner_Full	24.6	22.51	0.178
	3750	650000			Inner_1RB_Left	24.71	22.62	0.183
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	25.01	22.92	0.196
	3774.99	651666			Inner_1RB_Left	24.45	22.36	0.172
					Inner_1RB_Right	24.47	22.38	0.173
					Inner_Full	24.61	22.52	0.179
CP-64QAM	3725.01	648334			Inner_1RB_Left	22.99	20.9	0.123
					Inner_1RB_Right	23.23	21.14	0.130
					Inner_Full	23.11	21.02	0.126
	3750	650000			Inner_1RB_Left	23.32	21.23	0.133
					Inner_1RB_Right	23.39	21.3	0.135
					Inner_Full	23.49	21.4	0.138
	3774.99	651666			Inner_1RB_Left	23.01	20.92	0.124
					Inner_1RB_Right	23.01	20.92	0.124
					Inner_Full	23.1	21.01	0.126
CP-256QAM	3725.01	648334			Inner_1RB_Left	20.05	17.96	0.063
					Inner_1RB_Right	20.26	18.17	0.066
					Inner_Full	20.19	18.1	0.065
	3750	650000			Inner_1RB_Left	20.65	18.56	0.072
					Inner_1RB_Right	20.42	18.33	0.068
					Inner_Full	20.56	18.47	0.070
	3774.99	651666			Inner_1RB_Left	20.36	18.27	0.067
					Inner_1RB_Right	20.33	18.24	0.067
					Inner Full	20.18	18.09	0.064

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	26.3	24.21	0.264
					Inner_1RB_Right	26.28	24.19	0.262
					Inner_Full	26.69	24.6	0.288
	3750	650000			Inner_1RB_Left	27.1	25.01	0.317
					Inner_1RB_Right	27.14	25.05	0.320
					Inner_Full	27	24.91	0.310
	3769.98	651332			Inner_1RB_Left	26.55	24.46	0.279
					Inner_1RB_Right	26.78	24.69	0.294
					Inner_Full	26.66	24.57	0.286
DFT-16QAM	3730.02	648668			Inner_1RB_Left	25.31	23.22	0.210
					Inner_1RB_Right	25.25	23.16	0.207
					Inner_Full	25.68	23.59	0.229
	3750	650000			Inner_1RB_Left	25.82	23.73	0.236
					Inner_1RB_Right	25.86	23.77	0.238
					Inner_Full	26.01	23.92	0.247
	3769.98	651332			Inner_1RB_Left	25.73	23.64	0.231
					Inner_1RB_Right	25.56	23.47	0.222
					Inner_Full	25.66	23.57	0.228
DFT-64QAM	3730.02	648668			Inner_1RB_Left	23.78	21.69	0.148
					Inner_1RB_Right	23.83	21.74	0.149
					Inner_Full	6.33	4.24	0.003
	3750	650000			Inner_1RB_Left	24.09	22	0.158
					Inner_1RB_Right	24.08	21.99	0.158
					Inner_Full	24.47	22.38	0.173
	3769.98	651332			Inner_1RB_Left	24.18	22.09	0.162
					Inner_1RB_Right	23.98	21.89	0.155
					Inner_Full	24.11	22.02	0.159
DFT-256QAM	3730.02	648668			Inner_1RB_Left	21.86	19.77	0.095
					Inner_1RB_Right	10.43	8.34	0.007
					Inner_Full	22.08	19.99	0.100
	3750	650000			Inner_1RB_Left	22.37	20.28	0.107
					Inner_1RB_Right	22.42	20.33	0.108
					Inner_Full	22.44	20.35	0.108
	3769.98	651332			Inner_1RB_Left	21.78	19.69	0.093
					Inner_1RB_Right	21.59	19.5	0.089
					Inner Full	22.1	20.01	0.100

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	24.71	22.62	0.183
					Inner_1RB_Right	24.8	22.71	0.187
					Inner_Full	25.1	23.01	0.200
	3750	650000			Inner_1RB_Left	25.26	23.17	0.207
					Inner_1RB_Right	25.34	23.25	0.211
					Inner_Full	25.43	23.34	0.216
	3769.98	651332			Inner_1RB_Left	25.09	23	0.200
					Inner_1RB_Right	24.98	22.89	0.195
					Inner_Full	25.08	22.99	0.199
CP-16QAM	3730.02	648668			Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	24.35	22.26	0.168
					Inner_Full	24.61	22.52	0.179
	3750	650000			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	25.03	22.94	0.197
					Inner_Full	24.91	22.82	0.191
	3769.98	651332			Inner_1RB_Left	24.8	22.71	0.187
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	24.58	22.49	0.177
CP-64QAM	3730.02	648668			Inner_1RB_Left	22.82	20.73	0.118
					Inner_1RB_Right	22.88	20.79	0.120
					Inner_Full	23.07	20.98	0.125
	3750	650000			Inner_1RB_Left	23.39	21.3	0.135
					Inner_1RB_Right	23.33	21.24	0.133
					Inner_Full	5.96	3.87	0.002
	3769.98	651332			Inner_1RB_Left	23.22	21.13	0.130
					Inner_1RB_Right	23.13	21.04	0.127
					Inner_Full	23.06	20.97	0.125
CP-256QAM	3730.02	648668			Inner_1RB_Left	20.16	18.07	0.064
					Inner_1RB_Right	14.52	12.43	0.017
					Inner_Full	3.59	1.5	0.001
	3750	650000			Inner_1RB_Left	14.88	12.79	0.019
					Inner_1RB_Right	20.45	18.36	0.069
					Inner_Full	20.52	18.43	0.070
	3769.98	651332			Inner_1RB_Left	20.24	18.15	0.065
					Inner_1RB_Right	20.1	18.01	0.063
					Inner Full	20.19	18.1	0.065

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	26.75	24.66	0.292
					Inner_1RB_Right	26.76	24.67	0.293
					Inner_Full	26.75	24.66	0.292
	3750	650000			Inner_1RB_Left	27.14	25.05	0.320
					Inner_1RB_Right	27.15	25.06	0.321
					Inner_Full	27.14	25.05	0.320
	3765	651000			Inner_1RB_Left	26.75	24.66	0.292
					Inner_1RB_Right	26.75	24.66	0.292
					Inner_Full	26.75	24.66	0.292
DFT-16QAM	3735	649000			Inner_1RB_Left	25.74	23.65	0.232
					Inner_1RB_Right	25.78	23.69	0.234
					Inner_Full	25.76	23.67	0.233
	3750	650000			Inner_1RB_Left	26.12	24.03	0.253
					Inner_1RB_Right	26.1	24.01	0.252
					Inner_Full	26.11	24.02	0.252
	3765	651000			Inner_1RB_Left	25.74	23.65	0.232
					Inner_1RB_Right	25.75	23.66	0.232
					Inner_Full	25.73	23.64	0.231
DFT-64QAM	3735	649000			Inner_1RB_Left	0.7	-1.39	0.001
					Inner_1RB_Right	18.31	16.22	0.042
					Inner_Full	24.15	22.06	0.161
	3750	650000			Inner_1RB_Left	24.58	22.49	0.177
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	24.55	22.46	0.176
	3765	651000			Inner_1RB_Left	24.21	22.12	0.163
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.21	22.12	0.163
DFT-256QAM	3735	649000			Inner_1RB_Left	22.17	20.08	0.102
					Inner_1RB_Right	22.21	20.12	0.103
					Inner_Full	22.19	20.1	0.102
	3750	650000			Inner_1RB_Left	22.57	20.48	0.112
					Inner_1RB_Right	22.55	20.46	0.111
					Inner_Full	22.56	20.47	0.111
	3765	651000			Inner_1RB_Left	22.18	20.09	0.102
					Inner_1RB_Right	22.2	20.11	0.103
					Inner Full	22.22	20.13	0.103

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	25.13	23.04	0.201
					Inner_1RB_Right	25.13	23.04	0.201
					Inner_Full	25.13	23.04	0.201
	3750	650000			Inner_1RB_Left	25.5	23.41	0.219
					Inner_1RB_Right	19.55	17.46	0.056
					Inner_Full	25.48	23.39	0.218
	3765	651000			Inner_1RB_Left	25.14	23.05	0.202
					Inner_1RB_Right	1.96	-0.13	0.001
					Inner_Full	25.14	23.05	0.202
CP-16QAM	3735	649000			Inner_1RB_Left	24.69	22.6	0.182
					Inner_1RB_Right	24.65	22.56	0.180
					Inner_Full	24.68	22.59	0.182
	3750	650000			Inner_1RB_Left	25.06	22.97	0.198
					Inner_1RB_Right	25.05	22.96	0.198
					Inner_Full	25.06	22.97	0.198
	3765	651000			Inner_1RB_Left	24.69	22.6	0.182
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	24.69	22.6	0.182
CP-64QAM	3735	649000			Inner_1RB_Left	23.13	21.04	0.127
					Inner_1RB_Right	23.11	21.02	0.126
					Inner_Full	23.1	21.01	0.126
	3750	650000			Inner_1RB_Left	23.5	21.41	0.138
					Inner_1RB_Right	23.49	21.4	0.138
					Inner_Full	23.51	21.42	0.139
	3765	651000			Inner_1RB_Left	23.14	21.05	0.127
					Inner_1RB_Right	23.15	21.06	0.128
					Inner_Full	23.13	21.04	0.127
CP-256QAM	3735	649000			Inner_1RB_Left	20.27	18.18	0.066
					Inner_1RB_Right	20.27	18.18	0.066
					Inner_Full	20.27	18.18	0.066
	3750	650000			Inner_1RB_Left	20.65	18.56	0.072
					Inner_1RB_Right	20.66	18.57	0.072
					Inner_Full	15.19	13.1	0.020
	3765	651000			Inner_1RB_Left	20.3	18.21	0.066
					Inner_1RB_Right	20.31	18.22	0.066
					Inner Full	20.3	18.21	0.066

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	26.43	24.34	0.272
					Inner_1RB_Right	26.51	24.42	0.277
					Inner_Full	27.04	24.95	0.313
	3750	650000			Inner_1RB_Left	26.62	24.53	0.284
					Inner_1RB_Right	26.67	24.58	0.287
					Inner_Full	27.02	24.93	0.311
	3759.99	650666			Inner_1RB_Left	26.77	24.68	0.294
					Inner_1RB_Right	26.72	24.63	0.290
					Inner_Full	27.06	24.97	0.314
DFT-16QAM	3740.01	649334			Inner_1RB_Left	25.41	23.32	0.215
					Inner_1RB_Right	25.54	23.45	0.221
					Inner_Full	25.99	23.9	0.245
	3750	650000			Inner_1RB_Left	25.56	23.47	0.222
					Inner_1RB_Right	25.41	23.32	0.215
					Inner_Full	26.03	23.94	0.248
	3759.99	650666			Inner_1RB_Left	25.63	23.54	0.226
					Inner_1RB_Right	25.54	23.45	0.221
					Inner_Full	26.05	23.96	0.249
DFT-64QAM	3740.01	649334			Inner_1RB_Left	23.97	21.88	0.154
					Inner_1RB_Right	23.85	21.76	0.150
					Inner_Full	24.5	22.41	0.174
	3750	650000			Inner_1RB_Left	24.55	22.46	0.176
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	24.46	22.37	0.173
	3759.99	650666			Inner_1RB_Left	24	21.91	0.155
					Inner_1RB_Right	23.89	21.8	0.151
					Inner_Full	24.52	22.43	0.175
DFT-256QAM	3740.01	649334			Inner_1RB_Left	5.32	3.23	0.002
					Inner_1RB_Right	21.79	19.7	0.093
					Inner_Full	22.42	20.33	0.108
	3750	650000			Inner_1RB_Left	16.32	14.23	0.026
					Inner_1RB_Right	22.03	19.94	0.099
					Inner_Full	22.43	20.34	0.108
	3759.99	650666			Inner_1RB_Left	22.05	19.96	0.099
					Inner_1RB_Right	22.07	19.98	0.100
					Inner Full	22.48	20.39	0.109

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	24.88	22.79	0.190
					Inner_1RB_Right	25.03	22.94	0.197
					Inner_Full	25.45	23.36	0.217
	3750	650000			Inner_1RB_Left	7.5	5.41	0.003
					Inner_1RB_Right	25.27	23.18	0.208
					Inner_Full	25.48	23.39	0.218
	3759.99	650666			Inner_1RB_Left	25.13	23.04	0.201
					Inner_1RB_Right	25.13	23.04	0.201
					Inner_Full	25.51	23.42	0.220
CP-16QAM	3740.01	649334			Inner_1RB_Left	24.4	22.31	0.170
					Inner_1RB_Right	24.54	22.45	0.176
					Inner_Full	24.97	22.88	0.194
	3750	650000			Inner_1RB_Left	24.57	22.48	0.177
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	24.98	22.89	0.195
	3759.99	650666			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.62	22.53	0.179
					Inner_Full	25.02	22.93	0.196
CP-64QAM	3740.01	649334			Inner_1RB_Left	22.96	20.87	0.122
					Inner_1RB_Right	19.56	17.47	0.056
					Inner_Full	23.41	21.32	0.136
	3750	650000			Inner_1RB_Left	17.65	15.56	0.036
					Inner_1RB_Right	23.43	21.34	0.136
					Inner_Full	23.43	21.34	0.136
	3759.99	650666			Inner_1RB_Left	17.68	15.59	0.036
					Inner_1RB_Right	23.35	21.26	0.134
					Inner_Full	23.48	21.39	0.138
CP-256QAM	3740.01	649334			Inner_1RB_Left	20.36	18.27	0.067
					Inner_1RB_Right	20.51	18.42	0.070
					Inner_Full	20.56	18.47	0.070
	3750	650000			Inner_1RB_Left	20.54	18.45	0.070
					Inner_1RB_Right	20.61	18.52	0.071
					Inner_Full	25.13	23.04	0.201
	3759.99	650666			Inner_1RB_Left	20.45	18.36	0.069
					Inner_1RB_Right	20.51	18.42	0.070
					Inner Full	20.57	18.48	0.070

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	26.32	24.23	0.265
					Inner_1RB_Right	26.52	24.43	0.277
					Inner_Full	27	24.91	0.310
	3750	650000			Inner_1RB_Left	26.48	24.39	0.275
					Inner_1RB_Right	26.6	24.51	0.282
					Inner_Full	27.01	24.92	0.310
	3754.98	650332			Inner_1RB_Left	26.54	24.45	0.279
					Inner_1RB_Right	26.56	24.47	0.280
					Inner_Full	27.03	24.94	0.312
DFT-16QAM	3745.02	649668			Inner_1RB_Left	25.27	23.18	0.208
					Inner_1RB_Right	25.58	23.49	0.223
					Inner_Full	25.94	23.85	0.243
	3750	650000			Inner_1RB_Left	19.61	17.52	0.056
					Inner_1RB_Right	25.61	23.52	0.225
					Inner_Full	25.96	23.87	0.244
	3754.98	650332			Inner_1RB_Left	25.44	23.35	0.216
					Inner_1RB_Right	25.43	23.34	0.216
					Inner_Full	25.98	23.89	0.245
DFT-64QAM	3745.02	649668			Inner_1RB_Left	18.29	16.2	0.042
					Inner_1RB_Right	24.38	22.29	0.169
					Inner_Full	24.42	22.33	0.171
	3750	650000			Inner_1RB_Left	23.85	21.76	0.150
					Inner_1RB_Right	23.9	21.81	0.152
					Inner_Full	24.45	22.36	0.172
	3754.98	650332			Inner_1RB_Left	24.14	22.05	0.160
					Inner_1RB_Right	24.03	21.94	0.156
					Inner_Full	24.14	22.05	0.160
DFT-256QAM	3745.02	649668			Inner_1RB_Left	21.73	19.64	0.092
					Inner_1RB_Right	26.46	24.37	0.274
					Inner_Full	25.77	23.68	0.233
	3750	650000			Inner_1RB_Left	21.84	19.75	0.094
					Inner_1RB_Right	22.03	19.94	0.099
					Inner_Full	22.4	20.31	0.107
	3754.98	650332			Inner_1RB_Left	21.93	19.84	0.096
					Inner_1RB_Right	21.98	19.89	0.097
					Inner Full	22.41	20.32	0.108

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	24.84	22.75	0.188
					Inner_1RB_Right	25.14	23.05	0.202
					Inner_Full	25.4	23.31	0.214
	3750	650000			Inner_1RB_Left	24.93	22.84	0.192
					Inner_1RB_Right	23.51	21.42	0.139
					Inner_Full	25.43	23.34	0.216
	3754.98	650332			Inner_1RB_Left	25.06	22.97	0.198
					Inner_1RB_Right	25.12	23.03	0.201
					Inner_Full	25.45	23.36	0.217
CP-16QAM	3745.02	649668			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.7	22.61	0.182
					Inner_Full	24.84	22.75	0.188
	3750	650000			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.61	22.52	0.179
					Inner_Full	24.92	22.83	0.192
	3754.98	650332			Inner_1RB_Left	24.5	22.41	0.174
					Inner_1RB_Right	24.59	22.5	0.178
					Inner_Full	27.61	25.52	0.356
CP-64QAM	3745.02	649668			Inner_1RB_Left	23	20.91	0.123
					Inner_1RB_Right	23.3	21.21	0.132
					Inner_Full	23.34	21.25	0.133
	3750	650000			Inner_1RB_Left	23.2	21.11	0.129
					Inner_1RB_Right	23.33	21.24	0.133
					Inner_Full	23.39	21.3	0.135
	3754.98	650332			Inner_1RB_Left	23.28	21.19	0.132
					Inner_1RB_Right	23.31	21.22	0.132
					Inner_Full	23.43	21.34	0.136
CP-256QAM	3745.02	649668			Inner_1RB_Left	20	17.91	0.062
					Inner_1RB_Right	20.14	18.05	0.064
					Inner_Full	20.5	18.41	0.069
	3750	650000			Inner_1RB_Left	20.37	18.28	0.067
					Inner_1RB_Right	26.9	24.81	0.303
					Inner_Full	24.46	22.37	0.173
	3754.98	650332			Inner_1RB_Left	20.43	18.34	0.068
					Inner_1RB_Right	24.53	22.44	0.175
					Inner Full	20.53	18.44	0.070

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	26.14	24.05	0.254
					Inner_1RB_Right	26.37	24.28	0.268
					Inner_Full	27.02	24.93	0.311
DFT-16QAM	3750	650000			Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	25.33	23.24	0.211
					Inner_Full	26.02	23.93	0.247
DFT-64QAM	3750	650000			Inner_1RB_Left	23.55	21.46	0.140
					Inner_1RB_Right	23.78	21.69	0.148
					Inner_Full	24.45	22.36	0.172
DFT-256QAM	3750	650000			Inner_1RB_Left	21.55	19.46	0.088
					Inner_1RB_Right	21.67	19.58	0.091
					Inner_Full	22.38	20.29	0.107