

A10

RADIO CONTROL SYSTEM

ALIGN

INSTRUCTION MANUAL

使用說明書

[HERA1802T]



Much precise control
feeling for more fun.



10 CHANNELS
2.4GHz TRANSMITTER



For more detailed instruction, please check our website.
<http://www.align.com.tw/A10>

更多詳細說明請上我們網站。

Congratulations on your purchase of Align professional aerial photography products! To ensure your success with this product, we would like to present the following information and important reminders.

恭喜閣下選用亞盟國際世界系列產品，謹表誠意。進入遙控世界之前必須先熟悉許多相關的知識與注意事項，以確保您能將在使用過程中得心應手。在開始操作之前，請務必詳閱本說明書，相信一定能夠給您帶來極大的幫助，也請您妥善保管這本說明書，以作為日後參考。

TABLE OF CONTENTS



ALIGN

INTRODUCTION 前言	1	POWER OFF 关机	14
SUGGESTION 建议	1	HOME PAGE 主界面介绍	15
IMPORTANT NOTES 重要提示	2	MENU PAGE 主界面选项介绍	16
SAFETY NOTES 安全注意事项	4	SYSTEM 系统设置	16
WARNING LABEL LEGEND 警告标识图例	4	MODEL SELECT 模型选择	16
STANDARD EQUIPMENT 标准配置	6	MODEL NAME 模型名称	17
OPTIONAL EQUIPMENT 可选配置	6	TYPE SELECT 类型选择	17
PACKAGE CONTENTS 包装内容	6	MODEL COPY 模型复制	17
INTRODUCTION 产品简介	9	MODEL RESET 模型重置	18
SYSTEM FEATURES 系统特点	9	RECEIVER MODE 接收模式	18
TRANSMITTER INTRODUCTION 遥控器介绍	10	TRAINER MODE 教练模式	18
TRANSMITTER ANTENNA 遥控器天线	11	STUDENT MODE 学生模式	18
RECEIVER OVERVIEW 接收器概览	11	STICK MODE 摇杆模式	18
RECEIVER SETUP OVERVIEW 接收器设置概览	15	A/B TRANSMITTER MODE 1 AND MODE 2 CONVERSION INSTRUCTION A/B遥控器-模式1-2 切换指南	20
RECEIVER ANTENNA 接收器天线	11	STICKS ADJUST 摇杆调整	20
STATUS INDICATOR 状态指示灯	11	LED BRIGHTNESS 背光亮度	21
GETTING STARTED 使用指南	12	TIME SETTING 时间设置	21
TRANSMITTER BATTERY INSTALLATION 遥控器电池安装	12	LANGUAGE SELECT 语言选择	21
OPERATION INSTRUCTIONS 操作说明	12	FIRMWARE VERSION 固件版本	22
POWER ON 开机	12	FIRMWARE UPDATE 固件更新	22
RX BINDING 接收器绑定	13	FACTORY RESET 恢复出厂设置	22
PRE-CHECK 操作前检查	13	FUNCTIONS 功能	23
USB SIMULATOR MODE USB模拟器模式	14	REVERSE 反向	23

TABLE OF CONTENTS



ALIGN

END POINT 終端打點圖	23
DISPLAY 顯示圖例	24
AUXILIARY CHANNELS 輔助頻道	24
SUB-TRIM 調整	24
DUAL RATE / EXPONENTIAL 大小數/指數調整	25
THROTTLE CURVE 油門曲線	25
PITCH CURVE 俯仰曲線	26
SWASH BAR 十字擺桿	26
MIX 混合	27
ELEVON 升降舵副翼	27
V-TAIL V型尾翼	28
GYRO 陀螺儀	28
GOVERNOR 油門限制器	28
SWITCHES ASSIGN 開關設定	28
THROTTLE HOLD 油門鎖死	29
THROTTLE CUT 油門切斷	29
FAILSAFE 失效保護	29
AIR TRANSMITTER FIRMWARE UPDATE AIO接收機固件程式下載更新	30
PRODUCT SPECIFICATION 產品規格	30
TRANSMITTER SPECIFICATION (AIO) 接收機規格 (AIO)	33
RECEIVER SPECIFICATION (AIR) 接收機規格 (AIR)	33

INTRODUCTION

前言

ALIGN

Thank you for purchasing the ALIGN A10 transmitter digital proportional R/C airplane/helicopter system. This radio has been designed and manufactured to provide you with many, many years of modeling enjoyment and fun. Whether this is your first venture into R/C or you're a seasoned veteran, the A10 offers something for everyone. If this is your first "computer" radio, rest assured that this system is designed to make initial setup and field-testing of your airplane and/or helicopter easier and more accurate than using a non-computer "analog" radio. Experienced modelers will appreciate some of the A10's advanced features and functions normally found on the more advanced radios. In either case, to make the best use of the ALIGN A10 system, and to operate it safely, you should carefully read the instructions in their entirety prior to operation.

非常感謝下購買此款適合世界通用產品，國際製造，進入國際世界之前必須先研讀許多相關的知識與注意事項，以確保安全與飛行樂趣並過程中能得心應手。在開始操作之前，請務必詳讀本說明書，瞭解一些關於此系統及相關大型模型，也是許多模型管理基本說明書，此作為已參考。

Every modeler has their own personal preferences on the proper steps to setup, and program their models. As such, it would be very difficult to create a manual that would satisfy all modelers accordingly. Thus, this manual has been designed to "lead you through" the programming of the A10 transmitter, following the function list of the system. If you wish to follow your own personal preference on setting up a model, please feel free to do so keeping in mind that some programming options will interact with others. For example, Dual Rates and End Points will influence one another.

每個模型製造者都會依自己的個人喜好和適當的步驟及設置其模型。因此，要設計一本可以滿足所有模型製造者的手冊是不現實的一件事。因此，這本手冊，將透過「逐步說明」ALIGN A10系統的功能及設定功能。如果你依照個人喜好建立一個模型，請記住一些選項之間會相互影響彼此運作。例如，雙速率和終點行程設置這兩項都會有連帶關係。

SUGGESTION

建議

If, while reading the instructions, you are unclear of some of the procedures or functions described or become "stuck", please continue reading anyway. Oftentimes, the function or procedure will be explained again later in an alternate manner which will clarify the procedure or function. Another alternative is to connect the battery, servos, receiver, etc. to simulate your aircraft and actually program the radio accordingly. This will allow you to visually recognize the effects of your programming inputs. If utilizing this alternate method of familiarizing yourself with your radio, please ensure that your aircraft can not cause harm to yourself or others by disabling it accordingly.

This product is to be used for the flying of radio controlled models only. ALIGN is not responsible for the results of use of this product by the customer or for any alteration of this product including modification or incorporation into other devices by third parties. Modification will void any warranty and is done at the owner's risk and responsibility. Please protect the environment by disposing of rechargeable batteries responsibly. Throwing rechargeable batteries into the trash or municipal waste system is illegal in some areas.

如果，在閱讀說明書的過程你對某些功能不是很瞭解或發生困難時，請參閱本說明書，通常，有些功能說明方式在另一種環境中才會更清楚，當此功能被說明，建議閱讀電池、開關和伺服機、接收器等，且其安裝在實際的模型上，因為有助於視覺化瞭解某些功能與效果。不過這僅限於用來模擬飛行模型使用，請勿因為誤用而導致第二方製造的產品，設備與零件的損壞與損壞。本公司將不負任何責任，請你瞭解你不當使用或不按說明書使用而造成的任何損壞與責任。

為保護環境，對充電電池的處理與大家擁有責任。在某些地區回收及處理系統上，將充電電池丟到垃圾場或是隨意丟棄的行為，請知悉有關使用在地區的廢棄電池回收方式，並依照所在地環保局公告及說明書。

IMPORTANT NOTES

重要聲明

Radio Control (RC) multicopters are not toys. RC multicopters utilize various high-tech components to achieve superior performance. Improper use of this product can result in serious injury or even death. Please read this manual carefully before operating, and make sure to be conscious of your own personal safety and the safety of others nearby when operating all ALIGN products. Manufacturer and seller assume no liability for the operation or the use of this product. This product is intended for use only by adults with experience flying remote control aircraft at legal flying fields. After the sale of this product we cannot be held liable over its operation or usage.

We recommend that you seek the assistance of an experienced pilot before attempting to fly our products for the first time. A local expert is the best way to properly assemble, setup, and fly your model for the first time. This product requires a certain degree of skill to operate, and is an expendable item. Any damage or dissatisfaction as a result of accidents or modifications are not covered by any warranty and cannot be returned for repair or replacement. Please contact our distributors for free technical consultation and parts at discounted rates when you experience problems during operation or maintenance. As Align Corporation Limited has no control over the use, setup, assembly, modification or misuse, no liability shall be assumed nor accepted for any resulting damage or injury. By the act of use, setup or assembly, the user accepts all resulting liability.

In addition, RC multicopters and its components are precision electronics susceptible to interferences from external forces such as magnetic field and radio signal. Should the multicopter or any onboard photographic equipment suffers loss or crash damage as result of external magnetic or radio interferences, Align cannot be held liable as the cause is beyond our control.

As the user of this product, you are solely responsible for operating in a manner that does not endanger yourself and others or result in damage to the property of others.

遙控模型飛機係屬精密電子設備，並非玩具。遙控模型飛機係利用各種高科技組件，以達到卓越之性能。不當使用此產品，可能會造成嚴重之人身傷害，甚至死亡。請在操作前，細心閱讀此說明書，並確保在操作時，能意識到自身安全及附近他人之安全。製造商及經銷商均不承擔因操作或運用此產品所造成之任何損傷或損失之責任。此產品僅供具有操作遙控模型飛機經驗之成人，在合法飛行場地使用。售出此產品後，我們不能對其操作或運用承擔任何責任。

我們建議，在嘗試首次飛行前，應尋求有經驗之飛行員之協助。當地的專家是正確組裝、設定及飛行模型之最佳途徑。此產品需要一定程度之技術才能操作，且屬消耗品。因意外或修改所造成之任何損傷或對產品之不滿，均不在任何保證範圍內，且不能退回修理或更換。當您在操作或維護時遇到問題，請與經銷商聯絡，以獲得免費之技術諮詢及以折扣價格購買零件。由於Align Corporation Limited不能控制產品之使用、設定、組裝、修改或誤用，因此對於任何因使用、設定、組裝、修改或誤用而導致之損傷或受傷，我們不能承擔或接受任何責任。通過使用、設定或組裝，用戶將承擔所有可能產生之責任。

做為本產品之使用者，您，是應一對其您自己操作之事項及行為負全部之責任之人。

This product complies with low-power radio wave radiation of the provisions of motor management :

- Article 12: Without permission granted by the DGT, any company, enterprise, or user is not allowed to change frequency, enhance transmitting power or alter original characteristic as well as performance to a approved low power radio-frequency devices.
- Article 14: The low power radio-frequency devices shall not influence aircraft security and interfere legal communications; if found, the user shall cease operating immediately until no interference is achieved.
- The said legal communications means radio communications is operated in compliance with the Telecommunications Act. The low power radio-frequency devices must be susceptible with the interference from legal communications or ISM radio-wave radiated devices.

※產品符合低功率電磁輻射性電機管理辦法：

- 第十二條：未經主管機關之核准，不得變更頻率、加大發射功率或變更原設計之特性及功能。
- 第十四條：低功率電磁輻射性電機不得影響飛航安全及干擾合法通信；經發現有干擾現象時，應立即停止使用。該設備對於干擾應立即採取排除措施。
- 前項合法通信，指依電信法規定之無線電通信。低功率電磁輻射性電機應受合法通信工具、科學及醫療用電磁輻射性電機設備之干擾。

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

SAFETY NOTES

安全注意事項

ALIGN

WARNING LABEL LEGEND

標誌代碼說明



Do not attempt under any circumstances.
在任何情況下均請勿嘗試。



Mishandling due to failure to follow these instructions may result in serious damage or injury.
因未按照說明書操作，可能會導致嚴重損壞或受傷。



Mishandling due to failure to follow these instructions may result in danger.
因未按照說明書操作，可能會導致危險。

- Fly only in safe areas, away from other people. Do not operate R/C aircraft indoors or within the vicinity of houses or crowds of people. R/C aircraft are prone to accidents, failures, and crashes due to a variety of reasons including: lack of maintenance, pilot error, and radio interference. Pilots are responsible for their actions and damage or injury occurring during the operation or as a result of R/C aircraft models.
- Prior to every flight, carefully check all parts such as blades, screws, frame, arms, etc. ensure they are firmly secured and store no critical parts, or unforeseen danger may happen.
- Please obey all regulations to enjoy safe modeling.
- Please keep the model in sight at all times, as large objects can negatively impact the RF signal. Please keep in mind that objects such as wire fences and wire mesh will also cause degradation of the RF signal.
- 遙控飛機應在安全區域內飛行，請勿在他人密集區域內飛行。遙控飛機容易發生意外、故障、墜毀等情況，原因多種，包括：缺乏維護、飛行員操作失誤、無線電干擾等。飛行員應對其行為負責，飛行期間或飛行後發生的損壞或受傷，均由飛行員負責。
- 每次飛行前，請仔細檢查所有部件，如螺旋槳、螺絲、機身、機臂等，確保其牢固固定，並存放重要部件，以免發生危險。
- 請遵守所有法規，以享受安全的模型飛行。
- 請始終保持模型在視線範圍內，大型物體可能會對無線電信號產生負面影響。請牢記，圍欄、鐵絲網等物體也會導致無線電信號衰減。



- Do not use the product at night or in bad weather like rain or thunderstorms. It can cause erratic operation or loss of control.
- Do not use the product in poor visibility conditions.
- Do not use the product on rainy or snowing days. Any exposure to moisture (like water or snow), erratic operation or loss of control may occur.
- Frequency interference may cause loss of control, make sure not to use the products in the following places to ensure the safety of yourself:
 1. Near the base station or other radio-wave exposure places.
 2. Near high voltage cables and broadcast communication antennas.
 3. Near crowd or on the streets/roads where vehicle pass by.
 4. On open water area where passenger ship go through.

WARNING

- Do not use this product when you feel tired, uncomfortable, or after drinking alcohol or taking drugs. Doing so may cause serious injury to yourself or others.
- 2.4GHz radio band is different from other low-frequency wave, make sure not to use the product out of your sight, such as large obstacle/object will block the RF signal and lead to unexpected danger.
- When operating the product, it's forbidden to hold the radio antenna. Or it'll significantly decrease transmission quality and strength then lead to unforeseen danger and loss of control.
- Do not touch any heating part of the model during operation or just after stopping, such as engine, motor or speed controller, or it may cause serious injury and scold.
- 請不要在疲勞或飲酒後使用此模型產品，這可能會導致您或他人受傷或死亡。
- 請不要在視線模糊的情況下使用此模型產品。
- 請不要在操作時或操作後立即接觸任何發熱部分，如引擎或電機輸入到系統內部，否則會導致受傷或燙傷。
- 當操作此模型產品時，為保護您和他人之安全，請不要於以下地點使用此模型產品：
 1. 飛機起飛或降落期間及機場附近。
 2. 海軍基地或海軍碼頭附近。
 3. 人群聚集場所或政府機構附近。
 4. 有線電視接收站附近。
- 請勿使用模型 - 在操作時，模型可能會翻轉，這會導致模型或模型零件受損，嚴重時可導致死亡。否則可能會導致他人受傷或財產損失。
- 本產品和模型在操作時不可同時使用其他無線電設備，使用此模型可能會導致您的無線電設備，如收音機或無線電接收器無法接收信號，這可能會導致模型失控或死亡。輸入過熱，這可能會導致模型失控。
- 在操作時，請勿觸摸任何發熱部分，否則可能會導致嚴重燙傷或受傷。
- 當操作此模型產品時，請勿於以下地點使用此模型產品，以免導致嚴重受傷或死亡：
 1. 飛機起飛或降落期間。
 2. 海軍基地或海軍碼頭附近。
 3. 人群聚集場所或政府機構附近。
 4. 有線電視接收站附近。

CAUTION

- Misuse of this product may lead to serious injury or death. To ensure the safety, make sure to read this manual and follow the instructions for assembly and setup carefully.
- Before operating, make sure the product is properly installed, or it may cause serious damage and injury.
- Make sure to disconnect the receiver/battery firstly, then turning off the transmitter. If the receiver still been operated after transmitter is off, then it may lead to unintended operation and cause an accident.
- Before operating, ensure that all motors and servos are operated in the correct direction same with the radio transmitter. If not, make sure to trim the direction first.
- 誤用此模型產品可能會導致嚴重受傷或死亡。為了安全起見，請務必仔細閱讀說明書並按照說明書中的說明進行組裝和設置。
- 在操作前，請確保產品已正確安裝，否則可能會導致嚴重損壞或受傷。
- 在操作前，請確保所有電機和伺服器均在正確的方向下運行。如果沒有，請先調整方向。
- 在操作時，請先斷開接收器/電池，然後關閉發射器。如果發射器關閉後接收器仍在運行，則可能會導致意外操作並導致事故。
- 在操作前，請確保所有電機和伺服器均在正確的方向下運行。如果沒有，請先調整方向。
- 在操作時，請勿觸摸任何發熱部分，否則可能會導致嚴重燙傷或受傷。
- 當操作此模型產品時，請勿於以下地點使用此模型產品，以免導致嚴重受傷或死亡：
 1. 飛機起飛或降落期間。
 2. 海軍基地或海軍碼頭附近。
 3. 人群聚集場所或政府機構附近。
 4. 有線電視接收站附近。

IMPORTANT!

Always turn on the transmitter first, then the receiver. When turning off the system, always turn off the receiver first. The receiver should never be on without the transmitter on. Following this procedure will prevent damage to the servo and/or control surfaces. Or, in the case of electric-powered models, the motor may unexpectedly turn-on causing severe injury.

重要提示！

每次操作前，請先打開發射器，再打開接收器。關閉系統時，請先關閉接收器。接收器不應在不打開發射器的情況下運行。按照以上程序操作可防止伺服機和控制面受損。否則，在電動模型的情況下，電機可能會意外啟動並導致嚴重受傷。



LOCATE AN APPROPRIATE LOCATION

選擇適當位置及人群

RC aircraft can fly at high speed, thus posing a certain degree of potential danger. Choose a legal flying field consisting of flat, smooth ground without obstacles. Do not fly near buildings, high voltage cables, or trees to ensure the safety of yourself, others, and your model. Avoid location with magnetic and radio interferences. Please choose a legal flying field. Do not fly your model in inclement weather, such as rain, wind, snow or darkness.

遙控飛機模型飛行具有一定危險性，飛行時應注意環境安全，場地選擇應適當，遠離建築物及高壓電纜等障礙物，並應注意周圍是否有他人、房屋、建築物、高壓電線、樹木等物，並遠離樹木、電力設施等及飛機的不當使用而對他人財產造成損傷，並應選擇合法開放公共飛行的場地，應避免下雨、打雷、冰雹等惡劣天氣下飛行，以確保不造成機體的安全。



PROPER OPERATION

如不當使用本產品

Do not attempt to modify the aircraft to alter its intended design. Please use only designated replacement parts listed in the manual to ensure its design structure integrity. Operate this product within its intended design parameters; do not overload it with excess cargo. This product is limited to personal hobby use, and pilot should be proficient with operation of this model. Follow all local law and ordinances when operating. Do not use this product for purposes which may violate others' personal privacy, and respect other's intellectual properties. Do not use this product for illegal purposes or beyond the bonds of common safety.

請勿擅自更改設計，任何修改均違反本機設計條件，以確保飛機的安全，請按照說明書指定零件進行。請勿超載飛行，並應在飛機設計參數範圍內操作。此產品僅限於個人愛好用途，飛行者應對該模型有操作經驗，並應遵守當地法律法規，不得利用該產品侵犯他人隱私，並應尊重他人知識產權，不得利用該產品從事非法活動或超出常識安全範圍。請勿利用該產品從事非法活動，如飛行者應遵守當地法律法規，不得利用該產品侵犯他人隱私，並應尊重他人知識產權，不得利用該產品從事非法活動。



PREVENT MOISTURE

遠離潮濕環境

RC aircraft are composed of many precision electrical components. It is critical to keep the model and associated equipment away from moisture and other contaminants. The introduction or exposure to water or moisture in any form can cause the model to malfunction resulting in loss of use, pilot crash. Do not operate or expose to rain or moisture.

遙控飛機模型由許多精密電子電路所組成，所以必須保持模型及相關設備乾燥，應避免潮濕及雨天時使用，防止水氣進入機體內部的電路元件及電子零件造成不可逆轉的損壞。



DO NOT FLY ALONE

避免獨自飛行

Before turning on your model and transmitter, check to make sure no one else is operating on the same frequency. Frequency interference can cause your model, or other models to crash. The guidance provided by an experienced pilot will be invaluable for the assembly, tuning, trimming, and actual first flight or unforeseen danger may happen. (Recommend you to practice with experienced pilots or with computer-based flight simulator firstly.)

遙控飛機模型，應經過指導者指導後方可進行飛行，因為遙控飛機模型飛行過程複雜，需要飛行者具備一定的飛行經驗，遙控飛機模型飛行技巧學習過程需要有一定的經驗，需要經過指導者指導後方可飛行，需有經驗的人士在旁指導，才可開始飛行，否則可能會造成不可逆轉的損壞發生。(如無經驗者應先透過電腦模擬飛行入門學習的過程)





SAFE OPERATION 安全操作

Operate this unit within your ability. Do not fly while feeling impaired, as improper operation may result in danger. Never take your eyes off the model or leave it unattended while it is turned on. Immediately turn off the model and transmitter when you have landed the model.

請在您的能力範圍內使用此模型。請勿在感覺不適時飛行，因為不當操作可能會導致危險。飛行時，請不要離開模型或將模型置之不理。當您降落模型時，請立即關閉模型和遙控器。



ALWAYS BE AWARE OF THE ROTATING BLADES 隨時注意轉動零件

During the operation of the multicopter, the rotor will be spinning at a high rate of speed. The blades are capable of inflicting various bodily injury and damage to surrounding properties. Be conscious of your actions, and careful to keep your face, eyes, hands, and loose clothing away from the blades. Always fly the model a safe distance from yourself and others, as well as surrounding objects.

遙控飛行器上旋翼／螺旋槳是以高速旋轉，具有造成嚴重傷害或損壞他人財產上之虞。飛行時，請保持面部、眼睛、手和鬆弛衣物與螺旋槳保持安全距離，並隨時注意周圍物件。



KEEP AWAY FROM HEAT 遠離熱源

RC aircraft are made of various forms of plastics, such as carbon fiber and polycarbonate. Plastics are very susceptible to damage or deformation from extreme heat and cold climate. Make sure not to store the model near any source of heat such as oven or heater. It is best to store the model indoors, in a climate-controlled, room temperature environment.

遙控飛行器多半是以塑膠、PA 碳纖維等之材料製成，極易受過熱或過冷氣候之影響。請避免將模型靠近任何熱源，如烤箱或暖爐。最好將模型存放在室內，溫度適宜的環境。



SAFETY ON THE USE OF DRY CELL BATTERIES 乾電池使用安全

RISK OF EXPLOSION IF BATTERY IS REPLACED BY AN INCORRECT TYPE. DISPOSE OF USED BATTERIES ACCORDING TO THE INSTRUCTIONS.

The four AA/batteries included with this product are one time use, they should not be charged for repetitive use. Please read and follow the guidelines below prior to use. The manufacturer cannot be held liable for accidents and damages as result of improper usage.

- Ensure proper polarity and installation method during use.
- Do not mix battery of different age or different model. Doing so may affect battery life, and even cause fire danger.
- If the product is not used for long period of time, please remove the batteries to prevent damaged caused by battery leaks. Do not use batteries which exhibits symptoms of leaks.
- Please follow local law and ordinances when disposing used batteries. Do not dispose them improperly.

如果採用不同型號的電池可能會導致電池爆炸的風險。請依照說明書指示處理廢電池。

本產品附帶4顆AA乾電池，乾電池為一次性使用，請勿重複充電使用。請在下述使用指南前，先閱讀說明書。本廠對因不當使用所造成之損傷及損失不負責。

- 安裝電池時，請確認電池正負極位置及安裝方式。
- 嚴禁將不同型號電池混用，以免影響電池使用壽命，甚至造成電池漏液或燃燒危險。
- 產品長時間不使用時，請取出電池，以免造成電池電力消耗或電池漏液而損壞主機。若電池已無效或漏液，請勿再繼續使用。
- 廢棄電池，請依照當地法規及地區的廢棄物處理方式回收，切勿任意丟棄或進行焚燒。



STANDARD EQUIPMENT

標準配備

ALIGN



A10 Radio Control System
A10遙控器



A8B Receiver
A8B接收機



User Guidance
使用者說明



AA Carbon-zinc Batteries
4
350mAh (預計電流) 20x4

OPTIONAL EQUIPMENT

選配商品

ALIGN



Upgrade Cable
升級線



Simulator Cable
FMS模擬線

PACKAGE CONTENTS

包裝說明

ALIGN

A10 Radio Control System
A10遙控器

A8B Receiver
A8B接收機

AA Carbon-zinc Batteries
350mAh (預計電流)

User Guidance And Precautions
使用者說明 / 介乎操作型圖表



Quick Finder
零件快速查找



Optional Equipment
選配品

Upgrade Cable
升級線

INTRODUCTION

產品介紹

ALIGN

ALIGN A10 transmitter and A66 receiver is a transmit/receive set can support upto 10 channels, and with 2.4GHz AFHSS 2A digital proportional computerized R/C system which suitable for quadcopters. With AFHSS 2A digital proportional computerized R/C system, anti-interference, low power consumption and high sensitivity receiver.

ALIGN A10 遙控器與 A66 接收機，為針對四軸飛行器而設計，可同時支持 10 個遙控通道，儘管擁有大量遙控通道，AFHSS 系統自動跳頻避免同頻的干擾，它是一個高度精密的遙控系統傳輸系統，這個系統能夠避免同頻的干擾，給予靈敏力強並且高靈敏度 - 2.4GHz 頻段數字自動跳頻系統，高頻及多頻帶的設備，具有數位自動跳頻系統，抗干擾，避免同頻及同頻的干擾。

SYSTEM FEATURES

系統特點

The AFHSS (Automatic Hopping Frequency Spread Spectrum) offering superior protection against interference while maintaining lower power consumption and high reliable receiver sensitivity. It is considered to be one of the leaders in the RC market today.

AFHSS 數位自動跳頻系統，是一個高度精密的遙控系統傳輸系統，具有抗干擾，避免同頻及同頻的干擾，數位自動跳頻系統，抗干擾，避免同頻及同頻的干擾。



MULTI-CHANNEL HOPPING FREQUENCY 多頻跳頻工作

This system bandwidth ranges from 2.4050GHz to 2.4750GHz, divided into 160 independent channels, each system using one of 16 different working frequencies and 160 kinds hopping regularly. It initiatives to avoid co-channel interference when power-up and using multi-channel hopping frequency.

此系統工作頻帶範圍為 2.4050GHz 至 2.4750GHz，共分為 160 個獨立頻道，每套系統使用其中不同的 16 個工作頻帶和 160 種跳頻頻率，透過跳頻系統不同系統間避免不同頻帶和同頻的干擾，避免同頻及同頻的干擾。



OMNI-DIRECTIONAL GAIN ANTENNA 全向增益接收天線

This system uses high-efficiency full-band gain antenna, which widely covers all the frequency band, it can greatly improve the efficiency of the system transmit and receive sensitivity, to enhance the system stability and passive anti-jamming capability.

此系統使用高效率的全向增益接收天線，可大大提升系統接收靈敏度，可大大提升系統接收靈敏度，可大大提升系統接收靈敏度，可大大提升系統接收靈敏度。



UNIQUE ID RECOGNITION SYSTEM 獨立身份識別系統

There is unique identification ID for each remote controller and receiver. After pairing with the receiver, this ID code will be stored in the receiver, when operating the receiver, you will be asked to verify this ID code. If verified failure, it's not activated. It improves and enhances system stability to prevent RF interference.

此系統每個遙控器和接收機具有唯一的身分識別 ID，當與接收機進行對頻後，此 ID 碼將存在接收機內，當啟動工作時，系統會要求驗證此 ID 碼，若驗證失敗則不能啟動工作，此功能可大大提升系統的身份識別，可大大提升系統的身份識別。




LOW POWER CONSUMPTION 低功耗

The system features with low power consumption, and highly sensitive component, while operating interval data transmission, it can effectively reduce the emission rate, extend battery lifetime, lower power consumption which is 1/10 of Fm.

本系統採用低功耗，高靈敏度元件，同時使用間隔數據傳輸的工作方式，能有效降低發射率，延長電池使用時間，使系統功耗降低，是 FM 的十分之一。

TRANSMITTER INTRODUCTION

遙控器功能介紹



TRANSMITTER ANTENNA 遙控器天線

To ensure quality signal reception the antenna should be vertical the RC model. When operating, careful to avoid pointing an antenna directly at the receiver. DO NOT grip transmitter antenna during operation as this will weaken the quality and intensity of radio transmission resulting in loss of control.


為確保訊號接收品質，天線應垂直於遙控模型。操作時，請避免將天線直接對準接收器。切勿在操作時抓握遙控器天線，因為這會削弱無線傳輸的品質和強度，導致失去控制。

RECEIVER OVERVIEW

接收機功能介紹

RECEIVER SETUP INDICATORS

接收機各部位名稱



PPM/CH1 : Connect CH1 servo or PPM output signal. CH2-CH5 : The interface connect servo, power and other accessories.

B.VCC : Using binding wire when binding; using power cord when normal operating, power range is 4.0-5.4V.

A.BUS : For output A.BUS signal.

SENS : For connecting sensor.

PPM/CH1 : 連接CH1通道伺服機或輸出PPM信號。CH2-CH5 : 接口可以連接伺服器、電源線及其他配件。

B.VCC : 綁定時利用綁線接線，正常工作時接電源線接線，供電範圍在4.0-5.4V。

A.BUS : 用於輸出A.BUS接收機接收信號。

SENS : 用於連接各種傳感器。

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RECEIVER ANTENNA 接收機天線

To ensure signal reception quality, please make sure to keep electronics governor and other metal parts away when installing receiver.

為確保訊號品質，安裝接收機時請盡量遠離電子調速器及其他金屬零件。

STATUS INDICATOR 狀態指示燈

The status indicator shows current battery voltage and work status of the receiver.

LED off : Power disconnected.

Red solid light : Power on and working.

Fast flashing : Binding.

Flashing slowly : The pairing transmitter is off or loss of signal.

狀態指示燈顯示當前電池電壓以及工作狀態。

LED 熄滅 : 電源未連接。

紅燈常亮 : 電源已連接並正常工作。

快速閃爍 : 接收機正在綁定。

慢速閃爍 : 已配對的遙控器不工作，或訊號遺失。

GETTING STARTED

Figure 1

ALIGN

Battery operating: make sure to follow the instruction to install the battery and connect the system

[illegible]

TRANSMITTER BATTERY INSTALLATION 4000000000

Instructions for battery installation in the transmitter:

1. Open the battery lid.
2. Insert four fully-charged AA batteries. Use caution to ensure proper battery polarity.
3. Put the battery lid back.

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

1. 打開電機原理圖。
2. 選擇4個電機電容(3個AA)電機原理圖。
電機原理圖。電機原理圖。電機原理圖。
電機原理圖。電機原理圖。電機原理圖。
3. 關閉電機原理圖。

100

- Battery designated for use only: (AA battery)
 - Do not open, disassemble, or attempt to repair the battery.
 - Do not crush/puncture the battery, or short the external contacts.
 - Do not expose battery in high temperature environment or in liquid.
 - Do not drop, crash or shake the battery.
 - Always store the battery in a cool, dry place.
 - Do not use the battery if it's damaged.

OPERATION INSTRUCTIONS

操作指引

AI NEWS

After finishing installation, please follow the instructions to start set up.

2000年12月15日

POWER ON RUN

Large numbers of low-power units

1. Check the system and make sure:
 - a) The batteries are fully charged and installed properly.
 - b) The receiver is installed correctly and disconnect the power.
 - c) All Switch (SW4-G) is up and the throttle stick is down.
2. Slide the power button to the ON position. The screen will light, and musical tones are played indicating the radio is powered on.
3. Connect power supply to the receiver.

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

1. 檢查系統狀態，確保：
 - a) 電腦內之網路介面卡安裝正確。
 - b) 電腦與網路設備正確連接且電源未通斷。
 - c) 網路 IP 地址、子網掩碼內之數值與部門選擇內下。
2. 開啟 3.5 吋磁碟機電源，並對磁碟片充磁；
此步驟可避免磁碟片有磁場干擾。
3. 將磁碟片裝回磁碟機。

The system is now powered on. Use caution and always maintain a safe distance from the model. Serious injury may result if contact is made with the model during operation.

地址：廣州省城大新街 電話：(020) 8333 3333

RX BINDING 接收機對頻

The transmitter and receiver are bound before leaving the factory. Please follow the instructions if you use other transmitter and receiver :

1. Turn on transmitter while simultaneously pressing "Confirm" button to enter the bind process.
2. A6B receiver connect with binding key with power, A6B receiver got into process of binding.
3. Connect power supply to other receiver port and binding successfully, then the receiver indicator LED red solid light.
4. Check to see transmitter, receiver, and servos are all working correctly. Please re-start the bind procedure, from the beginning, for any error condition.

本遙控器與接收機在工廠前已對頻完成，如果您要使用其他品牌遙控器及接收機，請依照以下步驟進行對頻：

1. 打開遙控器電源，同時長按住 "Confirm" 鍵（確認鍵），遙控器將自動進入對頻程序。
2. A6B 接收機接上對頻金線後上電，A6B 接收機將自動進入對頻程序。
3. 接收機接上電源，並對頻成功後會顯示，接收機狀態會顯示紅燈常亮。
4. 檢查遙控器、接收機、遙控模型是否正常工作，如有異常，請從以上步驟重新對頻。

PRE-CHECK 操作前檢查

Before operating, please follow the instructions to check the system:

1. Check to confirm all systems are performing as expected.
2. Check reception distance for safety; the model is on the ground while one pilot observes the model. The pilot, just while holding the transmitter, walks away, increasing the distance of the transmitter from the model. Check the RC model status and mark the distance from where the model starts to lose control.

開始操作前，請依照以下步驟檢查系統狀態：

1. 檢查整個系統，確保整個系統均正常按照方式正常運行。
2. 按照如下方法檢查安全距離——一名操作者手持遙控器，另一名持將遙控模型放在遠處，檢查遙控模型狀態，記錄遙控模型失去控制距離。

⚠️ CAUTION ⚠️

● When checking reception distance for safety, in order to avoid turning on the transmitter accidentally and causing RC model's blades rotated, suggested not equip blades on helicopter in advance; or directly remove the motor wiring temporarily reducing any unnecessary accident.

● Stop operating for any error condition.

● Make sure to operate the model within the safety receiving distance.

● Other signal interference may affect signal quality.

● 於檢查接收距離時安全起見，為了避免誤開遙控器造成遙控模型主旋翼轉動，建議勿先將主旋翼裝於模型上，或直接將模型上主旋翼電機線路暫時拆除可減少不必要危險發生。

● 有故障時，若無異常狀況出現，請不要操作遙控模型。

● 操作時，務必確保遙控模型在安全接收距離。

● 周圍干擾源可能導致信號品質下降。

USB SIMULATOR MODE USB模擬器練習

Simulator function can simulate aircraft flight conditions on computer until familiar with the operation and then fly the real model.

1. Download FMS Simulator.
2. Open the FMS Simulator and connect transmitter and computer by USB.

模擬器功能可在電腦上模擬遙控模型的飛行狀況，直到熟悉操作方式後再飛真模型的模型。

1. 請向下載FMS模擬器。
2. 在電腦上開啓FMS模擬器，並將遙控器透過FMS模擬器連接到電腦上。



Scan QR CODE and read the detail information for A10 Transmitter FMS Simulator Installation and Instruction.

FMS的FMS模擬程式安裝請到A10遙控器說明書下載
請掃描QR CODE查詢可協助的教學步驟，請到教學步驟完成設定後，再開始飛行。



FMS Simulator Cable is optional accessory and not included in A10 Transmitter package. Allow to purchase [HEP00002] FMS Simulator Cable and 4P Mini-DIN adopter (Female connector) for system connection.

A10遙控器內無附“FMS模擬器”，若您需要連接FMS飛行模擬器系統時，請自行另購適用於FMS模擬器，型號 [HEP00002] FMS模擬器，再配合自行另購的4P Mini-DIN母頭連接線，即可使用FMS飛行模擬模式模擬練習。

POWER OFF 關機

Follow the instruction to turn off the system :

1. Disconnect the receiver power.
2. Turn off the transmitter .

請依照以下步驟進行關機。

1. 關閉接收機電源。
2. 關閉遙控器電源。




Make sure to turn off the receiver power firstly, then turn off the transmitter to prevent any damage or serious injury.

關機時，請務必先關閉接收機電源，再關閉遙控器，否則可能造成遙控器損壞造成人員受傷。

After power on, A10 transmitter displays the Home Page with valuable information including: model name and number, timer, connection, battery power, etc.

點亮遙控器後，A10 遙控器顯示主畫面，包括：模型名稱及編號、計時器、連線、電池電力、等等。



For safety, all switches must be up (turned away), and the throttle is in the off position (lower throttle stick) before transmitter will turn on. If any switch or the throttle is in the incorrect position a warning sound is played and notice is displayed.

為確保安全，所有開關必須向上（轉開），且油門桿必須在下（油門桿向下）位置，遙控器才會啟動。如果任何開關或油門桿不在正確位置，警告聲會響起，並會顯示警告訊息。

!! WARNING !!


FOR YOUR SAFETY,
TURN UP ALL
SWITCHES AND
LOWER THE THROTTLE
TO CONTINUE

MENU PAGE

選單畫面介紹

The "Home Page" shows useful information about the model including, hold down roller to enter the "Menu"; model name and number, timer, connection TX/RX status, etc.

選單畫面顯示包含：模型名稱及編號、選單下層各功能進入選單、方格輸入選單、使用方向鍵進入選單設定頁功能。



SYSTEM

系統設定

ALIGN

Hold down roller to enter the "Menu", use the roller to scroll right or left to select menu function, press roller to enter menu function.

選單畫面選轉下層進入功能選單，選轉左右選單選擇功能功能，進入系統設定頁面。



確認 確定

After adjusting each parameter of radio, you have to press "Confirm" button to save the setting. Failure to press "Confirm" will result in the new setting not being saved.

選擇調整完每一功能參數時，必須按"Confirm" 儲存/確認鍵，若沒按才會儲存，否則設定值不會改變。

MODEL SELECT 模型選擇

Selected model: 20 different models with specific custom parameters can be saved in the transmitter allowing you to copy or instantly choose one of the other 20 models.

選擇模型用於記憶 20 種不同類型及參數的飛機模型，使用模型號碼，記憶不同模型。

