



Appendix B

RF Test Data for BT LE (Conducted Measurement)

Product Name: Stage luminaire

Test Model: Omnibar 2

Environmental Conditions

Temperature:	24.6°C
Relative Humidity:	53.9%
ATM Pressure:	100.0 kPa
Test Engineer:	Jerry Chu
Supervised by:	Can Kun







B.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.6553	0.5	Pass
NVNT	BLE 1M	2440	Ant1	0.65	0.5	Pass
NVNT	BLE 1M	2480	Ant1	0.6597	0.5	Pass
NVNT	BLE 2M	2402	Ant1	1.16	0.5	Pass
NVNT	BLE 2M	2440	Ant1	1.171	0.5	Pass
NVNT	BLE 2M	2480	Ant1	1.149	0.5	Pass





-6dB Bandwidth NVNT BLE 1M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




-6dB Bandwidth NVNT BLE 1M 2440MHz Ant1




-6dB Bandwidth NVNT BLE 1M 2480MHz Ant1





-6dB Bandwidth NVNT BLE 2M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



-6dB Bandwidth NVNT BLE 2M 2440MHz Ant1



-6dB Bandwidth NVNT BLE 2M 2480MHz Ant1







B.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Total Conducted Power (W)	Limit Conducted(dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	-0.94	0.00081	30	Pass
NVNT	BLE 1M	2440	Ant1	-1.47	0.00071	30	Pass
NVNT	BLE 1M	2480	Ant1	-2.55	0.00056	30	Pass
NVNT	BLE 2M	2402	Ant1	-0.25	0.00094	30	Pass
NVNT	BLE 2M	2440	Ant1	-1.67	0.00068	30	Pass
NVNT	BLE 2M	2480	Ant1	-2.75	0.00053	30	Pass






Peak Power NVNT BLE 1M 2402MHz Ant1





Peak Power NVNT BLE 1M 2440MHz Ant1



Peak Power NVNT BLE 1M 2480MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Peak Power NVNT BLE 2M 2402MHz Ant1



Peak Power NVNT BLE 2M 2440MHz Ant1



Peak Power NVNT BLE 2M 2480MHz Ant1




B.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	BLE 1M	2402	Ant1	-17.64	8	Pass
NVNT	BLE 1M	2440	Ant1	-17.92	8	Pass
NVNT	BLE 1M	2480	Ant1	-19.07	8	Pass
NVNT	BLE 2M	2402	Ant1	-19.84	8	Pass
NVNT	BLE 2M	2440	Ant1	-21.03	8	Pass
NVNT	BLE 2M	2480	Ant1	-22.26	8	Pass






LCSA-M05140EB



PSD NVNT BLE 1M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



LCSA-M05140EB

PSD NVNT BLE 1M 2440MHz Ant1



PSD NVNT BLE 1M 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



LCSA-M05140EB



PSD NVNT BLE 2M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



LCSA-M05140EB

PSD NVNT BLE 2M 2440MHz Ant1



PSD NVNT BLE 2M 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




B.4 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-54.85	-20	Pass
NVNT	BLE 1M	2480	Ant1	-54.66	-20	Pass
NVNT	BLE 2M	2402	Ant1	-45.64	-20	Pass
NVNT	BLE 2M	2480	Ant1	-55.01	-20	Pass






Band Edge NVNT BLE 1M 2402MHz Ant1 Ref





LCSA-M05140EB

Band Edge NVNT BLE 1M 2402MHz Ant1 Emission



Band Edge NVNT BLE 1M 2480MHz Ant1 Ref




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity




Band Edge NVNT BLE 1M 2480MHz Ant1 Emission




Band Edge NVNT BLE 2M 2402MHz Ant1 Ref



Band Edge NVNT BLE 2M 2402MHz Ant1 Emission



Band Edge NVNT BLE 2M 2480MHz Ant1 Ref



Band Edge NVNT BLE 2M 2480MHz Ant1 Emission






B.5 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-37.56	-20	Pass
NVNT	BLE 1M	2440	Ant1	-36.94	-20	Pass
NVNT	BLE 1M	2480	Ant1	-33.98	-20	Pass
NVNT	BLE 2M	2402	Ant1	-46.36	-20	Pass
NVNT	BLE 2M	2440	Ant1	-44.66	-20	Pass
NVNT	BLE 2M	2480	Ant1	-44.4	-20	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Ref






LCSA-M05140EB

Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Emission




Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Ref






Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Emission




Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Ref




Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Emission






Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Ref




Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Emission




Tx. Spurious NVNT BLE 2M 2440MHz Ant1 Ref






Tx. Spurious NVNT BLE 2M 2440MHz Ant1 Emission



Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Ref



Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Emission





LCSA-M05140EB

B.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant1	87.36	0.59	0.61
NVNT	BLE 1M	2440	Ant1	87.39	0.59	0.61
NVNT	BLE 1M	2480	Ant1	87.39	0.59	0.61
NVNT	BLE 2M	2402	Ant1	65.96	1.81	1.21
NVNT	BLE 2M	2440	Ant1	65.96	1.81	1.21
NVNT	BLE 2M	2480	Ant1	65.93	1.81	1.21




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



LCSA-M05140EB



Duty Cycle NVNT BLE 1M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



LCSA-M05140EB

Duty Cycle NVNT BLE 1M 2440MHz Ant1



Duty Cycle NVNT BLE 1M 2480MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Duty Cycle NVNT BLE 2M 2402MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

Duty Cycle NVNT BLE 2M 2440MHz Ant1



Duty Cycle NVNT BLE 2M 2480MHz Ant1




B.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	BLE 1M	2402	Ant1	2310	-52.17	2	45.09	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2310	-58.02	2	39.24	Average	54	Pass
NVNT	BLE 1M	2402	Ant1	2311.344	-46.5	2	50.76	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2315.664	-57.64	2	39.62	Average	54	Pass
NVNT	BLE 1M	2402	Ant1	2390	-48.86	2	48.4	Peak	74	Pass
NVNT	BLE 1M	2402	Ant1	2390	-58.09	2	39.17	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2483.5	-50.5	2	46.76	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2483.5	-56.46	2	40.8	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2484.928	-46.86	2	50.4	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2483.512	-56.46	2	40.8	Average	54	Pass
NVNT	BLE 1M	2480	Ant1	2500	-51.44	2	45.82	Peak	74	Pass
NVNT	BLE 1M	2480	Ant1	2500	-57.81	2	39.45	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2310	-53.29	2	43.97	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2310	-57.8	2	39.46	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2350.512	-47.89	2	49.37	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2337.552	-57.46	2	39.8	Average	54	Pass
NVNT	BLE 2M	2402	Ant1	2390	-50.83	2	46.43	Peak	74	Pass
NVNT	BLE 2M	2402	Ant1	2390	-57.94	2	39.32	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2483.5	-49.86	2	47.4	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2483.5	-54.35	2	42.91	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2485.408	-46.73	2	50.53	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2483.512	-54.35	2	42.91	Average	54	Pass
NVNT	BLE 2M	2480	Ant1	2500	-49.99	2	47.27	Peak	74	Pass
NVNT	BLE 2M	2480	Ant1	2500	-57.71	2	39.55	Average	54	Pass






LCSA-M05140EB



Restrict Band NVNT BLE 1M 2402MHz Ant1 Peak




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity

Restrict Band NVNT BLE 1M 2402MHz Ant1 Average




Restrict Band NVNT BLE 1M 2480MHz Ant1 Peak






LCSA-M05140EB



Restrict Band NVNT BLE 1M 2480MHz Ant1 Average




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity


Restrict Band NVNT BLE 2M 2402MHz Ant1 Peak



Restrict Band NVNT BLE 2M 2402MHz Ant1 Average



Restrict Band NVNT BLE 2M 2480MHz Ant1 Peak



Restrict Band NVNT BLE 2M 2480MHz Ant1 Average

