

Label info

Model: **4000A** Article: **100-4000A** ver. 1.12

FCC ID: **YAB-NGRPAOLF**

IC: **8908A-NGRPAOLF**

This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Label Location



Label as placed on host device

This device contains a secondary transmitter.
FCC ID: **YAB-NGRPAOLF** IC: **8908A-NGRPAOLF**

See attached document for specific host labels

NEW EQUIPMENT

INID MultiSmart reader WG/C&D/TTL+RS422/RS485 ver: 1.21
Model: **5005H** Art.: **500-5005H** SN: **1524-2346** Parm: **INI-DEMO**
FCC ID: **YAB-ISOACRDR** IC: **8908A-ISOACRDR**
This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
This device contains a secondary transmitter
FCC ID: **YAB-NGRPAOLFA** IC: **8908A-NGRPAOLFA**
Consult installation manual 100.00.IS.01 v3.02b for wiring details and specifications of this reader



INID MultiSmart reader WG/C&D/TTL ver: 1.21
Model: **5005B** Art.: **500-5005B** SN: **1524-2346** Parm: **INI-DEMO**
FCC ID: **YAB-ISOACRDR** IC: **8908A-ISOACRDR**
This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
This device contains a secondary transmitter
FCC ID: **YAB-NGRPAOLFA** IC: **8908A-NGRPAOLFA**
Consult installation manual 100.00.IS.02 v3.02b for wiring details and specifications of this reader



INID MultiSmart reader RS422/RS485 ver: 1.21
Model: **5015B** Art.: **500-5015B** SN: **1524-2346** Parm: **INI-DEMO**
FCC ID: **YAB-ISOACRDR** IC: **8908A-ISOACRDR**
This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
This device contains a secondary transmitter
FCC ID: **YAB-NGRPAOLFA** IC: **8908A-NGRPAOLFA**
Consult installation manual 100.00.IS.02 v3.02b for wiring details and specifications of this reader



INID MultiSmart reader RS232 ver: 1.21
Model: **5025H** Art.: **500-5025H** SN: **1524-2346** Parm: **INI-DEMO**
FCC ID: **YAB-ISOACRDR** IC: **8908A-ISOACRDR**
This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
This device contains a secondary transmitter
FCC ID: **YAB-NGRPAOLFA** IC: **8908A-NGRPAOLFA**
Consult installation manual 100.00.IS.01 v3.02b for wiring details and specifications of this reader




INID MultiSmart PIN reader WG/C&D/TTL+RS422/RS485 ver: 1.21
Model: **5045H** Art.: **500-5045H** SN: **1524-2346** Parm: **INI-DEMO** Key: **KEY-DEMO**
FCC ID: **YAB-ISOACRDR** IC: **8908A-ISOACRDR**
This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
This device contains a secondary transmitter
FCC ID: **YAB-NGRPAOLFA** IC: **8908A-NGRPAOLFA**
Consult installation manual 100.00.IS.01 v3.02b for wiring details and specifications of this reader



INID MultiSmart PIN reader WG/C&D/TTL ver: 1.21
Model: **5045B** Art.: **500-5045B** SN: **1524-2346** Parm: **INI-DEMO** Key: **KEY-DEMO**
FCC ID: **YAB-ISOACRDR** IC: **8908A-ISOACRDR**
This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
This device contains a secondary transmitter
FCC ID: **YAB-NGRPAOLFA** IC: **8908A-NGRPAOLFA**
Consult installation manual 100.00.IS.02 v3.02b for wiring details and specifications of this reader



INID MultiSmart PIN reader RS422/RS485 ver: 1.21
Model: **5055B** Art.: **500-5055B** SN: **1524-2346** Parm: **INI-DEMO** Key: **KEY-DEMO**
FCC ID: **YAB-ISOACRDR** IC: **8908A-ISOACRDR**
This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
This device contains a secondary transmitter
FCC ID: **YAB-NGRPAOLFA** IC: **8908A-NGRPAOLFA**
Consult installation manual 100.00.IS.02 v3.02b for wiring details and specifications of this reader



INID MultiSmart PIN reader RS232 ver: 1.21
Model: **5065H** Art.: **500-5065H** SN: **1524-2346** Parm: **INI-DEMO** Key: **KEY-DEMO**
FCC ID: **YAB-ISOACRDR** IC: **8908A-ISOACRDR**
This device complies with part 15 of the FCC Rules and the Industry Canada license-exempt RSS standard(s).
Operation is subject to the following two conditions:
(1) this device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.
This device contains a secondary transmitter
FCC ID: **YAB-NGRPAOLFA** IC: **8908A-NGRPAOLFA**
Consult installation manual 100.00.IS.01 v3.02b for wiring details and specifications of this reader



