n41_30kHz_SISO_NTNV_100MHz_CP-OFDM QPSK_2592.99MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM QPSK_2640MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 16 QAM_2546.01MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 16 QAM_2592.99MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 16 QAM_2640MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 64 QAM_2546.01MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 64 QAM_2592.99MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 64 QAM_2640MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 256 QAM_2546.01MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 256 QAM_2592.99MHz_Outer_Full



n41_30kHz_SISO_NTNV_100MHz_CP-OFDM 256 QAM_2640MHz_Outer_Full



4. Peak-Average Ratio

4.1 15k_SISO_5MHz_NTNV

4.1.1 Test Result

5G NR n66 SCS=15kHz SISO 5MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1712.5	Outer_Full	4.40	/	/	<=13	Pass
	1745	Outer_Full	4.39	/	/	<=13	Pass
	1777.5	Outer_Full	4.32	/	/	<=13	Pass
DFT-s-OFDM QPSK	1712.5	Outer_Full	5.49	/	/	<=13	Pass
	1745	Outer_Full	5.37	/	/	<=13	Pass
	1777.5	Outer_Full	5.36	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	1712.5	Outer_Full	6.45	/	/	<=13	Pass
	1745	Outer_Full	6.34	/	/	<=13	Pass
	1777.5	Outer_Full	6.30	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	1712.5	Outer_Full	6.64	/	/	<=13	Pass
	1745	Outer_Full	6.62	/	/	<=13	Pass
	1777.5	Outer_Full	6.57	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	1712.5	Outer_Full	6.49	/	/	<=13	Pass
	1745	Outer_Full	6.46	/	/	<=13	Pass
	1777.5	Outer_Full	6.39	/	/	<=13	Pass
CP-OFDM QPSK	1712.5	Outer_Full	7.51	/	/	<=13	Pass
	1745	Outer_Full	7.37	/	/	<=13	Pass
	1777.5	Outer_Full	7.37	/	/	<=13	Pass
CP-OFDM 16 QAM	1712.5	Outer_Full	7.70	/	/	<=13	Pass
	1745	Outer_Full	7.53	/	/	<=13	Pass
	1777.5	Outer_Full	7.54	/	/	<=13	Pass
CP-OFDM 64 QAM	1712.5	Outer_Full	7.68	/	/	<=13	Pass
	1745	Outer_Full	7.61	/	/	<=13	Pass
	1777.5	Outer_Full	7.59	/	/	<=13	Pass
CP-OFDM 256 QAM	1712.5	Outer_Full	8.53	/	/	<=13	Pass
	1745	Outer_Full	8.46	/	/	<=13	Pass
	1777.5	Outer_Full	8.33	/	/	<=13	Pass

4.1.2 Test Graph

n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1777.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1777.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_1777.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_1777.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_1777.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1777.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_1777.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_1777.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_1712.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_5MHz_CP-OFDM 256 QAM_1777.5MHz_Outer_Full



4.2 15k_SISO_10MHz_NTNV

4.2.1 Test Result

5G NR n66 SCS=15kHz SISO 10MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1715	Outer_Full	4.65	/	/	<=13	Pass
	1745	Outer_Full	4.63	/	/	<=13	Pass
	1775	Outer_Full	4.64	/	/	<=13	Pass
DFT-s-OFDM QPSK	1715	Outer_Full	4.71	/	/	<=13	Pass
	1745	Outer_Full	4.72	/	/	<=13	Pass
	1775	Outer_Full	4.72	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	1715	Outer_Full	6.15	/	/	<=13	Pass
	1745	Outer_Full	6.08	/	/	<=13	Pass
	1775	Outer_Full	6.08	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	1715	Outer_Full	6.44	/	/	<=13	Pass
	1745	Outer_Full	6.40	/	/	<=13	Pass
	1775	Outer_Full	6.41	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	1715	Outer_Full	6.49	/	/	<=13	Pass
	1745	Outer_Full	6.45	/	/	<=13	Pass
	1775	Outer_Full	6.43	/	/	<=13	Pass
CP-OFDM QPSK	1715	Outer_Full	7.84	/	/	<=13	Pass
	1745	Outer_Full	8.05	/	/	<=13	Pass
	1775	Outer_Full	8.05	/	/	<=13	Pass
CP-OFDM 16 QAM	1715	Outer_Full	7.94	/	/	<=13	Pass
	1745	Outer_Full	8.26	/	/	<=13	Pass
	1775	Outer_Full	8.25	/	/	<=13	Pass
CP-OFDM 64 QAM	1715	Outer_Full	7.87	/	/	<=13	Pass
	1745	Outer_Full	8.12	/	/	<=13	Pass
	1775	Outer_Full	8.07	/	/	<=13	Pass
CP-OFDM 256 QAM	1715	Outer_Full	8.55	/	/	<=13	Pass
	1745	Outer_Full	8.52	/	/	<=13	Pass
	1775	Outer_Full	8.46	/	/	<=13	Pass

4.2.2 Test Graph

n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_1775MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_1775MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_1775MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_1775MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_1775MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_1775MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_1775MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_1775MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_1715MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_1775MHz_Outer_Full



4.3 15k_SISO_15MHz_NTNV

4.3.1 Test Result

5G NR n66 SCS=15kHz SISO 15MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1717.5	Outer_Full	4.99	/	/	<=13	Pass
	1745	Outer_Full	5.03	/	/	<=13	Pass
	1772.5	Outer_Full	5.10	/	/	<=13	Pass
DFT-s-OFDM QPSK	1717.5	Outer_Full	5.68	/	/	<=13	Pass
	1745	Outer_Full	5.71	/	/	<=13	Pass
	1772.5	Outer_Full	5.68	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	1717.5	Outer_Full	6.77	/	/	<=13	Pass
	1745	Outer_Full	6.79	/	/	<=13	Pass
	1772.5	Outer_Full	6.78	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	1717.5	Outer_Full	6.81	/	/	<=13	Pass
	1745	Outer_Full	6.81	/	/	<=13	Pass
	1772.5	Outer_Full	6.81	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	1717.5	Outer_Full	6.93	/	/	<=13	Pass
	1745	Outer_Full	6.92	/	/	<=13	Pass
	1772.5	Outer_Full	6.90	/	/	<=13	Pass
CP-OFDM QPSK	1717.5	Outer_Full	7.97	/	/	<=13	Pass
	1745	Outer_Full	8.14	/	/	<=13	Pass
	1772.5	Outer_Full	7.94	/	/	<=13	Pass
CP-OFDM 16 QAM	1717.5	Outer_Full	8.29	/	/	<=13	Pass
	1745	Outer_Full	8.27	/	/	<=13	Pass
	1772.5	Outer_Full	8.24	/	/	<=13	Pass
CP-OFDM 64 QAM	1717.5	Outer_Full	8.21	/	/	<=13	Pass
	1745	Outer_Full	8.20	/	/	<=13	Pass
	1772.5	Outer_Full	8.19	/	/	<=13	Pass
CP-OFDM 256 QAM	1717.5	Outer_Full	8.35	/	/	<=13	Pass
	1745	Outer_Full	8.30	/	/	<=13	Pass
	1772.5	Outer_Full	8.25	/	/	<=13	Pass

4.3.2 Test Graph

n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1772.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_1772.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_1772.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_1772.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_1772.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1772.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_1772.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_1772.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_1717.5MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_1772.5MHz_Outer_Full



4.4 15k_SISO_20MHz_NTNV

4.4.1 Test Result

5G NR n66 SCS=15kHz SISO 20MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1720	Outer_Full	5.87	/	/	<=13	Pass
	1745	Outer_Full	5.86	/	/	<=13	Pass
	1770	Outer_Full	7.32	/	/	<=13	Pass
DFT-s-OFDM QPSK	1720	Outer_Full	6.35	/	/	<=13	Pass
	1745	Outer_Full	6.42	/	/	<=13	Pass
	1770	Outer_Full	6.41	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	1720	Outer_Full	7.06	/	/	<=13	Pass
	1745	Outer_Full	7.03	/	/	<=13	Pass
	1770	Outer_Full	6.92	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	1720	Outer_Full	7.41	/	/	<=13	Pass
	1745	Outer_Full	7.43	/	/	<=13	Pass
	1770	Outer_Full	7.39	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	1720	Outer_Full	7.31	/	/	<=13	Pass
	1745	Outer_Full	7.27	/	/	<=13	Pass
	1770	Outer_Full	7.25	/	/	<=13	Pass
CP-OFDM QPSK	1720	Outer_Full	8.12	/	/	<=13	Pass
	1745	Outer_Full	8.11	/	/	<=13	Pass
	1770	Outer_Full	8.07	/	/	<=13	Pass
CP-OFDM 16 QAM	1720	Outer_Full	8.29	/	/	<=13	Pass
	1745	Outer_Full	8.27	/	/	<=13	Pass
	1770	Outer_Full	8.22	/	/	<=13	Pass
CP-OFDM 64 QAM	1720	Outer_Full	8.57	/	/	<=13	Pass
	1745	Outer_Full	8.51	/	/	<=13	Pass
	1770	Outer_Full	8.49	/	/	<=13	Pass
CP-OFDM 256 QAM	1720	Outer_Full	8.22	/	/	<=13	Pass
	1745	Outer_Full	8.24	/	/	<=13	Pass
	1770	Outer_Full	8.23	/	/	<=13	Pass

4.4.2 Test Graph

n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1770MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1770MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_1770MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_1770MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_1770MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1770MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_1770MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_1770MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_1720MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_1745MHz_Outer_Full



n66_15kHz_SISO_NTNV_20MHz_CP-OFDM 256 QAM_1770MHz_Outer_Full



5. Peak-Average Ratio

5.1 15k_SISO_5MHz_NTNV

5.1.1 Test Result

5G NR n71 SCS=15kHz SISO 5MHz NTNV							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dBm)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	665.5	Outer_Full	4.26	/	/	<=13	Pass
	680.5	Outer_Full	4.23	/	/	<=13	Pass
	695.5	Outer_Full	4.37	/	/	<=13	Pass
DFT-s-OFDM QPSK	665.5	Outer_Full	5.46	/	/	<=13	Pass
	680.5	Outer_Full	5.57	/	/	<=13	Pass
	695.5	Outer_Full	5.61	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	665.5	Outer_Full	6.31	/	/	<=13	Pass
	680.5	Outer_Full	6.43	/	/	<=13	Pass
	695.5	Outer_Full	6.54	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	665.5	Outer_Full	6.56	/	/	<=13	Pass
	680.5	Outer_Full	6.59	/	/	<=13	Pass
	695.5	Outer_Full	6.60	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	665.5	Outer_Full	6.46	/	/	<=13	Pass
	680.5	Outer_Full	6.54	/	/	<=13	Pass
	695.5	Outer_Full	6.45	/	/	<=13	Pass
CP-OFDM QPSK	665.5	Outer_Full	7.60	/	/	<=13	Pass
	680.5	Outer_Full	7.80	/	/	<=13	Pass
	695.5	Outer_Full	7.03	/	/	<=13	Pass
CP-OFDM 16 QAM	665.5	Outer_Full	7.68	/	/	<=13	Pass
	680.5	Outer_Full	7.82	/	/	<=13	Pass
	695.5	Outer_Full	7.16	/	/	<=13	Pass
CP-OFDM 64 QAM	665.5	Outer_Full	7.39	/	/	<=13	Pass
	680.5	Outer_Full	7.48	/	/	<=13	Pass
	695.5	Outer_Full	7.66	/	/	<=13	Pass
CP-OFDM 256 QAM	665.5	Outer_Full	8.34	/	/	<=13	Pass
	680.5	Outer_Full	8.41	/	/	<=13	Pass
	695.5	Outer_Full	8.32	/	/	<=13	Pass

5.1.2 Test Graph

n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_665.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_680.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_695.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_665.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_680.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_695.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_665.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_680.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_695.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_665.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_680.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_695.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_665.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_680.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_695.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_665.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_680.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_695.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_665.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_680.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_695.5MHz_Outer_Full



n71_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_665.5MHz_Outer_Full