



Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	17949.000	35.86	17.62	53.48	80.00	-26.52	peak	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	25577.750	40.35	17.24	57.59	74.30	-16.71	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	39777.250	37.42	15.48	52.90	74.30	-21.40	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5276.600	83.52	14.66	98.18	68.30	29.88	peak	No Limit
2	X	5277.150	75.95	14.66	90.61	68.30	22.31	AVG	No Limit


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	17864.000	35.72	17.36	53.08	80.00	-26.92	peak	


Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	25535.250	39.25	17.29	56.54	74.30	-17.76	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5280MHz

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	39392.500	35.80	14.86	50.66	74.30	-23.64	peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5322.2000	74.37	14.79	89.16	999.00	-909.84	AVG	No Limit
2 *	5322.5000	81.04	14.79	95.83	68.30	27.53	Peak	No Limit
3	5350.0000	35.22	14.86	50.08	74.00	-23.92	Peak	
4	5350.0000	27.27	14.86	42.13	999.00	-956.87	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17949.0000	36.03	17.62	53.65	80.00	-26.35	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25590.5000	39.43	17.22	56.65	74.30	-17.65	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

Vertical




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	39811.0000	38.29	15.50	53.79	74.30	-20.51	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5317.3000	75.10	14.77	89.87	999.00	-909.13	AVG	No Limit
2 *	5317.9000	82.02	14.77	96.79	68.30	28.49	Peak	No Limit
3	5350.0000	34.20	14.86	49.06	74.00	-24.94	Peak	
4	5350.0000	27.50	14.86	42.36	999.00	-956.64	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	35.94	17.77	53.71	80.00	-26.29	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25582.0000	39.73	17.23	56.96	74.30	-17.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N20 Mode 5320 MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39750.2500	35.67	15.47	51.14	74.30	-23.16	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5264.2000	70.88	14.63	85.51	999.00	-913.49	AVG	No Limit
2 *	5264.9000	78.64	14.63	93.27	68.30	24.97	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17974.5000	35.40	17.69	53.09	80.00	-26.91	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25599.0000	39.96	17.21	57.17	74.30	-17.13	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39878.5000	36.53	15.54	52.07	74.30	-22.23	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5265.4000	71.63	14.63	86.26	999.00	-912.74	AVG	No Limit
2 *	5274.0000	78.69	14.66	93.35	68.30	25.05	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17940.5000	35.27	17.59	52.86	80.00	-27.14	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25526.7500	39.76	17.29	57.05	74.30	-17.25	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5270MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39986.5000	35.52	15.61	51.13	74.30	-23.17	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5304.9000	78.44	14.74	93.18	68.30	24.88	Peak	No Limit
2	5305.3000	70.66	14.74	85.40	999.00	-913.60	AVG	No Limit
3	5350.0000	37.68	14.86	52.54	74.00	-21.46	Peak	
4	5350.0000	29.67	14.86	44.53	999.00	-954.47	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17855.5000	36.34	17.33	53.67	80.00	-26.33	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25688.2500	39.42	17.11	56.53	74.30	-17.77	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39844.7500	37.49	15.52	53.01	74.30	-21.29	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5315.8000	70.92	14.77	85.69	999.00	-913.31	AVG	No Limit
2 *	5316.9000	78.87	14.77	93.64	68.30	25.34	Peak	No Limit
3	5350.0000	36.02	14.86	50.88	74.00	-23.12	Peak	
4	5350.0000	29.14	14.86	44.00	999.00	-955.00	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17949.0000	36.11	17.62	53.73	80.00	-26.27	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25577.7500	40.05	17.24	57.29	74.30	-17.01	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX N40 Mode 5310MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39898.7500	34.71	15.56	50.27	74.30	-24.03	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.57	15.16	49.73	74.00	-24.27	Peak	
2	5460.0000	27.64	15.16	42.80	54.00	-11.20	AVG	
3	5470.0000	35.68	15.19	50.87	68.30	-17.43	Peak	
4	5502.5500	76.00	15.28	91.28	999.00	-907.72	AVG	No Limit
5 *	5502.8500	83.00	15.28	98.28	68.30	29.98	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17677.0000	36.36	16.79	53.15	74.30	-21.15	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25348.2500	39.92	17.24	57.16	74.30	-17.14	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39952.7500	37.37	15.59	52.96	74.30	-21.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.57	15.16	49.73	74.00	-24.27	Peak	
2	5460.0000	27.74	15.16	42.90	54.00	-11.10	AVG	
3	5470.0000	34.89	15.19	50.08	68.30	-18.22	Peak	
4 *	5496.9000	82.87	15.26	98.13	68.30	29.83	Peak	No Limit
5	5502.7000	75.53	15.28	90.81	999.00	-908.19	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17957.5000	35.32	17.64	52.96	80.00	-27.04	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25467.2500	39.65	17.31	56.96	74.30	-17.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5500 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39892.0000	34.75	15.55	50.30	74.30	-24.00	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5582.6000	73.67	15.54	89.21	999.00	-909.79	AVG	No Limit
2 *	5583.3500	81.26	15.55	96.81	68.30	28.51	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17932.0000	35.53	17.56	53.09	80.00	-26.91	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25573.5000	40.43	17.24	57.67	74.30	-16.63	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39797.5000	37.24	15.49	52.73	74.30	-21.57	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5575.7500	81.00	15.52	96.52	68.30	28.22	Peak	No Limit
2	5582.5000	74.26	15.54	89.80	999.00	-909.20	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17915.0000	35.87	17.51	53.38	80.00	-26.62	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25475.7500	39.45	17.31	56.76	74.30	-17.54	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39696.2500	34.81	15.43	50.24	74.30	-24.06	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5702.7500	81.82	15.94	97.76	68.30	29.46	Peak	No Limit
2	5702.7500	75.16	15.94	91.10	999.00	-907.90	AVG	No Limit
3	5725.0000	35.30	16.02	51.32	68.30	-16.98	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17898.0000	35.65	17.46	53.11	80.00	-26.89	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25573.5000	39.61	17.24	56.85	74.30	-17.45	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39858.2500	37.09	15.53	52.62	74.30	-21.68	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5696.9000	80.94	15.92	96.86	68.30	28.56	Peak	No Limit
2	5697.4000	72.64	15.93	88.57	999.00	-910.43	AVG	No Limit
3	5725.0000	36.04	16.02	52.06	68.30	-16.24	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	35.78	17.77	53.55	80.00	-26.45	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25577.7500	39.44	17.24	56.68	74.30	-17.62	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX A Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39480.2500	35.02	15.23	50.25	74.30	-24.05	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	34.99	15.16	50.15	74.00	-23.85	Peak	
2	5460.0000	28.20	15.16	43.36	54.00	-10.64	AVG	
3	5470.0000	36.57	15.19	51.76	68.30	-16.54	Peak	
4 *	5499.1000	81.96	15.27	97.23	68.30	28.93	Peak	No Limit
5	5502.3500	75.33	15.28	90.61	999.00	-908.39	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17983.0000	34.97	17.72	52.69	80.00	-27.31	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25577.7500	39.80	17.24	57.04	74.30	-17.26	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39709.7500	37.87	15.44	53.31	74.30	-20.99	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.38	15.16	51.54	74.00	-22.46	Peak	
2	5460.0000	27.70	15.16	42.86	54.00	-11.14	AVG	
3	5470.0000	37.36	15.19	52.55	68.30	-15.75	Peak	
4	5502.4500	75.72	15.28	91.00	999.00	-908.00	AVG	No Limit
5 *	5503.2500	83.96	15.28	99.24	68.30	30.94	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17940.5000	36.25	17.59	53.84	80.00	-26.16	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25654.2500	39.33	17.15	56.48	74.30	-17.82	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5500 MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39703.0000	35.44	15.44	50.88	74.30	-23.42	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5576.9500	80.93	15.53	96.46	68.30	28.16	Peak	No Limit
2	5582.5000	72.87	15.54	88.41	999.00	-910.59	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17974.5000	36.57	17.69	54.26	80.00	-25.74	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25730.7500	39.53	17.06	56.59	74.30	-17.71	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39898.7500	37.13	15.56	52.69	74.30	-21.61	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5578.0500	82.01	15.53	97.54	68.30	29.24	Peak	No Limit
2	5583.0000	74.60	15.55	90.15	999.00	-908.85	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17906.5000	35.48	17.49	52.97	80.00	-27.03	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25361.0000	38.92	17.24	56.16	74.30	-18.14	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5580 MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39858.2500	35.00	15.53	50.53	74.30	-23.77	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5702.7000	81.04	15.94	96.98	68.30	28.68	Peak	No Limit
2	5702.8000	74.37	15.94	90.31	999.00	-908.69	AVG	No Limit
3	5725.0000	35.95	16.02	51.97	68.30	-16.33	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17889.5000	35.22	17.44	52.66	80.00	-27.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25467.2500	40.73	17.31	58.04	74.30	-16.26	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39601.7500	37.66	15.37	53.03	74.30	-21.27	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5697.4500	71.94	15.93	87.87	999.00	-911.13	AVG	No Limit
2 *	5701.7000	79.48	15.94	95.42	68.30	27.12	Peak	No Limit
3	5725.0000	34.86	16.02	50.88	68.30	-17.42	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17906.5000	36.17	17.49	53.66	80.00	-26.34	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25560.7500	39.92	17.26	57.18	74.30	-17.12	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N20 Mode 5700 MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	dBuV/m	Factor	ment	dBuV/m	dB	Detector	Comment
1 *	39736.7500	34.70	15.46	50.16	74.30	-24.14	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	36.57	15.16	51.73	74.00	-22.27	Peak	
2	5460.0000	29.08	15.16	44.24	54.00	-9.76	AVG	
3	5470.0000	39.86	15.19	55.05	68.30	-13.25	Peak	
4	5504.3000	71.20	15.28	86.48	999.00	-912.52	AVG	No Limit
5 *	5516.4000	79.02	15.32	94.34	68.30	26.04	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17966.0000	35.74	17.67	53.41	80.00	-26.59	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	26402.2500	40.25	17.77	58.02	74.30	-16.28	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39784.0000	36.21	15.49	51.70	74.30	-22.60	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5460.0000	38.70	15.16	53.86	74.00	-20.14	Peak	
2	5460.0000	29.22	15.16	44.38	54.00	-9.62	AVG	
3	5470.0000	40.59	15.19	55.78	68.30	-12.52	Peak	
4	5504.3000	71.74	15.28	87.02	999.00	-911.98	AVG	No Limit
5 *	5517.4000	79.39	15.33	94.72	68.30	26.42	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17983.0000	35.61	17.72	53.33	80.00	-26.67	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26500.0000	38.98	18.02	57.00	74.30	-17.30	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5510MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39473.5000	35.95	15.20	51.15	74.30	-23.15	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5544.7000	76.72	15.42	92.14	68.30	23.84	Peak	No Limit
2	5544.7000	69.75	15.42	85.17	999.00	-913.83	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17881.0000	35.19	17.41	52.60	80.00	-27.40	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	25560.7500	39.61	17.26	56.87	74.30	-17.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Vertical


130 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	40000.0000	36.12	15.62	51.74	74.30	-22.56	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5554.8000	79.33	15.45	94.78	68.30	26.48	Peak	No Limit
2	5555.4000	71.49	15.45	86.94	999.00	-912.06	AVG	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17974.5000	36.59	17.69	54.28	80.00	-25.72	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25552.2500	39.32	17.27	56.59	74.30	-17.71	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5550MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39804.2500	34.45	15.50	49.95	74.30	-24.35	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5657.9000	78.26	15.79	94.05	68.30	25.75	Peak	No Limit
2	5664.7000	70.21	15.82	86.03	999.00	-912.97	AVG	No Limit
3	5725.0000	36.58	16.02	52.60	68.30	-15.70	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17855.5000	35.81	17.33	53.14	80.00	-26.86	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25560.7500	39.61	17.26	56.87	74.30	-17.43	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39716.5000	36.89	15.44	52.33	74.30	-21.97	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5655.1000	68.88	15.78	84.66	999.00	-914.34	AVG	No Limit
2 *	5663.8000	76.59	15.81	92.40	68.30	24.10	Peak	No Limit
3	5725.0000	35.12	16.02	51.14	68.30	-17.16	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17974.5000	35.65	17.69	53.34	80.00	-26.66	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25552.2500	39.32	17.27	56.59	74.30	-17.71	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX N40 Mode 5670MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	40000.0000	34.43	15.62	50.05	74.30	-24.25	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	35.65	15.98	51.63	109.40	-57.77	Peak	
2	5725.0000	42.79	16.02	58.81	122.20	-63.39	Peak	
3 *	5746.5500	82.85	16.09	98.94	122.20	-23.26	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17940.5000	35.81	17.59	53.40	80.00	-26.60	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25650.0000	40.57	17.16	57.73	74.30	-16.57	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39865.0000	37.60	15.54	53.14	74.30	-21.16	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	36.62	15.98	52.60	109.40	-56.80	Peak	
2	5725.0000	42.66	16.02	58.68	122.20	-63.52	Peak	
3 *	5741.9000	82.03	16.07	98.10	122.20	-24.10	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17932.0000	35.80	17.56	53.36	80.00	-26.64	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26117.5000	39.63	17.06	56.69	74.30	-17.61	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5745 MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39871.7500	34.60	15.54	50.14	74.30	-24.16	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5781.9000	81.87	16.21	98.08	122.20	-24.12	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17932.0000	35.40	17.56	52.96	80.00	-27.04	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25501.2500	39.09	17.32	56.41	74.30	-17.89	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39534.2500	37.36	15.33	52.69	74.30	-21.61	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5781.8500	82.32	16.21	98.53	122.20	-23.67	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17949.0000	35.86	17.62	53.48	80.00	-26.52	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25675.5000	40.13	17.13	57.26	74.30	-17.04	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5785 MHz

Horizontal


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39696.2500	35.22	15.43	50.65	74.30	-23.65	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5821.3000	84.09	16.34	100.43	122.20	-21.77	Peak	No Limit
2	5850.0000	37.96	16.43	54.39	122.20	-67.81	Peak	
3	5860.0000	35.34	16.47	51.81	109.40	-57.59	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	36.06	17.77	53.83	80.00	-26.17	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25505.5000	38.99	17.32	56.31	74.30	-17.99	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

Vertical


130 dBuV/m



No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	39649.0000	38.24	15.40	53.64	74.30	-20.66	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.6000	82.10	16.36	98.46	122.20	-23.74	Peak	No Limit
2	5850.0000	36.30	16.43	52.73	122.20	-69.47	Peak	
3	5860.0000	35.96	16.47	52.43	109.40	-56.97	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17787.5000	35.41	17.13	52.54	80.00	-27.46	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25471.5000	39.43	17.31	56.74	74.30	-17.56	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX A Mode 5825 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39811.0000	35.80	15.50	51.30	74.30	-23.00	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	36.59	15.98	52.57	109.40	-56.83	Peak	
2	5725.0000	44.87	16.02	60.89	122.20	-61.31	Peak	
3 *	5744.0000	82.56	16.08	98.64	122.20	-23.56	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17864.0000	36.05	17.36	53.41	80.00	-26.59	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25569.2500	40.46	17.25	57.71	74.30	-16.59	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Vertical


130 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39601.7500	37.66	15.37	53.03	74.30	-21.27	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	35.13	15.98	51.11	109.40	-58.29	Peak	
2	5725.0000	42.72	16.02	58.74	122.20	-63.46	Peak	
3 *	5747.9500	80.64	16.09	96.73	122.20	-25.47	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17957.5000	36.41	17.64	54.05	80.00	-25.95	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25535.2500	39.29	17.28	56.57	74.30	-17.73	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5745 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39696.2500	34.29	15.43	49.72	74.30	-24.58	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5785.3000	82.64	16.22	98.86	122.20	-23.34	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17906.5000	35.30	17.49	52.79	80.00	-27.21	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25565.0000	40.38	17.25	57.63	74.30	-16.67	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39831.2500	37.34	15.52	52.86	74.30	-21.44	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5782.0500	82.03	16.21	98.24	122.20	-23.96	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17847.0000	36.55	17.31	53.86	80.00	-26.14	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25586.2500	39.33	17.23	56.56	74.30	-17.74	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5785 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39696.2500	35.06	15.43	50.49	74.30	-23.81	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.8500	84.79	16.36	101.15	122.20	-21.05	Peak	No Limit
2	5850.0000	37.74	16.43	54.17	122.20	-68.03	Peak	
3	5860.0000	36.66	16.47	53.13	109.40	-56.27	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17889.5000	35.92	17.44	53.36	80.00	-26.64	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25620.2500	40.22	17.19	57.41	74.30	-16.89	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39939.2500	37.06	15.58	52.64	74.30	-21.66	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5827.4500	80.49	16.36	96.85	122.20	-25.35	Peak	No Limit
2	5850.0000	35.37	16.43	51.80	122.20	-70.40	Peak	
3	5860.0000	34.96	16.47	51.43	109.40	-57.97	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17881.0000	37.98	17.41	55.39	80.00	-24.61	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25573.5000	40.32	17.24	57.56	74.30	-16.74	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N20 Mode 5825 MHz

Horizontal


130 dBuV/m



No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39770.5000	35.03	15.48	50.51	74.30	-23.79	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.03	15.98	59.01	109.40	-50.39	Peak	
2	5725.0000	43.28	16.02	59.30	122.20	-62.90	Peak	
3 *	5750.4000	79.13	16.10	95.23	122.20	-26.97	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17966.0000	35.40	17.67	53.07	80.00	-26.93	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	26453.2500	38.88	17.90	56.78	74.30	-17.52	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39649.0000	37.04	15.40	52.44	74.30	-21.86	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	40.59	15.98	56.57	109.40	-52.83	Peak	
2	5725.0000	43.17	16.02	59.19	122.20	-63.01	Peak	
3 *	5749.4000	77.47	16.10	93.57	122.20	-28.63	Peak	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17855.5000	37.32	17.33	54.65	80.00	-25.35	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25667.0000	40.14	17.14	57.28	74.30	-17.02	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5755MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39912.2500	34.71	15.57	50.28	74.30	-24.02	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5798.0000	80.08	16.26	96.34	122.20	-25.86	Peak	No Limit
2	5850.0000	37.85	16.43	54.28	122.20	-67.92	Peak	
3	5860.0000	35.50	16.47	51.97	109.40	-57.43	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17855.5000	37.06	17.33	54.39	80.00	-25.61	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25348.2500	39.63	17.24	56.87	74.30	-17.43	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Vertical


130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39858.2500	35.94	15.53	51.47	74.30	-22.83	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5788.7000	77.66	16.23	93.89	122.20	-28.31	Peak	No Limit
2	5850.0000	35.73	16.43	52.16	122.20	-70.04	Peak	
3	5860.0000	36.35	16.47	52.82	109.40	-56.58	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17881.0000	35.71	17.41	53.12	80.00	-26.88	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25590.5000	39.70	17.22	56.92	74.30	-17.38	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX N40 Mode 5795MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39392.5000	35.67	14.86	50.53	74.30	-23.77	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5138.4000	35.42	14.29	49.71	74.00	-24.29	Peak	
2	5138.4000	31.43	14.29	45.72	54.00	-8.28	AVG	
3	5150.0000	38.10	14.32	52.42	74.00	-21.58	Peak	
4	5150.0000	30.86	14.32	45.18	54.00	-8.82	AVG	
5 *	5230.0000	74.60	14.54	89.14	68.30	20.84	Peak	No Limit
6	5245.0000	67.12	14.58	81.70	999.00	-917.30	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17906.5000	35.41	17.49	52.90	80.00	-27.10	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25539.5000	39.18	17.28	56.46	74.30	-17.84	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39831.2500	36.10	15.52	51.62	74.30	-22.68	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5140.0000	42.01	14.29	56.30	74.00	-17.70	Peak	
2	5140.0000	33.10	14.29	47.39	54.00	-6.61	AVG	
3	5150.0000	42.10	14.32	56.42	74.00	-17.58	Peak	
4	5150.0000	32.36	14.32	46.68	54.00	-7.32	AVG	
5 *	5222.2000	75.48	14.51	89.99	68.30	21.69	Peak	No Limit
6	5243.4000	68.67	14.57	83.24	999.00	-915.76	AVG	No Limit

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17940.5000	35.63	17.59	53.22	80.00	-26.78	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25539.5000	39.54	17.28	56.82	74.30	-17.48	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-1/ TX AC80 Mode 5210MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39770.5000	34.93	15.48	50.41	74.30	-23.89	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5306.0000	75.23	14.74	89.97	68.30	21.67	Peak	No Limit
2	5323.6000	68.12	14.79	82.91	999.00	-916.09	AVG	No Limit
3	5350.0000	36.37	14.86	51.23	74.00	-22.77	Peak	
4	5350.0000	28.85	14.86	43.71	999.00	-955.29	AVG	
5	5363.8000	38.51	14.90	53.41	74.00	-20.59	Peak	
6	5363.8000	30.23	14.90	45.13	54.00	-8.87	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17872.5000	36.09	17.38	53.47	80.00	-26.53	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25607.5000	40.08	17.20	57.28	74.30	-17.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39406.0000	35.02	14.91	49.93	74.30	-24.37	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5297.6000	75.84	14.72	90.56	68.30	22.26	Peak	No Limit
2	5323.6000	68.42	14.79	83.21	999.00	-915.79	AVG	No Limit
3	5350.0000	35.66	14.86	50.52	74.00	-23.48	Peak	
4	5350.0000	29.45	14.86	44.31	999.00	-954.69	AVG	
5	5364.8000	38.10	14.90	53.00	74.00	-21.00	Peak	
6	5364.8000	31.00	14.90	45.90	54.00	-8.10	AVG	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17838.5000	36.20	17.28	53.48	80.00	-26.52	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25616.0000	40.03	17.19	57.22	74.30	-17.08	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2A/ TX AC80 Mode 5290MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39419.5000	35.60	14.97	50.57	74.30	-23.73	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5457.6000	44.84	15.15	59.99	74.00	-14.01	Peak	
2	5457.6000	34.35	15.15	49.50	54.00	-4.50	AVG	
3	5460.0000	41.43	15.16	56.59	74.00	-17.41	Peak	
4	5460.0000	33.72	15.16	48.88	54.00	-5.12	AVG	
5	5470.0000	40.04	15.19	55.23	68.30	-13.07	Peak	
6	5493.4000	66.72	15.25	81.97	999.00	-917.03	AVG	No Limit
7 *	5554.0000	73.92	15.45	89.37	68.30	21.07	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17983.0000	35.84	17.72	53.56	80.00	-26.44	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25543.7500	40.00	17.28	57.28	74.30	-17.02	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39871.7500	35.56	15.54	51.10	74.30	-23.20	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5459.8000	35.35	15.16	50.51	54.00	-3.49	AVG	
2	5460.0000	43.63	15.16	58.79	74.00	-15.21	Peak	
3	5470.0000	43.60	15.19	58.79	68.30	-9.51	Peak	
4	5494.0000	68.19	15.25	83.44	999.00	-915.56	AVG	No Limit
5 *	5498.4000	76.36	15.27	91.63	68.30	23.33	Peak	No Limit

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	17940.5000	35.25	17.59	52.84	80.00	-27.16	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	25582.0000	39.39	17.23	56.62	74.30	-17.68	Peak	

Orthogonal Axis :	X
Test Mode :	UNII-2C/ TX AC80 Mode 5530MHz

Horizontal

130 dBuV/m




No.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
	MHz	dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39763.7500	34.53	15.47	50.00	74.30	-24.30	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	43.55	15.98	59.53	109.40	-49.87	Peak	
2	5725.0000	42.22	16.02	58.24	122.20	-63.96	Peak	
3 *	5812.0000	74.56	16.31	90.87	122.20	-31.33	Peak	No Limit
4	5850.0000	41.81	16.43	58.24	122.20	-63.96	Peak	
5	5860.0000	38.24	16.47	54.71	109.40	-54.69	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

130 dBuV/m




No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	17889.5000	36.07	17.44	53.51	80.00	-26.49	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	26393.7500	39.51	17.75	57.26	74.30	-17.04	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Vertical


130 dBuV/m



No.	Freq.	Reading	Correct	Measure	Limit	Margin		
	MHz	Level	Factor	ment			Detector	Comment
		dBuV/m	dB	dBuV/m	dBuV/m	dB		
1 *	39817.7500	34.47	15.51	49.98	74.30	-24.32	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.0000	45.41	15.98	61.39	109.40	-48.01	Peak	
2	5725.0000	44.21	16.02	60.23	122.20	-61.97	Peak	
3 *	5739.8000	74.81	16.07	90.88	122.20	-31.32	Peak	No Limit
4	5850.0000	45.12	16.43	61.55	122.20	-60.65	Peak	
5	5860.0000	40.66	16.47	57.13	109.40	-52.27	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	18000.0000	35.22	17.77	52.99	80.00	-27.01	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal

130 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	25607.5000	39.76	17.20	56.96	74.30	-17.34	Peak	

Orthogonal Axis:	X
Test Mode:	UNII-3/TX AC80 Mode 5775MHz

Horizontal

130 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	39655.7500	35.31	15.41	50.72	74.30	-23.58	Peak	

APPENDIX D - BANDWIDTH

Test Mode: N/A

Note: According to customers's requirement, this test item wasn't performed.

APPENDIX E - MAXIMUM AVG OUTPUT POWER

Test Mode: UNII-1/TX A Mode				
Average Output Power (dBm)				
Frequency (MHz)		5180	5200	5240
Channel		CH36	CH40	CH48
Bit Rate of Transmitter	6 Mbps	6.35	6.65	5.92
	9 Mbps	6.26	6.59	5.90
	12 Mbps	6.23	6.62	5.93
	18 Mbps	6.26	6.66	6.02
	24 Mbps	6.34	6.69	6.03
	36 Mbps	6.30	6.50	6.00
	48 Mbps	6.31	6.63	6.06
	54 Mbps	6.33	6.52	5.97
Max AVG Power		6.69		
Limits		24		
Result		Pass		

Test Mode: UNII-1/TX N20 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5180	5200	5240
Channel		CH36	CH40	CH48
Bit Rate of Transmitter	MCS0	6.46	6.63	6.05
	MCS1	6.41	6.59	6.16
	MCS2	6.24	6.54	5.90
	MCS3	6.24	6.42	6.04
	MCS4	6.26	6.40	6.00
	MCS5	6.06	6.31	5.73
	MCS6	6.01	6.35	5.68
	MCS7	6.09	6.38	5.80
Max AVG Power		6.63		
Limits		24		
Result		Pass		

Test Mode: UNII-1/TX N40 Mode			
Average Output Power (dBm)			
Frequency (MHz)		5190	5230
Channel		CH38	CH46
Bit Rate of Transmitter	MCS0	6.33	6.01
	MCS1	6.37	6.01
	MCS2	6.39	6.04
	MCS3	6.41	6.02
	MCS4	6.42	6.08
	MCS5	6.37	6.04
	MCS6	6.34	6.12
	MCS7	6.36	6.00
Max AVG Power		6.42	
Limits		24	
Result		Pass	

Test Mode: UNII-2A /TX A Mode				
Average Output Power (dBm)				
Frequency (MHz)		5260	5280	5320
Channel		CH52	CH56	CH64
Bit Rate of Transmitter	6 Mbps	6.13	6.11	6.45
	9 Mbps	6.30	6.04	6.64
	12 Mbps	6.11	6.10	6.48
	18 Mbps	6.07	6.12	6.51
	24 Mbps	6.10	6.02	6.61
	36 Mbps	6.06	5.79	6.60
	48 Mbps	6.11	5.82	6.58
	54 Mbps	6.12	5.81	6.60
Max AVG Power		6.64		
Limits		24		
Result		Pass		

Test Mode: UNII-2A /TX N20 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5260	5280	5320
Channel		CH52	CH56	CH64
Bit Rate of Transmitter	MCS0	6.19	6.22	6.61
	MCS1	6.33	5.99	6.37
	MCS2	6.35	6.05	6.49
	MCS3	6.13	6.07	6.48
	MCS4	6.11	6.10	6.39
	MCS5	6.09	6.03	6.44
	MCS6	6.06	6.06	6.46
	MCS7	6.05	6.04	6.49
Max AVG Power		6.61		
Limits		24		
Result		Pass		

Test Mode: UNII-2A /TX N40 Mode			
Average Output Power (dBm)			
Frequency (MHz)		5270	5310
Channel		CH54	CH62
Bit Rate of Transmitter	MCS0	6.00	6.11
	MCS1	5.87	6.19
	MCS2	5.88	6.22
	MCS3	5.85	6.22
	MCS4	5.82	6.13
	MCS5	5.78	3.27
	MCS6	5.84	6.24
	MCS7	5.81	6.21
Max AVG Power		6.24	
Limits		24	
Result		Pass	

Test Mode: UNII-2C /TX A Mode				
Average Output Power (dBm)				
Frequency (MHz)		5500	5580	5700
Channel		CH100	CH116	CH140
Bit Rate of Transmitter	6 Mbps	6.02	5.61	6.13
	9 Mbps	5.99	5.97	6.03
	12 Mbps	6.03	5.58	5.74
	18 Mbps	6.04	5.62	5.78
	24 Mbps	6.10	5.58	5.81
	36 Mbps	6.08	5.64	5.81
	48 Mbps	6.08	5.61	5.91
	54 Mbps	6.05	5.66	5.84
Max AVG Power		6.13		
Limits		24		
Result		Pass		

Test Mode: UNII-2C /TX N20 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5500	5580	5700
Channel		CH100	CH116	CH140
Bit Rate of Transmitter	MCS0	6.19	5.71	5.84
	MCS1	5.68	5.83	6.04
	MCS2	5.80	5.79	6.18
	MCS3	5.82	5.54	6.15
	MCS4	5.84	5.50	5.97
	MCS5	5.83	5.49	4.64
	MCS6	5.85	5.50	5.77
	MCS7	5.82	5.49	5.73
Max AVG Power		6.19		
Limits		24		
Result		Pass		

Test Mode: UNII-2C /TX N40 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5510	5550	5670
Channel		CH102	CH110	CH134
Bit Rate of Transmitter	MCS0	5.52	6.16	5.97
	MCS1	5.13	5.71	6.26
	MCS2	5.08	5.90	6.19
	MCS3	5.47	5.75	5.84
	MCS4	5.07	6.18	6.18
	MCS5	5.06	5.73	6.22
	MCS6	5.08	6.09	6.19
	MCS7	5.06	5.82	6.19
Max AVG Power		6.26		
Limits		24		
Result		Pass		

Test Mode: UNII-3 /TX A Mode				
Average Output Power (dBm)				
Frequency (MHz)		5745	5785	5825
Channel		CH149	CH157	CH165
Bit Rate of Transmitter	6 Mbps	6.85	6.27	5.25
	9 Mbps	6.75	5.82	7.07
	12 Mbps	6.83	5.82	6.95
	18 Mbps	6.82	5.87	6.91
	24 Mbps	6.92	5.97	6.94
	36 Mbps	6.90	5.89	6.97
	48 Mbps	6.90	5.96	6.95
	54 Mbps	6.76	5.95	6.96
Max AVG Power		7.07		
Limits		30		
Result		Pass		

Test Mode: UNII-3 /TX N20 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5745	5785	5825
Channel		CH149	CH157	CH165
Bit Rate of Transmitter	MCS0	6.66	6.07	7.02
	MCS1	6.72	6.08	7.20
	MCS2	6.69	5.74	7.24
	MCS3	6.65	6.16	7.21
	MCS4	6.69	6.16	7.11
	MCS5	6.68	5.69	6.73
	MCS6	6.73	5.73	6.84
	MCS7	6.72	5.78	6.84
Max AVG Power		7.24		
Limits		30		
Result		Pass		

Test Mode: UNII-3 /TX N40 Mode			
Average Output Power (dBm)			
Frequency (MHz)		5755	5795
Channel		CH151	CH159
Bit Rate of Transmitter	MCS0	6.46	6.50
	MCS1	6.51	6.05
	MCS2	6.56	6.08
	MCS3	6.56	6.06
	MCS4	6.55	6.15
	MCS5	6.19	6.12
	MCS6	6.55	6.12
	MCS7	6.52	6.10
Max AVG Power		6.56	
Limits		30	
Result		Pass	

Test Mode: UNII-1/TX AC20 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5180	5200	5240
Channel		CH36	CH40	CH48
Bit Rate of Transmitter	MCS0	0.64	2.18	1.54
	MCS1	1.86	2.26	1.64
	MCS2	1.92	2.37	1.65
	MCS3	1.95	2.31	1.67
	MCS4	2.02	2.35	1.65
	MCS5	1.92	2.40	1.71
	MCS6	1.97	2.39	1.70
	MCS7	2.00	2.27	1.70
	MCS8	1.94	2.18	1.75
	MCS9	1.92	2.36	1.65
Max AVG Power		2.40		
Limits		24		
Result		Pass		

Test Mode: UNII-1/TX AC40 Mode			
Average Output Power (dBm)			
Frequency (MHz)		5190	5230
Channel		CH38	CH46
Bit Rate of Transmitter	MCS0	2.27	2.00
	MCS1	2.05	1.98
	MCS2	1.81	1.58
	MCS3	1.88	1.58
	MCS4	2.06	1.78
	MCS5	1.90	1.51
	MCS6	1.96	1.77
	MCS7	1.83	1.56
	MCS8	1.82	1.63
	MCS9	1.86	1.53
Max AVG Power		2.27	
Limits		24	
Result		Pass	

Test Mode: UNII-1/TX AC80 Mode		
Average Output Power (dBm)		
Frequency (MHz)		5210
Channel		CH42
Bit Rate of Transmitter	MCS0	1.96
	MCS1	1.92
	MCS2	1.92
	MCS3	1.75
	MCS4	1.82
	MCS5	1.96
	MCS6	1.82
	MCS7	1.67
	MCS8	1.95
	MCS9	1.69
Max AVG Power		1.96
Limits		24
Result		Pass

Test Mode: UNII-2A /TX AC20 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5260	5280	5320
Channel		CH52	CH56	CH64
Bit Rate of Transmitter	MCS0	2.14	1.79	2.41
	MCS1	1.75	1.81	2.31
	MCS2	1.82	1.94	2.35
	MCS3	1.78	1.52	2.34
	MCS4	1.82	1.82	2.28
	MCS5	1.84	1.59	2.35
	MCS6	1.79	1.62	2.33
	MCS7	1.76	1.54	2.35
	MCS8	1.82	1.53	2.31
	MCS9	1.71	1.50	2.31
Max AVG Power		2.41		
Limits		24		
Result		Pass		

Test Mode: UNII-2A /TX AC40 Mode			
Average Output Power (dBm)			
Frequency (MHz)		5270	5310
Channel		CH54	CH62
Bit Rate of Transmitter	MCS0	1.78	2.10
	MCS1	1.80	2.01
	MCS2	1.76	1.64
	MCS3	1.82	1.72
	MCS4	1.77	2.05
	MCS5	1.79	2.01
	MCS6	1.81	2.05
	MCS7	1.74	1.88
	MCS8	1.75	1.59
	MCS9	1.72	1.54
Max AVG Power		2.10	
Limits		24	
Result		Pass	

Test Mode: UNII-2A /TX AC80 Mode		
Average Output Power (dBm)		
Frequency (MHz)		5290
Channel		CH58
Bit Rate of Transmitter	MCS0	1.69
	MCS1	1.68
	MCS2	1.67
	MCS3	1.87
	MCS4	1.65
	MCS5	1.51
	MCS6	1.62
	MCS7	1.82
	MCS8	1.61
	MCS9	1.68
Max AVG Power		1.87
Limits		24
Result		Pass

Test Mode: UNII-2C /TX AC20 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5500	5580	5700
Channel		CH100	CH116	CH140
Bit Rate of Transmitter	MCS0	1.67	1.80	1.88
	MCS1	1.69	1.64	2.02
	MCS2	1.73	1.93	2.08
	MCS3	1.74	1.59	2.08
	MCS4	1.72	1.67	1.65
	MCS5	1.80	1.93	1.63
	MCS6	1.74	1.55	1.75
	MCS7	1.77	1.52	1.64
	MCS8	1.74	1.47	2.03
	MCS9	1.75	1.52	2.04
Max AVG Power		2.08		
Limits		24		
Result		Pass		

Test Mode: UNII-2C /TX AC40 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5510	5550	5670
Channel		CH102	CH110	CH134
Bit Rate of Transmitter	MCS0	1.04	1.72	2.25
	MCS1	1.10	1.76	2.30
	MCS2	1.07	1.69	2.25
	MCS3	1.11	1.78	1.85
	MCS4	0.98	1.76	1.82
	MCS5	1.05	1.72	1.88
	MCS6	1.10	1.75	1.86
	MCS7	1.01	1.73	1.78
	MCS8	1.03	1.66	1.83
	MCS9	0.99	1.61	1.79
Max AVG Power		2.30		
Limits		24		
Result		Pass		

Test Mode: UNII-2C /TX AC80 Mode		
Average Output Power (dBm)		
Frequency (MHz)		5530
Channel		CH106
Bit Rate of Transmitter	MCS0	1.64
	MCS1	1.72
	MCS2	1.73
	MCS3	1.69
	MCS4	1.65
	MCS5	1.66
	MCS6	1.67
	MCS7	1.58
	MCS8	1.65
	MCS9	1.62
Max AVG Power		1.73
Limits		24
Result		Pass

Test Mode: UNII-3 /TX AC20 Mode				
Average Output Power (dBm)				
Frequency (MHz)		5745	5785	5825
Channel		CH149	CH157	CH165
Bit Rate of Transmitter	MCS0	2.60	1.95	3.05
	MCS1	2.71	1.90	3.12
	MCS2	2.72	2.11	2.79
	MCS3	2.79	1.73	3.14
	MCS4	2.79	1.75	2.76
	MCS5	2.78	1.78	3.16
	MCS6	2.78	1.73	2.80
	MCS7	2.77	1.97	2.74
	MCS8	2.71	1.76	3.16
	MCS9	2.72	2.08	2.98
Max AVG Power		3.16		
Limits		30		
Result		Pass		

Test Mode: UNII-3 /TX AC40 Mode			
Average Output Power (dBm)			
Frequency (MHz)		5755	5795
Channel		CH151	CH159
Bit Rate of Transmitter	MCS0	2.58	2.11
	MCS1	2.59	2.12
	MCS2	2.63	2.18
	MCS3	2.17	2.23
	MCS4	2.16	2.23
	MCS5	2.16	2.18
	MCS6	2.21	2.12
	MCS7	2.17	2.15
	MCS8	2.57	2.17
	MCS9	2.55	2.10
Max AVG Power		2.63	
Limits		30	
Result		Pass	

Test Mode: UNII-3 /TX AC80 Mode		
Average Output Power (dBm)		
Frequency (MHz)		5775
Channel		CH155
Bit Rate of Transmitter	MCS0	2.60
	MCS1	2.45
	MCS2	2.40
	MCS3	2.59
	MCS4	2.43
	MCS5	2.38
	MCS6	2.35
	MCS7	2.37
	MCS8	2.34
	MCS9	2.34
Max AVG Power		2.60
Limits		30
Result		Pass

APPENDIX F - POWER SPECTRAL DENSITY

Test Mode: N/A

Note: According to customers's requirement, this test item wasn't performed.