



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #4


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:53:14

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2440MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #9


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:55:50

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2440MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #5


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:53:24

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2440MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #10


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:56:00

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2440MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #1


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:44:52

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #6


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:47:35

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #2


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:45:34

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4960.000	39.74	peak	7.05	46.79	74.00	150	63	-27.21	
*	7440.000	33.26	peak	13.72	46.98	74.00	150	177	-27.02	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #7


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:48:18

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4956.000	34.00	peak	7.04	41.04	74.00	150	141	-32.96	
*	7440.000	32.44	peak	13.72	46.16	74.00	150	344	-27.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #3


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:46:23

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9920.000	32.91	peak	15.00	47.91	74.00	150	217	-26.09	
*	12400.000	32.70	peak	18.81	51.51	74.00	150	353	-22.49	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #8


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:48:59

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	9920.000	32.10	peak	15.00	47.10	74.00	150	310	-26.90	
*	12400.000	32.95	peak	18.81	51.76	74.00	150	359	-22.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #4


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:46:40

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #9


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:49:16

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #5


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:46:50

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : 3

Data : #10


Date: 2026/7/16

Temperature: 27.8 °C

90.0 dBuV/m

Time: 上午 11:49:26

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class C_Above 1GHz_PK

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #1

Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 11:22:31

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2483.500	62.84	peak	-3.32	59.52	74.00	150	68	-14.48	
	2483.500	36.27	AVG	-3.32	32.95	54.00	150	68	-21.05	
	2485.000	61.74	peak	-3.32	58.42	74.00	150	68	-15.58	
	2485.000	35.45	AVG	-3.32	32.13	54.00	150	68	-21.87	
	2486.700	60.01	peak	-3.33	56.68	74.00	150	68	-17.32	
	2486.700	35.05	AVG	-3.33	31.72	54.00	150	68	-22.28	
	2488.700	57.82	peak	-3.33	54.49	74.00	150	68	-19.51	
	2488.700	34.72	AVG	-3.33	31.39	54.00	150	68	-22.61	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #2

Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 11:29:03

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2483.500	58.60	peak	-3.32	55.28	74.00	150	300	-18.72	
	2483.500	35.33	AVG	-3.32	32.01	54.00	150	300	-21.99	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
 Tel: +886-2-2646-1508
 Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File: 系列_BLE(1M)_TX

Data: #1


Date: 2026/7/9

Temperature: 31.2 °C

80.0 dBuV/m

Time: 下午 03:15:31

Humidity: 38.1 %



Site: 966A Chamber

Condition: FCC_part 15 RE-Class C_30-1000MHz

Polarization: *Horizontal*

EUT: W6M22606-25221

Power: 120 Va.c.

M/N:

Distance: 3m

Test Mode: TX 2402MHz

Note:

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	59.1000	33.49	peak	-12.75	20.74	40.00	100	27	-19.26	
	177.4400	36.24	peak	-13.54	22.70	43.50	100	224	-20.80	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File: 系列_BLE(1M)_TX

Data: #2


Date: 2026/7/9

Temperature: 31.2 °C

80.0 dBuV/m

Time: 下午 03:16:15

Humidity: 38.1 %



Site: 966A Chamber

Condition: FCC_part 15 RE-Class C_30-1000MHz

EUT: W6M22606-25221

M/N:

Test Mode: TX 2402MHz

Note:

Polarization: Vertical

Power: 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	49.4000	33.37	peak	-12.67	20.70	40.00	100	358	-19.30	
	168.7100	34.28	peak	-12.74	21.54	43.50	100	264	-21.96	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #1


Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 10:36:34

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2390.000	55.88	peak	-3.26	52.62	74.00	150	108	-21.38	
	2390.000	34.49	AVG	-3.26	31.23	54.00	150	108	-22.77	



Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #2


Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 10:39:57

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2390.000	50.60	peak	-3.26	47.34	74.00	150	298	-26.66	
*	2390.000	34.07	AVG	-3.26	30.81	54.00	150	298	-23.19	



Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #1


Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 11:14:10

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2483.500	63.49	peak	-3.32	60.17	74.00	150	334	-13.83	
	2483.500	35.97	AVG	-3.32	32.65	54.00	150	334	-21.35	
	2485.000	61.87	peak	-3.32	58.55	74.00	150	334	-15.45	
	2485.200	35.04	AVG	-3.33	31.71	54.00	150	334	-22.29	
	2486.900	58.99	peak	-3.33	55.66	74.00	150	334	-18.34	
	2486.900	34.48	AVG	-3.33	31.15	54.00	150	334	-22.85	
	2489.400	57.69	peak	-3.33	54.36	74.00	150	334	-19.64	
	2489.400	34.54	AVG	-3.33	31.21	54.00	150	334	-22.79	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #2


Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 11:19:03

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2483.500	58.12	peak	-3.32	54.80	74.00	150	299	-19.20	
	2483.500	34.81	AVG	-3.32	31.49	54.00	150	299	-22.51	
	2484.800	57.49	peak	-3.32	54.17	74.00	150	299	-19.83	
	2484.800	34.48	AVG	-3.32	31.16	54.00	150	299	-22.84	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #1


Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 11:32:59

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2388.200	57.83	peak	-3.26	54.57	74.00	150	76	-19.43	
	2388.200	34.24	AVG	-3.26	30.98	54.00	150	76	-23.02	
*	2390.000	59.14	peak	-3.26	55.88	74.00	150	76	-18.12	
	2390.000	34.55	AVG	-3.26	31.29	54.00	150	76	-22.71	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #2


Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 11:35:34

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2402MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2390.000	52.94	peak	-3.26	49.68	74.00	150	300	-24.32	
*	2390.000	34.04	AVG	-3.26	30.78	54.00	150	300	-23.22	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #1


Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 11:22:31

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2483.500	62.84	peak	-3.32	59.52	74.00	150	68	-14.48	
	2483.500	36.27	AVG	-3.32	32.95	54.00	150	68	-21.05	
	2485.000	61.74	peak	-3.32	58.42	74.00	150	68	-15.58	
	2485.000	35.45	AVG	-3.32	32.13	54.00	150	68	-21.87	
	2486.700	60.01	peak	-3.33	56.68	74.00	150	68	-17.32	
	2486.700	35.05	AVG	-3.33	31.72	54.00	150	68	-22.28	
	2488.700	57.82	peak	-3.33	54.49	74.00	150	68	-19.51	
	2488.700	34.72	AVG	-3.33	31.39	54.00	150	68	-22.61	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Jeff

File : Bandedge

Data : #2


Date: 2026/7/16

Temperature: 27.8 °C

120.0 dBuV/m

Time: 上午 11:29:03

Humidity: 35.4 %



Site : 966A Chamber

Condition : FCC 15.247 PK (Bandedge)

EUT : W6M22606-25221

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2483.500	58.60	peak	-3.32	55.28	74.00	150	300	-18.72	
	2483.500	35.33	AVG	-3.32	32.01	54.00	150	300	-21.99	

*:Maximum data x:Over limit !:over margin