


Multi-pack (Q50-XEPU)




500N060-Q50-01

Arena Item# & Rev: 291NQ50-001-10-RA


5 Cartons per Multi-pack

Shipping Dimension: 24.0 x 20.5 x 5.4 in(609.6 x 520.7 x 137.2 mm)

[multipack_5pk-QUATRA_100M-PU_25-0514_291NQ50-001-10-RA.pdf](#)



Box (Q50-XEPU)




500N060-Q50-01


Arena Item# & Rev: 291NQ50-001-01-RA

Shipping Dimension: 19.75 x 4.53 x 4.38 in (501.7 x 114.94 x 111.125 mm)

[unit-carton QUATRA 100M-PU 25-0514 291NQ50-001-01-RA.pdf](#)



Shipping Label (Q50-XEPU)



Arena Item# & Rev: 410N030-001-10-RN
SIZE: 3" x 2"



PROP 65 Label (Q50-XEPU)


California Proposition



WARNING: This product exposes chemicals known to the State of California to cause cancer, and birth defects or other reproductive harm.
For more information: www.P65Warnings.ca.gov

[500N063-Q50-10](#)

Arena Item# & Rev: 410N026-016-001-RC
SIZE: 2" x 1"



Shipping Label (All Q51-xXxU)



Arena Item# & Rev: 410N030-001-10-RN
SIZE: 3" x 2"



PROP 65 Label (All Q51-xXxU)

California Proposition



65 Warning



WARNING: This product exposes chemicals known to the State of California to cause cancer, and birth defects or other reproductive harm.
For more information: www.P65Warnings.ca.gov

[500N063-Q51-40](#)

[500N063-Q51-41](#)


[500N063-Q51-42](#)

[500N063-Q51-43](#)



500N063-Q51-44

500N063-Q51-45

Arena Item# & Rev: 410N026-016-001-RC
SIZE: 2" x 1"



Box Label (Q51-SXNU)



500N063-Q51-42

Arena Item# & Rev: 410N045-Q51-SXNU-RA
SIZE: 4.5" x 2"

label-box Q100M NU Q51-SXNU 25-1208 v1 410N045-Q51-SXNU-RA 4-5x2



Product Label (Q51-SXNU)



NEXTIVITY INC

CEL-FI® QUATRA 100M Network Unit

M/N: Q51-SXNU



S/N: 123456789012



MAC: 02:E4:07:50:52:80



Conforms to
UL STD 62368-1
Certified to CSA
STD C22.2 No.
62368-1

Intertek
5003908

FCC ID: YETQ51-SXNU IC: 9298A-Q51SXNU

MADE IN USA w/ IMPORTED PARTS

Input: +55 VDC $\approx$ 1.7 A; 93.5 W max. | Output: +55 VDC $\approx$ 0.43 A (x2); 23.65W max. PATENT PROTECTED

No serviceable parts inside. Warranty void if opened. 410N032-Q51-31-RC

16550 West Bernardo Drive, Bldg. 5, Suite 550, San Diego, CA 92127, USA | www.nextivityinc.com

[500N063-Q51-42](#)

Arena Item# & Rev: 410N032-Q51-31-RC
SIZE: 2.5" x 1"

[label-product Q100M NU 26-0323 v3 410N032-Q51-31-RC 2-5x1](#)

FCC Part 15 Label (All AMER NUs)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) The device must accept any harmful interference received including interference that may cause undesired operation



**No serviceable parts inside.
Warranty void if opened.**

[500N063-Q51-40](#)
[500N063-Q51-42](#)
500N063-Q51-44

P/N: 410N026-Q41-03

SIZE: 1" x 1.5"

No change to current file in Arena




Industrial Label (Q51-SXNU & Q51-NXNU)

Part 90 and Part 20 Signal Boosters **THIS IS A 90.219 CLASS B DEVICE**

WARNING. This is **NOT** a **CONSUMER** device. It is designed for installation by **FCC LICENSEES** and **QUALIFIED INSTALLERS**. You **MUST** have an **FCC LICENSE** or express consent of an **FCC Licensee** to operate this device. You **MUST** register Part 90 Class B signal boosters(as defined in 47 CFR 90.219) online. Unauthorized use may result in significant forfeiture penalties, including penalties in excess of \$100,000 for each continuing violation.

[500N063-Q51-42](#)
500N063-Q51-44

Arena Item# & Rev: 410N026-I44-01-RC
SIZE: 2.5" x 1"
No changes to current file in Arena



Product Label (Q51-SXCU)

X NEXTIVITY INC
CEL-FI® QUATRA 100M Coverage Unit
M/N: Q51-SXCU



S/N: 123456789012



MAC: 02:E4:07:50:52:80

FCC ID: YETQ51-SXCU IC: 9298A-Q51SXCU

Input: +55 VDC $\approx$ 1.7 A; 93.5 W max. | Output: +55 VDC $\approx$ 0.43 A (x2); 23.65W max. PATENT PROTECTED
No serviceable parts inside. Warranty void if opened.

16550 West Bernardo Drive, Bldg. 5, Suite 550, San Diego, CA 92127, USA | www.nextivityinc.com



Conforms to
UL STD 62368-1
Certified to CSA
STD C22.2 No.
62368-1



Intertek

5003908

MADE IN USA w/ IMPORTED PARTS



[500N063-Q51-43](#)

Arena Item# & Rev: 410N032-Q51-41-RC

SIZE: 2.5" x 1"

[label-product_Q100M_CU_26-0323_v3_410N032-Q51-41-RC_2-5x1](#)

Product Label (Q51-NXCU)

X NEXTIVITY INC
CEL-FI® QUATRA 100M Coverage Unit
M/N: Q51-NXCU



S/N: 123456789012



MAC: 02:E4:07:50:52:80

FCC ID: YETQ51-NXCU

Input: +55 VDC $\approx$ 1.7 A; 93.5 W max. | Output: +55 VDC $\approx$ 0.43 A (x2); 23.65W max. PATENT PROTECTED

No serviceable parts inside. Warranty void if opened.

16550 West Bernardo Drive, Bldg. 5, Suite 550, San Diego, CA 92127, USA | www.nextivityinc.com



Conforms to
UL STD 62368-1



Intertek

5003908

MADE IN USA w/ IMPORTED PARTS



500N063-Q51-45

Arena Item# & Rev: 410N032-Q51-42-RB

SIZE: 2.5" x 1"

[label-product Q100M CU 26-0420 v3 410N032-Q51-42-RB 2-5x1.pdf](#)

FCC Part 15 Label (All AMER CUs)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) The device must accept any harmful interference received including interference that may cause undesired operation


**No serviceable parts inside.
Warranty void if opened.**

[500N063-Q51-41](#)
[500N063-Q51-43](#)
500N063-Q51-45

P/N: 410N026-Q41-03

SIZE: 1" x 1.5"

No change to current file in Arena



Part 27 Label (Q51-RXCU)



WARNING. This is **NOT** a **CONSUMER** device. It is designed for installation by **FCC LICENSEES** and **QUALIFIED INSTALLERS**. You **MUST** have an **FCC LICENSE** or express consent of an **FCC Licensee** to operate this device. Unauthorized use may result in significant forfeiture penalties, including penalties in excess of \$100,000 for each continuing violation.



[500N063-Q51-41](#)

Arena Item# & Rev: 410N026-Q51-01-RA
SIZE: 2.5" x 1"

[label Part27-FCC 26-0428 v1 410N026-Q51-01-RA 2-5x1](#)



Industrial Label (Q51-SXCU & Q51-NXCU)

Part 90 and Part 20 Signal Boosters **THIS IS A 90.219 CLASS B DEVICE**

WARNING. This is **NOT** a **CONSUMER** device. It is designed for installation by **FCC LICENSEES** and **QUALIFIED INSTALLERS**. You **MUST** have an **FCC LICENSE** or express consent of an **FCC Licensee** to operate this device. You **MUST** register Part 90 Class B signal boosters(as defined in 47 CFR 90.219) online. Unauthorized use may result in significant forfeiture penalties, including penalties in excess of \$100,000 for each continuing violation.


[500N063-Q51-43](#)

500N063-Q51-45

Arena Item# & Rev: 410N026-I44-01-RC

SIZE: 2.5" x 1"

No changes to current file in Arena




Box Label (Q50-XEPU)



NEXTIVITY, INC
CEL-FI® QUATRA 100M Power Unit
M/N: Q50-XEPU


Included:

- CEL-FI QUATRA 100M Power Unit(PU)
- AC Cable
- Mounting Hardware





410N045-Q50-XEPU-01-RA



[500N063-Q50-10](#)

Arena Item# & Rev: 410N045-Q50-XEPU-01-RA
SIZE: 4.5" x 2"



[label-box_Q100M_PU_Q50-XEPU_25-1212_v1_410N045-Q50-XEPU-01-RA_4-5x2](#)

Product Label (Q50-XEPU)



NEXTIVITY INC

CEL-FI® QUATRA 100M Power Unit

M/N: Q50-XEPU



S/N: 123456789012



MAC: 02:E4:07:50:52:80



Conforms to
UL STD 62368-1
Certified to CSA
STD C22.2 No.
62368-1




Intertek
5003908

MADE IN CHINA

Input: 100-240 VAC, 5.8 A, 50/60Hz | Output: +55 VDC $\approx$ 1.7 A; 93.5 W max. (x5)
No serviceable parts inside. Warranty void if opened.
16550 West Bernardo Drive, Bldg. 5, Suite 550, San Diego, CA 92127, USA | www.nextivityinc.com

PATENT PROTECTED
410N032-Q50-11-RB



[500N063-Q50-10](#)

Arena Item# & Rev: 410N032-Q50-11-RB
SIZE: 2.5" x 1"

[label-product_Q100M_PU_26-0220_v2_410N032-Q50-11-RB_2-5x1](#)




FCC Part 15 Label (Q50-XEPU)

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) The device must accept any harmful interference received including interference that may cause undesired operation

**No serviceable parts inside.
Warranty void if opened.**




500N063-Q50-10

P/N: 410N026-Q41-03

SIZE: 1" x 1.5"

No change to current file in Arena



Product Information (Q51-SXNU/Q51-SXCU/Q50-XEPU)

500N062-Q50-11



PRODUCT INFORMATION
CEL-FI® QUATRA® 100M

MODEL NUMBERS:
Q51-SXNU | Q51-NXNU
Q51-SXCU | Q51-NXCU
Q50-XEPU

Permission for Band 14 Retransmission
Before you install, apply for Band 14 retransmission. Building owners and non-licensee operators of CEL-FI QUATRA 100M must obtain written permission from the FirstNet Authority to use Band 14 for retransmission.

Scan the QR code or visit partners.nextivityinc.com to access the FirstNet Band 14 Retransmit Request Form. Once completed, email it to Manager@firstnet.gov for authorization. If unauthorized, deselect Band 14 in "Band Settings" of the WAVE Portal.

Limitation of Liability
In no event shall NEXTIVITY®, nor its directors, employees, agents, suppliers or End Users, be liable under contract, tort, strict liability, negligence or any other legal or equitable theory with respect to the Products or any other subject matter of this Agreement (i) for any lost profits, cost of procurement of substitute goods or services, or special, indirect, incidental, punitive, or consequential damages of any kind whatsoever or (ii) for any direct damages in excess of (in the aggregate) the fees actually received by NEXTIVITY from End User with respect to the Products actually purchased and paid for.

CAUTION

- Use CEL-FI QUATRA 100M indoors. It should not be used outdoors.
- The donor antenna(s) MUST be installed to ensure a minimum of 25.5 in (65 cm) separation distance from human body at all times.
- The server antenna(s) MUST be installed to ensure a minimum of 8 in (20 cm) separation distance from persons from human body at all times.
- These products are designed to be used with a direct plug-in power supply unit. When installing the equipment, all the requirements of the manufacturer and the referenced standards must be met.
- There are no user-serviceable parts inside.
- Changes or modifications to this product not expressly approved by Nextivity may void your right to operate the equipment.
- Only the antennas listed or approved by the manufacturer can be used with QUATRA 100M.
- This device may be operated ONLY in a fixed location for in-building use.
- Use of unauthorized antennas, cables, and/or coupling devices not conforming with ERP/EIRP and/or indoor-only restrictions is prohibited.

WARNING
E911 location information may not be provided or may be inaccurate for calls served by using this device.

Part 90 and Part 20 Signal Boosters THIS IS A 90.219 CLASS B DEVICE
WARNING: This is NOT a CONSUMER device. It is designed for installation by FCC LICENSEES and QUALIFIED INSTALLERS. You MUST have an FCC LICENSE or express consent of an FCC Licensee to operate this device. You MUST register Part 90 Class B signal boosters(as defined in 47 CFR 90.219) online. Unauthorized use may result in significant forfeiture penalties, including penalties in excess of \$100,000 for each continuing violation.

Regulatory Information: US FCC Statement
This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Regulatory Information Q51-SXNU & Q51-SXCU:
Canada
CAN ICES-3 (B)/NMB-3
WARNING: Industrial zone enhancers are NOT consumer devices. They are designed for installation by ISED licensees and qualified installers who have recognized RF training. You MUST be an ISED licensee or have the express consent of an ISED licensee to install or operate this device.

This device MUST ONLY be operated with approved antennas and cables as specified by the manufacturer. The donor and server antenna(s) of this device MUST be installed to always ensure a minimum of 25.5 in (65 cm) and 8 in (20 cm) separation distance from the human body respectively. To reduce oscillations, sufficient separation distance is recommended between the donor and server antennas of the zone enhancer system. You MUST cease operation of this device immediately if requested by ISED or a licensed wireless service provider. WARNING: E911 location information may not be provided or inaccurate for calls served by this device.

This device complies with Industry Canada license-exempt RSS standard(s). Operation is subject to the following two conditions:

- This device may not cause interference, and
- This device must accept any interference, including interference that may cause undesired operation of the device.

FRENCH: AVERTISSEMENT: Les enrichisseurs de zone industriels ne sont PAS des appareils de CONSOMMATION. Ils sont conçus pour être installés par des titulaires de licence d'ISDE et des installateurs qualifiés qui ont reçu une formation reconnue en RF. Vous DEVEZ être le titulaire de licence d'ISDE ou avoir le consentement exprès du titulaire de licence d'ISDE pour installer

ou exploiter cet appareil.

Cet appareil NE DOIT ÊTRE UTILISÉ qu'avec des antennes et des câbles approuvés, conformément aux indications du fabricant. La ou les antennes donneuse et serveur de cet appareil DOIVENT être installées de manière à toujours assurer une distance de séparation minimale de 25,5 po (65 cm) et 8 po (20 cm) du corps humain, respectivement. Afin de réduire les oscillations, il est recommandé de maintenir une distance de séparation suffisante entre les antennes du donateur et du serveur du système d'enrichisseur de zone. Vous DEVEZ cesser d'utiliser cet appareil immédiatement à la demande d'ISDE ou d'un fournisseur de services sans fil autorisé. AVERTISSEMENT : Les informations relatives à la localisation pour le service E911 peuvent être non fournies ou inexacts pour les appels transitant par cet appareil.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- L'appareil ne doit pas produire de brouillage, et
- L'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Compliance Contact
All compliance certificates for this product are available at nextivityinc.com/doc. In the event of a regulatory compliance issue, please get in touch with Nextivity, Inc. directly. Nextivity, Inc can be contacted at nextivityinc.com/contact.

Trademark
CEL-FI, CEL-FI QUATRA, QUATRA, Supercell, IntelliBoost, and the Nextivity are trademarks of Nextivity, Inc.

Patents
This product is covered by Nextivity, Inc., US patents and patents pending. Please refer to nextivityinc.com for details.

Copyright
Copyright © 2026 by Nextivity, Inc. All rights reserved. Reproduction or media conversion by any means is protected by copyright and may only occur with prior written permission of Nextivity. Designed by Nextivity in California.



U.S. Headquarters: Nextivity, Inc.
16550 West Bernardo Drive, Bldg. 5, Suite 550, San Diego, CA 92127 • www.nextivityinc.com
Phone: +1 858.485.9442
UK: Nextivity Ltd.: Unit 9, Basepoint Business Centre Rivermead Drive, Westlea Swindon SN5 7EX

legal_quatra-100m-amer-eng_26-0225

420N007-Q51-002-11-RB

Arena Item# & Rev: 420N007-Q51-002-11-RB


SIZE: A4 – 2up

[legal_QUATRA 100M eng 26-0225 v2 420N007-Q51-002-11-RB A4 2up.pdf](#)

User Manual QR Code (All NU/CU/PU)

Shared between:

1. 500N062-Q50-01
2. 500N062-Q50-10
3. 500N062-Q50-11



Arena Item# & Rev: 420N007-Q51-001-01-RA

SIZE: A4 – 4up

[insert_QUATRA_100M_User_Manual_25-0505_v1_420N007-Q51-001-01-RA_A4_4up](#)