







1.6 User Manual









Dear customer

Congratulations! You bought a Carrera RC Quadcopter which has been manufactured according to today's state-of-the-art technology. As it is our constant endeavour to develop and improve our products, we reserve the right to make modifications, either of a technical nature or with respect to features, materials and design, at any time, and without prior notice. For this reason, no claims will be accepted for any slight deviations in your product from the data and illustrations contained in these instructions. These operating and assembly instructions are an integral part of the product. Non-observance of these operating instructions and the safety instructions they contain will render the guarantee null and void. These instructions are to be kept for future reference and in the event that the product is passed on to a third party.

For the latest version of these operating instructions and information on replacement and spare parts available, please visit carrera-rc.com in the service area.

Guarantee conditions

Carrera products are technically advanced products which should be handled with care. It is important to follow the directions given in the operating instructions. All components have been subjected to careful inspection (technical modifications and alterations to the model for the purpose of product improvement are reserved).

Should any faults nevertheless occur, guarantee is assumed within the scope of the following conditions:

In accordance with the following provisions, Stadtbauer Marketing + Vertrieb GmbH (hereinafter referred to as "manufacturer") warrants to the endconsumer (hereinafter referred to as "customer") that the Carrera RC-model-Quadcopter (hereinafter referred to as "product") delivered to the customer shall be free from defects in material or workmanship for two years from the date of purchase (guarantee period). Such defects will, at the manufacturer's option, either be repaired by the manufacturer or fixed by delivering new or refurbished parts free of charge. The warranty does not cover failure due to normal wear and tear, (e.g. to batteries, rotor blades, cabin covering, gear wheels etc.), or damage as a result of improper handling/misuse or unauthorised interference. Any other customer's claims asserted against the manufacturer, especially action for damages, shall be excluded.

The contractual and statutory rights of the customer against the seller (supplementary performance, rescission of the contract, abatement, compensation) which exist with the product not having been free from defects at the time of the passing of risk, shall remain unaffected by this warranty.

Claims from this special warranty shall only be valid if:

- the defect reported has not arisen by damage caused by unintended use or misuse as specified in the instruction manual,
- the failure of the product is not due to normal wear and tear
- the product does not show any signs resulting from repairs or other interferences carried out by workshops not having been authorised by the manufacturer,
- the product has only been operated with accessories authorised by the manufacturer and
- the product is sent in together with the original proof of purchase (invoice / receipt) and the completely filled in warranty card which has not been altered in any way.

Guarantee cards cannot be replaced.

Note for EU countries: Reference is hereby made to the seller's statutory guarantee obligation, to the extent that this guarantee obligation is not restricted by the product guarantee.

The manufacturer shall bear the costs for sending in and returning the product.

This warranty shall be valid to the extent aforementioned and under the above-named circumstances (including the submission of the original proof of purchase also in case of resale) for any future owner of the product.

Declaration of conformity

Stadtbauer Marketing + Vertrieb GmbH hereby declares that this model including the controller conforms with the fundamental requirements of the following EC directives: EC Directives 2009/48 and 2004/108/EC regarding electromagnetic compatibility and the other relevant regulations of Directive 1999/5/EC (R&TTE).

The original declaration of conformity can be requested from carrera-rc.com.



Warning!



WARNING! This toy contains small parts which can be swallowed and is therefore not suitable for children under 3 years of age.

WARNING! Danger of pinching during operation! Remove all packaging materials and wire fastenings before handing the toy over to the child. For information and to answer any questions, please retain packaging, address and instructions in a safe place for future reference. Adult supervisors note: please check that the toy has been assembled in accordance with the instructions. Assembly should be carried out under the supervision of an adult.

WARNING! Not suitable for children under 8 years old!

This product is not intended for use by children without supervision of a parent. Flying the Quadcopter requires skill and children must be trained under the direct supervision of an adult. Read the user's information together with your child before the first use. Inappropriate use may result in severe injuries and/or damage to property.

It has to be operated with care and caution and requires both mechanical and mental skills. The operating instructions contain notes on safety and technical regulations as well as information on maintaining and operating the product. It is indispensable to read these instructions thoroughly before the first usage. Only this helps to avoid accidents with injuries and damage.

Only use the Quadcopter in closed rooms which provide sufficient space and follow all instructions given in this manual.

Hands, hair and loose clothing, including other objects such as pens and screwdrivers must be kept away from the propeller (rotor). Do not touch the rotating rotor. Especially take care that your hands DO NOT get close to the rotor blades!

WARNING: Risk of eye injuries. Do not fly near your face to avoid injuries.

As user of this product you are solely responsible for handling it safely in order to ensure that neither you nor other persons or their property suffer damages or are endangered.

- Never use your model with weak remote control batteries.
- This toy is only designed to be used in a home environment.
- **WARNING: Do not start up and fly when persons, animals or any obstructions are within the flying range of the Quadcopter.**
- Exactly observe the instructions and warnings for this product and for any possible additional equipment (battery charger, rechargeable batteries etc.) being used by you.
- **Should the Quadcopter come into contact with any living thing or solid object, immediately return the gas control to zero, in other words the left-hand joystick must be at the stop at the bottom of the slide!**
- Avoid any moisture as this might do damage to the electronics.
- Do not change or modify anything on the Quadcopter.

If you do not agree to these terms please immediately return the complete Quadcopter model in new and unused condition to the retailer.

Important information concerning Lithium Polymer rechargeable batteries

Lithium-Polymer (LiPo) rechargeable batteries are significantly more sensitive than traditional alkali- or NiMH-rechargeable batteries normally used with radio control units. Therefore the instructions and warnings have to be observed in detail. In case of improper use of LiPo rechargeable batteries there is a danger of fire. Always follow the manufacturers' instructions if you dispose of LiPo rechargeable batteries.

Regulations on disposal for waste electrical and electronic equipment (WEEE)



This symbol, showing refuse bins with a cross through them, denotes that empty batteries, rechargeable batteries, button cells, rechargeable battery packs, equipment batteries, disused

electrical equipment, etc. should not be disposed of in domestic refuse, as they are harmful to the environment and health. Please help to preserve environment and health and talk to your children about the correct disposal of used batteries and disused electrical equipment. Batteries and disused electrical equipment should be handed in to the usual collection points where they can be properly recycled.

Do not mix dissimilar battery types or employ new and used batteries together. Empty batteries should be removed from the product. Do not attempt to recharge non-rechargeable batteries.

WARNING!

The charger unit and the USB cable may be used by children eight (8) years and upwards and by persons with with restricted physical, sensory or mental faculties, inexperience or lack of knowledge provided they are supervised or have been adequately trained in the safe use of the unit and have a proper understanding of the dangers it poses. Children must not be allowed to treat the charger or the USB cable as a toy. Cleaning and user maintenance may only be carried out by children if they are over eight years old and supervised.

Children under eight years old must be kept away from the charger and the connecting cable. **Never leave the battery unattended while it is charging.** Exhausted batteries are to be removed from the toy. Rechargeable batteries should be removed from the product before charging. Supply terminal are not to be short-circuited. Only use the batteries recommended or equivalent types.

If in regular use the charger must be examined for damage to the cord, plug, covers and all other parts. If any signs of damage are found the charger may only be used again after repair work has been completed.

FCC statement

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
 - (2) this device must accept any interference received, including interference that may cause undesired operation.
- Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Guidelines and warnings for the use of LiPo rechargeable batteries

- You have to charge the attached 3.7 V — 140 mAh LiPo rechargeable battery in a safe place and at a safe distance to flammable material.
- Never leave the battery unattended while it is charging.
- After a flight, the rechargeable battery has to cool down to the ambient air temperature before charging it.
- You must always use the corresponding LiPo charging unit (USB cable / remote control). In case of non-compliance with these directions there is a danger of fire, resulting in a health risk and/or damage to property. NEVER use any other battery charger.
- Should the rechargeable battery swell or deform while discharging or recharging, you have to immediately stop charging or discharging the battery. Take the battery out as quickly and carefully as possible and place it in a safe and open area offside any inflammable material and watch it for at least 15 minutes. In case you continue charging or discharging a battery which has already started to swell or deform there is a danger of fire! Even in case of slight deforming or ballooning the rechargeable battery has to be taken out of operation.
- Store the rechargeable battery at ambient temperature in a dry place.
- Always recharge the battery immediately after use to prevent it from becoming deep discharged. Please make sure to allow a pause of about 20 minutes between finishing the flight and recharging the battery. Recharge the battery occasionally (suggested every 2-3 months). Failure to treat the battery as described above can lead to its becoming defective.
- When transporting or temporarily storing the rechargeable battery the temperature should be between 5-50°C. If possible, do not store the battery or the model in a car and do not expose it to direct sunlight. In case the battery is boiled it can be damaged or catch fire.

Note: If the battery voltage/output is low you will recognise that a considerable trim and/or controlling is necessary to avoid that the Quadcopter starts tumbling. This usually occurs before reaching a battery voltage of 3 V and it is a good moment to end the flight.

Contents of package

- 1x Quadcopter
- 1x Controller
- 1x USB charging cable
- 1x Set of replacement parts
- 4x 1.5 V Mignon AA batteries (non-rechargeable)

Recharging the LiPo rechargeable battery

Make sure you only charge the LiPo rechargeable battery supplied with the LiPo charging unit also supplied (USB cable and remote control). If you try to charge the rechargeable battery with a different LiPo battery charger or any other battery charger, this might cause serious damage. Please carefully read the previous chapter with warnings and guidelines on the usage of rechargeable batteries before proceeding. Supply terminals are not to be short-circuited.

The rechargeable battery fitted in the Quadcopter with its USB charging cable can be charged either from a USB port on a computer or directly from the remote control.

- Connect the USB charging cable with the USB port of a computer  or of the controller . The LED on the USB charging cable lights green indicating that the charger unit is correctly connected to the computer or the controller. If you plug in a Quadcopter with a discharged battery, the LED on the USB charging cable lights up red and shows that the Quadcopter battery is being charged. The USB charging cable and the charging socket on the Quadcopter are designed to make incorrect connection impossible.
- It takes about 30 minutes to recharge a discharged battery (but NOT a deep-discharged one). When the battery is fully charged, the LED display on the USB charger cable lights up green again.

Note: when supplied, the LiPo-battery is already partially charged. So the first charging cycle may well take less time.

It is essential to follow the connection sequence given above! If you have the charger cable only connected to the quadcopter, and not to a source of electricity, a green LED display indicates that there is still power in the battery. The green LED display does not necessarily indicate the battery is still adequately charged.

While charging, the power switch must be in the "OFF" position.

Inserting the batteries in the remote control

- Open the battery compartment with a screwdriver and insert the batteries in the remote control. Please keep in mind the correct polarity. After having closed the compartment you can check all functions of the remote control with the help of the power switch on the front.
- With the power switch turned ON and functioning correctly, the top centre LED on the remote control will light up red.
- When the control LED flashes rapidly, the batteries in the controller must be changed.

Frequency bind between model and remote control

The Camera RC Quadcopter and the remote control are frequency bound at purchase. If initially there are any problems with communication between the Camera RC Quadcopter and the remote control, please carry out a new frequency bind.

- Switch the model ON at the ON/OFF switch.
- The LEDs on the quadcopter light up continuously.
- Switch on the controller at the power switch.
- Push the left-hand joystick, i.e. the throttle lever, right to the top, then fully downwards into the zero position.
- The LEDs on the quadcopter now flash rhythmically. The binding has now been successfully established. The LED on the controller now lights continuously.
- WARNING! Immediately after switching it on, place the Quadcopter on a flat and level surface. The gyro-system will then set itself automatically.**

Range of functions of the remote control

- Aerial
- Power switch (ON/OFF)
- Control LED
- Gas
- Forward / backwards
- right / left banking
- Trimmer for right / left banking
- Trimmer for rotation
- Shoulder button for looping function
- Shoulder button for LED
- Beginner/Advanced switch (to switch, press the top of the right-hand joystick)
- Battery compartment

Description of the Quadcopter

- Rotor system
- Rotor protection cage
- ON/OFF switch
- Red LED
- Blue LED
- Charging socket for the LiPo battery

Choosing the flight area

- When being prepared for the first flight you should choose a closed room which is as large as possible without any persons or obstacles. Due to its size and controllability, experienced pilots may be able to fly the Quadcopter in relatively small rooms. For your first flights we strongly recommend you choose a room with a minimum floor space of 3 x 3 metres and 2.40 metres in height. After having trimmed your Quadcopter for flight and made yourself familiar with the controller and its functions you may start flying in smaller and less open environments.

The Quadcopter has been developed exclusively for use in enclosed rooms without direct sunlight or any strong spotlighting. There must be no persons or objects such as pillars between the controller and the Quadcopter to obstruct direct connection.

Checklist for flight preparation

This checklist is not a substitute for the contents of the operating instructions. Although it can be used as a quick-start guide, we strongly recommend you first to read the operating instructions in detail before you proceed.

- Check the contents of the package.
- Connect the charging unit to the source of power.
- Charge the LiPo-battery as described in the section "Recharging the LiPo rechargeable battery".
- Fit four AA batteries in the controller, making sure their polarity is correct.
- Look for a suitable environment for flying.
- Switch on the model at the ON/OFF switch.
- WARNING! Immediately after switching it on, place the Quadcopter on a flat and level surface. The gyro-system will then set itself automatically.**
- The LEDs on the Quadcopter now light up continuously.
- Switch on the controller at the power switch. Push the left-hand joystick, i.e. the throttle lever, right to the top, then fully downwards into the zero position.
- Allow the Quadcopter a few moments until the system is correctly initialised and is ready for operation. The LED in the Quadcopter now lights continuously. The LED on the controller now lights continuously.
- Repeat the above points as required, if you wish to fly more Quadcopters at the same time.
- For the "Advanced Mode" (WARNING! ONLY FOR EXPERIENCED PILOTS) press the top of the right-hand joystick. There will be a double signal tone (see .
- Check the control system.
- Make yourself familiar with the control system.
- Trim the Quadcopter as necessary as described under   so that when hovering it no longer moves from the spot without a command from the controller.
- The Quadcopter is now ready to be flown.
- If the Quadcopter displays no functions, retry the above binding procedure.
- Fly the model.
- Land the model.
- Switch the model off at the power switch
- Always switch off the remote control last.



Flying the 4-channel Quadrocopter

NOTE!

Take care particularly in the first few flights to move the lever on the controller very gently and not over-hurriedly. As a rule, only very small movements of the respective levers are necessary to carry out the desired control commands!

If you notice that the Quadrocopter moves forwards or to the side without your touching the respective lever, please adjust the trim of the Quadrocopter as described in **14 15 16**.

- 9** 4-Gas (up/ down)
To start or to fly higher, push the gas lever on the left cautiously forwards. To land or fly lower, push the gas lever on the left cautiously backwards.
- 10** To make the Quadrocopter circle to the left or the right on the spot, move the lever on the left cautiously to the left or the right.
- 11** To fly the Quadrocopter to the left or the right, push the lever on the right cautiously to the left or the right.
- 12** To fly the Quadrocopter forwards or backwards, push the lever on the right cautiously forwards or backwards.

Looping function

WARNING! ONLY FOR EXPERIENCED PILOTS!

- 13a** When you press the looping button, an audible signal sounds until you move the right-hand joystick either up or down, or right or left. The Quadrocopter then carries out the loop or roll in the respective direction. Before you do this, make sure you have ample room on all sides (about 2.5 m – 3').

Beginner/Advanced switch

WARNING! "ADVANCED" FLYING MODE IS ONLY FOR EXPERIENCED PILOTS!

- 13b** Press down vertically on the right-hand joystick to switch between beginner and advanced mode. Standard setting when switching on is the beginner mode.

Standard setting = beginner mode

Signal sounds once on switching over. Looping the loop and rollovers are possible as explained in **13a**.

Advanced mode = 3D mode

The Quadrocopter reacts much more sensitively to control movements in "advanced" than in "beginner" mode. Signal sounds twice on switching over. Looping the loop and rollovers are possible as explained in **13a**.

Trimming the Quadrocopter

- 14** When hovering, if the Quadrocopter flies to the left or right without you moving the lever for left/ right movement, please proceed as follows:
If the Quadrocopter moves on its own fast or slow sideways to the left, press the lower right trimmer for right/ left tilt in steps to the right. If the Quadrocopter moves right, press the trimmer for right/ left tilt in steps to the left.
- 15** When hovering, if the Quadrocopter flies forwards or backwards without you moving the lever for forwards or backwards movement, please proceed as follows:
If the Quadrocopter moves on its own fast or slow forwards, press the upper right trimmer for forwards/ backwards in steps downwards. If the Quadrocopter moves backwards, press the trimmer for forwards/ backwards in steps upwards.
- 16** When hovering and without you moving the lever for circling on the spot, if the quadrocopter rotates to left or right, proceed as follows: If the quadrocopter rotates quickly or slowly to the left around its own axis, press the trimmer for rotation below left in steps to the right. If the quadrocopter rotates to the right, press the trimmer for rotation in steps to the left.

If the Quadrocopter can no longer be set to "neutral" by pressing the trimmer, please carry out the following instructions:

1. Place the Quadrocopter on a flat horizontal surface.
2. Bind the Quadrocopter and the Controller as described in "Binding the model with the Controller".
3. Simultaneously press the gas lever and the forwards/reverse lever to the lower right-hand corner. The LED on the Quadrocopter flashes briefly and then lights continuously.
4. The neutral setting is now completed.

Changing the rotor blades

- 17** Use a smooth narrow object to help draw off a rotor blade. If necessary, make sure that you draw the rotor blade with great care vertically upwards, and hold the motor from below to stabilise it.
- 18** **WARNING!** Be sure to note the marking and colour, also the tilt angle of the rotor blades!
Front left: red – marking "A"
Front right: red – marking "B"
Rear right: black – marking "A"
Rear left: black – marking "B"

Troubleshooting

- | | |
|---|--|
| Problem: Remote control does not work. | Cause: The ON/OFF-power switch is turned "OFF". |
| Solution: Turn the ON/OFF-power switch "ON". | |
| Cause: The batteries have been wrongly inserted. | |
| Solution: Check if the batteries have been correctly inserted. | |
| Cause: The batteries do not have enough power. | |
| Solution: Insert new batteries. | |
| Problem: The Quadrocopter cannot be controlled with the remote control. | |
| Cause: The power switch on the remote control is turned "OFF". | |
| Solution: First turn the power switch on the remote control "ON". | |
| Cause: The remote control is possibly not correctly frequency bound with the receiver on the Quadrocopter. | |
| Solution: Please carry out the binding procedure as described in "Checklist for flight preparation". | |
| Problem: The Quadrocopter does not lift. | |
| Cause: The rotor blades rotate too slowly. | |
| Solution: Push the throttle up. | |
| Cause: The battery's power is not sufficient. | |
| Solution: Charge the battery (see chapter "Charging the battery"). | |
| Problem: During flight, the Quadrocopter loses speed and height without any obvious reason. | |
| Cause: The battery is too weak. | |
| Solution: Charge the battery (see chapter "Charging the battery"). | |
| Problem: The quadrocopter only flies in a circle or turns over on starting. | |
| Cause: Rotor blades incorrectly fitted or damaged. | |
| Solution: Fit rotor blades / replace rotor blades as described in 17 18 . | |

Errors and changes accepted
Colours / final design – changes accepted
Technical changes and design-related changes accepted
Photograms: symbolic photos

ENGLISH



DISTRIBUTORS

AUSTRIA
Stadtbauer Marketing +
Vertrieb GmbH
Rennbahn Allee 1
A-5412 Puch / Salzburg
Phone ++43 662 88021-0
Fax ++43 662 88021-512
Internet: www.carrera-rc.com

GERMANY
Stadtbauer Marketing +
Vertrieb GmbH
Rennbahn Allee 1
A-5412 Puch / Salzburg
Phone ++49 011 7092-0
Fax ++49 011 7092-119
Internet: www.carrera-rc.com

HONG KONG
Stadtbauer (HK) Ltd.
Room 1017,
North Tower,
Concordia Plaza
1 Science Museum Road,
Tsimshatsui East
Kowloon Hong Kong
Phone ++852 2722 0620
Fax ++852 2387 0792
Internet: www.carrera-rc.com

USA/CANADA/MEXICO
Carrera of America Inc.
2 Corporate Drive
Oranburg,
NY 08512,
USA
Phone ++1 800 400 8510
Fax ++1 800 400 8510
Email: reception@
carrera-toys.com
Internet: www.carrera-rc.com

BENELUX
Stadtbauer Marketing +
Vertrieb GmbH
Landshoerlaan 33
NL-6114 MP Susteren
Email: servicebenelux@
carrera-toys.com
Internet: www.carrera-rc.com

FRANCE
Stadtbauer Marketing +
Vertrieb GmbH
21 B, Route Nationale
Domaine de L'Hanandrie
FR-50320 Ernée-En-Wappes
Email: carrera-toys@orange.fr
Internet: www.carrera-rc.com

HUNGARY
Magyarország Importer
Stadtbauer Marketing +
Vertrieb GmbH
Rennbahn Allee 1
A-5412 Puch / Salzburg
Phone ++36 305566502
Email: office@stadtbauer-toys.hu
Internet: www.carrera-rc.com
Service:
GÁBOR PÁRK - VINCZE ZOLTÁN
Bányai Ártutó 38,
1171 Budapest - Hungary
Phone ++36 1 258-7600
Email: vhzolot@online.hu

POLAND
Stadtbauer Marketing +
Vertrieb GmbH
Rennbahn Allee 1
A-5412 Puch / Salzburg
Phone ++48 22 645 14 20
Fax ++48 22 645 14 21
Email: office@stadtbauer-toys.pl
Internet: www.carrera-rc.com
Service:
REKMAN
ul. Fabryczna 14
53-600 Wrocław
Poland
Phone ++48 71 350 46 10
Fax ++48 71 350 46 21
Email: jbojda@rekman.com.pl

SPAIN/PORTUGAL
Stadtbauer Iberia SLU
Calle Rivia, 27, 1º
08010 Barcelona - Spain
Phone ++34 93 303 63 95
Email: contactos@carrera-toys.com
Internet: www.carrera-rc.com

CARRERA RC DISTRIBUTORS

AUSTRALIA
Zimble Pty Ltd.
800 Heidelberg Road
Nanhai, Victoria 3070
Australia
Phone ++61 3 8481 1000
Fax ++61 3 9497 2911
Email: sales@zimble.com.au
Internet: www.zimble.com.au

BULGARIA
Vantchov Ltd.
78a, Maria Luisa Blvd.
BG-1202 Sofia
Phone ++359 283 22020
Fax ++359 283 22020
Email: kivanchev@vntchov.com

CHINA
Shanghai Wovgame Commercial
Company Ltd.
Room 110, Tower 1,
German Centre, 88 Keyuan Road,
(Zhangjiang Hi-Tech Park),
Pudong, Shanghai, (Zip: 201203)
China
Phone ++86 21 5382 1602
Mobile ++86 155774 40430
Email: eddy@shanghaiwovgame.com.cn
Internet: www.wovgame.net.cn

CZECH REPUBLIC
ConQuest entertainment a.s.
Hlubětínská 11
CZ-198 00 Praha 9 - Hlubetín
Phone ++420 284 000 175
Fax ++420 284 000 101
Email: ra@dm.kaloc.conquest.cz
Internet: www.autodromy.cz

ESTONIA
Anvot Ltd.
Mägilä 7
EE-74114 Maardu
Phone ++372 63 88 100
Fax ++372 63 88 101
Email: anvot@anvot.ee
Internet: www.anvot.ee

GREECE
Enarata Dynamic Media Ltd.
68, Kifissou Street
11744, Nicos Kosmos
Athens
Greece
Phone ++30 210 9011000
Fax ++30 210 9028700
Email: info@enarata.eu
Internet: www.enarata.eu

HONG KONG
Chun Lee (China) Industrial Limited
RM. 18015, 18/F,
King Palace Plaza,
52A She Tsui Road,
Tsimshatsui
MT Hong Kong
Email: eddy@chunleeyu-lee.com
Mobile ++852 2103 6670

INDIA
Karma Solutions
121A, Oshwara Industrial Centre,
Link Rd - Goregaon (W),
Mumbai - 400104
India
Phone ++91 22 66716714
Mobile ++91 9920075400
Email: karma.solutions7@gmail.com
Internet: www.karma-toys.com

ISRAEL
TOPPLAY ISRAEL (TRIL) LTD
Simta Atavor Str. 8A - Industrial
Zone Sigeula-Patach-Tel-Aviv, 4062108
Israel
Phone ++972 3 9383767
Fax ++972 3 9086074
Mobile ++972 52 8338666
Email: top-play@012.net.il
Internet: www.TopPlay-toys.com

LEBANON
F.A.O.U.D
P.O. Box 1665, Jounieh Lebanon
Twin Towers Building Bld A
Sartre High Way
Jounieh - Lebanon
Phone ++961 3 840505
Fax ++961 3 635473
Email: fawad@fawad.net.lb
fawad.fawad@fawad.net.lb

NEW ZEALAND
F.W. Cave Ltd.
15 Old North Road
P.O. Box 278
Kumeu 0841
Auckland - New Zealand
Phone ++64 9 415 7766
Fax ++64 9 415 7099
Email: sales@f.w.cave.co.nz
Internet: www.f.w.cave.co.nz

ROMANIA
Seven Springs Int.
Piata 22 Decembrie nr. 18
RO-610007 Piatra Neamt, jud. Neamt
Phone ++40-233-221117
Email: office@sevenro.ro
Internet: www.sevenro.ro

RUSSIA
Unitoys MSK Ltd.
Mnukhin Str. 7, Building 2
RU-123308 Moscow
Phone ++7 425 276 0286
Fax ++7 425 276 4616
Email: office@unitoys.ru
Internet: www.unitoys.ru

SERBIA/MONTENEGRO
Cool Play d.o.o.
Zivka Davidovica 13
11000 Beograd - Serbian
Phone ++381 11 3809143
Fax ++381 11 3809144
Email: office@coolplay.rs

SWITZERLAND
Waldmair AG
Neustrasse 50
CH-4623 Neuendorf
Phone ++41 62 387 98 18
Fax ++41 62 387 98 20
Email: info@waldmair.ch
Internet: www.waldmair.ch

UNITED KINGDOM
The Hobby Company Ltd.
Garforth Place, Knowlhill
Milton Keynes MK5 8PC - UK
Phone ++44 1908 209 480
Fax ++44 1908 235 900
Email: enq@hobbyco.net
Internet: www.hobbyco.net

UNITED ARAB EMIRATES
Toyworld Distributor
P.O. Box 289, Citra Building
Al Wasl Street, Sheikh
United Arab Emirates
Phone ++971 6 539 7418
Fax ++971 6 539 6682
Email: toyworld@aisalholding.net



carrera-rc.com

Stadtbauer Marketing + Vertrieb GmbH · Rennbahn Allee 1 · 5412 Puch / Salzburg · Austria