

Prüfbericht - Nr.:
 Test Report No.:

14036325 001
Seite 1 von 4
 Page 1 of 4

Bandwidth


DELTA MARKER 2

134.4 kHz

Ref -40 dBm

Att 10 dB

*RBW 10 kHz


VBW 30 kHz

SWT 5 ms

Delta 2 [T1]

-34.94 dB

134.40000000 kHz

 1 PK
 MAXH


Center 27.12 MHz

32 kHz/

Span 320 kHz


Date: 11.JUL.2014 18:03:19

Prüfbericht - Nr.:
14036325 001
Seite 2 von 4
Test Report No.:
Page 2 of 4

Radiated Emission

Tx frequency: 27.145 MHz

9k – 30MHz




Site : 3n chamber
 Condition : FCC PART15 209 3n LOOP ANTENNA
 EUT : 27.145MHz TX
 Model No. :
 Sample No. : A000049689-001
 TUV Order No: 144020886
 Test Mode : TX on

Prüfbericht - Nr.:
14036325 001
Seite 3 von 4
Test Report No.:
Page 3 of 4

Tx frequency: 27.145 MHz

30MHz – 1000MHz (Horizontal)




Site : 3n chamber
 Condition : FCC PART15.227 3n VULB9163-2013M HORIZONTAL
 EUT : 27.145MHz TX
 Model No. :
 Sample No. : A000049689-001
 TUV Order No: 144020886
 Test Mode : IX on

		ReadAntenna	Cable Preamp			Limit	Over	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuV	dB/n	dB	dB	dBuV/m	dBuV/m	dB	
1	27.145	66.40	14.59	0.51	32.04	49.46	100.00	-50.54 Average
2	27.145	71.67	14.59	0.51	32.04	54.73	100.00	-45.27 Peak
3	54.247	42.92	16.06	0.81	31.96	26.83	40.00	-13.17 QP
4	155.798	39.73	10.51	1.60	32.00	19.84	43.50	-23.66 QP

Prüfbericht - Nr.:
14036325 001
Seite 4 von 4
Test Report No.:
Page 4 of 4

Tx frequency: 27.145 MHz

30MHz – 1000MHz (Vertical)



Site : 3n chamber
 Condition : FCC PART 15.227 3n VULB0163-2013M VERTICAL
 EUT : 27.145MHz TX
 Model No. :
 Sample No. : A000049689-001
 TÜV Order No: 144020886
 Test Mode : TX on

		ReadAntenna	Cable	Preamplifier	Limit	Over	
Freq	Level	Factor	Loss	Factor	Level	Line	Limit Remark
MHz	dBuV	dB/n	dB	dB	dBuV/n	dBuV/n	dB
1	27.145	76.81	14.59	0.51	32.04	59.87	100.00 -40.13 Average
2	27.145	81.78	14.59	0.51	32.04	64.84	100.00 -35.16 Peak
3	54.247	48.27	15.05	0.81	31.95	32.18	40.00 -7.82 QP
4	81.395	41.76	11.13	1.04	31.75	22.18	40.00 -17.82 QP
5	108.533	40.93	14.39	1.27	31.80	24.79	43.50 -18.71 QP