

n2 25M DFT-s-OFDM BPSK Outer_Full Low



n2 25M DFT-s-OFDM 256QAM Outer_Full Low



n2 25M CP-OFDM QPSK Outer_Full Low



n2 25M CP-OFDM 256QAM Outer_Full Low



n2 25M DFT-s-OFDM BPSK Outer_Full Mid



n2 25M DFT-s-OFDM 256QAM Outer_Full Mid



n2 25M CP-OFDM QPSK Outer_Full Mid



n2 25M CP-OFDM 256QAM Outer_Full Mid



n2 25M DFT-s-OFDM BPSK Outer_Full High



n2 25M DFT-s-OFDM 256QAM Outer_Full High



n2 25M CP-OFDM QPSK Outer_Full High



n2 25M CP-OFDM 256QAM Outer_Full High



n2 30M DFT-s-OFDM BPSK Outer_Full Low



n2 30M DFT-s-OFDM 256QAM Outer_Full Low



n2 30M CP-OFDM QPSK Outer_Full Low



n2 30M CP-OFDM 256QAM Outer_Full Low



n2 30M DFT-s-OFDM BPSK Outer_Full Mid



n2 30M DFT-s-OFDM 256QAM Outer_Full Mid



n2 30M CP-OFDM QPSK Outer_Full Mid



n2 30M CP-OFDM 256QAM Outer_Full Mid



n2 30M DFT-s-OFDM BPSK Outer_Full High



n2 30M DFT-s-OFDM 256QAM Outer_Full High



n2 30M CP-OFDM QPSK Outer_Full High



n2 30M CP-OFDM 256QAM Outer_Full High



n2 40M DFT-s-OFDM BPSK Outer_Full Low



n2 40M DFT-s-OFDM 256QAM Outer_Full Low



n2 40M CP-OFDM QPSK Outer_Full Low



n2 40M CP-OFDM 256QAM Outer_Full Low



n2 40M DFT-s-OFDM BPSK Outer_Full Mid



n2 40M DFT-s-OFDM 256QAM Outer_Full Mid



n2 40M CP-OFDM QPSK Outer_Full Mid



n2 40M CP-OFDM 256QAM Outer_Full Mid



n2 40M DFT-s-OFDM BPSK Outer_Full High



n2 40M DFT-s-OFDM 256QAM Outer_Full High



n2 40M CP-OFDM QPSK Outer_Full High



n2 40M CP-OFDM 256QAM Outer_Full High

Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dB)	Limit (dB)	Verdict
n25	15	5	370500	DFT-s-OFDM PI/2 BPSK	25/0	4.53	13	PASS
n25	15	5	370500	DFT-s-OFDM 256QAM	25/0	6.99	13	PASS
n25	15	5	370500	CP-OFDM QPSK	25/0	8.04	13	PASS
n25	15	5	370500	CP-OFDM 256QAM	25/0	8.32	13	PASS
n25	15	5	376500	DFT-s-OFDM PI/2 BPSK	25/0	4.55	13	PASS
n25	15	5	376500	DFT-s-OFDM 256QAM	25/0	6.75	13	PASS
n25	15	5	376500	CP-OFDM QPSK	25/0	7.82	13	PASS
n25	15	5	376500	CP-OFDM 256QAM	25/0	8.56	13	PASS
n25	15	5	382500	DFT-s-OFDM PI/2 BPSK	25/0	4.36	13	PASS
n25	15	5	382500	DFT-s-OFDM 256QAM	25/0	6.77	13	PASS
n25	15	5	382500	CP-OFDM QPSK	25/0	7.79	13	PASS
n25	15	5	382500	CP-OFDM 256QAM	25/0	8.58	13	PASS
n25	15	10	371000	DFT-s-OFDM PI/2 BPSK	50/0	4.3	13	PASS
n25	15	10	371000	DFT-s-OFDM 256QAM	50/0	6.76	13	PASS
n25	15	10	371000	CP-OFDM QPSK	52/0	7.95	13	PASS
n25	15	10	371000	CP-OFDM 256QAM	52/0	8.41	13	PASS
n25	15	10	376500	DFT-s-OFDM PI/2 BPSK	50/0	4.54	13	PASS
n25	15	10	376500	DFT-s-OFDM 256QAM	50/0	6.39	13	PASS
n25	15	10	376500	CP-OFDM QPSK	52/0	7.86	13	PASS
n25	15	10	376500	CP-OFDM 256QAM	52/0	8.7	13	PASS
n25	15	10	382000	DFT-s-OFDM PI/2 BPSK	50/0	4.17	13	PASS
n25	15	10	382000	DFT-s-OFDM	50/0	6.44	13	PASS

				256QAM				
n25	15	10	382000	CP-OFDM QPSK	52/0	7.67	13	PASS
n25	15	10	382000	CP-OFDM 256QAM	52/0	8.45	13	PASS
n25	15	15	371500	DFT-s-OFDM PI/2 BPSK	75/0	4.2	13	PASS
n25	15	15	371500	DFT-s-OFDM 256QAM	75/0	6.28	13	PASS
n25	15	15	371500	CP-OFDM QPSK	79/0	7.91	13	PASS
n25	15	15	371500	CP-OFDM 256QAM	79/0	8.15	13	PASS
n25	15	15	376500	DFT-s-OFDM PI/2 BPSK	75/0	4.31	13	PASS
n25	15	15	376500	DFT-s-OFDM 256QAM	75/0	6.41	13	PASS
n25	15	15	376500	CP-OFDM QPSK	79/0	7.74	13	PASS
n25	15	15	376500	CP-OFDM 256QAM	79/0	8.17	13	PASS
n25	15	15	381500	DFT-s-OFDM PI/2 BPSK	75/0	4.2	13	PASS
n25	15	15	381500	DFT-s-OFDM 256QAM	75/0	6.31	13	PASS
n25	15	15	381500	CP-OFDM QPSK	79/0	7.78	13	PASS
n25	15	15	381500	CP-OFDM 256QAM	79/0	8.21	13	PASS
n25	15	20	372000	DFT-s-OFDM PI/2 BPSK	100/0	4.14	13	PASS
n25	15	20	372000	DFT-s-OFDM 256QAM	100/0	6.34	13	PASS
n25	15	20	372000	CP-OFDM QPSK	106/0	7.82	13	PASS
n25	15	20	372000	CP-OFDM 256QAM	106/0	8.25	13	PASS
n25	15	20	376500	DFT-s-OFDM PI/2 BPSK	100/0	4.18	13	PASS
n25	15	20	376500	DFT-s-OFDM 256QAM	100/0	6.4	13	PASS
n25	15	20	376500	CP-OFDM QPSK	106/0	7.69	13	PASS
n25	15	20	376500	CP-OFDM 256QAM	106/0	8.25	13	PASS

n25	15	20	381000	DFT-s-OFDM PI/2 BPSK	100/0	4.19	13	PASS
n25	15	20	381000	DFT-s-OFDM 256QAM	100/0	6.37	13	PASS
n25	15	20	381000	CP-OFDM QPSK	106/0	7.69	13	PASS
n25	15	20	381000	CP-OFDM 256QAM	106/0	8.32	13	PASS
n25	15	25	372500	DFT-s-OFDM PI/2 BPSK	128/0	4.57	13	PASS
n25	15	25	372500	DFT-s-OFDM 256QAM	128/0	6.38	13	PASS
n25	15	25	372500	CP-OFDM QPSK	133/0	7.94	13	PASS
n25	15	25	372500	CP-OFDM 256QAM	133/0	8.42	13	PASS
n25	15	25	376500	DFT-s-OFDM PI/2 BPSK	128/0	4.48	13	PASS
n25	15	25	376500	DFT-s-OFDM 256QAM	128/0	6.41	13	PASS
n25	15	25	376500	CP-OFDM QPSK	133/0	7.92	13	PASS
n25	15	25	376500	CP-OFDM 256QAM	133/0	8.32	13	PASS
n25	15	25	380500	DFT-s-OFDM PI/2 BPSK	128/0	4.55	13	PASS
n25	15	25	380500	DFT-s-OFDM 256QAM	128/0	6.44	13	PASS
n25	15	25	380500	CP-OFDM QPSK	133/0	7.88	13	PASS
n25	15	25	380500	CP-OFDM 256QAM	133/0	8.19	13	PASS
n25	15	30	373000	DFT-s-OFDM PI/2 BPSK	160/0	4.13	13	PASS
n25	15	30	373000	DFT-s-OFDM 256QAM	160/0	6.4	13	PASS
n25	15	30	373000	CP-OFDM QPSK	160/0	7.72	13	PASS
n25	15	30	373000	CP-OFDM 256QAM	160/0	8.23	13	PASS
n25	15	30	376500	DFT-s-OFDM PI/2 BPSK	160/0	4.04	13	PASS
n25	15	30	376500	DFT-s-OFDM 256QAM	160/0	6.34	13	PASS
n25	15	30	376500	CP-OFDM	160/0	7.65	13	PASS

				QPSK				
n25	15	30	376500	CP-OFDM 256QAM	160/0	8.22	13	PASS
n25	15	30	380000	DFT-s-OFDM PI/2 BPSK	160/0	4.25	13	PASS
n25	15	30	380000	DFT-s-OFDM 256QAM	160/0	6.32	13	PASS
n25	15	30	380000	CP-OFDM QPSK	160/0	7.74	13	PASS
n25	15	30	380000	CP-OFDM 256QAM	160/0	8.19	13	PASS
n25	15	40	374000	DFT-s-OFDM PI/2 BPSK	216/0	4.64	13	PASS
n25	15	40	374000	DFT-s-OFDM 256QAM	216/0	6.4	13	PASS
n25	15	40	374000	CP-OFDM QPSK	216/0	7.75	13	PASS
n25	15	40	374000	CP-OFDM 256QAM	216/0	8.26	13	PASS
n25	15	40	376500	DFT-s-OFDM PI/2 BPSK	216/0	4.69	13	PASS
n25	15	40	376500	DFT-s-OFDM 256QAM	216/0	6.32	13	PASS
n25	15	40	376500	CP-OFDM QPSK	216/0	7.68	13	PASS
n25	15	40	376500	CP-OFDM 256QAM	216/0	8.23	13	PASS
n25	15	40	379000	DFT-s-OFDM PI/2 BPSK	216/0	5.51	13	PASS
n25	15	40	379000	DFT-s-OFDM 256QAM	216/0	8.18	13	PASS
n25	15	40	379000	CP-OFDM QPSK	216/0	7.84	13	PASS
n25	15	40	379000	CP-OFDM 256QAM	216/0	8.27	13	PASS



n25 5M DFT-s-OFDM BPSK Outer_Full Low



n25 5M DFT-s-OFDM 256QAM Outer_Full Low



n25 5M CP-OFDM QPSK Outer_Full Low



n25 5M CP-OFDM 256QAM Outer_Full Low



n25 5M DFT-s-OFDM BPSK Outer_Full Mid



n25 5M DFT-s-OFDM 256QAM Outer_Full Mid



n25 5M CP-OFDM QPSK Outer_Full Mid



n25 5M CP-OFDM 256QAM Outer_Full Mid



n25 5M DFT-s-OFDM BPSK Outer_Full High



n25 5M DFT-s-OFDM 256QAM Outer_Full High



n25 5M CP-OFDM QPSK Outer_Full High



n25 5M CP-OFDM 256QAM Outer_Full High



n25 10M DFT-s-OFDM BPSK Outer_Full Low



n25 10M DFT-s-OFDM 256QAM Outer_Full Low



n25 10M CP-OFDM QPSK Outer_Full Low



n25 10M CP-OFDM 256QAM Outer_Full Low



n25 10M DFT-s-OFDM BPSK Outer_Full Mid



n25 10M DFT-s-OFDM 256QAM Outer_Full Mid



n25 10M CP-OFDM QPSK Outer_Full Mid



n25 10M CP-OFDM 256QAM Outer_Full Mid



n25 10M DFT-s-OFDM BPSK Outer_Full High



n25 10M DFT-s-OFDM 256QAM Outer_Full High



n25 10M CP-OFDM QPSK Outer_Full High



n25 10M CP-OFDM 256QAM Outer_Full High



n25 15M DFT-s-OFDM BPSK Outer_Full Low



n25 15M DFT-s-OFDM 256QAM Outer_Full Low



n25 15M CP-OFDM QPSK Outer_Full Low



n25 15M CP-OFDM 256QAM Outer_Full Low



n25 15M DFT-s-OFDM BPSK Outer_Full Mid



n25 15M DFT-s-OFDM 256QAM Outer_Full Mid



n25 15M CP-OFDM QPSK Outer_Full Mid



n25 15M CP-OFDM 256QAM Outer_Full Mid



n25 15M DFT-s-OFDM BPSK Outer_Full High



n25 15M DFT-s-OFDM 256QAM Outer_Full High



n25 15M CP-OFDM QPSK Outer_Full High



n25 15M CP-OFDM 256QAM Outer_Full High



n25 20M DFT-s-OFDM BPSK Outer_Full Low



n25 20M DFT-s-OFDM 256QAM Outer_Full Low



n25 20M CP-OFDM QPSK Outer_Full Low



n25 20M CP-OFDM 256QAM Outer_Full Low



n25 20M DFT-s-OFDM BPSK Outer_Full Mid



n25 20M DFT-s-OFDM 256QAM Outer_Full Mid



n25 20M CP-OFDM QPSK Outer_Full Mid



n25 20M CP-OFDM 256QAM Outer_Full Mid



n25 20M DFT-s-OFDM BPSK Outer_Full High



n25 20M DFT-s-OFDM 256QAM Outer_Full High



n25 20M CP-OFDM QPSK Outer_Full High



n25 20M CP-OFDM 256QAM Outer_Full High



n25 25M DFT-s-OFDM BPSK Outer_Full Low



n25 25M DFT-s-OFDM 256QAM Outer_Full Low



n25 25M CP-OFDM QPSK Outer_Full Low



n25 25M CP-OFDM 256QAM Outer_Full Low



n25 25M DFT-s-OFDM BPSK Outer_Full Mid



n25 25M DFT-s-OFDM 256QAM Outer_Full Mid



n25 25M CP-OFDM QPSK Outer_Full Mid



n25 25M CP-OFDM 256QAM Outer_Full Mid



n25 25M DFT-s-OFDM BPSK Outer_Full High



n25 25M DFT-s-OFDM 256QAM Outer_Full High



n25 25M CP-OFDM QPSK Outer_Full High



n25 25M CP-OFDM 256QAM Outer_Full High



n25 30M DFT-s-OFDM BPSK Outer_Full Low



n25 30M DFT-s-OFDM 256QAM Outer_Full Low



n25 30M CP-OFDM QPSK Outer_Full Low



n25 30M CP-OFDM 256QAM Outer_Full Low



n25 30M DFT-s-OFDM BPSK Outer_Full Mid



n25 30M DFT-s-OFDM 256QAM Outer_Full Mid



n25 30M CP-OFDM QPSK Outer_Full Mid



n25 30M CP-OFDM 256QAM Outer_Full Mid



n25 30M DFT-s-OFDM BPSK Outer_Full High



n25 30M DFT-s-OFDM 256QAM Outer_Full High



n25 30M CP-OFDM QPSK Outer_Full High



n25 30M CP-OFDM 256QAM Outer_Full High



n25 40M DFT-s-OFDM BPSK Outer_Full Low



n25 40M DFT-s-OFDM 256QAM Outer_Full Low



n25 40M CP-OFDM QPSK Outer_Full Low



n25 40M CP-OFDM 256QAM Outer_Full Low



n25 40M DFT-s-OFDM BPSK Outer_Full Mid



n25 40M DFT-s-OFDM 256QAM Outer_Full Mid



n25 40M CP-OFDM QPSK Outer_Full Mid



n25 40M CP-OFDM 256QAM Outer_Full Mid



n25 40M DFT-s-OFDM BPSK Outer_Full High



n25 40M DFT-s-OFDM 256QAM Outer_Full High



n25 40M CP-OFDM QPSK Outer_Full High



n25 40M CP-OFDM 256QAM Outer_Full High

Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dB)	Limit (dB)	Verdict
n66	15	5	342500	DFT-s-OFDM PI/2 BPSK	25/0	4.33	13	PASS
n66	15	5	342500	DFT-s-OFDM 256QAM	25/0	7.18	13	PASS
n66	15	5	342500	CP-OFDM QPSK	25/0	7.67	13	PASS
n66	15	5	342500	CP-OFDM 256QAM	25/0	8.24	13	PASS
n66	15	5	349000	DFT-s-OFDM PI/2 BPSK	25/0	4.39	13	PASS
n66	15	5	349000	DFT-s-OFDM 256QAM	25/0	7	13	PASS
n66	15	5	349000	CP-OFDM QPSK	25/0	7.74	13	PASS
n66	15	5	349000	CP-OFDM 256QAM	25/0	8.48	13	PASS
n66	15	5	355500	DFT-s-OFDM PI/2 BPSK	25/0	4.45	13	PASS
n66	15	5	355500	DFT-s-OFDM 256QAM	25/0	6.82	13	PASS
n66	15	5	355500	CP-OFDM QPSK	25/0	7.74	13	PASS
n66	15	5	355500	CP-OFDM 256QAM	25/0	8.57	13	PASS
n66	15	10	343000	DFT-s-OFDM PI/2 BPSK	50/0	4.42	13	PASS
n66	15	10	343000	DFT-s-OFDM 256QAM	50/0	6.62	13	PASS
n66	15	10	343000	CP-OFDM QPSK	52/0	7.73	13	PASS
n66	15	10	343000	CP-OFDM 256QAM	52/0	8.3	13	PASS
n66	15	10	349000	DFT-s-OFDM PI/2 BPSK	50/0	4.44	13	PASS
n66	15	10	349000	DFT-s-OFDM 256QAM	50/0	6.51	13	PASS
n66	15	10	349000	CP-OFDM QPSK	52/0	7.85	13	PASS
n66	15	10	349000	CP-OFDM 256QAM	52/0	8.2	13	PASS
n66	15	10	355000	DFT-s-OFDM PI/2 BPSK	50/0	4.32	13	PASS
n66	15	10	355000	DFT-s-OFDM	50/0	6.67	13	PASS

				256QAM				
n66	15	10	355000	CP-OFDM QPSK	52/0	7.86	13	PASS
n66	15	10	355000	CP-OFDM 256QAM	52/0	8.46	13	PASS
n66	15	15	343500	DFT-s-OFDM PI/2 BPSK	75/0	4.11	13	PASS
n66	15	15	343500	DFT-s-OFDM 256QAM	75/0	6.26	13	PASS
n66	15	15	343500	CP-OFDM QPSK	79/0	7.65	13	PASS
n66	15	15	343500	CP-OFDM 256QAM	79/0	8.34	13	PASS
n66	15	15	349000	DFT-s-OFDM PI/2 BPSK	75/0	4.19	13	PASS
n66	15	15	349000	DFT-s-OFDM 256QAM	75/0	6.39	13	PASS
n66	15	15	349000	CP-OFDM QPSK	79/0	7.57	13	PASS
n66	15	15	349000	CP-OFDM 256QAM	79/0	8.33	13	PASS
n66	15	15	354500	DFT-s-OFDM PI/2 BPSK	75/0	4.12	13	PASS
n66	15	15	354500	DFT-s-OFDM 256QAM	75/0	6.32	13	PASS
n66	15	15	354500	CP-OFDM QPSK	79/0	7.73	13	PASS
n66	15	15	354500	CP-OFDM 256QAM	79/0	8.2	13	PASS
n66	15	20	344000	DFT-s-OFDM PI/2 BPSK	100/0	4.17	13	PASS
n66	15	20	344000	DFT-s-OFDM 256QAM	100/0	6.26	13	PASS
n66	15	20	344000	CP-OFDM QPSK	106/0	7.74	13	PASS
n66	15	20	344000	CP-OFDM 256QAM	106/0	8.25	13	PASS
n66	15	20	349000	DFT-s-OFDM PI/2 BPSK	100/0	4.03	13	PASS
n66	15	20	349000	DFT-s-OFDM 256QAM	100/0	6.32	13	PASS
n66	15	20	349000	CP-OFDM QPSK	106/0	7.63	13	PASS
n66	15	20	349000	CP-OFDM 256QAM	106/0	8.11	13	PASS

n66	15	20	354000	DFT-s-OFDM PI/2 BPSK	100/0	4.18	13	PASS
n66	15	20	354000	DFT-s-OFDM 256QAM	100/0	6.39	13	PASS
n66	15	20	354000	CP-OFDM QPSK	106/0	7.69	13	PASS
n66	15	20	354000	CP-OFDM 256QAM	106/0	8.16	13	PASS
n66	15	25	344500	DFT-s-OFDM PI/2 BPSK	128/0	4.55	13	PASS
n66	15	25	344500	DFT-s-OFDM 256QAM	128/0	6.38	13	PASS
n66	15	25	344500	CP-OFDM QPSK	133/0	7.73	13	PASS
n66	15	25	344500	CP-OFDM 256QAM	133/0	8.28	13	PASS
n66	15	25	349000	DFT-s-OFDM PI/2 BPSK	128/0	4.35	13	PASS
n66	15	25	349000	DFT-s-OFDM 256QAM	128/0	6.33	13	PASS
n66	15	25	349000	CP-OFDM QPSK	133/0	7.82	13	PASS
n66	15	25	349000	CP-OFDM 256QAM	133/0	8.26	13	PASS
n66	15	25	353500	DFT-s-OFDM PI/2 BPSK	128/0	4.47	13	PASS
n66	15	25	353500	DFT-s-OFDM 256QAM	128/0	6.37	13	PASS
n66	15	25	353500	CP-OFDM QPSK	133/0	7.81	13	PASS
n66	15	25	353500	CP-OFDM 256QAM	133/0	8.19	13	PASS
n66	15	30	345000	DFT-s-OFDM PI/2 BPSK	160/0	4.13	13	PASS
n66	15	30	345000	DFT-s-OFDM 256QAM	160/0	6.21	13	PASS
n66	15	30	345000	CP-OFDM QPSK	160/0	7.64	13	PASS
n66	15	30	345000	CP-OFDM 256QAM	160/0	8.21	13	PASS
n66	15	30	349000	DFT-s-OFDM PI/2 BPSK	160/0	3.94	13	PASS
n66	15	30	349000	DFT-s-OFDM 256QAM	160/0	6.31	13	PASS
n66	15	30	349000	CP-OFDM	160/0	7.51	13	PASS

				QPSK				
n66	15	30	349000	CP-OFDM 256QAM	160/0	8.14	13	PASS
n66	15	30	353000	DFT-s-OFDM PI/2 BPSK	160/0	4.22	13	PASS
n66	15	30	353000	DFT-s-OFDM 256QAM	160/0	6.27	13	PASS
n66	15	30	353000	CP-OFDM QPSK	160/0	7.51	13	PASS
n66	15	30	353000	CP-OFDM 256QAM	160/0	8.2	13	PASS
n66	15	40	346000	DFT-s-OFDM PI/2 BPSK	216/0	4.63	13	PASS
n66	15	40	346000	DFT-s-OFDM 256QAM	216/0	6.37	13	PASS
n66	15	40	346000	CP-OFDM QPSK	216/0	7.73	13	PASS
n66	15	40	346000	CP-OFDM 256QAM	216/0	8.15	13	PASS
n66	15	40	349000	DFT-s-OFDM PI/2 BPSK	216/0	4.63	13	PASS
n66	15	40	349000	DFT-s-OFDM 256QAM	216/0	6.26	13	PASS
n66	15	40	349000	CP-OFDM QPSK	216/0	7.62	13	PASS
n66	15	40	349000	CP-OFDM 256QAM	216/0	8.21	13	PASS
n66	15	40	352000	DFT-s-OFDM PI/2 BPSK	216/0	4.72	13	PASS
n66	15	40	352000	DFT-s-OFDM 256QAM	216/0	6.37	13	PASS
n66	15	40	352000	CP-OFDM QPSK	216/0	7.63	13	PASS
n66	15	40	352000	CP-OFDM 256QAM	216/0	8.2	13	PASS



n66 5M DFT-s-OFDM BPSK Outer_Full Low



n66 5M DFT-s-OFDM 256QAM Outer_Full Low



n66 5M CP-OFDM QPSK Outer_Full Low



n66 5M CP-OFDM 256QAM Outer_Full Low



n66 5M DFT-s-OFDM BPSK Outer_Full Mid



n66 5M DFT-s-OFDM 256QAM Outer_Full Mid