




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE BAND 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ WCDMA II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ WCDMA IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ WCDMA V



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ LTE BAND 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ WLAN 2.4GHz




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE BAND 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE BAND 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4GHz




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE BAND 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ WCDMA II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ WCDMA IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ 5.2 Receive path – distortion and noise \ WCDMA V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE BAND 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 3150Hz WB&NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE BAND 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 4000Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



NSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE BAND 71




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 5000Hz WB only


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WCDMA V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\ LTE BAND 71



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz



5.2 Receive path – distortion and noise

The distortion and noise test results data are referred to Annex C.

5.3 Receive Acoustic Frequency response Performance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band II



Absolute minimal distance

OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band IV



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WCDMA Band V



Absolute minimal distance

OK

OK

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 2



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 5



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 7



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 12



Absolute minimal distance

OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE Band 66



Absolute minimal distance

OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ LTE BAND 71



Absolute minimal distance


OK

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85 kbps \ WLAN 2.4GHz



Absolute minimal distance

OK

OK


Limits



	lower
Run 1	Fit into tolerance

5.1 Receive Volume Control Performance 8N---EVS NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 24.4 kbps \ LTE Band 2



Speech Level RCV: 95.5 dB[SPL]

Calculated Value: 25.5 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 24.4 kbps \ LTE Band 5



Speech Level RCV: 96.1 dB[SPL]

Calculated Value: 26.1 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 24.4 kbps \ LTE Band 7



Speech Level RCV: 95.2 dB[SPL]

Calculated Value: 25.2 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 24.4 kbps \ LTE Band 12



Speech Level RCV: 96.3 dB[SPL]

Calculated Value: 26.3 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 24.4 kbps \ LTE Band 66



Speech Level RCV: 95 dB[SPL]

Calculated Value: 25 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 24.4 kbps \ LTE BAND 71



Speech Level RCV: 95.3 dB[SPL]

Calculated Value: 25.3 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS NB 24.4 kbps \ WLAN 2.4GHz




Speech Level RCV: 89.17 dB[SPL]

Calculated Value: 19.17 dB Ok

5.1 Receive Volume Control Performance 8N---EVS WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 2



Speech Level RCV: 97.3 dB[SPL]

Calculated Value: 27.3 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band5



Speech Level RCV: 97.05 dB[SPL]

Calculated Value: 27.05 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 7



Speech Level RCV: 97.5 dB[SPL]

Calculated Value: 27.5 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 12



Speech Level RCV: 96.9 dB[SPL]

Calculated Value: 26.9 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE Band 66



Speech Level RCV: 96.3 dB[SPL]

Calculated Value: 26.3 dB Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ LTE BAND 71



Speech Level RCV: 97.2 dB[SPL]

Calculated Value: 27.2 dB Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS WB 24.4 kbps \ WLAN 2.4GHz




Speech Level RCV: 90.06 dB[SPL]

Calculated Value: 20.06 dB Ok

5.1 Receive Volume Control Performance 2N---NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 850



Speech Level RCV: 90.3 dB[SPL]

Calculated Value: 20.3 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\GSM 1900



Speech Level RCV: 90.4 dB[SPL]

Calculated Value: 20.4 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band II



Speech Level RCV: 90.42 dB[SPL]

Calculated Value: 20.42 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band IV



Speech Level RCV: 90.53 dB[SPL]

Calculated Value: 20.53 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WCDMA Band V



Speech Level RCV: 90.45 dB[SPL]

Calculated Value: 20.45 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 2



Speech Level RCV: 89.9 dB[SPL]

Calculated Value: 19.9 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 5



Speech Level RCV: 89.45 dB[SPL]

Calculated Value: 19.45 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 7



Speech Level RCV: 90.5 dB[SPL]

Calculated Value: 20.5 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 12



Speech Level RCV: 90.1 dB[SPL]

Calculated Value: 20.1 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE Band 66



Speech Level RCV: 90.6 dB[SPL]

Calculated Value: 20.6 dB Ok


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ LTE BAND 71



Speech Level RCV: 91.2 dB[SPL]

Calculated Value: 21.2 dB Ok

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN 2.4GHz




Speech Level RCV: 80.75 dB[SPL]


Calculated Value: 10.75 dB Ok

Receive path - distortion and noise 400Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE BAND 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 630Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 800Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 1000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kpbs\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kpbs\ 5.2 Receive path – distortion and noise\LTE BAND 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kpbs\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 1250Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE BAND 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 1600Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE BAND 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 2000Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE BAND 71




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WLAN 2.4GHz




Receive path - distortion and noise 2500Hz WB&NB


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 850




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\GSM 1900




ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V



ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2

