







11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5785-PASS




11AC20SISO-Ant1-5825-PASS



11AC40SISO-Ant1-5755-PASS



11AC40SISO-Ant1-5795-PASS




11AC80SISO-Ant1-5775-PASS

Appendix B: Duty Cycle**Test Result**


TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Dc Factor [%]	1/T
11A	Ant1	5180	1.39	1.52	91.45	0.39	0.72
11A	Ant1	5200	1.38	1.51	91.39	0.39	0.72
11A	Ant1	5240	1.38	1.51	91.39	0.39	0.72
11A	Ant1	5260	1.38	1.51	91.39	0.39	0.72
11A	Ant1	5280	1.40	1.52	92.11	0.36	0.71
11A	Ant1	5320	1.39	1.52	91.45	0.39	0.72
11A	Ant1	5500	1.39	1.52	91.45	0.39	0.72
11A	Ant1	5580	1.39	1.51	92.05	0.36	0.72
11A	Ant1	5700	1.40	1.52	92.11	0.36	0.71
11A	Ant1	5745	1.39	1.52	91.45	0.39	0.72
11A	Ant1	5785	1.39	1.52	91.45	0.39	0.72
11A	Ant1	5825	1.39	1.52	91.45	0.39	0.72
11N20SISO	Ant1	5180	1.30	1.43	90.91	0.41	0.77
11N20SISO	Ant1	5200	1.30	1.42	91.55	0.38	0.77
11N20SISO	Ant1	5240	1.29	1.42	90.85	0.42	0.78
11N20SISO	Ant1	5260	1.30	1.42	91.55	0.38	0.77
11N20SISO	Ant1	5280	1.30	1.43	90.91	0.41	0.77
11N20SISO	Ant1	5320	1.30	1.43	90.91	0.41	0.77
11N20SISO	Ant1	5500	1.30	1.43	90.91	0.41	0.77
11N20SISO	Ant1	5580	1.30	1.42	91.55	0.38	0.77
11N20SISO	Ant1	5700	1.30	1.42	91.55	0.38	0.77
11N20SISO	Ant1	5745	1.29	1.42	90.85	0.42	0.78
11N20SISO	Ant1	5785	1.30	1.43	90.91	0.41	0.77
11N20SISO	Ant1	5825	1.30	1.42	91.55	0.38	0.77
11N40SISO	Ant1	5190	0.64	0.77	83.12	0.80	1.56
11N40SISO	Ant1	5230	0.65	0.78	83.33	0.79	1.54
11N40SISO	Ant1	5270	0.65	0.77	84.42	0.74	1.54
11N40SISO	Ant1	5310	0.65	0.77	84.42	0.74	1.54
11N40SISO	Ant1	5510	0.64	0.77	83.12	0.80	1.56
11N40SISO	Ant1	5550	0.65	0.78	83.33	0.79	1.54
11N40SISO	Ant1	5670	0.65	0.77	84.42	0.74	1.54
11N40SISO	Ant1	5755	0.65	0.77	84.42	0.74	1.54
11N40SISO	Ant1	5795	0.65	0.77	84.42	0.74	1.54
11AC20SISO	Ant1	5180	1.31	1.43	91.61	0.38	0.76
11AC20SISO	Ant1	5200	1.31	1.44	90.97	0.41	0.76
11AC20SISO	Ant1	5240	1.31	1.43	91.61	0.38	0.76
11AC20SISO	Ant1	5260	1.31	1.43	91.61	0.38	0.76

11AC20SISO	Ant1	5280	1.31	1.44	90.97	0.41	0.76
11AC20SISO	Ant1	5320	1.31	1.44	90.97	0.41	0.76
11AC20SISO	Ant1	5500	1.31	1.44	90.97	0.41	0.76
11AC20SISO	Ant1	5580	1.31	1.43	91.61	0.38	0.76
11AC20SISO	Ant1	5700	1.31	1.44	90.97	0.41	0.76
11AC20SISO	Ant1	5745	1.31	1.43	91.61	0.38	0.76
11AC20SISO	Ant1	5785	1.31	1.43	91.61	0.38	0.76
11AC20SISO	Ant1	5825	1.31	1.44	90.97	0.41	0.76
11AC40SISO	Ant1	5190	0.66	0.78	84.62	0.73	1.52
11AC40SISO	Ant1	5230	0.66	0.78	84.62	0.73	1.52
11AC40SISO	Ant1	5270	0.65	0.77	84.42	0.74	1.54
11AC40SISO	Ant1	5310	0.66	0.78	84.62	0.73	1.52
11AC40SISO	Ant1	5510	0.65	0.78	83.33	0.79	1.54
11AC40SISO	Ant1	5550	0.66	0.78	84.62	0.73	1.52
11AC40SISO	Ant1	5670	0.65	0.78	83.33	0.79	1.54
11AC40SISO	Ant1	5755	0.65	0.77	84.42	0.74	1.54
11AC40SISO	Ant1	5795	0.65	0.78	83.33	0.79	1.54
11AC80SISO	Ant1	5210	0.33	0.45	73.33	1.35	3.03
11AC80SISO	Ant1	5290	0.33	0.45	73.33	1.35	3.03
11AC80SISO	Ant1	5530	0.32	0.45	71.11	1.48	3.13
11AC80SISO	Ant1	5610	0.32	0.44	72.73	1.38	3.13
11AC80SISO	Ant1	5775	0.32	0.45	71.11	1.48	3.13


Test Graphs




NTNV-11A-Ant1-5180




NTNV-11A-Ant1-5200




NTNV-11A-Ant1-5240




NTNV-11A-Ant1-5260




NTNV-11A-Ant1-5280




NTNV-11A-Ant1-5320




NTNV-11A-Ant1-5500




NTNV-11A-Ant1-5580




NTNV-11A-Ant1-5700




NTNV-11A-Ant1-5745




NTNV-11A-Ant1-5785




NTNV-11A-Ant1-5825




NTNV-11N20SISO-Ant1-5180




NTNV-11N20SISO-Ant1-5200




NTNV-11N20SISO-Ant1-5240




NTNV-11N20SISO-Ant1-5260




NTNV-11N20SISO-Ant1-5280




NTNV-11N20SISO-Ant1-5320




NTNV-11N20SISO-Ant1-5500




NTNV-11N20SISO-Ant1-5580




NTNV-11N20SISO-Ant1-5700




NTNV-11N20SISO-Ant1-5745




NTNV-11N20SISO-Ant1-5785




NTNV-11N20SISO-Ant1-5825




NTNV-11N40SISO-Ant1-5190




NTNV-11N40SISO-Ant1-5230




NTNV-11N40SISO-Ant1-5270




NTNV-11N40SISO-Ant1-5310




NTNV-11N40SISO-Ant1-5510




NTNV-11N40SISO-Ant1-5550




NTNV-11N40SISO-Ant1-5670




NTNV-11N40SISO-Ant1-5755




NTNV-11N40SISO-Ant1-5795




NTNV-11AC20SISO-Ant1-5180




NTNV-11AC20SISO-Ant1-5200




NTNV-11AC20SISO-Ant1-5240






NTNV-11AC20SISO-Ant1-5260




NTNV-11AC20SISO-Ant1-5280




NTNV-11AC20SISO-Ant1-5320







NTNV-11AC20SISO-Ant1-5745




NTNV-11AC20SISO-Ant1-5785




NTNV-11AC20SISO-Ant1-5825



NTNV-11AC40SISO-Ant1-5190




NTNV-11AC40SISO-Ant1-5230




NTNV-11AC40SISO-Ant1-5270




NTNV-11AC40SISO-Ant1-5310




NTNV-11AC40SISO-Ant1-5510




NTNV-11AC40SISO-Ant1-5550




NTNV-11AC40SISO-Ant1-5670




NTNV-11AC40SISO-Ant1-5755




NTNV-11AC40SISO-Ant1-5795




NTNV-11AC80SISO-Ant1-5210



NTNV-11AC80SISO-Ant1-5290



NTNV-11AC80SISO-Ant1-5530



Appendix C: Maximum conducted output power**Test Result Channel Power****Normal mode:**

Test Mode	Antenna	Frequency [MHz]	TPC	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	NA	15.36	91.45	0.39	15.75	≤23.98	PASS
11A	Ant1	5200	NA	15.65	91.39	0.39	16.04	≤23.98	PASS
11A	Ant1	5240	NA	15.86	91.39	0.39	16.25	≤23.98	PASS
11A	Ant1	5260	NA	15.88	91.39	0.39	16.27	≤23.98	PASS
11A	Ant1	5280	NA	16.25	92.11	0.36	16.61	≤23.98	PASS
11A	Ant1	5320	NA	16.24	91.45	0.39	16.63	≤23.98	PASS
11A	Ant1	5500	NA	16.23	91.45	0.39	16.62	≤23.98	PASS
11A	Ant1	5580	NA	16.67	92.05	0.36	17.03	≤23.98	PASS
11A	Ant1	5700	NA	16.76	92.11	0.36	17.12	≤23.98	PASS
11A	Ant1	5745	NA	16.66	91.45	0.39	17.05	≤30.00	PASS
11A	Ant1	5785	NA	16.31	91.45	0.39	16.70	≤30.00	PASS
11A	Ant1	5825	NA	16.44	91.45	0.39	16.83	≤30.00	PASS
11N20SISO	Ant1	5180	NA	13.81	90.91	0.41	14.22	≤23.98	PASS
11N20SISO	Ant1	5200	NA	13.86	91.55	0.38	14.24	≤23.98	PASS
11N20SISO	Ant1	5240	NA	13.97	90.85	0.42	14.39	≤23.98	PASS
11N20SISO	Ant1	5260	NA	14.15	91.55	0.38	14.53	≤23.98	PASS
11N20SISO	Ant1	5280	NA	14.16	90.91	0.41	14.57	≤23.98	PASS
11N20SISO	Ant1	5320	NA	14.18	90.91	0.41	14.59	≤23.98	PASS
11N20SISO	Ant1	5500	NA	14.20	90.91	0.41	14.61	≤23.98	PASS
11N20SISO	Ant1	5580	NA	14.46	91.55	0.38	14.84	≤23.98	PASS
11N20SISO	Ant1	5700	NA	14.73	91.55	0.38	15.11	≤23.98	PASS
11N20SISO	Ant1	5745	NA	14.59	90.85	0.42	15.01	≤30.00	PASS
11N20SISO	Ant1	5785	NA	14.76	90.91	0.41	15.17	≤30.00	PASS
11N20SISO	Ant1	5825	NA	14.88	91.55	0.38	15.26	≤30.00	PASS
11N40SISO	Ant1	5190	NA	12.44	83.12	0.80	13.24	≤23.98	PASS
11N40SISO	Ant1	5230	NA	12.55	83.33	0.79	13.34	≤23.98	PASS
11N40SISO	Ant1	5270	NA	12.93	84.42	0.74	13.67	≤23.98	PASS
11N40SISO	Ant1	5310	NA	13.04	84.42	0.74	13.78	≤23.98	PASS
11N40SISO	Ant1	5510	NA	12.79	83.12	0.80	13.59	≤23.98	PASS
11N40SISO	Ant1	5550	NA	12.91	83.33	0.79	13.70	≤23.98	PASS
11N40SISO	Ant1	5670	NA	13.46	84.42	0.74	14.20	≤23.98	PASS
11N40SISO	Ant1	5755	NA	13.35	84.42	0.74	14.09	≤30.00	PASS
11N40SISO	Ant1	5795	NA	13.42	84.42	0.74	14.16	≤30.00	PASS

11AC20SISO	Ant1	5180	NA	12.79	91.61	0.38	13.17	≤23.98	PASS
11AC20SISO	Ant1	5200	NA	12.96	90.97	0.41	13.37	≤23.98	PASS
11AC20SISO	Ant1	5240	NA	13.05	91.61	0.38	13.43	≤23.98	PASS
11AC20SISO	Ant1	5260	NA	13.15	91.61	0.38	13.53	≤23.98	PASS
11AC20SISO	Ant1	5280	NA	13.20	90.97	0.41	13.61	≤23.98	PASS
11AC20SISO	Ant1	5320	NA	13.23	90.97	0.41	13.64	≤23.98	PASS
11AC20SISO	Ant1	5500	NA	13.19	90.97	0.41	13.60	≤23.98	PASS
11AC20SISO	Ant1	5580	NA	13.53	91.61	0.38	13.91	≤23.98	PASS
11AC20SISO	Ant1	5700	NA	13.62	90.97	0.41	14.03	≤23.98	PASS
11AC20SISO	Ant1	5745	NA	13.43	91.61	0.38	13.81	≤30.00	PASS
11AC20SISO	Ant1	5785	NA	13.67	91.61	0.38	14.05	≤30.00	PASS
11AC20SISO	Ant1	5825	NA	13.83	90.97	0.41	14.24	≤30.00	PASS
11AC40SISO	Ant1	5190	NA	12.48	84.62	0.73	13.21	≤23.98	PASS
11AC40SISO	Ant1	5230	NA	12.58	84.62	0.73	13.31	≤23.98	PASS
11AC40SISO	Ant1	5270	NA	12.87	84.42	0.74	13.61	≤23.98	PASS
11AC40SISO	Ant1	5310	NA	13.11	84.62	0.73	13.84	≤23.98	PASS
11AC40SISO	Ant1	5510	NA	12.87	83.33	0.79	13.66	≤23.98	PASS
11AC40SISO	Ant1	5550	NA	13.07	84.62	0.73	13.80	≤23.98	PASS
11AC40SISO	Ant1	5670	NA	13.47	83.33	0.79	14.26	≤23.98	PASS
11AC40SISO	Ant1	5755	NA	13.22	84.42	0.74	13.96	≤30.00	PASS
11AC40SISO	Ant1	5795	NA	13.41	83.33	0.79	14.20	≤30.00	PASS
11AC80SISO	Ant1	5210	NA	11.64	73.33	1.35	12.99	≤23.98	PASS
11AC80SISO	Ant1	5290	NA	12.23	73.33	1.35	13.58	≤23.98	PASS
11AC80SISO	Ant1	5530	NA	11.94	71.11	1.48	13.42	≤23.98	PASS
11AC80SISO	Ant1	5610	NA	12.40	72.73	1.38	13.78	≤23.98	PASS
11AC80SISO	Ant1	5775	NA	12.65	71.11	1.48	14.13	≤30.00	PASS

receiver on:

Test Mode	Antenna	Frequency [MHz]	TPC	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	NA	11.50	92.05	0.36	11.86	≤23.98	PASS
11A	Ant1	5200	NA	12.08	91.45	0.39	12.47	≤23.98	PASS
11A	Ant1	5240	NA	12.17	92.05	0.36	12.53	≤23.98	PASS
11A	Ant1	5260	NA	12.43	91.45	0.39	12.82	≤23.97	PASS
11A	Ant1	5280	NA	12.33	91.45	0.39	12.72	≤23.97	PASS
11A	Ant1	5320	NA	12.44	91.45	0.39	12.83	≤23.95	PASS
11A	Ant1	5500	NA	12.35	91.45	0.39	12.74	≤23.92	PASS
11A	Ant1	5580	NA	12.68	92.11	0.36	13.04	≤23.98	PASS
11A	Ant1	5700	NA	12.91	92.11	0.36	13.27	≤23.95	PASS
11A	Ant1	5745	NA	12.73	92.05	0.36	13.09	≤30.00	PASS
11A	Ant1	5785	NA	11.90	91.45	0.39	12.29	≤30.00	PASS

11A	Ant1	5825	NA	12.11	92.11	0.36	12.47	≤30.00	PASS
11N20SISO	Ant1	5180	NA	9.92	90.91	0.41	10.33	≤23.98	PASS
11N20SISO	Ant1	5200	NA	10.07	93.53	0.29	10.36	≤23.98	PASS
11N20SISO	Ant1	5240	NA	10.72	90.85	0.42	11.14	≤23.98	PASS
11N20SISO	Ant1	5260	NA	10.24	90.91	0.41	10.65	≤23.98	PASS
11N20SISO	Ant1	5280	NA	10.07	91.55	0.38	10.45	≤23.98	PASS
11N20SISO	Ant1	5320	NA	10.15	90.85	0.42	10.57	≤23.98	PASS
11N20SISO	Ant1	5500	NA	10.04	90.85	0.42	10.46	≤23.98	PASS
11N20SISO	Ant1	5580	NA	10.40	75.00	1.25	11.65	≤23.98	PASS
11N20SISO	Ant1	5700	NA	10.62	90.91	0.41	11.03	≤23.98	PASS
11N20SISO	Ant1	5745	NA	10.46	90.91	0.41	10.87	≤30.00	PASS
11N20SISO	Ant1	5785	NA	10.73	90.85	0.42	11.15	≤30.00	PASS
11N20SISO	Ant1	5825	NA	10.92	91.55	0.38	11.30	≤30.00	PASS
11N40SISO	Ant1	5190	NA	9.48	84.42	0.74	10.22	≤23.98	PASS
11N40SISO	Ant1	5230	NA	9.82	83.12	0.80	10.62	≤23.98	PASS
11N40SISO	Ant1	5270	NA	9.90	83.12	0.80	10.70	≤23.98	PASS
11N40SISO	Ant1	5310	NA	10.13	83.12	0.80	10.93	≤23.98	PASS
11N40SISO	Ant1	5510	NA	9.95	84.42	0.74	10.69	≤23.98	PASS
11N40SISO	Ant1	5550	NA	9.98	83.33	0.79	10.77	≤23.98	PASS
11N40SISO	Ant1	5670	NA	10.52	84.42	0.74	11.26	≤23.98	PASS
11N40SISO	Ant1	5755	NA	10.33	84.42	0.74	11.07	≤30.00	PASS
11N40SISO	Ant1	5795	NA	10.37	84.42	0.74	11.11	≤30.00	PASS
11AC20SISO	Ant1	5180	NA	9.82	91.61	0.38	10.20	≤23.98	PASS
11AC20SISO	Ant1	5200	NA	9.90	91.61	0.38	10.28	≤23.98	PASS
11AC20SISO	Ant1	5240	NA	10.00	91.61	0.38	10.38	≤23.98	PASS
11AC20SISO	Ant1	5260	NA	10.25	91.61	0.38	10.63	≤23.98	PASS
11AC20SISO	Ant1	5280	NA	10.25	90.97	0.41	10.66	≤23.98	PASS
11AC20SISO	Ant1	5320	NA	10.30	90.97	0.41	10.71	≤23.98	PASS
11AC20SISO	Ant1	5500	NA	10.05	91.61	0.38	10.43	≤23.98	PASS
11AC20SISO	Ant1	5580	NA	10.38	91.61	0.38	10.76	≤23.98	PASS
11AC20SISO	Ant1	5700	NA	10.63	91.61	0.38	11.01	≤23.98	PASS
11AC20SISO	Ant1	5745	NA	10.52	90.91	0.41	10.93	≤30.00	PASS
11AC20SISO	Ant1	5785	NA	10.68	90.97	0.41	11.09	≤30.00	PASS
11AC20SISO	Ant1	5825	NA	10.98	90.97	0.41	11.39	≤30.00	PASS
11AC40SISO	Ant1	5190	NA	9.45	83.33	0.79	10.24	≤23.98	PASS
11AC40SISO	Ant1	5230	NA	9.53	84.42	0.74	10.27	≤23.98	PASS
11AC40SISO	Ant1	5270	NA	10.00	83.33	0.79	10.79	≤23.98	PASS
11AC40SISO	Ant1	5310	NA	10.10	84.42	0.74	10.84	≤23.98	PASS
11AC40SISO	Ant1	5510	NA	9.80	84.42	0.74	10.54	≤23.98	PASS
11AC40SISO	Ant1	5550	NA	10.06	84.62	0.73	10.79	≤23.98	PASS
11AC40SISO	Ant1	5670	NA	10.58	84.62	0.73	11.31	≤23.98	PASS

Reference No.: WTX26X06185900W003

11AC40SISO	Ant1	5755	NA	10.32	83.33	0.79	11.11	≤30.00	PASS
11AC40SISO	Ant1	5795	NA	13.48	83.33	0.79	11.27	≤30.00	PASS
11AC80SISO	Ant1	5210	NA	8.77	71.11	1.48	10.25	≤23.98	PASS
11AC80SISO	Ant1	5290	NA	9.27	73.33	1.35	10.62	≤23.98	PASS
11AC80SISO	Ant1	5530	NA	8.80	71.11	1.48	10.28	≤23.98	PASS
11AC80SISO	Ant1	5610	NA	9.39	71.11	1.48	10.87	≤23.98	PASS
11AC80SISO	Ant1	5775	NA	9.68	73.33	1.35	11.03	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the graph.