







11N40SISO-Ant1-5310-PASS




11N40SISO-Ant1-5510-PASS




11N40SISO-Ant1-5550-PASS




11N40SISO-Ant1-5670-PASS




11N40SISO-Ant1-5755-PASS




11N40SISO-Ant1-5795-PASS




11AC20SISO-Ant1-5180-PASS



11AC20SISO-Ant1-5200-PASS




11AC20SISO-Ant1-5240-PASS




11AC20SISO-Ant1-5260-PASS




11AC20SISO-Ant1-5280-PASS




11AC20SISO-Ant1-5320-PASS




11AC20SISO-Ant1-5500-PASS




11AC20SISO-Ant1-5580-PASS



11AC20SISO-Ant1-5700-PASS



11AC20SISO-Ant1-5745-PASS




11AC20SISO-Ant1-5785-PASS




11AC20SISO-Ant1-5825-PASS




11AC40SISO-Ant1-5190-PASS




11AC40SISO-Ant1-5230-PASS




11AC40SISO-Ant1-5270-PASS




11AC40SISO-Ant1-5310-PASS




11AC40SISO-Ant1-5510-PASS




11AC40SISO-Ant1-5550-PASS



11AC40SISO-Ant1-5670-PASS




11AC40SISO-Ant1-5755-PASS




11AC40SISO-Ant1-5795-PASS



11AC80SISO-Ant1-5210-PASS



11AC80SISO-Ant1-5290-PASS



11AC80SISO-Ant1-5530-PASS



11AC80SISO-Ant1-5610-PASS



11AC80SISO-Ant1-5775-PASS

Appendix E: Band edge measurements**Test Result B1/2/3**

TestMode	Antenna	ChName	Frequency[MHz]	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-35.58	≤-27	PASS
11A	Ant1	High	5320	-36.25	≤-27	PASS
11A	Ant1	Low	5500	-35.89	≤-27	PASS
11A	Ant1	High	5700	-35.18	≤-27	PASS
11N20SISO	Ant1	Low	5180	-30.27	≤-27	PASS
11N20SISO	Ant1	High	5320	-31.31	≤-27	PASS
11N20SISO	Ant1	Low	5500	-32.09	≤-27	PASS
11N20SISO	Ant1	High	5700	-30.6	≤-27	PASS
11N40SISO	Ant1	Low	5190	-27.08	≤-27	PASS
11N40SISO	Ant1	High	5310	-34.99	≤-27	PASS
11N40SISO	Ant1	Low	5510	-34.99	≤-27	PASS
11N40SISO	Ant1	High	5670	-31.38	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-35.4	≤-27	PASS
11AC20SISO	Ant1	High	5320	-30.32	≤-27	PASS
11AC20SISO	Ant1	Low	5500	-34.38	≤-27	PASS
11AC20SISO	Ant1	High	5700	-35.29	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-33.84	≤-27	PASS
11AC40SISO	Ant1	High	5310	-28.44	≤-27	PASS
11AC40SISO	Ant1	Low	5510	-27.98	≤-27	PASS
11AC40SISO	Ant1	High	5670	-33.14	≤-27	PASS
11AC80SISO	Ant1	Low	5210	-27.68	≤-27	PASS
11AC80SISO	Ant1	High	5290	-34.37	≤-27	PASS
11AC80SISO	Ant1	Low	5530	-34.97	≤-27	PASS
11AC80SISO	Ant1	High	5610	-33.98	≤-27	PASS

Test Result B4


TestMode	Antenna	ChName	Frequency[MHz]	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5720~5725	-26.88	≤17.39	PASS
11A	Ant1	Low	5745	5700~5720	-26	≤15.24	PASS
11A	Ant1	Low	5745	5650~5700	-36.83	≤-26.70	PASS
11A	Ant1	Low	5745	5760~5650	-35.87	≤-27	PASS
11A	Ant1	High	5825	5850~5855	-28.76	≤16.65	PASS
11A	Ant1	High	5825	5855~5875	-26.45	≤15.28	PASS
11A	Ant1	High	5825	5875~5925	-36.77	≤-26.41	PASS
11A	Ant1	High	5825	5925~5935	-35.96	≤-27	PASS
11N20SISO	Ant1	Low	5745	5720~5725	-32.82	≤16.34	PASS

11N20SISO	Ant1	Low	5745	5700~5720	-30.85	≤13.24	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-37.05	≤-26.96	PASS
11N20SISO	Ant1	Low	5745	5760~5650	-36.36	≤-27	PASS
11N20SISO	Ant1	High	5825	5850~5855	-27.02	≤16.03	PASS
11N20SISO	Ant1	High	5825	5855~5875	-29.4	≤14.97	PASS
11N20SISO	Ant1	High	5825	5875~5925	-37.83	≤-26.81	PASS
11N20SISO	Ant1	High	5825	5925~5935	-36.85	≤-27	PASS
11N40SISO	Ant1	Low	5755	5720~5725	-19.1	≤16.04	PASS
11N40SISO	Ant1	Low	5755	5700~5720	-19.07	≤15.50	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-35.53	≤-26.10	PASS
11N40SISO	Ant1	Low	5755	5780~5650	-35.92	≤-27	PASS
11N40SISO	Ant1	High	5795	5850~5855	-34.65	≤15.66	PASS
11N40SISO	Ant1	High	5795	5855~5875	-33.2	≤11.36	PASS
11N40SISO	Ant1	High	5795	5875~5925	-37.38	≤-26.46	PASS
11N40SISO	Ant1	High	5795	5925~5935	-35.67	≤-27	PASS
11AC20SISO	Ant1	Low	5745	5720~5725	-28.34	≤19.23	PASS
11AC20SISO	Ant1	Low	5745	5700~5720	-31.08	≤15.40	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-36.5	≤-26.19	PASS
11AC20SISO	Ant1	Low	5745	5760~5650	-36.91	≤-27	PASS
11AC20SISO	Ant1	High	5825	5850~5855	-31.26	≤17.88	PASS
11AC20SISO	Ant1	High	5825	5855~5875	-36.53	≤10.70	PASS
11AC20SISO	Ant1	High	5825	5875~5925	-37.36	≤-26.91	PASS
11AC20SISO	Ant1	High	5825	5925~5935	-36.81	≤-27	PASS
11AC40SISO	Ant1	Low	5755	5720~5725	-25.77	≤15.74	PASS
11AC40SISO	Ant1	Low	5755	5700~5720	-24.59	≤15.39	PASS
11AC40SISO	Ant1	Low	5755	5650~5700	-37.68	≤-26.90	PASS
11AC40SISO	Ant1	Low	5755	5780~5650	-36.02	≤-27	PASS
11AC40SISO	Ant1	High	5795	5850~5855	-34.75	≤17.54	PASS
11AC40SISO	Ant1	High	5795	5855~5875	-35.57	≤11.13	PASS


O							
11AC40SIS O	Ant1	High	5795	5875~5925	-36.29	≤ -25.00	PASS
11AC40SIS O	Ant1	High	5795	5925~5935	-37.01	≤ -27	PASS
11AC80SIS O	Ant1	Low	5775	5720~5725	-25.93	≤ 17.06	PASS
11AC80SIS O	Ant1	Low	5775	5700~5720	-23.8	≤ 12.05	PASS
11AC80SIS O	Ant1	Low	5775	5650~5700	-36.54	≤ -26.91	PASS
11AC80SIS O	Ant1	Low	5775	5800~5650	-35.64	≤ -27	PASS
11AC80SIS O	Ant1	High	5775	5850~5855	-29.85	≤ 15.84	PASS
11AC80SIS O	Ant1	High	5775	5855~5875	-28.18	≤ 11.59	PASS
11AC80SIS O	Ant1	High	5775	5875~5925	-37.09	≤ -26.87	PASS
11AC80SIS O	Ant1	High	5775	5925~5935	-36.56	≤ -27	PASS

Test Graphs B1/2/3






11A-Ant1-5700-PASS




11N20SISO-Ant1-5180-PASS




11N20SISO-Ant1-5320-PASS



11N20SISO-Ant1-5500-PASS




11N20SISO-Ant1-5700-PASS



11N40SISO-Ant1-5190-PASS



11N40SISO-Ant1-5310-PASS



11N40SISO-Ant1-5510-PASS




11N40SISO-Ant1-5670-PASS




11AC20SISO-Ant1-5180-PASS




11AC20SISO-Ant1-5320-PASS




11AC20SISO-Ant1-5500-PASS



11AC20SISO-Ant1-5700-PASS




11AC40SISO-Ant1-5190-PASS



11AC40SISO-Ant1-5310-PASS



11AC40SISO-Ant1-5510-PASS




11AC40SISO-Ant1-5670-PASS



11AC80SISO-Ant1-5210-PASS



11AC80SISO-Ant1-5290-PASS



11AC80SISO-Ant1-5530-PASS




11AC80SISO-Ant1-5610-PASS

Test Graphs B4






11N20SISO-Ant1-5825-PASS



11N40SISO-Ant1-5755-PASS



11N40SISO-Ant1-5795-PASS



11AC20SISO-Ant1-5745-PASS



11AC20SISO-Ant1-5825-PASS




11AC40SISO-Ant1-5755-PASS



11AC40SISO-Ant1-5795-PASS



11AC80SISO-Ant1-5775-PASS



11AC80SISO-Ant1-5775-PASS

Appendix F: Conducted Spurious Emission**Test Result**

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	30~5140	5139.32	-45.89	≤-27	PASS
11A	Ant1	5180	5360~40000	24844.66	-42.89	≤-27	PASS
11A	Ant1	5200	30~5140	5137.79	-43.52	≤-27	PASS
11A	Ant1	5200	5360~40000	25094.24	-42.62	≤-27	PASS
11A	Ant1	5240	30~5140	5137.96	-48.32	≤-27	PASS
11A	Ant1	5240	5360~40000	24784.06	-42.1	≤-27	PASS
11A	Ant1	5260	30~5140	5139.49	-49.44	≤-27	PASS
11A	Ant1	5260	5360~40000	25845.87	-42.39	≤-27	PASS
11A	Ant1	5280	30~5140	5106.96	-49.79	≤-27	PASS
11A	Ant1	5280	5360~40000	24896.59	-42.1	≤-27	PASS
11A	Ant1	5320	30~5140	5137.1	-49.86	≤-27	PASS
11A	Ant1	5320	5360~40000	5360	-35.2	≤-27	PASS
11A	Ant1	5500	30~5460	5459.46	-39.41	≤-27	PASS
11A	Ant1	5500	5735~40000	24823.17	-41.66	≤-27	PASS
11A	Ant1	5580	30~5460	5450.95	-49.95	≤-27	PASS
11A	Ant1	5580	5735~40000	25646.84	-41.6	≤-27	PASS
11A	Ant1	5700	30~5460	4560.43	-51.65	≤-27	PASS
11A	Ant1	5700	5735~40000	5741.38	-35.88	≤-27	PASS
11A	Ant1	5745	30~5650	5650	-48.65	≤-27	PASS
11A	Ant1	5745	5925~40000	24501.21	-43.03	≤-27	PASS
11A	Ant1	5785	30~5650	5641.2	-49.99	≤-27	PASS
11A	Ant1	5785	5925~40000	26188.61	-42.69	≤-27	PASS
11A	Ant1	5825	30~5650	5643.82	-51.04	≤-27	PASS
11A	Ant1	5825	5925~40000	26263.08	-42.17	≤-27	PASS
11N20SISO	Ant1	5180	30~5140	5134.04	-41.93	≤-27	PASS
11N20SISO	Ant1	5180	5360~40000	24865.57	-42.18	≤-27	PASS
11N20SISO	Ant1	5200	30~5140	5136.59	-41.75	≤-27	PASS
11N20SISO	Ant1	5200	5360~40000	24794.16	-42.8	≤-27	PASS
11N20SISO	Ant1	5240	30~5140	5126.2	-49.43	≤-27	PASS
11N20SISO	Ant1	5240	5360~40000	24704	-42.53	≤-27	PASS
11N20SISO	Ant1	5260	30~5140	5136.08	-49.61	≤-27	PASS
11N20SISO	Ant1	5260	5360~40000	24869.18	-41.78	≤-27	PASS
11N20SISO	Ant1	5280	30~5140	5140	-49.89	≤-27	PASS
11N20SISO	Ant1	5280	5360~40000	25006.96	-42.2	≤-27	PASS
11N20SISO	Ant1	5320	30~5140	5068.46	-51.34	≤-27	PASS
11N20SISO	Ant1	5320	5360~40000	5367.93	-38.59	≤-27	PASS
11N20SISO	Ant1	5500	30~5460	5460	-43.43	≤-27	PASS


11N20SISO	Ant1	5500	5735~40000	24795.53	-41.95	≤-27	PASS
11N20SISO	Ant1	5580	30~5460	5459.28	-50.16	≤-27	PASS
11N20SISO	Ant1	5580	5735~40000	24819.63	-41.71	≤-27	PASS
11N20SISO	Ant1	5700	30~5460	5453.85	-51.14	≤-27	PASS
11N20SISO	Ant1	5700	5735~40000	5746.34	-36.09	≤-27	PASS
11N20SISO	Ant1	5745	30~5650	5626.21	-49.24	≤-27	PASS
11N20SISO	Ant1	5745	5925~40000	24613.61	-42.95	≤-27	PASS
11N20SISO	Ant1	5785	30~5650	3408.56	-49.26	≤-27	PASS
11N20SISO	Ant1	5785	5925~40000	25304.17	-43.07	≤-27	PASS
11N20SISO	Ant1	5825	30~5650	5616.28	-51.57	≤-27	PASS
11N20SISO	Ant1	5825	5925~40000	25337.18	-43.28	≤-27	PASS
11N40SISO	Ant1	5190	30~5140	5132.85	-33.44	≤-27	PASS
11N40SISO	Ant1	5190	5360~40000	24851.87	-42.72	≤-27	PASS
11N40SISO	Ant1	5230	30~5140	5122.29	-43.28	≤-27	PASS
11N40SISO	Ant1	5230	5360~40000	26210.14	-42.73	≤-27	PASS
11N40SISO	Ant1	5270	30~5140	5138.13	-44.22	≤-27	PASS
11N40SISO	Ant1	5270	5360~40000	5364.33	-40.28	≤-27	PASS
11N40SISO	Ant1	5310	30~5140	1938.59	-46.82	≤-27	PASS
11N40SISO	Ant1	5310	5360~40000	5360.72	-31.32	≤-27	PASS
11N40SISO	Ant1	5510	30~5460	5455.29	-36.82	≤-27	PASS
11N40SISO	Ant1	5510	5735~40000	24551.69	-42.11	≤-27	PASS
11N40SISO	Ant1	5550	30~5460	5451.86	-44.27	≤-27	PASS
11N40SISO	Ant1	5550	5735~40000	25721.97	-41.52	≤-27	PASS
11N40SISO	Ant1	5670	30~5460	5453.12	-51.17	≤-27	PASS
11N40SISO	Ant1	5670	5735~40000	5744.92	-34.08	≤-27	PASS
11N40SISO	Ant1	5755	30~5650	5649.06	-44.05	≤-27	PASS
11N40SISO	Ant1	5755	5925~40000	24974.69	-42.66	≤-27	PASS
11N40SISO	Ant1	5795	30~5650	5648.31	-50.13	≤-27	PASS
11N40SISO	Ant1	5795	5925~40000	25102.55	-42.98	≤-27	PASS
11AC20SISO	Ant1	5180	30~5140	5131.82	-42.74	≤-27	PASS
11AC20SISO	Ant1	5180	5360~40000	25820.62	-43.07	≤-27	PASS
11AC20SISO	Ant1	5200	30~5140	5122.46	-42.21	≤-27	PASS
11AC20SISO	Ant1	5200	5360~40000	24861.97	-42.04	≤-27	PASS
11AC20SISO	Ant1	5240	30~5140	5134.89	-48.98	≤-27	PASS
11AC20SISO	Ant1	5240	5360~40000	24978.1	-41.84	≤-27	PASS
11AC20SISO	Ant1	5260	30~5140	5126.88	-50.59	≤-27	PASS
11AC20SISO	Ant1	5260	5360~40000	5376.59	-40.99	≤-27	PASS
11AC20SISO	Ant1	5280	30~5140	706.05	-45.88	≤-27	PASS
11AC20SISO	Ant1	5280	5360~40000	25043.02	-42.19	≤-27	PASS
11AC20SISO	Ant1	5320	30~5140	5138.64	-50.15	≤-27	PASS
11AC20SISO	Ant1	5320	5360~40000	24848.98	-42.13	≤-27	PASS

11AC20SISO	Ant1	5500	30~5460	5460	-39	≤-27	PASS
11AC20SISO	Ant1	5500	5735~40000	24974.15	-41.75	≤-27	PASS
11AC20SISO	Ant1	5580	30~5460	5418.37	-49.68	≤-27	PASS
11AC20SISO	Ant1	5580	5735~40000	25068.43	-42.13	≤-27	PASS
11AC20SISO	Ant1	5700	30~5460	5432.31	-51.7	≤-27	PASS
11AC20SISO	Ant1	5700	5735~40000	5735	-35.44	≤-27	PASS
11AC20SISO	Ant1	5745	30~5650	5632.2	-48.54	≤-27	PASS
11AC20SISO	Ant1	5745	5925~40000	24965.56	-42.39	≤-27	PASS
11AC20SISO	Ant1	5785	30~5650	5620.59	-50.96	≤-27	PASS
11AC20SISO	Ant1	5785	5925~40000	24742.87	-42.34	≤-27	PASS
11AC20SISO	Ant1	5825	30~5650	5626.02	-51.34	≤-27	PASS
11AC20SISO	Ant1	5825	5925~40000	25271.15	-43.07	≤-27	PASS
11AC40SISO	Ant1	5190	30~5140	5138.13	-37.18	≤-27	PASS
11AC40SISO	Ant1	5190	5360~40000	25338.05	-42.05	≤-27	PASS
11AC40SISO	Ant1	5230	30~5140	5137.27	-47.78	≤-27	PASS
11AC40SISO	Ant1	5230	5360~40000	24579.93	-43.06	≤-27	PASS
11AC40SISO	Ant1	5270	30~5140	5107.81	-48.16	≤-27	PASS
11AC40SISO	Ant1	5270	5360~40000	25106.5	-42.15	≤-27	PASS
11AC40SISO	Ant1	5310	30~5140	5137.62	-51.39	≤-27	PASS
11AC40SISO	Ant1	5310	5360~40000	5360.72	-35.23	≤-27	PASS
11AC40SISO	Ant1	5510	30~5460	5457.83	-38.82	≤-27	PASS
11AC40SISO	Ant1	5510	5735~40000	24516.25	-41.08	≤-27	PASS
11AC40SISO	Ant1	5550	30~5460	5456.74	-48.65	≤-27	PASS
11AC40SISO	Ant1	5550	5735~40000	25337.08	-42.27	≤-27	PASS
11AC40SISO	Ant1	5670	30~5460	5299.63	-51.81	≤-27	PASS
11AC40SISO	Ant1	5670	5735~40000	25330.7	-41.9	≤-27	PASS
11AC40SISO	Ant1	5755	30~5650	5646.63	-46.98	≤-27	PASS
11AC40SISO	Ant1	5755	5925~40000	24666.3	-41.83	≤-27	PASS
11AC40SISO	Ant1	5795	30~5650	5642.13	-50.01	≤-27	PASS
11AC40SISO	Ant1	5795	5925~40000	24815.23	-42.57	≤-27	PASS
11AC80SISO	Ant1	5210	30~5140	5133.36	-33.61	≤-27	PASS
11AC80SISO	Ant1	5210	5360~40000	25004.07	-42.88	≤-27	PASS
11AC80SISO	Ant1	5290	30~5140	5115.81	-46.86	≤-27	PASS
11AC80SISO	Ant1	5290	5360~40000	5360	-30.36	≤-27	PASS
11AC80SISO	Ant1	5530	30~5460	5455.29	-30.12	≤-27	PASS
11AC80SISO	Ant1	5530	5735~40000	26077.1	-41.53	≤-27	PASS
11AC80SISO	Ant1	5610	30~5460	5448.96	-44.85	≤-27	PASS
11AC80SISO	Ant1	5610	5735~40000	5735	-39.51	≤-27	PASS
11AC80SISO	Ant1	5775	30~5650	5644.75	-41.29	≤-27	PASS
11AC80SISO	Ant1	5775	5925~40000	25814.18	-43.02	≤-27	PASS


Test Graphs



11A-Ant1-5180-30~5140-PASS



11A-Ant1-5180-5360~40000-PASS



11A-Ant1-5200-30~5140-PASS