



REPORT No.: SZ26050352S03


Annex D Test Plots of Volume Control

5.1 Receive Volume Control Performance 8N---NB	3
5.1 Receive Volume Control Performance 2N---NB	9
5.1 Receive Volume Control Performance 8N---WB	14
5.1 Receive Volume Control Performance 2N---WB	19
5.1 Receive Volume Control Performance 8N---EVS_NB	24
5.1 Receive Volume Control Performance 2N---EVS_NB	28
5.1 Receive Volume Control Performance 8N---EVS_WB	32
5.1 Receive Volume Control Performance 2N---EVS_WB	36
5.2 Receive Acoustic Frequency response Performance 8N&2N	40
5.2 Receive Acoustic Frequency response Performance 8N&2N	52
5.3 Receive path – distortion and noise.....	64
Receive path - distortion and noise 400Hz NB	65
Receive path - distortion and noise 500Hz NB	70
Receive path - distortion and noise 630Hz NB	75
Receive path - distortion and noise 800Hz NB	80
Receive path - distortion and noise 1000Hz NB	85
Receive path - distortion and noise 1250Hz NB	90
Receive path - distortion and noise 1600Hz NB	94
Receive path - distortion and noise 2000Hz NB	99
Receive path - distortion and noise 2500Hz NB	104
Receive path - distortion and noise 3150Hz NB	109
Receive path - distortion and noise 400Hz NB	114
Receive path - distortion and noise 500Hz NB	119
Receive path - distortion and noise 630Hz NB	124
Receive path - distortion and noise 800Hz NB	129
Receive path - distortion and noise 1000Hz NB	134
Receive path - distortion and noise 1250Hz NB	139
Receive path - distortion and noise 1600Hz NB	143
Receive path - distortion and noise 2000Hz NB	148
Receive path - distortion and noise 2500Hz NB	153
Receive path - distortion and noise 3150Hz NB	158
Receive path - distortion and noise 250Hz WB	163
Receive path - distortion and noise 315Hz WB	168
Receive path - distortion and noise 400Hz WB	173
Receive path - distortion and noise 500Hz WB	178
Receive path - distortion and noise 630Hz WB	183
Receive path - distortion and noise 800Hz WB	188
Receive path - distortion and noise 1000Hz WB	193
Receive path - distortion and noise 1250Hz WB	198
Receive path - distortion and noise 1600Hz WB	202
Receive path - distortion and noise 2000Hz WB	207
Receive path - distortion and noise 2500Hz WB	212
Receive path - distortion and noise 3150Hz WB	217
Receive path - distortion and noise 4000Hz WB	222
Receive path - distortion and noise 5000Hz WB	227
Receive path - distortion and noise 250Hz WB	231
Receive path - distortion and noise 315Hz WB	236
Receive path - distortion and noise 400Hz WB	241
Receive path - distortion and noise 500Hz WB	246

Receive path - distortion and noise 630Hz WB	251
Receive path - distortion and noise 800Hz WB	256
Receive path - distortion and noise 1000Hz WB	261
Receive path - distortion and noise 1250Hz WB	265
Receive path - distortion and noise 1600Hz WB	269
Receive path - distortion and noise 2000Hz WB	273
Receive path - distortion and noise 2500Hz WB	277
Receive path - distortion and noise 3150Hz WB	281
Receive path - distortion and noise 4000Hz WB	285
Receive path - distortion and noise 5000Hz WB	289

5.1 Receive Volume Control Performance 8N---NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\WCDMA Band II



Speech Level RCV: 85.78[SPL]

Calculated Value: 15.78Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band IV



Speech Level RCV:84.94[SPL]

Calculated Value: 14.94Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band V



Speech Level RCV: 85.33[SPL]

Calculated Value: 15.33 ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 2



Speech Level RCV: 85.55[SPL]

Calculated Value: 15.55Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 5



Speech Level RCV: 86.11[SPL]

Calculated Value: 16.11Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 7



Speech Level RCV: 85.93[SPL]

Calculated Value: 15.93Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 12



Speech Level RCV:86.16[SPL]

Calculated Value: 16.16Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ LTE Band 13



Speech Level RCV: 86.20[SPL]

Calculated Value: 16.20Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\LTE Band 66



Speech Level RCV: 85.92[SPL]

Calculated Value: 15.92Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\5GNR n2



Speech Level RCV: 86.21[SPL]

Calculated Value: 16.21Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\5GNR n5



Speech Level RCV: 86.06[SPL]

Calculated Value: 16.06Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\5GNR n66



Speech Level RCV: 86.14[SPL]

Calculated Value: 16.14Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\5GNR n77



Speech Level RCV: 86.32[SPL]

Calculated Value: 16.32Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\WLAN2.4G



Speech Level RCV: 86.95[SPL]

Calculated Value: 16.95Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\WLAN5.2G



Speech Level RCV: 86.14[SPL]

Calculated Value: 16.14Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\WLAN5.3G



Speech Level RCV: 86.95[SPL]

Calculated Value: 16.95Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\WLAN5.5G



Speech Level RCV: 87.02[SPL]

Calculated Value: 17.02Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB12.2kbps\WLAN5.8G




Speech Level RCV: 86.55[SPL]

Calculated Value: 16.55Ok

5.1 Receive Volume Control Performance 2N---NB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\WCDMA Band II



Speech Level RCV: 82.68[SPL]

Calculated Value: 12.68Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WCDMA Band IV



Speech Level RCV:82.74[SPL]

Calculated Value: 12.74Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WCDMA Band V



Speech Level RCV: 82.63[SPL]

Calculated Value: 12.63Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 2



Speech Level RCV: 83.35[SPL]

Calculated Value: 13.35Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 5



Speech Level RCV: 83.11[SPL]

Calculated Value: 13.11Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 7



Speech Level RCV: 82.83[SPL]

Calculated Value: 12.83Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\LTE Band 12



Speech Level RCV:83.16[SPL]

Calculated Value: 13.16Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ LTE Band 13



Speech Level RCV: 83.10[SPL]

Calculated Value: 13.10Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\LTE Band 66



Speech Level RCV: 83.02[SPL]

Calculated Value: 13.02Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\5G NR n2



Speech Level RCV: 83.21[SPL]

Calculated Value: 13.21Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\5G NR n5



Speech Level RCV: 82.96[SPL]

Calculated Value: 12.96Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\5G NR n66



Speech Level RCV: 82.94[SPL]

Calculated Value: 12.94Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\5GNR n77



Speech Level RCV: 83.32[SPL]

Calculated Value: 13.32Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\WLAN2.4G



Speech Level RCV: 83.85[SPL]

Calculated Value: 13.85Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\WLAN5.2G



Speech Level RCV: 83.64 [SPL]

Calculated Value: 13.64Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\WLAN5.3G



Speech Level RCV: 83.75[SPL]

Calculated Value: 13.75Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\WLAN5.5G



Speech Level RCV: 83.82[SPL]

Calculated Value: 13.82Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB12.2kbps\WLAN5.8G




Speech Level RCV: 83.55[SPL]

Calculated Value: 13.55Ok

5.1 Receive Volume Control Performance 8N---WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band II



Speech Level RCV: 87.83[SPL]

Calculated Value: 17.83Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band IV



Speech Level RCV:87.52[SPL]

Calculated Value: 17.52Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band V



Speech Level RCV: 87.28[SPL]

Calculated Value: 17.28ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 2



Speech Level RCV: 87.38[SPL]

Calculated Value: 17.38Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 5



Speech Level RCV: 87.91[SPL]

Calculated Value: 17.91Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 7



Speech Level RCV: 87.95[SPL]

Calculated Value: 17.95Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 12



Speech Level RCV:88.06[SPL]

Calculated Value: 18.06Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\ LTE Band 13



Speech Level RCV: 87.17[SPL]

Calculated Value: 17.17Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\LTE Band 66



Speech Level RCV: 88.01[SPL]

Calculated Value: 18.01Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\5GNR n2



Speech Level RCV: 87.54[SPL]

Calculated Value: 17.54Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\5GNR n5



Speech Level RCV: 87.83[SPL]

Calculated Value: 17.83Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\5GNR n66



Speech Level RCV: 87.64[SPL]

Calculated Value: 17.64Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\5GNR n77



Speech Level RCV: 87.35[SPL]

Calculated Value: 17.35Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\WLAN2.4G



Speech Level RCV: 86.92[SPL]

Calculated Value: 16.92Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\WLAN5.2G



Speech Level RCV: 88.15[SPL]

Calculated Value: 18.15Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\WLAN5.3G



Speech Level RCV: 89.51[SPL]

Calculated Value: 19.51Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\WLAN5.5G



Speech Level RCV: 90.12[SPL]

Calculated Value: 20.12Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB12.65kbps\WLAN5.8G




Speech Level RCV: 89.49[SPL]

Calculated Value: 19.49Ok

5.1 Receive Volume Control Performance 2N---WB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\WCDMA Band II



Speech Level RCV: 84.93 [SPL]

Calculated Value: 14.93Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\WCDMA Band IV



Speech Level RCV:85.02[SPL]

Calculated Value: 15.02Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\WCDMA Band V



Speech Level RCV: 84.78[SPL]

Calculated Value: 14.78Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.65kbps\LTE Band 2



Speech Level RCV: 84.88 [SPL]

Calculated Value: 14.88Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.65kbps\LTE Band 5



Speech Level RCV: 84.81[SPL]

Calculated Value: 14.81Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.65kbps\LTE Band 7



Speech Level RCV: 84.95[SPL]

Calculated Value: 14.95Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.65kbps\LTE Band 12



Speech Level RCV:84.96 [SPL]

Calculated Value: 14.96Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.65kbps\ LTE Band 13



Speech Level RCV: 84.77[SPL]

Calculated Value: 14.77Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\LTE Band 66



Speech Level RCV: 85.11[SPL]

Calculated Value: 15.11Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\5GNR n2



Speech Level RCV: 84.74[SPL]

Calculated Value: 14.74Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\5GNR n5



Speech Level RCV:85.03[SPL]

Calculated Value: 15.03Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\5GNR n66



Speech Level RCV: 84.84[SPL]

Calculated Value: 14.84Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\5GNR n77



Speech Level RCV: 85.05[SPL]

Calculated Value: 15.05Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\WLAN2.4G



Speech Level RCV: 84.62[SPL]

Calculated Value: 14.62Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\WLAN5.2G



Speech Level RCV: 85.85[SPL]

Calculated Value: 15.85Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\WLAN5.3G



Speech Level RCV: 86.71[SPL]

Calculated Value: 16.71Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\WLAN5.5G



Speech Level RCV: 87.02[SPL]

Calculated Value: 17.02Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB12.65kbps\WLAN5.8G




Speech Level RCV: 86.69SPL]

Calculated Value: 16.69Ok

5.1 Receive Volume Control Performance 8N---EVS_NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 2



Speech Level RCV: 85.09[SPL]

Calculated Value: 15.09Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 5



Speech Level RCV: 85.01[SPL]

Calculated Value: 15.01Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 7



Speech Level RCV: 85.28[SPL]

Calculated Value: 15.28Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 12



Speech Level RCV:85.54[SPL]

Calculated Value: 15.54Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\ LTE Band 13



Speech Level RCV: 85.94[SPL]

Calculated Value: 15.94Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 66



Speech Level RCV: 85.54[SPL]

Calculated Value: 15.54Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\5G NR n2



Speech Level RCV: 86.07[SPL]

Calculated Value: 16.07Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\5G NR n5



Speech Level RCV: 84.99[SPL]

Calculated Value: 14.99Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\5G NR n66



Speech Level RCV: 85.99[SPL]

Calculated Value: 15.99Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\5G NR n77



Speech Level RCV: 85.91[SPL]

Calculated Value: 15.91Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 2.4G



Speech Level RCV: 85.75[SPL]

Calculated Value: 15.75Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.2G



Speech Level RCV: 85.79[SPL]

Calculated Value: 15.79Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.3G



Speech Level RCV: 87.05[SPL]

Calculated Value: 17.05Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.5G



Speech Level RCV: 86.71[SPL]

Calculated Value: 16.71Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.8G




Speech Level RCV: 86.57[SPL]

Calculated Value: 16.57Ok

5.1 Receive Volume Control Performance 2N---EVS_NB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 2



Speech Level RCV: 82.59[SPL]

Calculated Value: 12.59Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 5



Speech Level RCV: 82.61[SPL]

Calculated Value: 12.61Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 7



Speech Level RCV: 82.78 [SPL]

Calculated Value: 12.78Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 12



Speech Level RCV:82.24[SPL]

Calculated Value: 12.24Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\ LTE Band 13



Speech Level RCV: 82.74[SPL]

Calculated Value: 12.74Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 66



Speech Level RCV: 82.64 [SPL]

Calculated Value: 12.64Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\5GNR n2



Speech Level RCV: 82.77[SPL]

Calculated Value: 12.77Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\5GNR n5



Speech Level RCV:82.79[SPL]

Calculated Value: 12.79Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\5G NR n66



Speech Level RCV: 82.69[SPL]

Calculated Value: 12.69Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\5G NR n77



Speech Level RCV: 83.01[SPL]

Calculated Value: 13.01Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 2.4G



Speech Level RCV: 83.55[SPL]

Calculated Value: 13.55Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.2G



Speech Level RCV: 83.59[SPL]

Calculated Value: 13.59Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.3G



Speech Level RCV: 84.85 [SPL]

Calculated Value: 14.85Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.5G



Speech Level RCV: 84.21[SPL]

Calculated Value: 14.21Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.8G




Speech Level RCV: 83.87[SPL]

Calculated Value: 13.87Ok

5.1 Receive Volume Control Performance 8N---EVS WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 2



Speech Level RCV: 87.06[SPL]

Calculated Value: 17.06Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 5



Speech Level RCV: 86.77[SPL]

Calculated Value: 16.77Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 7



Speech Level RCV: 86.92[SPL]

Calculated Value: 16.92Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 12



Speech Level RCV:86.43[SPL]

Calculated Value: 16.43Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\ LTE Band 13



Speech Level RCV: 86.72[SPL]

Calculated Value: 16.72Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\LTE Band 66



Speech Level RCV: 87.69[SPL]

Calculated Value: 17.69Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\5G NR n2



Speech Level RCV: 86.65[SPL]

Calculated Value: 16.65Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\5G NR n5



Speech Level RCV: 85.98[SPL]

Calculated Value: 15.98Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\5G NR n66



Speech Level RCV: 87.37[SPL]

Calculated Value: 17.37Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\5G NR n77



Speech Level RCV: 86.95[SPL]

Calculated Value: 16.95Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 2.4G



Speech Level RCV: 86.72[SPL]

Calculated Value: 16.72Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.2G



Speech Level RCV: 89.07[SPL]

Calculated Value: 19.07Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.3G



Speech Level RCV: 88.95[SPL]

Calculated Value: 18.95Ok


ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.5G



Speech Level RCV: 88.88[SPL]

Calculated Value: 18.88Ok

ANSI/TIA 5050-2018 \ 8N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.8G




Speech Level RCV: 89.54[SPL]

Calculated Value: 19.54Ok

5.1 Receive Volume Control Performance 2N---EVS WB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 2



Speech Level RCV: 83.76[SPL]

Calculated Value: 13.76Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 5



Speech Level RCV: 83.97[SPL]

Calculated Value: 13.97Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 7



Speech Level RCV: 84.22 [SPL]

Calculated Value: 14.22Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 12



Speech Level RCV:83.83[SPL]

Calculated Value: 13.83Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\ LTE Band 13



Speech Level RCV: 83.62[SPL]

Calculated Value: 13.62Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\LTE Band 66



Speech Level RCV: 84.39 [SPL]

Calculated Value: 14.39Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\5GNR n2



Speech Level RCV: 83.55[SPL]

Calculated Value: 13.55Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\5GNR n5



Speech Level RCV:83.68[SPL]

Calculated Value: 13.68Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\5G NR n66



Speech Level RCV: 84.67[SPL]

Calculated Value: 14.67Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\5G NR n77



Speech Level RCV: 84.15[SPL]

Calculated Value: 14.15Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 2.4G



Speech Level RCV: 84.02[SPL]

Calculated Value: 14.02Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.2G



Speech Level RCV: 85.77SPL]

Calculated Value: 15.77Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.3G



Speech Level RCV: 86.35 [SPL]

Calculated Value: 16.35Ok


ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.5G



Speech Level RCV: 85.98[SPL]

Calculated Value: 85.98Ok

ANSI/TIA 5050-2018 \ 2N HAC OFF \ EVS-NB 9.6kbps\WLAN 5.8G




Speech Level RCV: 86.94[SPL]

Calculated Value: 16.94Ok

5.2 Receive Acoustic Frequency response Performance 8N&2N

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band II




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band IV




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band V




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 5




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 7




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 12




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\LTE Band 66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\5G NR n2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\5GNR n5




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\5GNR n66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\5GNR n77




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN2.4G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN5.2G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN5.3G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN5.5G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WLAN5.8G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WCDMA Band II




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\WCDMA Band IV




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\WCDMA Band V




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 5




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 7




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 12




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 13




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\LTE Band 66




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\5G NR n2




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance


ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\5GNR n5



Absolute minimal distance

OK

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\5GNR n66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\5GNR n77




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN2.4G




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN5.2G




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN5.3G




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN5.5G




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ NB 12.2kbps\WLAN5.8G




Absolute minimal distance
OK

Limits

	lower
Run 1	Fit into tolerance

5.2 Receive Acoustic Frequency response Performance 8N&2N

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band II




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band IV




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band V




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 5




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 7




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 12




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 13




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\LTE Band 66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\5G NR n2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\5G NR n5



Absolute minimal distance

OK

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\5G NR n66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\5G NR n77




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\WLAN2.4G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\WLAN5.2G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\WLAN5.3G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\WLAN5.8G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.65kbps\WLAN5.8G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\WCDMA Band II




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\WCDMA Band IV




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\WCDMA Band V




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\LTE Band 2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\LTE Band 5




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\LTE Band 7




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\LTE Band 12




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\LTE Band 13




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\LTE Band 66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\5G NR n2




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance


ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\5G NR n5



Absolute minimal distance

OK

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\5G NR n66




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\5GNR n77




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\WLAN2.4G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\WLAN5.2G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\WLAN5.3G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\WLAN5.5G




Absolute minimal distance

OK

Limits

	lower
Run 1	Fit into tolerance

ANSI/TIA 5050-2018 \ 2N HAC ON \ WB 12.65kbps\WLAN5.8G



Absolute minimal distance

OK

Limits


	lower
Run 1	Fit into tolerance

5.3 Receive path – distortion and noise


The distortion and noise test results data are referred to Annex C.

Receive path - distortion and noise 400Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 500Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 630Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 800Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 1000Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 1250Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 1600Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 2000Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 2500Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5G NR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN 2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 3150Hz NB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 400Hz NB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ NB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G

