



Receive path - distortion and noise 1250Hz WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNRn66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNRn77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 1600Hz WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE
Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 2000Hz WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 2500Hz WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 3150Hz WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 4000Hz WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 5000Hz WB


ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN2.4G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 8N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 250Hz WB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 315Hz WB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 400Hz WB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5G NR n5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 500Hz WB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNR n2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\5GNRn5




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n66




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ 5GNR n77




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ WLAN2.4G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.2G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.3G



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.5G




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\
WLAN5.8G




Receive path - distortion and noise 630Hz WB


ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band II




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band IV




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 23.85kbps\ 5.2 Receive path – distortion and noise\WCDMA Band V




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 2




ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 5



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\ LTE Band 7



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 12



ANSI/TIA 5050-2018 \ 2N HAC OFF \ WB 12.2kbps\ 5.2 Receive path – distortion and noise\LTE Band 13

