
















## Appendix F: Frequency Stability

### Test Result

| Voltage  |         |               |                  |                |                 |             |         |
|----------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band     | Channel | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| GSM850   | 128     | VN            | NT               | -3.26          | -0.003955       | ±2.5        | PASS    |
| GSM850   | 128     | VL            | NT               | -5.71          | -0.006928       | ±2.5        | PASS    |
| GSM850   | 128     | VH            | NT               | -4.36          | -0.005290       | ±2.5        | PASS    |
| GSM850   | 190     | VN            | NT               | -2.55          | -0.003048       | ±2.5        | PASS    |
| GSM850   | 190     | VL            | NT               | -1.29          | -0.001542       | ±2.5        | PASS    |
| GSM850   | 190     | VH            | NT               | -3.13          | -0.003741       | ±2.5        | PASS    |
| GSM850   | 251     | VN            | NT               | -3.00          | -0.003534       | ±2.5        | PASS    |
| GSM850   | 251     | VL            | NT               | -4.58          | -0.005396       | ±2.5        | PASS    |
| GSM850   | 251     | VH            | NT               | -1.52          | -0.001791       | ±2.5        | PASS    |
| GPRS850  | 128     | VN            | NT               | -4.58          | -0.005557       | ±2.5        | PASS    |
| GPRS850  | 128     | VL            | NT               | -1.87          | -0.002269       | ±2.5        | PASS    |
| GPRS850  | 128     | VH            | NT               | 1.16           | 0.001407        | ±2.5        | PASS    |
| GPRS850  | 190     | VN            | NT               | -5.94          | -0.007100       | ±2.5        | PASS    |
| GPRS850  | 190     | VL            | NT               | -3.97          | -0.004745       | ±2.5        | PASS    |
| GPRS850  | 190     | VH            | NT               | -2.94          | -0.003514       | ±2.5        | PASS    |
| GPRS850  | 251     | VN            | NT               | -3.81          | -0.004489       | ±2.5        | PASS    |
| GPRS850  | 251     | VL            | NT               | -3.58          | -0.004218       | ±2.5        | PASS    |
| GPRS850  | 251     | VH            | NT               | -3.45          | -0.004065       | ±2.5        | PASS    |
| EGPRS850 | 128     | VN            | NT               | -7.97          | -0.009670       | ±2.5        | PASS    |
| EGPRS850 | 128     | VL            | NT               | -7.10          | -0.008614       | ±2.5        | PASS    |
| EGPRS850 | 128     | VH            | NT               | -4.42          | -0.005363       | ±2.5        | PASS    |
| EGPRS850 | 190     | VN            | NT               | -9.40          | -0.011236       | ±2.5        | PASS    |
| EGPRS850 | 190     | VL            | NT               | -9.40          | -0.011236       | ±2.5        | PASS    |
| EGPRS850 | 190     | VH            | NT               | -9.27          | -0.011081       | ±2.5        | PASS    |
| EGPRS850 | 251     | VN            | NT               | -8.56          | -0.010085       | ±2.5        | PASS    |
| EGPRS850 | 251     | VL            | NT               | -8.46          | -0.009967       | ±2.5        | PASS    |
| EGPRS850 | 251     | VH            | NT               | -10.04         | -0.011828       | ±2.5        | PASS    |
| GSM1900  | 512     | VN            | NT               | -4.33          | -0.002340       | ±2.5        | PASS    |
| GSM1900  | 512     | VL            | NT               | -0.74          | -0.000400       | ±2.5        | PASS    |
| GSM1900  | 512     | VH            | NT               | 1.65           | 0.000892        | ±2.5        | PASS    |
| GSM1900  | 661     | VN            | NT               | -1.23          | -0.000654       | ±2.5        | PASS    |
| GSM1900  | 661     | VL            | NT               | -0.52          | -0.000277       | ±2.5        | PASS    |
| GSM1900  | 661     | VH            | NT               | 0.32           | 0.000170        | ±2.5        | PASS    |
| GSM1900  | 810     | VN            | NT               | -4.39          | -0.002299       | ±2.5        | PASS    |

|           |     |    |    |        |           |      |      |
|-----------|-----|----|----|--------|-----------|------|------|
| GSM1900   | 810 | VL | NT | -2.62  | -0.001372 | ±2.5 | PASS |
| GSM1900   | 810 | VH | NT | -3.20  | -0.001676 | ±2.5 | PASS |
| GPRS1900  | 512 | VN | NT | -3.20  | -0.001730 | ±2.5 | PASS |
| GPRS1900  | 512 | VL | NT | -1.36  | -0.000735 | ±2.5 | PASS |
| GPRS1900  | 512 | VH | NT | -0.90  | -0.000486 | ±2.5 | PASS |
| GPRS1900  | 661 | VN | NT | -3.29  | -0.001750 | ±2.5 | PASS |
| GPRS1900  | 661 | VL | NT | -4.49  | -0.002388 | ±2.5 | PASS |
| GPRS1900  | 661 | VH | NT | -7.33  | -0.003899 | ±2.5 | PASS |
| GPRS1900  | 810 | VN | NT | -6.75  | -0.003534 | ±2.5 | PASS |
| GPRS1900  | 810 | VL | NT | -1.42  | -0.000744 | ±2.5 | PASS |
| GPRS1900  | 810 | VH | NT | -4.46  | -0.002335 | ±2.5 | PASS |
| EGPRS1900 | 512 | VN | NT | -5.75  | -0.003108 | ±2.5 | PASS |
| EGPRS1900 | 512 | VL | NT | -7.23  | -0.003908 | ±2.5 | PASS |
| EGPRS1900 | 512 | VH | NT | -7.97  | -0.004308 | ±2.5 | PASS |
| EGPRS1900 | 661 | VN | NT | -4.94  | -0.002628 | ±2.5 | PASS |
| EGPRS1900 | 661 | VL | NT | -8.27  | -0.004399 | ±2.5 | PASS |
| EGPRS1900 | 661 | VH | NT | -8.88  | -0.004723 | ±2.5 | PASS |
| EGPRS1900 | 810 | VN | NT | -9.75  | -0.005105 | ±2.5 | PASS |
| EGPRS1900 | 810 | VL | NT | -13.46 | -0.007048 | ±2.5 | PASS |
| EGPRS1900 | 810 | VH | NT | -10.75 | -0.005629 | ±2.5 | PASS |

| Temperature |         |               |                  |                |                 |             |         |
|-------------|---------|---------------|------------------|----------------|-----------------|-------------|---------|
| Band        | Channel | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
| GSM850      | 128     | NV            | -30              | -4.33          | -0.005254       | ±2.5        | PASS    |
| GSM850      | 128     | NV            | -20              | -4.94          | -0.005994       | ±2.5        | PASS    |
| GSM850      | 128     | NV            | -10              | -4.39          | -0.005326       | ±2.5        | PASS    |
| GSM850      | 128     | NV            | 0                | -5.29          | -0.006418       | ±2.5        | PASS    |
| GSM850      | 128     | NV            | 10               | -4.94          | -0.005994       | ±2.5        | PASS    |
| GSM850      | 128     | NV            | 20               | -5.20          | -0.006309       | ±2.5        | PASS    |
| GSM850      | 128     | NV            | 30               | -8.27          | -0.010034       | ±2.5        | PASS    |
| GSM850      | 128     | NV            | 40               | -4.04          | -0.004902       | ±2.5        | PASS    |

|         |     |    |     |       |           |      |      |
|---------|-----|----|-----|-------|-----------|------|------|
| GSM850  | 128 | NV | 50  | -1.90 | -0.002305 | ±2.5 | PASS |
| GSM850  | 190 | NV | -30 | -1.29 | -0.001542 | ±2.5 | PASS |
| GSM850  | 190 | NV | -20 | -3.23 | -0.003861 | ±2.5 | PASS |
| GSM850  | 190 | NV | -10 | -2.10 | -0.002510 | ±2.5 | PASS |
| GSM850  | 190 | NV | 0   | -0.84 | -0.001004 | ±2.5 | PASS |
| GSM850  | 190 | NV | 10  | -3.13 | -0.003741 | ±2.5 | PASS |
| GSM850  | 190 | NV | 20  | -4.10 | -0.004901 | ±2.5 | PASS |
| GSM850  | 190 | NV | 30  | -1.84 | -0.002199 | ±2.5 | PASS |
| GSM850  | 190 | NV | 40  | -1.78 | -0.002128 | ±2.5 | PASS |
| GSM850  | 190 | NV | 50  | -1.84 | -0.002199 | ±2.5 | PASS |
| GSM850  | 251 | NV | -30 | -3.36 | -0.003959 | ±2.5 | PASS |
| GSM850  | 251 | NV | -20 | -3.97 | -0.004677 | ±2.5 | PASS |
| GSM850  | 251 | NV | -10 | 0.23  | 0.000271  | ±2.5 | PASS |
| GSM850  | 251 | NV | 0   | 5.13  | 0.006044  | ±2.5 | PASS |
| GSM850  | 251 | NV | 10  | -2.78 | -0.003275 | ±2.5 | PASS |
| GSM850  | 251 | NV | 20  | -1.32 | -0.001555 | ±2.5 | PASS |
| GSM850  | 251 | NV | 30  | -0.10 | -0.000118 | ±2.5 | PASS |
| GSM850  | 251 | NV | 40  | -2.32 | -0.002733 | ±2.5 | PASS |
| GSM850  | 251 | NV | 50  | -2.58 | -0.003040 | ±2.5 | PASS |
| GPRS850 | 128 | NV | -30 | -0.48 | -0.000582 | ±2.5 | PASS |
| GPRS850 | 128 | NV | -20 | -6.10 | -0.007401 | ±2.5 | PASS |
| GPRS850 | 128 | NV | -10 | -4.91 | -0.005957 | ±2.5 | PASS |
| GPRS850 | 128 | NV | 0   | -6.88 | -0.008347 | ±2.5 | PASS |
| GPRS850 | 128 | NV | 10  | -6.42 | -0.007789 | ±2.5 | PASS |
| GPRS850 | 128 | NV | 20  | -5.33 | -0.006467 | ±2.5 | PASS |
| GPRS850 | 128 | NV | 30  | -4.62 | -0.005605 | ±2.5 | PASS |
| GPRS850 | 128 | NV | 40  | -5.20 | -0.006309 | ±2.5 | PASS |
| GPRS850 | 128 | NV | 50  | -6.42 | -0.007789 | ±2.5 | PASS |
| GPRS850 | 190 | NV | -30 | -4.29 | -0.005128 | ±2.5 | PASS |
| GPRS850 | 190 | NV | -20 | -1.74 | -0.002080 | ±2.5 | PASS |
| GPRS850 | 190 | NV | -10 | -3.36 | -0.004016 | ±2.5 | PASS |
| GPRS850 | 190 | NV | 0   | -7.07 | -0.008451 | ±2.5 | PASS |
| GPRS850 | 190 | NV | 10  | -6.42 | -0.007674 | ±2.5 | PASS |
| GPRS850 | 190 | NV | 20  | -8.30 | -0.009921 | ±2.5 | PASS |
| GPRS850 | 190 | NV | 30  | -8.36 | -0.009993 | ±2.5 | PASS |
| GPRS850 | 190 | NV | 40  | -5.26 | -0.006287 | ±2.5 | PASS |
| GPRS850 | 190 | NV | 50  | -4.00 | -0.004781 | ±2.5 | PASS |
| GPRS850 | 251 | NV | -30 | -4.75 | -0.005596 | ±2.5 | PASS |
| GPRS850 | 251 | NV | -20 | -6.52 | -0.007681 | ±2.5 | PASS |
| GPRS850 | 251 | NV | -10 | -4.26 | -0.005019 | ±2.5 | PASS |
| GPRS850 | 251 | NV | 0   | -5.84 | -0.006880 | ±2.5 | PASS |

|          |     |    |     |        |           |      |      |
|----------|-----|----|-----|--------|-----------|------|------|
| GPRS850  | 251 | NV | 10  | -4.78  | -0.005631 | ±2.5 | PASS |
| GPRS850  | 251 | NV | 20  | -6.49  | -0.007646 | ±2.5 | PASS |
| GPRS850  | 251 | NV | 30  | -1.42  | -0.001673 | ±2.5 | PASS |
| GPRS850  | 251 | NV | 40  | -2.78  | -0.003275 | ±2.5 | PASS |
| GPRS850  | 251 | NV | 50  | -4.16  | -0.004901 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | -30 | -10.46 | -0.012691 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | -20 | -8.68  | -0.010531 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | -10 | -8.49  | -0.010301 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | 0   | -7.36  | -0.008930 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | 10  | -6.20  | -0.007522 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | 20  | -7.78  | -0.009439 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | 30  | -9.46  | -0.011478 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | 40  | -6.81  | -0.008263 | ±2.5 | PASS |
| EGPRS850 | 128 | NV | 50  | -7.43  | -0.009015 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | -30 | -8.75  | -0.010459 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | -20 | -10.46 | -0.012503 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | -10 | -10.14 | -0.012120 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | 0   | -8.17  | -0.009766 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | 10  | -6.42  | -0.007674 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | 20  | -7.81  | -0.009335 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | 30  | -9.65  | -0.011535 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | 40  | -9.98  | -0.011929 | ±2.5 | PASS |
| EGPRS850 | 190 | NV | 50  | -8.27  | -0.009885 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | -30 | -9.85  | -0.011605 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | -20 | -11.36 | -0.013384 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | -10 | -10.62 | -0.012512 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | 0   | -8.81  | -0.010379 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | 10  | -11.95 | -0.014079 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | 20  | -11.30 | -0.013313 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | 30  | -11.82 | -0.013926 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | 40  | -15.21 | -0.017919 | ±2.5 | PASS |
| EGPRS850 | 251 | NV | 50  | -3.52  | -0.004147 | ±2.5 | PASS |
| GSM1900  | 512 | NV | -30 | 1.07   | 0.000578  | ±2.5 | PASS |
| GSM1900  | 512 | NV | -20 | -9.01  | -0.004870 | ±2.5 | PASS |
| GSM1900  | 512 | NV | -10 | -3.29  | -0.001778 | ±2.5 | PASS |
| GSM1900  | 512 | NV | 0   | -3.91  | -0.002113 | ±2.5 | PASS |
| GSM1900  | 512 | NV | 10  | -3.84  | -0.002075 | ±2.5 | PASS |
| GSM1900  | 512 | NV | 20  | -7.68  | -0.004151 | ±2.5 | PASS |
| GSM1900  | 512 | NV | 30  | -5.55  | -0.003000 | ±2.5 | PASS |
| GSM1900  | 512 | NV | 40  | -6.23  | -0.003367 | ±2.5 | PASS |
| GSM1900  | 512 | NV | 50  | -8.14  | -0.004400 | ±2.5 | PASS |

|          |     |    |     |        |           |      |      |
|----------|-----|----|-----|--------|-----------|------|------|
| GSM1900  | 661 | NV | -30 | 0.00   | 0.000000  | ±2.5 | PASS |
| GSM1900  | 661 | NV | -20 | -1.55  | -0.000824 | ±2.5 | PASS |
| GSM1900  | 661 | NV | -10 | -7.10  | -0.003777 | ±2.5 | PASS |
| GSM1900  | 661 | NV | 0   | -3.68  | -0.001957 | ±2.5 | PASS |
| GSM1900  | 661 | NV | 10  | -2.81  | -0.001495 | ±2.5 | PASS |
| GSM1900  | 661 | NV | 20  | -7.36  | -0.003915 | ±2.5 | PASS |
| GSM1900  | 661 | NV | 30  | -2.36  | -0.001255 | ±2.5 | PASS |
| GSM1900  | 661 | NV | 40  | -5.26  | -0.002798 | ±2.5 | PASS |
| GSM1900  | 661 | NV | 50  | -1.81  | -0.000963 | ±2.5 | PASS |
| GSM1900  | 810 | NV | -30 | 0.94   | 0.000492  | ±2.5 | PASS |
| GSM1900  | 810 | NV | -20 | -5.42  | -0.002838 | ±2.5 | PASS |
| GSM1900  | 810 | NV | -10 | -8.36  | -0.004377 | ±2.5 | PASS |
| GSM1900  | 810 | NV | 0   | -8.81  | -0.004613 | ±2.5 | PASS |
| GSM1900  | 810 | NV | 10  | -3.49  | -0.001827 | ±2.5 | PASS |
| GSM1900  | 810 | NV | 20  | -5.13  | -0.002686 | ±2.5 | PASS |
| GSM1900  | 810 | NV | 30  | -9.72  | -0.005090 | ±2.5 | PASS |
| GSM1900  | 810 | NV | 40  | -8.75  | -0.004582 | ±2.5 | PASS |
| GSM1900  | 810 | NV | 50  | -3.33  | -0.001744 | ±2.5 | PASS |
| GPRS1900 | 512 | NV | -30 | -9.30  | -0.005026 | ±2.5 | PASS |
| GPRS1900 | 512 | NV | -20 | 3.07   | 0.001659  | ±2.5 | PASS |
| GPRS1900 | 512 | NV | -10 | 1.74   | 0.000940  | ±2.5 | PASS |
| GPRS1900 | 512 | NV | 0   | -0.16  | -0.000086 | ±2.5 | PASS |
| GPRS1900 | 512 | NV | 10  | -0.55  | -0.000297 | ±2.5 | PASS |
| GPRS1900 | 512 | NV | 20  | -2.49  | -0.001346 | ±2.5 | PASS |
| GPRS1900 | 512 | NV | 30  | -5.39  | -0.002913 | ±2.5 | PASS |
| GPRS1900 | 512 | NV | 40  | -7.81  | -0.004221 | ±2.5 | PASS |
| GPRS1900 | 512 | NV | 50  | -5.20  | -0.002811 | ±2.5 | PASS |
| GPRS1900 | 661 | NV | -30 | -1.16  | -0.000617 | ±2.5 | PASS |
| GPRS1900 | 661 | NV | -20 | 0.36   | 0.000191  | ±2.5 | PASS |
| GPRS1900 | 661 | NV | -10 | 5.33   | 0.002835  | ±2.5 | PASS |
| GPRS1900 | 661 | NV | 0   | 0.71   | 0.000378  | ±2.5 | PASS |
| GPRS1900 | 661 | NV | 10  | -3.91  | -0.002080 | ±2.5 | PASS |
| GPRS1900 | 661 | NV | 20  | 6.81   | 0.003622  | ±2.5 | PASS |
| GPRS1900 | 661 | NV | 30  | 0.06   | 0.000032  | ±2.5 | PASS |
| GPRS1900 | 661 | NV | 40  | -3.55  | -0.001888 | ±2.5 | PASS |
| GPRS1900 | 661 | NV | 50  | -44.07 | -0.023441 | ±2.5 | PASS |
| GPRS1900 | 810 | NV | -30 | -0.87  | -0.000456 | ±2.5 | PASS |
| GPRS1900 | 810 | NV | -20 | -0.23  | -0.000120 | ±2.5 | PASS |
| GPRS1900 | 810 | NV | -10 | -4.58  | -0.002398 | ±2.5 | PASS |
| GPRS1900 | 810 | NV | 0   | -2.62  | -0.001372 | ±2.5 | PASS |
| GPRS1900 | 810 | NV | 10  | -0.03  | -0.000016 | ±2.5 | PASS |

|           |     |    |     |        |           |      |      |
|-----------|-----|----|-----|--------|-----------|------|------|
| GPRS1900  | 810 | NV | 20  | -2.39  | -0.001251 | ±2.5 | PASS |
| GPRS1900  | 810 | NV | 30  | -8.88  | -0.004650 | ±2.5 | PASS |
| GPRS1900  | 810 | NV | 40  | 0.26   | 0.000136  | ±2.5 | PASS |
| GPRS1900  | 810 | NV | 50  | -5.62  | -0.002943 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | -30 | -11.56 | -0.006248 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | -20 | -8.59  | -0.004643 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | -10 | -1.00  | -0.000540 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | 0   | -3.58  | -0.001935 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | 10  | -8.46  | -0.004572 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | 20  | -6.13  | -0.003313 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | 30  | -4.78  | -0.002584 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | 40  | -7.55  | -0.004081 | ±2.5 | PASS |
| EGPRS1900 | 512 | NV | 50  | -7.55  | -0.004081 | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | -30 | -6.30  | -0.003351 | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | -20 | -9.01  | -0.004793 | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | -10 | 0.94   | 0.000500  | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | 0   | -4.36  | -0.002319 | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | 10  | -5.59  | -0.002973 | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | 20  | 1.00   | 0.000532  | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | 30  | -6.52  | -0.003468 | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | 40  | -6.23  | -0.003314 | ±2.5 | PASS |
| EGPRS1900 | 661 | NV | 50  | -4.10  | -0.002181 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | -30 | -9.72  | -0.005090 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | -20 | -12.07 | -0.006320 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | -10 | -6.72  | -0.003519 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | 0   | -10.75 | -0.005629 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | 10  | -9.59  | -0.005021 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | 20  | -7.33  | -0.003838 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | 30  | -13.14 | -0.006880 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | 40  | -8.27  | -0.004330 | ±2.5 | PASS |
| EGPRS1900 | 810 | NV | 50  | -54.85 | -0.028720 | ±2.5 | PASS |

## Appendix G: Modulation Characteristics

### Test Result

| Band      | Channel | Result | Verdict |
|-----------|---------|--------|---------|
| GSM850    | 128     | PASS   | PASS    |
| GSM850    | 190     | PASS   | PASS    |
| GSM850    | 251     | PASS   | PASS    |
| GPRS850   | 128     | PASS   | PASS    |
| GPRS850   | 190     | PASS   | PASS    |
| GPRS850   | 251     | PASS   | PASS    |
| EGPRS850  | 128     | PASS   | PASS    |
| EGPRS850  | 190     | PASS   | PASS    |
| EGPRS850  | 251     | PASS   | PASS    |
| GSM1900   | 512     | PASS   | PASS    |
| GSM1900   | 661     | PASS   | PASS    |
| GSM1900   | 810     | PASS   | PASS    |
| GPRS1900  | 512     | PASS   | PASS    |
| GPRS1900  | 661     | PASS   | PASS    |
| GPRS1900  | 810     | PASS   | PASS    |
| EGPRS1900 | 512     | PASS   | PASS    |
| EGPRS1900 | 661     | PASS   | PASS    |
| EGPRS1900 | 810     | PASS   | PASS    |